

NetExec (NXC) — Practical Tool Guide

SMB host information, authorized credential validation, shares/users/groups/password-policy enumeration, null/guest checks, and module help.

➤ Abdullah Nasser Almsan — Personal Pentest Reference

Usage note: NetExec is powerful and can operate across many systems. This guide stays focused on basic authorized enumeration and validation.

SMB

Service

AUTH

Validate

ENUM

Shares / users

FOLLOW-UP

Choose next tool

Contents

1. Syntax
2. Authentication checks
3. Enumeration
4. Null / Guest
5. Output / modules
6. Workflow

1. Syntax

NetExec/NXC is a framework for Windows/AD service enumeration and validation. This reference focuses on SMB basics.

KALI TERMINAL — Help

```
nxc -h
nxc smb -h
```

KALI TERMINAL — SMB host info

```
nxc smb [TARGET]
```

Older environments may show the CrackMapExec name. This guide uses the current NetExec nxc command.

2. Authentication checks

Validate credentials that are already authorized/in-scope rather than immediately trying to execute something.

AUTHORIZED LAB — User/password

```
nxc smb [TARGET] -u [USER] -p [PASS]
```

AUTHORIZED LAB — Local account

```
nxc smb [TARGET] -u [USER] -p [PASS] --local-auth
```

AUTHORIZED LAB — Hash supplied by the lab

```
nxc smb [TARGET] -u [USER] -H [NTHASH]
```

Note: Do not turn these examples into password spraying against real systems. In labs, use only accounts/lists allowed by the scenario.

3. Enumeration

KALI TERMINAL — Shares

```
nxc smb [TARGET] -u [USER] -p [PASS] --shares
```

KALI TERMINAL — Users

```
nxc smb [TARGET] -u [USER] -p [PASS] --users
```

KALI TERMINAL — Groups

```
nxc smb [TARGET] -u [USER] -p [PASS] --groups
```

KALI TERMINAL — Password policy

```
nxc smb [TARGET] -u [USER] -p [PASS] --pass-pol
```

AUTHORIZED LAB — Logged-on users when permissions allow

```
nxc smb [TARGET] -u [USER] -p [PASS] --loggedon-users
```

4. Null / Guest

Test only what the lab allows.

KALI TERMINAL — Null-style attempt

```
nxc smb [TARGET] -u "" -p "" --shares
```

KALI TERMINAL — Guest

```
nxc smb [TARGET] -u guest -p "" --shares
```

Null/guest behavior depends on SMB and domain policy. A failed result does not mean SMB is absent.

5. Output / modules

Read module help/options before using a module.

KALI TERMINAL — List modules

```
nxc smb -L
```

KALI TERMINAL — Module help

```
nxc smb -M [MODULE] --options
```

Note: Some modules can perform actions more intrusive than enumeration. Read the description/options before running them.

6. Workflow

Step	Tool	Decision
1	Nmap	Is SMB/445 present?
2	nxc smb	Host/domain/signing information.
3	Auth	Known/authorized credential.
4	Shares/users	Enumerate only what is needed.
5	Next	Choose smbclient, Impacket, or Metasploit based on evidence.

Prepared as a quick-reference companion to the canonical Arabic guide. Use only in labs or systems you are explicitly authorized to test.

References:

NetExec [documentation](#) / [help output](#)