

SMBClient + RPCClient — Practical Tool Guide

List shares, enter a share, navigate/get/put files, enumerate RPC users/groups/RIDs, and choose the right tool for the job.

» Abdullah Nasser Almsan — Personal Pentest Reference

Usage note: The project already has a broad SMB cheat sheet; this guide separates the two console tools for quick use after port 445 is confirmed.

445

SMB present

SHARES

smbclient

RPC

rpcclient

VERIFY

Permissions / data

Contents

1. smbclient: list shares
2. smbclient: inside a share
3. rpcclient: connection
4. rpcclient: enumeration commands
5. Choose the tool
6. Workflow

1. smbclient: list shares

KALI TERMINAL — Anonymous list

```
smbclient -L //[TARGET] -N
```

KALI TERMINAL — Authenticated list

```
smbclient -L //[TARGET] -U [USER]
```

KALI TERMINAL — Domain user

```
smbclient -L //[TARGET] -U "[DOMAIN]\[USER]"
```

2. smbclient: inside a share

The interactive commands resemble an FTP shell.

KALI TERMINAL — Connect

```
smbclient //[TARGET]/[SHARE] -U [USER]
```

SMBCLIENT — Navigation

```
pwd  
ls  
cd [DIR]  
get [REMOTE_FILE]  
put [LOCAL_FILE]  
exit
```

SMBCLIENT — Recursive options

```
recurse ON  
prompt OFF  
mget *
```

Note: Recursive mget can download a large amount of data. Use it only when the lab objective justifies it.

3. rpcclient: connection

Useful for RPC/SAM enumeration when the server policy allows it.

KALI TERMINAL — Null session

```
rpcclient -U "" -N [TARGET]
```

KALI TERMINAL — Authenticated

```
rpcclient -U "[DOMAIN]\[USER]" [TARGET]
```

RPCCLIENT — Help

```
help
```

4. rpcclient: enumeration commands

RPCCLIENT — Server / users / groups

```
srvinfo  
enumdomusers  
enumdomgroups
```

RPCCLIENT — Lookup user

```
lookupnames [USERNAME]
```

RPCCLIENT — Query user by RID

queryuser [RID]

Note: A failed RPC command may mean insufficient rights or server policy restrictions. Do not interpret it as “no users exist.”

5. Choose the tool

Tool	Focus	Situation
smbclient	Shares/files	list, browse, get, put.
rpcclient	RPC/SAM/domain info	users, groups, RIDs, server info.
enum4linux-ng	Multiple enumeration paths	Fast summary across several checks.
NetExec	SMB/AD enumeration + auth validation	After you understand scope/credentials.

6. Workflow

KALI TERMINAL

```
smbclient -L //[TARGET] -N
rpcclient -U "" -N [TARGET]
# If an authorized account is available:
smbclient -L //[TARGET] -U [USER]
nxc smb [TARGET] -u [USER] -p [PASS] --shares
```