ABK LUNG HEALTH EDUCATION PORTAL

Breathe better. Live better.

SCAN FOR FURTHER READING

PERSONALISED ASTHMA ACTION PLAN

• Take this plan to every asthma review

PATIENT DETAILS	DOCTOR / CLINIC	EMERGENCY CONTACT
Name: _____	Name: _____	Name / relationship: _____
Date of birth: _____	Phone: _____	Phone: _____
Plan date: _____ Review due: _____	Clinic: _____	AMBULANCE / RESCUE: 1122

Complete the medicine names, doses and personal peak-flow zones with your clinician. Do not guess doses.

1. WHEN WELL | Asthma controlled; usual activities possible; ACT >19; Peak Flow Rate > _____ L/min

MY REGULAR TREATMENT

Preventer (name / strength): _____

Dose: _____ Times per day: _____

☐ Use a spacer if prescribed / appropriate

Reliever (name): _____

Use as prescribed for symptoms or before exercise if advised.

☐ Use a spacer if prescribed / appropriate

MY PERSONAL ROUTINE

My triggers / avoidance steps: _____

Other instructions: _____

_____

_____

_____

Always carry your prescribed reliever.

2. WHEN NOT WELL | More symptoms than usual, night waking, or needing more reliever; Peak flow _____ to _____ L/min

WHAT I SHOULD DO

Continue my regular preventer unless my clinician says otherwise.

Medicine / dose / interval: _____

_____

_____

☐ Use a spacer if prescribed / appropriate

MONITOR & GET ADVICE

Extra treatment / instructions: _____

_____

_____

☐ Contact my doctor / clinic for advice if worsening or not improving.

If symptoms become severe, follow the DANGER plan below.

3. IF SYMPTOMS WORSEN | Severe flare-up, rapidly increasing symptoms, or reliever needed again within 3 hours

Peak Flow rate is less than _____ L/min

URGENT ACTION

Use my prescribed reliever according to the personalised instructions:

Medicine / dose / repeat instructions: _____

_____

_____

_____

SAME-DAY MEDICAL REVIEW

Seek urgent same-day medical assessment.

Medicine / dose: _____ For _____ days

Other clinician instructions: _____

_____

4. DANGER SIGNS — ASTHMA EMERGENCY | Severe breathing difficulty, unable to speak comfortably, blue lips, rapidly worsening symptoms, or little/no relief

CALL 1122
NOW
AMBULANCE / RESCUE

- **Call 1122 immediately and say: "This is an asthma emergency."**
- Sit upright and stay with someone; do not drive yourself.
- Use the prescribed reliever as directed in your emergency instructions while help is coming.
- If there is a delay in Ambulance arrival or availability, reach nearest medical service as early as possible.

ASTHMA MEDICINE NOTES Preventers are used regularly as prescribed. Reliever instructions depend on your inhaler and treatment plan; some people use an ICS-formoterol inhaler as their reliever. Follow the personalised plan written by your clinician.

DISCLAIMER: This Asthma Action Plan serves as a general guideline. Actions may be modified according to the situation.

ABK Lung Health Publications | https://abdullah-bin-khurram.github.io/blogs/

Educational template — clinician must personalise medicines, doses and peak-flow thresholds for each patient.