

A 1	question_graded_automatically qtype_multichoice_base	nregis		question_type	l Version	EA
	+ answernumbering: var	08.0	#	fileoptions: var = array(
A 1	+ answers: var + correctfeedback: var + correctfeedbackformat: var	nregis	+ + +	construct(): var actual_number_of_questions(var): var break_down_stats_and_response_analysis_by_variant(var): v	l Version ar	EA
A 1	+ layout: var = self::LAYOUT_VE	nregis	+ # + #	can_analyse_responses(): var count_hints_on_form(var, var): var create_editing_form(var, var, var, var, var): var	l Version	EA
A 1	+ LAYOUT_VERTICAL: var = 1 {readOnly}	nregis	# # #	decode_file(var): var delete_files(var, var): var delete_files_in_answers(var, var, var): var delete_files_in_combined_feedback(var, var): var	l Version	EA
A 1	L nortially correct to a disaster you	nregis	# + +	delete_files_in_hints(var, var): var delete_question(var, var): var display_question_editing_page(var, var, var): var	l Version	EA
A 1		nregis	+ + +	export_to_xml(var, qformat_xml, var): var extra_answer_fields(): var extra_question_fields(): var	l Version	EA
A 1	+ get question summary(); var	nregis	# # + +	fill_answer_fields(var, var, var, var): var fill_extra_answer_fields(var, var, var, var, var): var find_standard_scripts(): var finished_edit_wizard(var): var	l Version	EA
A 1	+ is_choice_selected(var, var): var	nregis	+ + + +	generate_test(var, var): var get_context_by_category_id(var): var get_heading(var): var	l Version	EA
A/13	3.5 Unregistered Trial Version EA 13.5 Un	nregis	+ + +	<pre>get_possible_responses(var): var get_question_options(var): var get_random_guess_score(var): var</pre>	ersion	EA
A 13	question_wizard_form question_edit_form	hregis	+ + + + #	has_html_answers(): var import_file(var, var, var, var, var): var import_from_xml(var, var, qformat_xml, var): var import_or_save_files(var, var, var, var, var): var	l Version	EA
A 13	# category: var # categorycontext: var + context: var	nregis	#	initialise_combined_feedback(question_definition, var, var): vainitialise_question_answers(question_definition, var, var): vainitialise_question_hints(question_definition, var): var	ar I Version	EA
A 13	<pre># contexts: var + DEFAULT_NUM_HINTS: var = 2 {readOnly} + editoroptions: var</pre>		# # # #	<pre>initialise_question_instance(question_definition, var): var is_answer_empty(var, var): var is_extra_answer_fields_empty(var, var): var is_hint_empty_in_form_data(var, var, var): var</pre>	Version	EA
A 13	+ fileoptions: var + instance: var # question: var	nregis	+ + +	is_manual_graded():	l Version	EA
A 13	# add_interactive_settings(var, var): var	nregis	+ + # #	is_usable_by_random(): var local_name(): var make_answer(var): var make_hint(var): var	l Version	EA
A 13	# add_per_answer_fields(var*, var, var, var, var): var # can_preview(): var # data_preprocessing(var): var # data_preprocessing_answers(var, var): var	nregis	+ + + +	make_nint(val): var make_question(var): var make_question_instance(var): var menu_name(): var	l Version	EA
A 13	# data_preprocessing_combined_feedback(var, var): var # data_preprocessing_extra_answer_field(var, var): var # data_preprocessing_extra_answer_fields(var, var): var	-0	+ # #	move_files(var, var, var): var move_files_in_answers(var, var, var, var): var move_files_in_combined_feedback(var, var, var): var	l Version	EA
A 13	<pre># data_preprocessing_hints(var, var, var): var # definition(): var # definition_inner(var): var # get_hint_fields(var, var): var</pre>	nregis	+ + +	move_files_in_hints(var, var, var): var name(): var plugin_baseurl(): var plugin_dir(): var	l Version	EA
A 13	# get_more_choices_string(): var # get_non_collabsible_editor_options(): var # get_per_answer_fields(var, var, var, var*, var*): var	nregis	+ + + +	<pre>plugin_name(): var questionid_column_name(): var response_file_areas(): var</pre>	l Version	EA
A 13	+ qtype(): var + set_data(var): var + validation(var, var): var	nregis	#	save_combined_feedback_helper(var, var, var, var): var save_hint_options(var, var, var): var save_hints(var, var): var	l Version	EA
A 13	3.5 Unregistered Trial Version EA 13.5 Un	nregis	+	<pre>save_question(var, var): var save_question_answers(var): var save_question_options(var): var set_default_options(var): var</pre>	l Version	EA
A 1	R. S. Linregistered Trial Version FA 13.5 Ui	ا nregis	_	ered Trial Version EA 13.5 Unregistered Tria	al Version	EA
	qtype_multichoiceset_edit_form	3 -				
Λ T	# definition_inner(var): var # get hint fields(var. var): var			ered Trial Version EA 13.5 Unregistered Tria		EA
	# get_per_answer_fields(var, var, var, var*, var*): var + qtype(): var + validation(var, var): var	nregis	ste	ered Trial Version EA 13.5 Unregistered Tria	al Version	EA
A 1	3.5 Unregistered Irial Version EA 13.5 Ui	nregis	ste	ered Trial Version EA 13.5 Unregistered Tria	al Version	EA

13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unreg qtype_multichoice	l Trial Version	EA 13.5 Unregistered Trial Version	EA 13
# delete_files(var, var): var + delete_question(var, var): var + get_numbering_styles(): var + get_possible_responses(var): var	l Trial Version	EA 13.5 Unregistered Trial Version	EA 13
+ get_question_options(var): var + get_random_guess_score(var): var # initialise_question_instance(question_instance)	Trial Version	EA 13.5 Unregistered Trial Version	EA 13
+ make_answer(var): var # make_hint(var): var # make_question_instance(var): var + move_files(var, var, var): var	l Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unreg + save_question_options(var): var	Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
# delete_files(var, var): var + delete_question(var, var): v + export_to_htmltable(var, or)		EA 13.5 Unregistered Trial Version	EA 13
+ export_to_wordtable(var, export_to_xml(var, qforma # get_num_correct_choices(qformat_xml, var): var t_xml, var): var var): var	EA 13.5 Unregistered Trial Version	EA 13
+ get_numbering_styles(): va get_possible_responses(var): + get_question_options(var): + get_random_guess_score(var):	r): var var	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered + has_html_answers(): var + import_from_wordtable(v	ar, var, qformat_xml, var): var	EA 13.5 Unregistered Trial Version	EA 13
# make_hint(var): var	e(question_definition, var): var ersion	EA 13.5 Unregistered Trial Version	EA 13
# make_question_instance(v + move_files(var, var, var): var + save_question_options(var)	r /ersion	EA 13.5 Unregistered Trial Version	EA 13
	5 Unregistered Inal Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13
13.5 Unregistered Trial Version EA 13.	5 Unregistered Trial Version	EA 13.5 Unregistered Trial Version	EA 13