## Writeup

## Project Objective:

**ONLINE SHOPPING STORE**: is an e-commerce portal that lets people shop online

laptop on their website.

Team Project: Abdullah Saddeg Allhayni

project name: ONLINE SHOPPING STORE

used:

Visual Studio ASP.NET MVC web Project

SQL Server 17 Express Edition or later

Check in the project source into Github using Git tools.

#### **Application Requirements:**

The pages must be done using Bootstrap and must be mobile-responsive.

All data must be stored and retrieved using Data Access Layer and/or EntityFramework.

#### include:

#### File:

AdminStyle>

Content>

Controllers>

DAL>

Fonts>

Images>

Models>

Scripts>

Views>


#### **Install pakeg:**

**PagedList** 


PagedList.Mvc

Home page : in this page user can see logo online shopping and menu in menu can move to the different page and also user can search about item .


#### Output:




Search function: user can search item in home page and select add to cart Output:



add to cart : all item here . and cleck checkout Output:




Clack checkout: if you need edit and Clack checkout Output:




CheckoutDetails: view Details and demo payment method.

#### Output:




Payment has been successfully: view payment successfully.



About: Show information about online shopping

#### Output:


© 2021 - Devloped By Abdullah



**₽ 9 G** 


Contact: Enable the customer to communicate with us

#### Output:




Location: view info about location

Output:




Login: admin (abdullah, 123) to go dashboard admin Output:




Dashboard admin: view dashboard

Output:





Category :view all Category and edit and add and search

Output:



Product: view ,add, edit product Output :







\*other page I created in phas2 because I don't have time , I stop here thank you

schema: schema of project

Output:



#### Db:



LA	.PTOP-A1FCB940\Sdbo.Tbl_Category + X SQLQuery17.sql - L	A1FCB940\pc (62)) LAPTOP-A1FCB940\Sb	o.Tbl_CartStatus
	Column Name	Data Type	Allow Nulls
ÞΨ	Categoryld	int	
	CategoryName	varchar(500)	$\square$
	IsActive	bit	$\square$
	IsDelete	bit	$\square$

## Results Messages

	CategoryId	CategoryName	IsActive	IsDelete
1	1	Apple	1	0
2	2	toshpa	1	0
3	3	HUAWE	1	0
4	4	HP	1	0
5	5	MAXUM	0	0
6	6	LG	0	1
7	7	SAMSONG	1	1

LA	PTOP-A1FCB940\o.Tbl_MemberRole 🕆 X SQLQuery18.sql - L.	A1FCB940\pc (65)) LAPTOP-A1FCB940\Sd	bo.Tbl_Category
	Column Name	Data Type	Allow Nulls
ÞŸ	MemberRoleID	int	
	memberld	int	$\checkmark$
	Roleld	int	

	MemberRoleID		RoleId
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6

LAF	PTOP-A1FCB940\dbo.Tbl_Members 🌼 🗙 SQLQuery19.sql - L	A1FCB940\pc (68)) LAPTOP-A1FCB940\o.T	bl_MemberRole
	Column Name	Data Type	Allow Nulls
10	Memberld	int	
	FristName	varchar(200)	$\square$
	LastName	varchar(200)	$\square$
	EmailId	varchar(200)	$\square$
	Password	varchar(500)	$\square$
	IsActive	bit	$\square$
	IsDelete	bit	
	CreatedOn	datetime	$\square$
	ModifiedOn	datetime	$\square$

# Results Ressages

	MemberId	FristName	LastName	EmailId	Password	IsActive	IsDelete	CreatedOn	ModifiedOn
1	1	abdullah	allhyani	a@gmail.com	123	1	0	NULL	NULL
2	2	m	m	m	m	0	0	NULL	NULL
3	3	a	a	а	a	1	0	NULL	NULL

Varchar(SoD)	ProductId	ProductId ProductName CategoryId IsActive	olumni Nam	ile			int	Data	туре			Allo	
Varchar(SoD)	Accidence	ProductName Categoryld IsActive					Int						$\sqcup$
Int	Int	Categoryld IsActive											
Detail   D	SActive	IsActive					varchar(500)						
Delete	Scheler						int						
Variang	Varchar(MAX)	IcDoloto					bit						abla
Seatured	Sefectured	ispelete					bit						$\checkmark$
Seatured	Sefectured	Productimage					varchar(MAX)	)					
Int	Duantity	_											
decimal(18, 0)	ACSULUS   SIMPLOY												
varchar(500)	Varchar(500)	•											
ModifiedDate	Varchar(SOD)							))					
	Description												
ProductId   ProductName	ProductId   ProductName   IsActive   Isact	ModifiedDate					varchar(500)						
ProductId   ProductName		Description					varchar(500)						$\overline{\checkmark}$
Production	ProductId												
Production	ProductId	rcsuits  ≝    Messages											
1	1		e Cate	tegoryId	IsActive	IsDelete	ProductImage	IsFeatured	Quantity	Price	CreatedDate	ModifiedDate	Description
The macbook s8	1												
Solicity	Sided												
6 toshepa 34234243 2 0 0 2.png 0 4 3000 NULL NULL NULL 7 macbook L 1 1 1 0 shsh.png 0 22 2000 NULL NULL NULL 8 toshepa g2 2 1 1 0 6.jng 0 3 300 NULL NULL NULL NULL NULL NULL NULL NULL	6 toshepa 34234243 2 0 0 0 2.png 0 4 3000 NULL NULL NULL NULL NULL NULL NULL N												
7	7												
8 toshepa g2 2 1 0 6.jpg 0 3 300 NULL NULL NULL  OP-A1FCB940\Sg - dbo.Tbl_Roles ** × SQLQuery21.sql - LA1FCB940\pc (54))  LAPTOP - A1FCB940\Sd bo.Tbl_Product  Column Name  Oled	8 toshepa g2 2 1 0 6,jpg 0 3 300 NULL NULL NULL  TOP-A1FCB940\Sg - dbo.Tbl_Roles 4 × SQLQuery21.sql - LA1FCB940\pc (54))  LAPTOP-A1FCB940\Sd bo.Tbl_Product  Column Name  Column Name  RoleName  1 ADMIN 4 COSTMER 3 EMPLOY 2 MANGER  TOP A1FCB940\Sl_ShippingDetails 4 × SQLQuery22.sql LA1FCB940\pc (56))  Column Name  Column Name  Data Type  Allow Nulls  ADMIN 4 COSTMER 3 EMPLOY 2 MANGER  TOP A1FCB940\Sl_ShippingDetails 4 × SQLQuery22.sql LA1FCB940\pc (56))  LAPTOP A1FCB940\Sg dbo.Tbl_Roles  Column Name  Allow Nulls  Int int  Adress  varchar(500)  Allow Nulls  int int  Adress  varchar(500)  Allow Nulls  Int int  ArroundPald  Adress  varchar(500)  ArroundPald  AmountPald  AmountPal												
Column Name Costmer  ADMIN A COSTMER Column Name Colum	Column Name												
Column Name	Column Name   Data Type   Allow Nulls   RoleName   Varchar(200)   RoleName   Varchar(200)   RoleName   Varchar(200)   RoleName   Varchar(200)   RoleName   RoleId   RoleName   RoleId   RoleName   R	o tosnepa gz	2		4	J	o.jpg	J	3	300	HOLL	NOLL	HOLL
Column Name	Column Name   Data Type   Allow Nulls   RoleName   Varchar(200)   RoleName   Varchar(200)   RoleName   Varchar(200)   RoleName   Varchar(200)   RoleName   RoleId   RoleName   RoleId   RoleName   R												
Int	Int		_	_	QLQuery	21.sql - L.	A1FCB940\pc			-A1FCB	940\S dbo.		
Varchar(200)	RoleId   RoleName   RoleN	(	olumn Nam	ne				Data 1	Туре			Allow	Nulls
RoleId RoleName 1 ADMIN 4 COSTMER 3 EMPLOY 2 MANGER  OP-A1FCB940\sI_ShippingDetails *** × SQLQuery22.sql L A1FCB940\pc (56)** LAPTOP_A1FCB940\sg dbo.Tbl_Roles  Column Name Data Type Allow Nulls int I	RoleId   RoleName   1	Roleld					int						]
RoleId RoleName 1 ADMIN 4 COSTMER 3 EMPLOY 2 MANGER  OP-A1FCB940\sI_ShippingDetails *** × SQLQuery22.sql L A1FCB940\pc (56)** LAPTOP_A1FCB940\sg dbo.Tbl_Roles  Column Name Data Type Allow Nulls int I	RoleId   RoleName   1	RoleName					varchar(200)					$\checkmark$	]
RoleId RoleName 1 ADMIN 4 COSTMER 3 EMPLOY 2 MANGER  OP-A1FCB940\S  ShippingDetails ** X Column Name Column Name Data Type Allow Nulls int int  dress varchar(500) ity varcha	RoleId RoleName 1 ADMIN 4 COSTMER 3 EMPLOY 2 MANGER  TOP A1FCB940\SI_ShippingDetails ** X SQLQuery22.sql* L A1FCB940\pc (56)) LAPTOP A1FCB940\Sg dbo.Tbl_Roles Column Name Data Type Allow Nulls int												1
2 MANGER  OP A1FCB940\sI_ShippingDetails + SQLQuery22.sql L A1FCB940\pc (56)) LAPTOP A1FCB940\sg - dbo.Tbl_Roles  Column Name  Data Type  Allow Nulls  int  dremberId  dress  varchar(500)  varchar(500)  varchar(500)  varchar(500)  varchar(50)	APTOP_A1FCB940\S _ShippingDetails	RoleId Role	Name										
2 MANGER  OP A1FCB940\sI_ShippingDetails + SQLQuery22.sql L A1FCB940\pc (56)) LAPTOP A1FCB940\sg - dbo.Tbl_Roles  Column Name  Data Type  Allow Nulls  int  dremberId  dress  varchar(500)  varchar(500)  varchar(500)  varchar(500)  varchar(50)	APTOP_A1FCB940\S _ShippingDetails	RoleId Role 1 1 ADN	Name IIN										
OP-A1FCB940\SI_ShippingDetails   Column Name  Column Name  Data Type  Allow Nulls  int  int  dress  varchar(500)  varchar(500)  varchar(500)  varchar(500)  varchar(500)  varchar(500)  varchar(50)	Column Name   Data Type   Allow Nulls	RoleId Role 1 1 ADN	Name IIN										
OP-A1FCB940\SI_ShippingDetails   Column Name  Column Name  Data Type  Allow Nulls  int  int  dress  varchar(500)  varchar(500)  varchar(500)  varchar(500)  varchar(500)  varchar(500)  varchar(50)	Column Name   Data Type   Allow Nulls	RoleId Role L 1 ADM 2 4 COS	Name IIN TMER										
Column Name	Column Name	RoleId   Role   L	Name IIN TMER LOY										
int	Int	RoleId Role L 1 ADN 2 4 COS 3 3 EMF 4 2 MAI	Name IIN TMER LOY IGER										
Int	Int	RoleId Role  1 ADN 2 4 COS 3 EMF 4 2 MAI  PTOP A1FCB940\SI_Shippi	Name IIN TMER LOY IGER		QLQuery2	2.sql - L	A1FCB940\pc (5			1FCB94	:0\\$g dbo.		
varchar(500)   varchar(500)   varchar(500)   varchar(500)   varchar(500)   varchar(500)   varchar(500)   varchar(500)   varchar(50)   varcha	Varchar(500)	RoleId Role  1 ADN 2 4 COS 3 EMF 4 2 MAI  PTOP-A1FCB940\SI_Shippi	Name IIN TMER LOY IGER		QLQuery2	2.sql - L	A1FCB940\pc (5			1FCB94	:0\Sg dbo.`	Allow Nu	Ils
varchar(500)	Varchar(500)	RoleId Role  1 ADN 4 COS 3 EMF 2 MAI TOP-A1FCB940\SI_Shippi	Name IIN TMER LOY IGER		QLQuery2					1FCB94	:0\Sg - dbo.`	Allow Nu	ills
Varchar(500)	Varchar(500)	RoleId Role  1 ADN 4 COS 3 EMF 2 MAI  TOP-A1FCB940\SI_Shippi CShippingDetailId	Name IIN TMER LOY IGER		QLQuery2		int			1FCB94	:0\Sg dbo.	Allow Nu	lls
Varchar(500)	Varchar(500)	RoleId Role  1 ADN 4 COS 3 EMF 2 MAI TOP-A1FCB940\SI_Shippi CShippingDetailld Memberld	Name IIN TMER LOY IGER		QLQuery2		int int			1FCB94	:0\Sg dbo.`	Allow Nu	lls
varchar(50)	Country         varchar(50)         ☑           ZipCode         varchar(50)         ☑           Orderld         int         ☑           AmountPaid         decimal(18, 0)         ☑           PaymentType         varchar(50)         ☑           TOP-A1FCB940\bo.Tbl_SlideImage         □         XOLQuery23.sql - LA1FCB940\pc (57))         LAPTOP-A1FCB940\Sl_ShippingDetails           Column Name         Data Type         Allow Nulls           SlideId         int         ☐           SlideTitle         varchar(500)         ☑	RoleId Role  1 ADN 4 COS 3 EMF 2 MAI TOP-A1FCB940\SI_Shippi CS ShippingDetailld Memberld Adress	Name IIN TMER LOY IGER		QLQuery2		int int varchar(500)			1FCB94	:0\Sg dbo.	Allow Nu	ils
varchar(50)	Varchar(50)	RoleId Role  RoleId ADN  4 COS  3 EMF  2 MAI  PTOP-A1FCB940\SI_Shippin  CShippingDetailId  MemberId	Name IIN TMER LOY IGER		QLQuery2		int int varchar(500) varchar(500)			1FCB94	:0\Sg dbo. <sup>-</sup>	Allow Nu	lls
int  decimal(18, 0)  varchar(50)  OP-A1FCB940\bo.Tbl_Slidelmage ** × SQLQuery23.sql - LA1FCB940\pc (57))  Column Name  Data Type  Allow Nulls  int	Orderld int  AmountPaid decimal(18, 0)  PaymentType varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Column Name Data Type Allow Nulls SlideId int  SlideId varchar(500)	RoleId Role  RoleId Role  ADN  ADN  A COS  B 3 EMF  A 2 MAN  TOP-A1FCB940\SI_Shippi  C  ShippingDetailId  Memberld  Adress  City  State	Name IIN TMER LOY IGER		QLQuery2		int int varchar(500) varchar(500) varchar(500)			1FCB94	:0\Sg - dbo.`	Allow Nu	Ils
decimal(18, 0)  varchar(50)  OP-A1FCB940\bo.Tbl_SlideImage + × SQLQuery23.sql - LA1FCB940\pc (57))  Column Name  Data Type  Allow Nulls  int	AmountPaid decimal(18, 0)	RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER		QLQuery2		int varchar(500) varchar(500) varchar(500) varchar(50)			1FCB94	:0\Sg dbo.	Allow Nu	lls
varchar(50)  OP-A1FCB940\bo.Tbl_SlideImage * SQLQuery23.sql - LA1FCB940\pc (57))  Column Name  Data Type  Allow Nulls  int	PaymentType varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Column Name Data Type Allow Nulls SlideId int  varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Output  Varchar(50)   TOP-A1FCB940\l_ShippingDet	RoleId Role Role RoleId Role Role RoleId Role Role Role RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER		QLQuery2		int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50)			1FCB94	:0\Sg dbo.`	Allow Nu	Ils
OP-A1FCB940\bo.Tbl_SlideImage + X SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails Column Name Data Type Allow Nulls lideId Int	TOP-A1FCB940\bo.Tbl_SlideImage + × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\SI_ShippingDetails  Column Name Data Type Allow Nulls SlideId int	RoleId Role Role RoleId Role Role RoleId Role Role Role RoleId Role Role Role RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER		QLQuery2		int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) varchar(50)			1FCB94	:0\Sg dbo.	Allow Nu	lls
OP-A1FCB940\bo.Tbl_SlideImage    SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Column Name Data Type Allow Nulls  int	TOP-A1FCB940\bo.Tbl_SlideImage ** × SQLQuery23.sql - LA1FCB940\pc (57)) LAPTOP-A1FCB940\Sl_ShippingDetails  Column Name Data Type Allow Nulls  slideId int   varchar(500)   Varchar(500)	RoleId Role  RoleId Role  ADN  ADN  A COS  A SEMF  A COS  MAI  TOP-A1FCB940\SI_Shippi  CS  ShippingDetailld  Memberld  Adress  City  State  Country  ZipCode  Orderld  AmountPaid	Name IIN TMER LOY IGER		QLQuery2		int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) varchar(50) int decimal(18, 0)			11FCB94	:0\Sg - dbo.`	Allow Nu	Ils
Column Name Data Type Allow Nulls lideld int	Column Name         Data Type         Allow Nulls           SlideId         int         □           SlideTitle         varchar(500)         □	RoleId Role  RoleId Role  Role	Name IIN TMER LOY IGER		QLQuery2		int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) varchar(50) int decimal(18, 0)			1FCB94	:0\Sg dbo.`	Allow Nu	Ils
Column Name Data Type Allow Nulls lideld int	Column Name         Data Type         Allow Nulls           SlideId         int         □           SlideTitle         varchar(500)         □	RoleId Role Role RoleId Role RoleId Role Role RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER		QLQuery2		int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) varchar(50) int decimal(18, 0)			1FCB94	:0\Sg dbo.	Allow Nu	Ils
Column Name Data Type Allow Nulls lideld int	Column Name         Data Type         Allow Nulls           SlideId         int         □           SlideTitle         varchar(500)         □	RoleId Role  RoleId Role  1 ADN 2 4 COS 3 3 EMF 4 2 MAI  PTOP-A1FCB940\SI_Shippi  CS ShippingDetailld  Memberld  Adress City State Country ZipCode Orderld  AmountPaid	Name IIN TMER LOY IGER		QLQuery2		int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) varchar(50) int decimal(18, 0)			1FCB94	:0\Sg - dbo.`	Allow Nu	Ils
lideld int	SlideId         int         □           SlideTitle         varchar(500)         ☑	RoleId Role Role RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER IGER INDIVIDUAL IN INTER	e			int int varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)	Data Ty	pe			Allow Nu	lls
	SlideTitle varchar(500) ✓	RoleId Role  RoleId Role  1 ADN  2 4 COS  3 EMF  2 MAI  PTOP-A1FCB940\SI_Shippin  CS ShippingDetailId  Memberld  Adress City State Country ZipCode Orderld  AmountPaid  PaymentType	Name IIN TMER LOY IGER INDIVIDUAL STATE OF THE INTER INDIVIDUAL STATE OF THE INTERIOR OF T	++ × SC			int int varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)	Data Tyl	ре			Allow Nu	
Varchar(500)		RoleId Role RoleId Role RoleId Role Role RoleId Role Role RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER INDIVIDUAL STATE OF THE INTER INDIVIDUAL STATE OF THE INTERIOR OF T	++ × SC			int int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)	Data Tyl	ре			Allow Nu	
	Slidelmage varchar(MAX¹)   ✓	RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER INDIVIDUAL STATE OF THE INTER INDIVIDUAL STATE OF THE INTERIOR OF T	++ × SC			int int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)  -A1FCB940\pc (	Data Tyl	ре			Allow Nu Allow Nu Allow N Allow N	
E-1-1	-	RoleId Role Role RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER INDIVIDUAL STATE OF THE INTER INDIVIDUAL STATE OF THE INTERIOR OF T	++ × SC			varchar(500) varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)  -A1FCB940\pc ( int varchar(500)	Data Tyl	ре			Allow Nu Allow Nu Allow N Allow N	
-		RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER INDIVIDUAL STATE OF THE INTER INDIVIDUAL STATE OF THE INTERIOR OF T	++ × SC			int int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)  -A1FCB940\pc (	Data Tyl	ре			Allow Nu Allow Nu Allow N Allow N	
		RoleId Role  RoleId Role  RoleId Role  RoleId Role  RoleId Role  ADN  ADN  A COS  B 3 3 EMF  A 2 MAR  PTOP-A1FCB940\SI_Shippi  CS  ShippingDetailId Memberld  Adress  City  State  Country  ZipCode  OrderId  AmountPaid  PaymentType	Name IIN TMER LOY IGER IGER INDIVIDUAL IN INTER	e			int int varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)	Data Ty	pe			Allow Nu	Ils
varciar(500)		RoleId Role RoleId Role RoleId Role Role RoleId Role Role RoleId Role Role Role Role Role Role Role Role	Name IIN TMER LOY IGER IGER INDIVIDUAL IN INTER	++ × SC			int int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)	Data Tyl	ре			Allow Nu Allow Nu Allow N Allow N	
		RoleId Role  1 ADM 4 COS 3 EMF 2 MAI OP A1FCB940\SI_Shippi ChippingDetailId Memberld Adress City State Country ZipCode Orderld AmountPaid PaymentType  COP-A1FCB940\bo.Tbl_S ColideId SlideId SlideId SlideId SlideItitle	Name IIN TMER LOY IGER IGER INDIVIDUAL IN INTER	++ × SC			varchar(500) varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)  -A1FCB940\pc ( int varchar(500)	Data Tyl	ре			Allow Nu Allow Nu Allow N Allow N	
uigeimage varchar(MAX) ✓	-	RoleId Role  1 ADM 4 COS 3 EMF 2 MAI  TOP-A1FCB940\SI_Shippi CoShippingDetailId MemberId Address City State Country ZipCode OrderId AmountPaid PaymentType	Name IIN TMER LOY IGER IGER INDIVIDUAL IN INTER	++ × SC			varchar(500) varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)  -A1FCB940\pc ( int varchar(500)	Data Tyl	ре			Allow Nu Allow Nu Allow N Allow N	
		RoleId Role  RoleId Role  1 ADN  2 4 COS  3 EMF  2 MAI  PTOP-A1FCB940\SI_Shippin  CS ShippingDetailld Memberld Adress City State Country ZipCode Orderld AmountPaid PaymentType	Name IIN TMER LOY IGER IGER INDIVIDUAL IN INTER	++ × SC			int int varchar(500) varchar(500) varchar(500) varchar(50) varchar(50) int decimal(18, 0) varchar(50)	Data Tyl	ре			Allow Nu	