

AAO Portfolio v17

Code Customization, Responsiveness & Deployment Guide

For Md. Abdullah Al Owasi · Technology Risk · GRC · Security Compliance · TPRM · AI Governance

Release	17.0.0
Runtime	Static HTML + CSS + browser JavaScript
Production assets	assets/site-v17.css + assets/app-v17.js
Build output	out/ — Cloudflare Pages / Vercel compatible static files

Line-number rule: the line references in this guide are exact for the delivered v17 source. Any later edit can shift line numbers. The stable way to relocate a section is to search for the named V17-CUSTOMIZE comment, CSS selector, data-* hook, or JavaScript function shown beside the line number.

1. What controls what

Layer	File	Responsibility
Content / structure	index.html	Text, cards, sections, tables, data hooks, source links, section order.
Visual system	assets/site-v17.css	Typography, themes, layout, container queries, transitions, card geometry, matrix/table modes.
Behavior	assets/app-v17.js	No-click state switching, touch/keyboard fallbacks, deck movement, Dynamic Island, live CISA data.
Release gate	scripts/preflight.mjs + verify-output.mjs	Checks required files, broken references, component counts, forbidden runtimes and production signatures.
Deployment	vercel.json + DEPLOYMENT.md	Static output contract: npm run build → out/.


2. HTML section map — exact edit points

Area	Final v17 lines	Stable search marker	What to edit
Dynamic Island	28–105	data-island	Destinations, labels and order.
Hero + Governance	106–554	V17-CUSTOMIZE HERO	Positioning copy, seven governance stage cards, proof, metrics, signature model.
Governance stage	232–348	data-governance-stage	Card labels and 01–07 controls.
Governance proof	349–430	data-governance-proof	Input / Inspectable proof / Decision state fields.
Signature model	431–554	signature-model-v17	Requirement → Control → Evidence → Exception → Residual risk → Decision.

Area	Final v17 lines	Stable search marker	What to edit
Executive Value	555–1271	V17-CUSTOMIZE EXECUTIVE VALUE	Value cards and quantitative risk visuals.
Architecture	1272–2037	V17-CUSTOMIZE ARCHITECTURE	Three modules, evidence tables, AI matrix and module decision lattices.
Selected Systems	2038–2229	V17-CUSTOMIZE SELECTED SYSTEMS	Category buttons and ten system cards.
Capabilities	2230–2561	V17-CUSTOMIZE CAPABILITIES	Category rail and capability cards.
Framework Depth	2562–2669	V17-CUSTOMIZE FRAMEWORK DEPTH	Source-linked framework cards.
Live Risk Pulse	2670–2786	V17-CUSTOMIZE LIVE RISK	CISA metrics placeholders, live cards, governance-action path.
Direct Conversation	2787–2890	V17-CUSTOMIZE CONTACT	Recruiting positioning, CTAs and availability.
Footer	2891–3038	V17-CUSTOMIZE FOOTER	Navigation, evidence links and centered Back to Top.

3. Governance Portfolio — the state machine

The first screenshot problem was caused by too many textual layers competing inside the same moving visual. v17 separates the moving stage from the proof area. Only the focused governance card exposes its content; background cards keep depth without readable text.



Final narrow-container Governance Portfolio: moving stage, proof cards, metrics and the 3×2 signature model remain separate.

Change	HTML	CSS	JavaScript
Stage labels	232–348	<code>governance-stage ~3475+</code>	<code>TRACE + selectStage() ~154–290</code>
Proof text	349–430	<code>governance-proof-v17 ~3511–3555</code>	<code>renderProof() ~184–200</code>
Signature model	431–554	<code>signature-model-v17 ~3558–3610</code>	<code>signature marker sync ~178–231</code>
Animation duration	—	<code>--motion-v17 line ~3411</code>	<code>WAAPI proof transition ~190</code>

```
const TRACE = [ { stage: "Requirement", input: "...", evidence: "...", decision: "...", ... }, ... ];
```

Safe edit: change stage substance in TRACE and the matching visible card labels together. Do not add an autoplay timer; all seven states intentionally remain user-controlled.

4. Responsive architecture tables — no overlap

At wide widths the tables stay real column tables. When a table wrapper itself becomes narrow, the CSS changes each row into a labeled record card. This is based on container width, so it also works in split-screen or narrow embedded layouts on a large monitor.

USE CASE
Support chatbot

DECISION QUESTION
When must account, billing or security issues hand off to a human?

EVIDENCE PATH
AI disclosure · sampled transcripts · escalation test · owner sign-off

ACTION
Implement


USE CASE
Voice agent

AI evidence table in its narrow record-card mode; every value has an explicit field label and no horizontal text collision.

Control	Location	How it works
Table markup	Architecture tables at ~1378, ~1533, ~1688	Each td carries data-label="...".
Container declaration	CSS ~3629–3657	.table-wrap becomes an evidence-table container.
Record-card conversion	CSS ~3658–3699	thead hides; rows become cards; td::before uses data-label.
Overflow sign	JS syncTableHints() ~554–564	The ⇄ sign is shown only when real horizontal overflow exists.

If you add a new column, add the <th> and the corresponding data-label on every <td>. Missing data-label values will make the narrow mode ambiguous.

5. AI risk matrix — 2D plot when space exists, score cards when it does not




Narrow AI risk view: Risk /15 and Oversight /5 remain explicit while absolute-positioned nodes become clean vertical cards.

Control	Lines / selector	Purpose
Desktop values	index.html Architecture AI panel	Every node has data-risk and data-oversight values.
Container	CSS ~3705–3711 .heatmap-panel	Measures the matrix panel, not only the browser viewport.
Narrow conversion	CSS @container <=760px ~3712–3741	Removes absolute plot geometry and stacks score cards.
Very narrow	CSS @container <=420px ~3742–3744	Node score moves below label for extra wrapping space.
Pointer inspection	app-v17.js Risk model/AI matrix ~490–549	Nearest node can update on pointer movement; focus/click remain available.

6. Typography, cards and Direct Conversation

Element	CSS edit point	Recommended change
Body / controls	body.v17 + --ui-v17 ~3409–3465	Change the local UI font stack here; preserve fallbacks and no remote dependency if portability is priority.
Editorial titles	existing display/serif variables + title rules	Keep the serif display treatment for visual authority; change line-height before pushing font-size higher.
System/capability/framework cards	~3748–3769	Shared min-height, flex column and bottom-aligned metadata keep all three deck types visually consistent.
Direct Conversation	~3803–3811 + final rule ~3903–3913	Final max is intentionally below hero scale; edit the last rule only.
Button/icon alignment	island-core + shared controls ~3776–3798	Controls use grid/place-items:center; keep icon boxes square to preserve optical centering.




Direct Conversation at 390px after the final scale correction; the headline no longer dominates the entire viewport.

7. Architecture, Systems and Capabilities interactions

Desktop pointer movement is an enhancement: moving across the module/category controls switches content without requiring a click. Touch rails synchronize to the nearest/end item after scrolling. Keyboard focus and click remain valid fallbacks.


Interaction	HTML hook	JavaScript
Architecture modules	data-auto-rail="architecture" ~1286	switchArchitecture() ~354 + adaptive rail setup ~394–422
Selected Systems	data-auto-rail="systems" ~2051	switchProjectFilter() + shared adaptive rail ~366–423
Capabilities	data-auto-rail="capabilities" ~2243	switchSkillFilter() + shared adaptive rail ~367–423
Finite card decks	data-deck-track ~2082 / 2274 / 2592	Finite-deck engine ~427–489; no clones, wrap-around or autoplay.



Desktop Architecture: module rail, decision lattice, evidence table and AI risk view stay inside one inspectable workspace.

8. Live Public Risk Pulse — current evidence without inventing employer problems

The live section uses CISA Known Exploited Vulnerabilities as a public market/risk signal. CISA provides KEV in JSON/CSV form, and its official [cisagov/kev-data](https://github.com/cisagov/kev-data) GitHub repository exists to make the same dataset easier to consume programmatically. CISA states that the mirror is normally synchronized with the canonical source within minutes.



Live Risk Pulse layout with a deterministic QA feed. Production fetches CISA data on page load and preserves the same layout.

Item	Code location	Behavior
Section markup	index.html ~2670–2786	Metrics, live cards, source link and four-step governance response path.
Styling	site-v17.css ~3814–3897	Responsive metrics/cards, live/error states, strict light/dark surfaces.
Feed loader	app-v17.js ~594–728	Official CISA GitHub mirror first; canonical CISA JSON second; 5.2s timeout per source.
Calculations	app-v17.js render path ~630–683	Catalog count, additions last 30 days, distinct recent vendors, latest three records.

Item	Code location	Behavior
Failure mode	app-v17.js ~687–701	Shows unavailable state and em dashes; never fabricates current values.

Hiring-use rule: public data can show why disciplined Technology Risk/GRC/TPRM work matters, but the site should not say a specific prospective employer suffered a breach unless a reliable public source establishes that fact. Keep the translation at the level of exposure review, ownership, remediation evidence, exception handling and residual-risk decisions.

9. Dynamic Island, navigation and scroll safety

Control	Lines	Reason
Island HTML	index.html 28–105	Eight in-page destinations; compact closed state.
Open/close + section state	app-v17.js ~94–147	Tracks current section; Escape/outside click closes it.
Visibility threshold	app-v17.js ~136–142	Appears after the early hero rather than sitting on top of hero content.
Footer suppression	app-v17.js ~135–142	Closes/hides near footer to avoid competing with Back to Top.
Icon centering	site-v17.css ~3776–3795	26×26 grid box; plus/cross center deviation measured at 0px in QA.
Back to Top	index.html ~3020 + JS ~738	Only the footer-centered button scrolls the document to the top.

Scroll-jump rule: component state changes do not call `scrollIntoView()`. Horizontal deck/rail movement uses `element.scrollTo()` on the component itself. This prevents state changes from dragging the document vertically.

10. Deployment and release gate

Platform	Configuration	Why it is portable
Cloudflare Pages	Framework None · npm run build · output out/	Cloudflare Pages can deploy custom/static build output directories.
Vercel	vercel.json: framework null · buildCommand npm run build · outputDirectory out	Vercel supports outputDirectory configuration for the deployment output.
Other static host	Publish out/	Production contains ordinary HTML, CSS, JavaScript and assets; no server runtime is required.

```

npm run check
npm run build
npm run postbuild

```

Preflight checks required assets, local references, duplicate IDs, component counts, live-risk signatures, forbidden runtime packages, no recurring setInterval, and no scrollIntoView in production component logic. Postbuild re-checks the generated out/ directory.

11. Validation matrix and what “adaptive” means

Viewport width	Horizontal page overflow	Known UI overlaps	Unexpected scroll jump	No-click filters
1440	0 px	0	0 px	Pass
1024	0 px	0	0 px	Pass
768	0 px	0	0 px	Pass
620	0 px	0	0 px	Pass
540	0 px	0	0 px	Pass
430	0 px	0	0 px	Pass
390	0 px	0	0 px	Pass
360	0 px	0	0 px	Pass
320	0 px	0	0 px	Pass

The layout is designed defensively for unknown widths using fluid sizing, wrapping, container queries and standard input fallbacks. No finite test suite can guarantee identical rendering on every existing or future browser/device, so future content/layout changes should re-run the representative QA matrix rather than assuming previous measurements still apply.

12. Future-change checklist

- Change copy in index.html first; avoid hard-coding presentation logic into JavaScript.
- Keep data-* hooks stable or update the matching JavaScript selector in the same commit.
- When adding tables, populate data-label on every cell so narrow record-card mode remains understandable.
- When adding AI/matrix nodes, give every node explicit numeric risk and oversight values.
- Keep animation on transform/opacity where possible; preserve prefers-reduced-motion.
- Do not add autoplay to governance or finite decks unless there is a compelling accessibility-safe reason.
- Do not turn public risk signals into unsupported claims about a specific company.
- Run check/build/postbuild and the viewport regression after layout/interaction changes.
- If the production hostname changes, update canonical URL, Open Graph URL, robots.txt and sitemap.xml together.
- Keep this DOCX and V17_IMPLEMENTATION_GUIDE.md updated if line numbers or major selectors change.

Source notes

External implementation references used for this release: CISA Known Exploited Vulnerabilities Catalog; CISA official [cisagov/kev-data](https://www.cisa.gov/kev-data) repository; Cloudflare Pages build configuration / static HTML deployment documentation; Vercel project configuration documentation. The production live section links directly to the authoritative CISA catalog.