

SEVERITY

CRITICAL

CONFIDENCE

—

EMERGENCY OVERRIDE

CRITICAL — Life-threatening findings

TRIGGERED REASONS

- Critical vitals: SpO2 88%
- Systolic BP 80 mmHg

IMMEDIATE FIRST AID

- Position
- Oxygen
- IV access

District ICU

REFERRAL LEVEL CRITICAL

Facility District Hospital

Urgency Immediate

Transport Ambulance

RECOMMENDATION

Transfer to district ICU with ALS

TRANSFER CHECKLIST

- IV line
- Oxygen
- ECG
- Aspirin

PATIENT INFORMATION

Patient Name	Test User
Age	45 years
Gender	Male
Phone	01700000000
Address	Test village

CRITICAL

Severity: CRITICAL — Emergency

Confidence: HIGH

Severe chest pain with diaphoresis and hypotension.

PATIENT VITALS

PARAMETER	VALUE	UNIT	STATUS
Blood Pressure	Confidential	mmHg	Page 1 of 2

LABORATORY FINDINGS

LAB ALERTS

1. Anemia
2. Leukocytosis

CLINICAL SUMMARY

Severe chest pain with diaphoresis and hypotension.

POSSIBLE CONDITIONS

1. Acute MI
2. Pulmonary embolism

RECOMMENDED ACTIONS

1. Aspirin 300mg
2. ECG
3. Refer to district hospital

FIRST AID RECOMMENDATIONS

- ' Position patient
- ' Administer oxygen

REFERRAL RECOMMENDATION

District hospital, ICU

VOICE TRANSCRIPT / SYMPTOMS NOTES

Not provided.

OCR EXTRACTED TEXT

Not provided.

AI Disclaimer — This report is generated using AI-assisted triage support and should not replace professional clinical judgment. Final diagnosis and treatment decisions remain the responsibility of licensed healthcare professionals.