

Every association is an Edge carrying sourceClass (observed | derived | model_candidate | unresolved), confidence, resolver, createdAt and a validity interval. Only deterministic or confirmed edges may produce a decisive finding (§9.2).
DesignArtifact
fileKey : String
nodeId : String
versionId : String
PART_OF
1
*
DesignConstraint
kind : ConstraintKind
expected : String
approvedBy : Person
Ticket
key : String
workflowState : String
PART_OF
1
1..*
Criterion
text : String
atomicIndex : Int
CONSTRAINS
Message
channel : String
ts : Time
Any Artifact may be DISCUSSED_IN a Message. Messages are a role/watch signal only, never a rule-evaluation target (§9.1).
Artifact
«abstract»
id : UUID
externalId : String
version : String
status : String
owner : String
lastModified : Time
validFrom, validTo : Time
raw : JSON
IMPLEMENTS
(design version)
TRACKS
COVERS
SATISFIES_
CANDIDATE
(never decisive
on its own)
CodeAnchor
«association class»
repo, filePath : String
symbolFqn : String
startLine, endLine : Int
blobHash, commitSha : String
method : AnchorMethod
status : ACTIVE | BROKEN
confidence : Real
*
TOUCHES_COMPONENT
OWNS / ASSIGNED_TO
/ WATCHES
*
Person
handle : String
displayName : String
toolIdentities : Map
PullRequest
number : Int
baseSha, headSha : String
mergedAt : Time [0..1]
1
1..*
PART_OF
Commit
sha : String
message : String
authoredAt : Time
TestCase
path : String
name : String
lastResult : Result [0..1]
*
*
COVERS
CodeSymbol
symbol card fields, §26.1
fqName : String
signature : String
filePath : String
docstring : String [0..1]
blobHash : String
*
*
SATISFIES
Requirement
reqKey : String
kind : FR | NFR
text : String
source : String
FR anchors to symbol + line range, commit-pinned. NFR is not line-anchored: it links to its enforcement point and verifying TestCase (§22.4).
linked intent (what was asked for)
actual change and test evidence
graph structure / traceability
Solid arrow: observed or derived edge.
Dashed arrow: retrieval candidate.