Dr. Ammar Haider
Assistant Professor
School of Computing

CS3002 Information Security

Risk Assessment and Management

Source: Whitman chap. 5

Risk Management



Figure 5-1

Risk Likelihood

- Chances that the organization will have to face a specific threat
- Could be expressed as low, moderate high, or as a probability 0–1
- Can be estimated from organization history or published studies

Loss Magnitude (Impact)

- How much is the effect on organization business when risk occurs
- What percentage of asset value will be lost in the attack
- Again can be expresses as low, moderate, high or as a number on an arbitrary scale (say 1–10)

Calculate Risk Score

Risk Element	Likelihood	Impact/Cost	Score likelihood × impact	Controls
Exploiting vulnerability in application server				
SQLi attack on database server				
A junior employee's password stolen				
DDoS attack on website				
Ransomware attack on org				
Staff members ill				
Internet down for couple hours				
Major flood				

Risk Control Strategies

- **Defense** – Apply safeguards that eliminate or reduce the residual risk
- **Transference** – Transfer the risk to other areas or outside entities
- **Mitigation** – Reduce the impact should the vulnerability be exploited
- **Acceptance** – Understand the consequences and accept the rest without mitigation
- **Termination** – avoid business activities that introduce an uncontrollable risk

Defense

Attempts to prevent the exploitation of the vulnerability

- Reduce the likelihood of attack
- Preferred approach

Accomplished through:

- countering threats
- removing asset vulnerabilities
- limiting asset access
- adding protective safeguards

Transference

Control approach that attempts to shift risk to other assets, processes, or organizations

- Rethinking how services are offered
- Revising deployment models
- Outsourcing
- Purchasing insurance
- Implementing service contracts

In search of excellence

- Concentrate on what you do best

Acceptance

- **Doing nothing** to protect a vulnerability and accepting the outcome of its exploitation
- Valid only when the particular function, service, information, or asset does not justify cost of protection

- Risk appetite describes the degree to which organization is willing to accept risk as trade-off to the expense of applying controls

Mitigation

- Attempts to reduce impact of attack (rather than likelihood of attack) through planning and preparation

It includes three types of contingency plans:

- Incident Response Plan (IRP): The actions to take immediately while incident is in progress
- Disaster Recovery Plan (DRP): includes preparation for the recovery, strategies to limit losses, steps to follow in the aftermath
- Business Continuity Plan (BCP): encompasses continuation of business activities if catastrophic event occurs

Contingency Planning

Whitman chap. 4

Contingency Planning Timeline



Incident Response Planning

- Incident response planning covers identification and classification of an incident and response to it

Attacks classified as incidents if they:

- are directed against information assets
- have a realistic chance of success
- could threaten confidentiality, integrity, or availability of information resources

- Incident response (IR) is more reactive, than proactive, except for planning that must occur to prepare IR teams to be ready to react to an incident

Incident Response Planning

- Develop a series of predefined responses
  - Set of activities taken to detect and correct the impact
  - Enables organization to react quickly
- Incident detection mechanisms – intrusion detection systems, virus detection, system administrators, end users

Incident Detection

Possible indicators

- Presence of unfamiliar files
- Execution of unknown programs or processes
- Unusual consumption of computing resources
- Unusual system crashes

Probable indicators

- Activities at unexpected times
- Presence of new accounts
- Reported attacks
- Notification form IDS

Incident Detection

Definite indicators

- Use of dormant accounts
- Changes to logs
- Presence of hacker tools
- Notification by partner or peer
- Notification by hackers

Predefined incident situations

- Loss of availability
- Loss of integrity
- Loss of confidentiality
- Violation of policy
- Violation of law

Incident Reaction

- Actions outlined in the IRP
- Guide the organization
  - Stop the incident
  - Mitigate the impact
  - Provide information recovery
- Notify key personnel
- Document Incident

Incident Containment Strategies

- Sever affected communication circuits if possible
- Disable accounts
- Reconfigure firewall
- Disable process or service
- Take down email
- Isolate affected channels, processes, services, or computers
- Most drastic: Stop all computers and network devices

Incident Recovery

- Get everyone moving and focused
- Assess damage
- Recovery
  - Identify and resolve vulnerabilities
  - Address safeguards
  - Evaluate monitoring capabilities
  - Restore data from backups
  - Restore process and services
  - Continuously monitor system
  - Restore confidence

Disaster Recovery Plan (DRP)

- Provide guidance in the event of a disaster
- **Aim**: Secure most valuable assets, at the risk of short term disruption.
- Clear establishment of priorities
- Clear delegation of roles & responsibilities
- Alert key personnel
- Document disaster
- Mitigate impact
- Evacuation of physical assets