

Testing بالعربي — Ready Templates

Bug Report Template

A bug report that won't get sent back to you: clear steps, complete environment, and expected results separated from actual results.

Version 1.0 · September 2026 · testing-arabic.com

Why This Template?

The most common reason a bug ticket gets sent back isn't because the bug isn't real — it's because the developer couldn't reproduce the exact same result. Every field in this template exists to plug a known loophole that causes tickets to bounce: an unknown starting point, an incomplete environment, or confusing what happened with what was supposed to happen. Use it as your master template: copy its content for every new ticket on Jira or whichever tool you use, and remove the hints after filling it out.

Seven Rules That Make a Difference

1. **One ticket = One issue.** If you put two issues in one ticket, one of them will get fixed and the ticket will be closed while incomplete.
2. **Title describes the incorrect outcome + context in one sentence:** "Checkout button unresponsive after applying expired coupon" — not "Payment issue".
3. **Start steps from a known starting point:** "Open the main page while logged in as a merchant account" — not "From the orders page".
4. **One step = One action.** If you put three actions in one line, you won't know exactly where it broke.
5. **Separate Actual from Expected,** and state the source of the expected behavior (Requirement, Acceptance Criteria, or similar screen behavior).
6. **Always include a complete environment:** App/Build version, device, OS, browser, environment, and user account used.
7. **Always attach proof:** Full screenshot (not a cropped snippet), and a screen recording if the issue involves motion or timing.

Rule: Severity describes the impact on the product, while Priority describes the urgency of the fix. Who decides what: You suggest the Severity, and the Product Owner sets the Priority.

Common Errors That Cause Tickets to Bounce

Error	Why it bounces	Correct Approach
"Doesn't work"	Doesn't describe behavior — Dev asks "What exactly doesn't work?"	Write the exact outcome you observed verbatim, and what you expected.
Steps starting midway	Dev reaches a different state than yours	Start from a known screen and specify the account and test data.
Missing version or build	Issue might already be fixed in a newer build	Write the version number and build in the environment section.
Cropped screenshot	Doesn't show the screen, state, or error message	Full screenshot, plus a video recording if needed.
Mixing improvement ideas with bugs	Opens design debates instead of fixing bugs	Separate them: Bug for non-compliant behavior, Improvement for suggestions.
"Happens sometimes" without details	Closed as "Cannot Reproduce"	Write reproduction rate: "3 out of 10 attempts" + shared conditions.

Example

A real example from an e-commerce store — notice how every field is written so anyone else can execute it without asking you questions.

Title	Checkout button unresponsive after applying an expired coupon
Ticket ID	SHOP-1482
Project / Module	Store — Cart & Checkout
Type	Functional
Severity	High — User cannot complete checkout
Priority	Urgent (Set by Product Owner)
Reproduction Rate	10 out of 10 attempts
Environment	Web v3.4.2 (Build 1187) · Chrome 128 · Windows 11 · Staging Environment · Account: qa.buyer01@test.com
Date & Time	September 8, 2026 — 11:20 AM (Amman Time)
Reference	Acceptance Criteria #4 in story SHOP-1310: "Expired coupons are rejected with a clear message and do not prevent order completion"
Attachments	checkout-frozen.png (full screen) · checkout-frozen.mp4 (40 sec recording)

Steps to Reproduce

#	Step
1	Log in with a buyer account on Staging environment.
2	Add any available product to the cart and open the Cart page.

#	Step
3	Enter coupon code SUMMER24 (expired on Aug 31, 2026) and click "Apply".
4	Click the "Checkout" button.

Actual Result	The message "Invalid coupon" appears, after which the "Checkout" button becomes non-clickable — nothing happens when clicked, and no error message appears. The only way to proceed is refreshing the page, which clears the cart contents.
Expected Result	The expired coupon is rejected with a clear message, and the "Checkout" button remains active with the original non-discounted price, without affecting cart contents.
Additional Notes	Tested the same steps with a valid coupon — the button works fine. Issue is specific to coupon rejection state, also reproduced on Firefox 130.

Blank Template

Copy from here down for every new ticket.

Title	
Ticket ID	
Project / Module	
Type	Functional / UI / Performance / Content / Compatibility
Severity	Critical / High / Medium / Low

Priority	Urgent / High / Medium / Low
Reproduction Rate	_____ out of _____ attempts
Environment	Version / Build: Device: OS: Browser: Environment: Account: unt:
Date & Time	
Reference	
Attachments	

Steps to Reproduce

#	Step
1	
2	
3	
4	
5	
6	

Actual Result	
---------------	--

Expected Result	
Additional Notes	

Checklist Before Pressing Save

Ten seconds that save you two days of back-and-forth.

- ☐ Title describes the incorrect result, clear without opening the ticket.
- ☐ Ticket contains only one single issue.
- ☐ Steps start from a known starting point, each step is a single action.
- ☐ Executed steps from scratch and produced the exact same result.
- ☐ Actual and Expected results are written separately.
- ☐ Expected result linked to a reference (requirement / Acceptance Criteria) or marked as best judgment.
- ☐ Environment is complete: Version, Device, OS, Browser, Environment, Account.
- ☐ At least one attachment included — full screen screenshot.
- ☐ Searched the Backlog and confirmed ticket isn't already open.
- ☐ Severity chosen based on impact, not your frustration level.

Appendix: How to Choose Severity

Severity	Meaning	Example
Critical	Complete blocker: System won't open, data loss, or visible security vulnerability.	App crashes upon opening on Android 14.
High	Core feature broken with no workaround.	Unable to complete checkout process.
Medium	Feature broken but workaround	Filtering works from menu list

Severity	Meaning	Example
	exists, or calculation error in an edge case.	but not from search bar.
Low	Cosmetic or textual issue that doesn't block any task.	Extra spacing between two fields, or typo in header.