abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
abd@abdullah:~$ curl -X POST http://localhost:4000/api/v1/meetings \
  -H "Authorization: Bearer $USER_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{
    "match_id": 6,
    "venue_id": 2,
    "scheduled_time": "2026-03-25T15:00:00Z",
    "duration_hours": 2,
    "slots_reserved": 2
  }'
{"meeting":{"meeting_id":7,"match_id":6,"venue_id":2,"scheduled_time":"2026-03-2
5T10:00:00.000Z","duration_hours":2,"total_cost":"40.00","status":"pending"},"bo
oking":{"booking_id":6,"venue_id":2,"meeting_id":7,"time_slot":"2026-03-25T10:00
:00.000Z","slots_reserved":2,"status":"reserved"},"transaction":"committed"}abd@
abdullah:~$
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
abd@abdullah:~$ curl -X POST http://localhost:4000/api/v1/meetings \
  -H "Authorization: Bearer $USER_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{
    "match_id": 6,
    "venue_id": 2,
    "scheduled_time": "2026-03-25T15:00:00Z",
    "duration_hours": 2,
    "slots_reserved": 2
  }'
{"meeting":{"meeting_id":7,"match_id":6,"venue_id":2,"scheduled_time":"2026-03-2
5T10:00:00.000Z","duration_hours":2,"total_cost":"40.00","status":"pending"},"bo
oking":{"booking_id":6,"venue_id":2,"meeting_id":7,"time_slot":"2026-03-25T10:00
:00.000Z","slots_reserved":2,"status":"reserved"},"transaction":"committed"}abd@
abdullah:~$ sudosudo -u postgres psql -d purrmatch -c "SELECT meeting_id, match_
id, venue_id, status, total_cost FROM meetings WHERE meeting_id = 7;"
[sudo] password for abd:
 meeting_id | match_id | venue_id | status  | total_cost
------------+----------+----------+---------+------------
          7 |        6 |        2 | pending |      40.00
(1 row)

abd@abdullah:~$
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
    "duration_hours": 2,
    "slots_reserved": 2
  }'
{"meeting":{"meeting_id":7,"match_id":6,"venue_id":2,"scheduled_time":"2026-03-2
5T10:00:00.000Z","duration_hours":2,"total_cost":"40.00","status":"pending"},"bo
oking":{"booking_id":6,"venue_id":2,"meeting_id":7,"time_slot":"2026-03-25T10:00
:00.000Z","slots_reserved":2,"status":"reserved"},"transaction":"committed"}abd@
abdullah:~$ sudosudo -u postgres psql -d purrmatch -c "SELECT meeting_id, match_
id, venue_id, status, total_cost FROM meetings WHERE meeting_id = 7;"
[sudo] password for abd:
 meeting_id | match_id | venue_id | status  | total_cost
------------+----------+----------+---------+------------
          7 |        6 |        2 | pending |      40.00
(1 row)

abd@abdullah:~$ sudo -u postgres psql -d purrmatch -c "SELECT booking_id, meetin
g_id, venue_id, slots_reserved, status FROM venue_bookings WHERE meeting_id = 7;
"
 booking_id | meeting_id | venue_id | slots_reserved |  status
------------+------------+----------+----------------+----------
          6 |          7 |        2 |              2 | reserved
(1 row)

abd@abdullah:~$
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
abd@abdullah:~$ curl -X POST http://localhost:4000/api/v1/meetings \
  -H "Authorization: Bearer $USER_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{
    "match_id": 7,
    "venue_id": 1,
    "scheduled_time": "2026-03-25T15:00:00Z",
    "duration_hours": 2,
    "slots_reserved": 999
  }'
{"error":"Venue capacity exceeded! Available: 8, Requested: 999","transaction":"
rolled_back"}abd@abdullah:~$
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
 meeting_id | match_id | venue_id | scheduled_time | duration_hours | total_cost
 | status | created_at
------------+----------+----------+----------------+----------------+-----------
-+--------+------------
(0 rows)

~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
(END)
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
abd@abdullah:~$ curl -X POST http://localhost:4000/api/v1/meetings \
  -H "Authorization: Bearer $USER_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{
    "match_id": 7,
    "venue_id": 1,
    "scheduled_time": "2026-03-25T15:00:00Z",
    "duration_hours": 2,
    "slots_reserved": 999
  }'
{"error":"Venue capacity exceeded! Available: 8, Requested: 999","transaction":"
rolled_back"}abd@abdullah:~$ sudo -u postgres psql -d purrmatch -c "SELECT * FRO
M meetings WHERE match_id = 7;"
abd@abdullah:~$ curl -X POST http://localhost:4000/api/v1/meetings/7/cancel \
  -H "Authorization: Bearer $USER_TOKEN" \
  -H "Content-Type: application/json"
{"message":"Meeting cancelled","transaction":"committed"}abd@abdullah:~$
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
  -H "Authorization: Bearer $USER_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{
    "match_id": 7,
    "venue_id": 1,
    "scheduled_time": "2026-03-25T15:00:00Z",
    "duration_hours": 2,
    "slots_reserved": 999
  }'
{"error":"Venue capacity exceeded! Available: 8, Requested: 999","transaction":"
rolled_back"}abd@abdullah:~$ sudo -u postgres psql -d purrmatch -c "SELECT * FRO
M meetings WHERE match_id = 7;"
abd@abdullah:~$ curl -X POST http://localhost:4000/api/v1/meetings/7/cancel \
  -H "Authorization: Bearer $USER_TOKEN" \
  -H "Content-Type: application/json"
{"message":"Meeting cancelled","transaction":"committed"}abd@abdullah:~$ sudo -u
 postgres psql -sudo -u postgres psql -d purrmatch -c "SELECT meeting_id, match_
id, status FROM meetings WHERE meeting_id = 7;"
 meeting_id | match_id |  status
------------+----------+-----------
          7 |        6 | cancelled
(1 row)

abd@abdullah:~$
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
    "slots_reserved": 999
  }'
{"error":"Venue capacity exceeded! Available: 8, Requested: 999","transaction":"
rolled_back"}abd@abdullah:~$ sudo -u postgres psql -d purrmatch -c "SELECT * FRO
M meetings WHERE match_id = 7;"
abd@abdullah:~$ curl -X POST http://localhost:4000/api/v1/meetings/7/cancel \
  -H "Authorization: Bearer $USER_TOKEN" \
  -H "Content-Type: application/json"
{"message":"Meeting cancelled","transaction":"committed"}abd@abdullah:~$ sudo -u
 postgres psql -sudo -u postgres psql -d purrmatch -c "SELECT meeting_id, match_
id, status FROM meetings WHERE meeting_id = 7;"
 meeting_id | match_id |  status
------------+----------+-----------
          7 |        6 | cancelled
(1 row)

abd@abdullah:~$ sudo -u postgres psql -d purrmatch -c "SELECT booking_id, meetin
g_id, status FROM venue_bookings WHERE meeting_id = 7;"
 booking_id | meeting_id |  status
------------+------------+-----------
          6 |          7 | cancelled
(1 row)

abd@abdullah:~$
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
abd@abdullah:~$ curl -X POST http://localhost:4000/api/v1/auth/register \
  -H "Content-Type: application/json" \
  -d '{
    "email": "admin.test@example.com",
    "password": "Admin1234",
    "full_name": "Admin Test",
    "role": "admin"
  }'
{"token":"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjozMywicm9sZSI6ImFkb
WluIiwiZW1haWwiOiJhZG1pbi50ZXN0QGV4YW1wbGUuY29tIiwiaWF0IjoxNzczMjI3NTY2LCJleHAiO
jE3NzMyMzExNjZ9.6Mk1ZGe2ark20FJyIW_xLwBRZD1piqdP1n--AtbX0g0","user":{"user_id":3
3,"email":"admin.test@example.com","role":"admin","full_name":"Admin Test","phon
abd@abdullah:~$ export ADMIN_TOKEN="eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2V
yX2lkIjozMywicm9sZSI6ImFkbWluIiwiZW1haWwiOiJhZG1pbi50ZXN0QGV4YW1wbGUuY29tIiwiaWF
0IjoxNzczMjI3NTY2LCJleHAiOjE3NzMyMzExNjZ9.6Mk1ZGe2ark20FJyIW_xLwBRZD1piqdP1n--At
bX0g0"-AtbX0g0"
abd@abdullah:~$ echo $ADMIN_TOKEN
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjozMywicm9sZSI6ImFkbWluIiwiZW1
haWwiOiJhZG1pbi50ZXN0QGV4YW1wbGUuY29tIiwiaWF0IjoxNzczMjI3NTY2LCJleHAiOjE3NzMyMzE
xNjZ9.6Mk1ZGe2ark20FJyIW_xLwBRZD1piqdP1n--AtbX0g0
abd@abdullah:~$ curl -X GET http://localhost:4000/api/v1/admin/venues \
  -H "Authorization: Bearer $USER_TOKEN"
{"error":"Forbidden: insufficient role"}abd@abdullah:~$
```

abd@abdullah: ~

abd@abdullah: ~ | abd@abdullah: ~/Sem - 04/... | abd@abdullah: ~

```
0IjoxNzczMjI3NTY2LCJleHAiOjE3NzMyMzExNjZ9.6Mk1ZGe2ark20FJyIW_xLwBRZD1piqdP1n--At
bX0g0"-AtbX0g0"
abd@abdullah:~$ echo $ADMIN_TOKEN
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyX2lkIjozMywicm9sZSI6ImFkbWluIiwiZW1
haWwiOiJhZG1pbi50ZXN0QGV4YW1wbGUuY29tIiwiaWF0IjoxNzczMjI3NTY2LCJleHAiOjE3NzMyMzE
xNjZ9.6Mk1ZGe2ark20FJyIW_xLwBRZD1piqdP1n--AtbX0g0
abd@abdullah:~$ curl -X GET http://localhost:4000/api/v1/admin/venues \
  -H "Authorization: Bearer $USER_TOKEN"
{"error":"Forbidden: insufficient role"}abd@abdullah:~$ curl -X GET http://local
host:4000/api/v1curl -X GET http://localhost:4000/api/v1/admin/venues \
  -H "Authorization: Bearer $ADMIN_TOKEN"
{"venues":[{"venue_id":1,"name":"Purrfect Paws Cafe","address":"123 Cat Street",
"city":"New York","capacity":8,"hourly_rate":"25.00","contact_email":"info@purrf
ectpaws.com","contact_phone":"+1-555-1001"},{"venue_id":2,"name":"Meow Manor Par
k","address":"456 Feline Avenue","city":"New York","capacity":12,"hourly_rate":"
20.00","contact_email":"bookings@meowmanor.com","contact_phone":"+1-555-1002"},{
"venue_id":3,"name":"Whiskers Lounge","address":"789 Kitty Lane","city":"New Yor
k","capacity":6,"hourly_rate":"30.00","contact_email":"reservations@whiskersloun
ge.com","contact_phone":"+1-555-1003"},{"venue_id":4,"name":"Cat Haven Playroom"
,"address":"321 Pet Plaza","city":"New York","capacity":10,"hourly_rate":"22.00"
,"contact_email":"info@cathaven.com","contact_phone":"+1-555-1004"},{"venue_id":
5,"name":"Feline Friends Center","address":"654 Animal Way","city":"New York","c
apacity":15,"hourly_rate":"18.00","contact_email":"hello@felinefriends.com","con
tact_phone":"+1-555-1005"}]}abd@abdullah:~$
```