




CSE370 : Database Systems



Assignment 01 | Fall 2026


ID : 22201502 | Name : Abdullah al mahmud

No 1 Query (as Plain Text)	CREATE TABLE runners (student_id INT PRIMARY KEY, student_name VARCHAR(100), email VARCHAR(100), distance_covered INT, time_taken_mins INT);
No 1 SS (of Query & Output in Shell)	
No 2 Query (as Plain Text)	INSERT INTO runners (student_id, student_name, email, distance_covered, time_taken_mins) VALUES (101, 'Mikasa Ackerman', 'mikasa.a@g.bracu.ac.bd', 5, 35), (102, 'Edward Elric', 'e.elric@iub.ac.bd', 10, 59), (103, 'Riza Hawkeye', 'riza.h@ewu.ac.bd', 5, 38), (104, 'Bruce Wayne', 'b.wayne@g.bracu.ac.bd', 10, 63), (105, 'Peter Parker', 'p.parker@iub.ac.bd', 5, 33), (106, 'Alphonse Elric', 'a.elric@iub.ac.bd', 10, 55), (107, 'Son Goku', 'son.goku@g.bracu.ac.bd', 5, 46), (108, 'Gon Freecss', 'gon.f@g.bracu.ac.bd', 10, 68), (109, 'Tanjiro Kamado', 'tanjiro.k@g.bracu.ac.bd', 5, 29), (110, 'Roy Mustang', 'roy.m@ewu.ac.bd', 10, 83);

No 2 SS (of Query & Output in Shell)	
No 3 Query (as Plain Text)	SELECT * FROM runners WHERE distance_covered > 6;
No 3 SS (of Query & Output in Shell)	
No 4 Query (as Plain Text)	SELECT UPPER(student_name) AS student_name FROM runners ORDER BY time_taken_mins DESC;

No 4 SS (of Query & Output in Shell)	
No 5 Query (as Plain Text)	ALTER TABLE runners CHANGE distance_covered total_distance DECIMAL(3,1);
No 5 SS (of Query & Output in Shell)	
No 6 Query (as Plain Text)	ALTER TABLE runners ADD kmh DECIMAL(3,1);
No 6 SS (of Query & Output in Shell)	
No 7 Query (as Plain Text)	UPDATE runners SET kmh = (total_distance * 60) / time_taken_mins;

No 7 SS (of Query & Output in Shell)	
No 8 Query (as Plain Text)	SELECT student_id, student_name, kmh, (total_distance / 10) * (time_taken_mins / 60) * 100 AS points FROM runners;
No 8 SS (of Query & Output in Shell)	
No 9 Query (as Plain Text)	SELECT student_name FROM runners WHERE total_distance = 10 AND time_taken_mins BETWEEN 40 AND 60;

No 9 SS (of Query & Output in Shell)	
No 10 Query (as Plain Text)	SELECT student_name FROM runners WHERE email LIKE '%@g.bracu.ac.bd';
No 10 SS (of Query & Output in Shell)	