

SFML Setup Guide for Running the Snake Game Project in Code::Blocks (Windows)

Step-by-Step Setup Instructions:

✓ Step 1: Download SFML

1. Visit the official SFML website: <https://www.sfml-dev.org/download.php>
2. Under the **Windows** section, download: `Visual C++ 17 (2022) - 64-bit`

`Under sfml version 2.6.2`

3. Extract the ZIP file to a location on your system, e.g., `C:\SFML`.
-

✓ Step 2: Install and Open Code::Blocks

1. Download and install **Code::Blocks with MinGW** if not already installed.
 2. Launch Code::Blocks.
-

✓ Step 3: Create a Console Project

1. Go to **File > New > Project**.
 2. Choose **Console Application** > Click **Go** > Select **C++** > Click **Next**.
 3. Name your project (e.g., `SnakeGame`) and finish the setup.
-

✓ Step 4: Configure Search Directories

1. Right-click your project name in the left sidebar > **Build options**.
2. Under the **Search directories** tab:

✓ **Compiler Tab:** ○ Click **Add** > browse to:

`C:\SFML\include`

✓ **Linker Tab:** ○ Click **Add** > browse

to: `C:\SFML\lib`

✓ Step 5: Link Required SFML Libraries

1. Still inside **Build options**, go to the **Linker settings** tab.
2. Click **Add**, and add these three libraries (**for Release mode**):

```
sfml-graphics      sfml-  
window            sfml-system
```

3. For **Debug mode**, use the debug versions:

```
sfml-graphics-d    sfml-  
window-d           sfml-system-d
```

4. Apply changes and click **OK**.
-

✓ Step 6: Copy DLL Files (IMPORTANT)

To ensure the game runs correctly:

1. Navigate to: `C:\SFML\bin 2`.
Copy these files:

```
sfml-graphics-2.dll    sfml-  
window-2.dll          sfml-system-2.dll
```

3. Paste them into your project's executable folder:

```
...\bin\Debug\    (for Debug)  
...\bin\Release\ (for Release)
```

✔ Step 7: Test with a Simple SFML Program Paste

the following minimal code to test:

```
#include <SFML/Graphics.hpp> int
main() {
    sf::RenderWindow window(sf::VideoMode(400, 300), "SFML Test");
    while (window.isOpen()) {        sf::Event event;
        while (window.pollEvent(event)) {
            if (event.type == sf::Event::Closed)
                window.close();
        }
        window.clear();
        window.display();
    }
    return 0; }
```

If this window opens, your SFML setup is complete!

✔ Step 8: Copy the Arial file in your .cpp folder

Go to C drive > windows > fonts > Arial > Arial regular.

Copy the Arial regular and paste it in your .cpp folder where the project files are saved.

✔ You're Ready!

Now paste in your Snake Game code and run the game from Code::Blocks. Make sure to use the correct library mode (Debug or Release) and have all necessary .dll files in your output folder.