## Lab's Scope:

One-dimensional Arrays

......

#### Problem 1:

Write a program to find the largest number in an array of integers. For example, if an array contains the numbers 60,80,50,20,70. The program should output that the maximum number is 80.

#### Problem 2:

Extend Problem 1 so that your program prints out the maximum number, minimum number, and the difference between them. According to the example mentioned in Problem 1, the maximum number is 80, the minimum number is 20 and the difference between them is 60.

### Problem 3:

Write a program that initializes an array of even and odd integers, then prints out the odd numbers and their indexes.

### Problem 4:

Write a program that initializes two arrays of the same length, a string array to store students' names, and an integer array to store the students' ID. Assuming that the student-related information is stored at the same index in both arrays, the program should gather the information of each student from both arrays and print them out.

# Example:

Given the following arrays:

| Ahmed Ali | Mona Kamal | Karim Fouad | Nada Saleh |  |  |
|-----------|------------|-------------|------------|--|--|
|           |            |             |            |  |  |
| 231456    | 238967     | 239564      | 201568     |  |  |

## The output should be:

231456 Ahmed Ali 238967 Mona Kamal 239564 Karim Fouad 201568 Nada Saleh

# **Problem 5:**

Write a program that initializes an array of 10 integers initialized only with two numbers, the program should fill the rest of the array starting from index 2 is the addition of its previous two elements. The program should print the array elements.

### Example

Given the following array:

| 1 | 2 |  |  |  |  |
|---|---|--|--|--|--|

### The output array should be:


| 1 | 2 | 3 | 5 | 8 | 13 | 21 | 34 | 55 | 89 |
|---|---|---|---|---|----|----|----|----|----|
|---|---|---|---|---|----|----|----|----|----|

#### Problem 6:

Write a program with an initialized array of El Ahly football match results where the array elements are either 1, 0, or -1. The value 1 represents a win, value 0 is a tie, whereas value -1 is a loss. The first element in the array represents match number 1, the second element represents match number 2, and so on. The program should output the match number, and whether the team wins, loses, or the match is a tie.

# Example

Given the following array:



### The output should be:

Match 1 El Ahly won.

Match 2 is a tie.

Match 3 El Ahly lost.

Match 4 El Ahly won.

Match 5 El Ahly lost.

#### Problem 7:

Assume you have agreed with your friend to send each other an encrypted word, where any character is sent, your friend should replace it with the character after it in the alphabet with three letters. Write a program that initializes an array of characters with the encrypted word, the program should decrypt it, and print out the message. Manage the cases where the letters 'X', 'Y', and 'Z' in your encrypted message should be decrypted into letters 'A', 'B', and 'C' respectively.

### Example:

Given the following array of characters:

T F K K B O

# The output should be:

WINNER

### **Problem 8:**

Write a program that prints the count of occurrences of each element in an array of characters.

## Example:

Given the following array of characters:

A B A A B C C B D D

# The output should be:

Letter A is repeated 3 times.

Letter B is repeated 3 times.

Letter A is repeated 3 times.

Letter A is repeated 3 times.

Letter B is repeated 3 times.

Letter C is repeated 2 times.

Letter C is repeated 2 times.

Letter B is repeated 3 times.

Lab 2 – Exercise Sheet 2

Letter D is repeated 2 times. Letter D is repeated 2 times.