

Family Medicine Assistant

Capability inventory · generated 2026-08-26 from the live application

Everything the app currently ships. Generated directly from the application data, so it cannot drift from the code. Counts are structural (fields, content blocks), not estimates.

16
Note visit types

16
Clinical calculators

19
Clinical guides

18
Prescriptions

7
Reference tools

6
Patient handouts

1. Progress Note

The primary feature. One job: write a note. Pick a visit type, fill the blanks, and the form asks only what the selected problems actually need. It runs entirely on the device — no API key, no network call, no patient data leaving the phone.

HOW THE FORM ADAPTS

- Questions carry a condition and appear only when relevant. Selecting **Hypertension** reveals the home BP readings and the postural-symptom screen; deselecting it hides them again.
- An answer to a question that is no longer shown is kept in memory but never reaches the note — what the clinician cannot see must not become a finding in the record.
- Every option list has an **Other** escape for anything not on it.
- Assessment and Plan are built by tapping ready-made lines that insert into a freely editable box, so a template gives you speed and a blank box is always available underneath.

WHAT IT WILL NOT DO

- Never invents a finding, a vital sign, a lab value or a diagnosis. Gaps become [TO COMPLETE: ...] in red, and the copy button stays locked until none remain.
- Red flags are surfaced as unresolved concerns needing an explicit acknowledge or dismiss, which is logged.
- Judgemental language is rewritten neutrally before it reaches the record, and you are told which word and why.
- Patient identifiers are stripped. Age and sex only.
- Every note ends with ER instructions and a follow-up interval.
- Mean BP is computed rather than asked for.

VISIT TYPES (16)

VISIT TYPE	FIELDS SHOWN / TOTAL AVAILABLE	RED-FLAG OPTIONS
Chronic disease follow-up	30 at start, up to 46	16
Routine visit / labs / refill	28 at start, up to 33	5
Palpitation	32 at start, up to 36	8
Chest pain	32 at start, up to 36	10
Headache	30 at start, up to 34	12

Low back pain	29 at start, up to 33	11
Dizziness / vertigo	31 at start, up to 35	7
Fatigue / tiredness	29 at start, up to 33	6
Sore throat / URTI	29 at start, up to 33	8
Urinary symptoms	30 at start, up to 34	7
Abdominal pain	29 at start, up to 33	8
Joint pain	29 at start, up to 33	7
Shortness of breath / cough	29 at start, up to 33	12
Falls assessment	32 at start, up to 37	17
Memory concern	31 at start, up to 35	12
Other complaint (generic)	29 at start, up to 33	6

ASSESSMENT LINE LIBRARY

GROUP	READY LINES
Diabetes	6
Hypertension	4
Dyslipidaemia	3
Hypothyroidism	2
Asthma / COPD	3
CKD	2
IHD / AF	2
Osteoporosis	2
General	4
Defensive documentation	4

PLAN LIBRARY

GROUP	READY ITEMS
Investigations	4
Referrals	9
Medications	6
Counselling and prevention	8

RUBRIC (0-2 EACH, 10 TOTAL, STORED ACROSS VISITS)

Problem list detail	Drug, dose, frequency and control status on every line
Problem-specific negatives	Red-flag screen completed and specific negatives documented
Assessment actionable	Every line ends in an action and carries a number
Defensive documentation	Deliberate non-action recorded with its reason; disagreements in the four-part sequence
Safety netting	Specific ER instructions and a stated follow-up interval

2. Clinical Calculators (16)

All compute live as you type. Every result carries its interpretation band and the practical next step.

CORE (3)

Body Mass Index	BMI, body surface area and ideal weight range	2 inputs
Estimated GFR	CKD-EPI 2021, without a race coefficient	4 inputs
Creatinine Clearance	Cockcroft-Gault, for drug dose adjustment	4 inputs

CARDIOVASCULAR (3)

ASCVD 10-Year Risk	Pooled Cohort Equations	9 inputs
CHA₂DS₂-VASc	Stroke risk in atrial fibrillation	7 items
HAS-BLED	Bleeding risk on anticoagulation	9 items

INFECTION (2)

Centor / McIsaac	Probability of streptococcal pharyngitis	5 items
Wells Score for DVT	Probability of deep vein thrombosis	10 items

MENTAL HEALTH (2)

PHQ-9	Depression severity over the last two weeks	9 items
GAD-7	Anxiety severity over the last two weeks	7 items

LABORATORY (4)

HbA1c Converter	To estimated average glucose	1 inputs
Corrected Calcium	Corrected for albumin	2 inputs
FIB-4	Advanced fibrosis risk in fatty liver disease	4 inputs
Anion Gap	With albumin and glucose corrections	5 inputs

WOMEN'S HEALTH (1)

Gestational Age & EDD	From the last menstrual period	2 inputs
----------------------------------	--------------------------------	----------

PREVENTION (1)

Pack-Years	Smoking burden and screening eligibility	2 inputs
-------------------	--	----------

Validation. ASCVD was checked against the published reference cases for all four sex and ethnicity combinations and matches. eGFR uses the 2021 race-free CKD-EPI equation.

3. Clinical Guides (19)

Concise summaries: diagnostic criteria, targets, treatment steps and referral thresholds.

CHRONIC DISEASE (4)

Type 2 Diabetes	Diagnosis, targets, treatment escalation	14 sections
Hypertension	Staging, when to treat, drug selection	13 sections
Dyslipidaemia	Who needs a statin, and at what intensity	9 sections
Thyroid Disorders	Hypo- and hyperthyroidism	9 sections

RESPIRATORY (2)

Asthma	GINA steps, control assessment, acute attack	11 sections
COPD	Diagnosis, GOLD groups, exacerbation	8 sections

ACUTE (3)

Urinary Tract Infection	Simple, complicated, and in pregnancy	9 sections
Sore Throat	When an antibiotic is justified	7 sections
Common Cold & Sinusitis	Telling viral from bacterial	8 sections

SYMPTOMS (3)

Headache	Red flags and migraine management	10 sections
Low Back Pain	Triage and management	6 sections
Chest Pain in Clinic	Rapid triage	8 sections

GASTROINTESTINAL (1)

IBS & Reflux	Rome IV criteria and reflux management	8 sections
-------------------------	--	------------

HAEMATOLOGY (2)

Iron Deficiency Anaemia	Diagnosis, cause, replacement	8 sections
Vitamin D Deficiency	Who to test and how to treat	6 sections

MUSCULOSKELETAL (1)

Gout	Acute attack and urate-lowering therapy	8 sections
-------------	---	------------

MENTAL HEALTH (1)

Depression & Anxiety	Screening, starting treatment, follow-up	10 sections
---------------------------------	--	-------------

PREVENTION (1)

Obesity	Assessment and stepwise management	5 sections
----------------	------------------------------------	------------

WOMEN'S HEALTH (1)

Antenatal Care	Visit schedule and screening milestones	7 sections
----------------	---	------------

4. Reference Tools (7)

Adult Immunisation	What is given, when, and what blocks it	5 sections
Preventive Screening	What to check and at what age	7 sections
Red Flags	What must not be missed, by presentation	11 sections
Antibiotic Reference	First-line choice and duration	4 sections
Renal Dose Adjustment	Common drugs by eGFR	5 sections
Documentation Templates	Ready notes to copy into the record	8 sections
The 10-Minute Consultation	Structuring a short visit	11 sections

5. Prescriptions (18)

Complete prescriptions with dose, frequency and duration, copied in one tap, each with its own cautions.

RESPIRATORY (4)

Viral Upper Respiratory Infection	Symptomatic, no antibiotic	5 lines
Bacterial Pharyngitis	Confirmed strep or a high Centor score	5 lines
Bacterial Sinusitis	After 10 days, or double worsening	4 lines
Mild to Moderate Asthma Exacerbation	Discharge from clinic	4 lines

URINARY (2)

Uncomplicated Cystitis	Non-pregnant woman	4 lines
UTI in Pregnancy	Safe options	4 lines

GASTROINTESTINAL (3)

Adult Gastroenteritis	Supportive care	5 lines
Gastro-oesophageal Reflux	An 8-week course	3 lines
Chronic Constipation	Adults	4 lines

PAIN (3)

Mechanical Low Back Pain	No red flags	6 lines
Acute Migraine	Attack treatment	5 lines
Acute Gout	Start within 24 hours	5 lines

DERMATOLOGY (2)

Atopic Dermatitis	Mild to moderate flare	5 lines
Superficial Fungal Infection	Athlete's foot / tinea corporis	3 lines

CHRONIC (4)

Starting Type 2 Diabetes Treatment	First line	6 lines
Starting Antihypertensive Treatment	First line, no comorbidity	5 lines
Vitamin D Replacement	Adults	5 lines
Oral Iron Replacement	Iron deficiency anaemia	5 lines

6. Patient Handouts (6)

How to Use Your Inhaler	~135 words
Warfarin Patient Instructions	~167 words
Sick Day Rules for Diabetes	~141 words
Managing Low Blood Sugar	~131 words
Measuring Blood Pressure at Home	~161 words
Caring for Your Lower Back	~158 words

7. Platform

Works fully offline	A service worker caches everything after the first load	core
Installable	Add to Home Screen gives a standalone app	core
Unified search	One box across every section	core
Recently used	Home screen remembers your last eight pages	optional
Dark mode	Follows the device, with a persistent manual override	optional
No backend	Static files only. No server, no account, no patient data transmitted	core

Clinical decision support for qualified healthcare professionals. It does not replace clinical judgement. Doses and protocols require verification against your local approved protocol and the product leaflet before use. Immunisation schedules change periodically and must be matched against the current national schedule. The note format reflects one department's house style and should be reviewed by your consultant before launch.