Final structure

```
src/
  components/
    layout/
      dashboard/
        DashboardMainWrapperDesktop.vue
        DashboardBaseContainerWrapper.vue
        DashboardDesktopHeaderContainerWrapper.vue
        DashboardTwoColContainerWrapper.vue
        DashboardTwoColInnerContainerWrapper.vue
    ui/
      panel/dashboard/
      card/dashboard/
      table/dashboard/
      nav/dashboard/
      popup/
        tooltip/
        dropdown/
        context/
      form/
        input/
        radio/
        select/
        button/
      modal/
      field/
      badge/
      typography/
        heading/
        paragraph/
      list/
      styles/

  templates/
    dashboard/
      Dashboard.js                  # exports DashboardWrapper
      DashboardWrapper.vue          # slots: header, sidebar, content, footer
      DashboardHeader.vue           # global; mobile/desktop slots
      DashboardSidebar.vue          # global; mobile/desktop slots; owns <aside>
```

```
      DashboardFooter.vue           # global; mobile/desktop slots
      orders/
        creator/
          DashboardOrdersPageCreator.vue
          DashboardOrdersPageContentCreator.vue
```

{Section}{this}{What}{For}{View}

```
src/
  components/
    layout/
      {section}/
        DashboardWrapperMain.vue
        DashboardWrapperTwoColContainer.vue
        DashboardTwoColInnerContainerWrapper.vue
      profile/
        DashboardWrapperMain.vue
    ui/{section}  & ui/global
      panel/
      card/
      table/
      nav/
      popup/
        tooltip/
        dropdown/
        context/
      form/
        input/
        radio/
        select/
        button/
      modal/
      field/
      badge/
      typography/
        heading/
        paragraph/
```

```
      list/
      styles/

  templates/
    {section}/
      {Section}.js                  # exports DashboardWrapper
      {Section}Wrapper.vue          # slots: header, sidebar, content, footer
      {Section}Header.vue           # global; mobile/desktop slots
      {Section}Sidebar.vue          # global; mobile/desktop slots; owns <aside>
      {Section}Footer.vue           # global; mobile/desktop slots
      {page}/
        {role}/
          {Section}{Page}Page{Role}.vue
```

Files (minimal + aligned to your contract)

```
// src/templates/dashboard/Dashboard.jsexport { default as DashboardWrapper } from
'./DashboardWrapper.vue'

<!-- src/templates/dashboard/DashboardWrapper.vue -->
<template>
  <DashboardMainWrapperDesktop>
    <DashboardBaseContainerWrapper>
      <DashboardDesktopHeaderContainerWrapper>
        <slot name="header">
```

```
          <DashboardHeader />
        </slot>
      </DashboardDesktopHeaderContainerWrapper>

      <div class="dash">
        <slot name="sidebar">
          <DashboardSidebar />
        </slot>

        <section class="dash__main">
          <slot name="content" />
        </section>
      </div>

      <slot name="footer">
        <DashboardFooter />
      </slot>
    </DashboardBaseContainerWrapper>
  </DashboardMainWrapperDesktop>
</template>

<script setup lang="ts">
import DashboardMainWrapperDesktop from
'@/components/layout/dashboard/DashboardMainWrapperDesktop.vue'
import DashboardBaseContainerWrapper from
'@/components/layout/dashboard/DashboardBaseContainerWrapper.vue'
import DashboardDesktopHeaderContainerWrapper from
'@/components/layout/dashboard/DashboardDesktopHeaderContainerWrapper.vue'
import DashboardHeader from './DashboardHeader.vue'
import DashboardSidebar from './DashboardSidebar.vue'
import DashboardFooter from './DashboardFooter.vue'
</script>

<style scoped>
.dash { display: grid; grid-template-columns: 260px 1fr; gap: 24px; }
.dash__main { min-width: 0; }
@media (max-width: 1023px) { .dash { grid-template-columns: 1fr; } }
</style>

<!-- src/templates/dashboard/DashboardHeader.vue -->
```

```vue
<template>
  <header class="dashboard-header">
    <div class="block md:hidden">
      <slot name="mobile">
        <DashboardMobileHeaderPart />
      </slot>
    </div>
    <div class="hidden md:block">
      <slot name="desktop">
        <DashboardDesktopHeaderPart />
      </slot>
    </div>
  </header>
</template>

<script setup lang="ts">
import DashboardMobileHeaderPart from
'@/components/layout/dashboard/DashboardMobileHeaderPart.vue'
import DashboardDesktopHeaderPart from
'@/components/layout/dashboard/DashboardDesktopHeaderContainerWrapper.vue'
</script>

<!-- src/templates/dashboard/DashboardSidebar.vue -->
<template>
  <aside class="dash__sidebar">
    <div class="block md:hidden">
      <slot name="mobile" />
    </div>
    <div class="hidden md:block">
      <slot name="desktop" />
    </div>
  </aside>
</template>

<script setup lang="ts"></script>

<!-- src/templates/dashboard/DashboardFooter.vue -->
<template>
  <footer class="dashboard-footer">
    <div class="block md:hidden">
```

```
      <slot name="mobile" />
    </div>
    <div class="hidden md:block">
      <slot name="desktop" />
    </div>
  </footer>
</template>

<script setup lang="ts"></script>

<!-- src/templates/dashboard/orders/creator/DashboardOrdersPage.vue -->
<template>
  <DashboardWrapper>
    <!-- use global header/sidebar/footer defaults; only provide main content -->
    <template #content>
      <DashboardOrdersPageContent />
    </template>
  </DashboardWrapper>
</template>

<script setup lang="ts">
import { DashboardWrapper } from '@/templates/dashboard/Dashboard.js'
import DashboardOrdersPageContent from './DashboardOrdersPageContent.vue'
</script>

<!-- src/templates/dashboard/orders/creator/DashboardOrdersPageContent.vue -->
<template>
  <DashboardTwoColContainerWrapper>
    <DashboardTwoColInnerContainerWrapper>
      <!-- your orders body goes here (table/cards/etc) -->
      <slot />
    </DashboardTwoColInnerContainerWrapper>
  </DashboardTwoColContainerWrapper>
</template>

<script setup lang="ts">
import DashboardTwoColContainerWrapper from
'@/components/layout/dashboard/DashboardTwoColContainerWrapper.vue'
import DashboardTwoColInnerContainerWrapper from
'@/components/layout/dashboard/DashboardTwoColInnerContainerWrapper.vue'
```

```
</script>
```

Example Flow (how wrappers & slots compose)

1. **Router** mounts a dashboard route that renders a **Page** component.
2. The **Page** component renders <DashboardWrapper>.
3. DashboardWrapper composes the physical frame:
   - Header area ⇒ #header slot (default: DashboardHeader)
   - Grid ⇒ sidebar + dash__main
   - dash__main ⇒ where your page's **#content** goes
   - Footer ⇒ #footer slot (default: DashboardFooter)
4. Inside the **#content** slot, the Page typically renders a **Content** component that uses:
   - DashboardTwoColContainerWrapper (outer content grid)
   - DashboardTwoColInnerContainerWrapper (inner grid for widgets)
   - Then UI atoms (panel, card, table, etc.) for the actual data.

This keeps pages skinny: they only provide **content**, while the shell (header/sidebar/footer) stays consistent.

Wire up a new page: "Referrals"

Below is a minimal, role-scoped implementation following your orders/creator pattern. We'll add **Creator** and **Fan** variants; add **Admin** the same way if needed.

File tree (new)

```
src/
  templates/
    dashboard/
      referrals/
        creator/
          DashboardReferralsPageCreator.vue
          DashboardReferralsPageContentCreator.vue
        fan/
          DashboardReferralsPageFan.vue
          DashboardReferralsPageContentFan.vue
```

Creator page

```
<!-- src/templates/dashboard/referrals/creator/DashboardReferralsPageCreator.vue -->
<template>
  <DashboardWrapper>
    <!-- Use global header/sidebar/footer; only supply main content -->
```

```
    <template #content>
      <DashboardReferralsPageContentCreator />
    </template>
  </DashboardWrapper>
</template>

<script setup lang="ts">
import { DashboardWrapper } from '@/templates/dashboard/Dashboard.js'
import DashboardReferralsPageContentCreator from './DashboardReferralsPageContentCreator.vue'
</script>

<!-- src/templates/dashboard/referrals/creator/DashboardReferralsPageContentCreator.vue -->
<template>
  <DashboardTwoColContainerWrapper>
    <DashboardTwoColInnerContainerWrapper>
      <!-- Top summary / hero -->
      <section class="space-y-4">
        <div class="rounded-2xl border p-4">
          <h2 class="text-lg font-semibold">Referrals Overview</h2>
          <p class="text-sm opacity-80">
            Track your invites, earnings from referrals, and pending rewards.
          </p>
        </div>

        <!-- Stats row -->
        <div class="grid grid-cols-1 md:grid-cols-3 gap-4">
          <div class="rounded-2xl border p-4">
            <p class="text-xs opacity-70">Total Invites</p>
            <p class="text-3xl font-bold">128</p>
          </div>
          <div class="rounded-2xl border p-4">
            <p class="text-xs opacity-70">Conversions</p>
            <p class="text-3xl font-bold">46</p>
          </div>
          <div class="rounded-2xl border p-4">
            <p class="text-xs opacity-70">Referral Earnings</p>
            <p class="text-3xl font-bold">$1,842</p>
          </div>
        </div>
```

```html
<!-- Share link / CTA -->
<div class="rounded-2xl border p-4">
  <h3 class="font-semibold mb-2">Your Referral Link</h3>
  <div class="flex flex-col md:flex-row gap-2">
    <input
      id="creator-referral-link"
      class="flex-1 rounded-xl border px-3 py-2"
      :value="referralLink"
      readonly
    />
    <button
      class="rounded-xl border px-4 py-2"
      type="button"
      @click="copyReferralLink"
    >
      Copy
    </button>
  </div>
  <p class="text-xs opacity-70 mt-2">
    Share your link to earn commission when your referrals subscribe.
  </p>
</div>

<!-- Recent referrals table (placeholder) -->
<div class="rounded-2xl border">
  <div class="flex items-center justify-between px-4 py-3 border-b">
    <h3 class="font-semibold">Recent Referrals</h3>
  </div>
  <div class="overflow-x-auto">
    <table class="min-w-full text-sm">
      <thead class="bg-gray-50">
        <tr>
          <th class="text-left px-4 py-2">User</th>
          <th class="text-left px-4 py-2">Joined</th>
          <th class="text-left px-4 py-2">Status</th>
          <th class="text-left px-4 py-2">Earnings</th>
        </tr>
      </thead>
      <tbody>
        <tr class="border-t">
```

```
                <td class="px-4 py-2">@amy</td>
                <td class="px-4 py-2">2025-08-12</td>
                <td class="px-4 py-2">Active</td>
                <td class="px-4 py-2">$24.00</td>
              </tr>
              <tr class="border-t">
                <td class="px-4 py-2">@ben</td>
                <td class="px-4 py-2">2025-08-10</td>
                <td class="px-4 py-2">Trial</td>
                <td class="px-4 py-2">$0.00</td>
              </tr>
            </tbody>
          </table>
        </div>
      </div>
    </section>
  </DashboardTwoColInnerContainerWrapper>
</DashboardTwoColContainerWrapper>
</template>

<script setup lang="ts">
import DashboardTwoColContainerWrapper from
'@/components/layout/dashboard/DashboardTwoColContainerWrapper.vue'
import DashboardTwoColInnerContainerWrapper from
'@/components/layout/dashboard/DashboardTwoColInnerContainerWrapper.vue'
import { onMounted } from 'vue'

const referralLink = `${location.origin}/r/your-handle`

function copyReferralLink(): void {
  const inputEl = document.getElementById('creator-referral-link') as HTMLInputElement | null
  if (!inputEl) return
  inputEl.select()
  document.execCommand('copy')
}

onMounted(() => {
  // Validate element presence before actions (your JS guideline)
  const el = document.getElementById('creator-referral-link')
  if (!el) {
```

```
    // optionally log
  }
})
</script>
```