



**Tiba Swiss International**

شركة طيبه سويس العالمية

**General Contractor  
Company**

## **Car Wash Touch Free T.S.I 102**



Schlösslistrasse 2, 2504 Bie/Bienne

Tel. +41763435938, +41325546095

[info@tibaswiss.ch](mailto:info@tibaswiss.ch) - [www.tibaswiss.ch](http://www.tibaswiss.ch)



## Benefits of automatic washing

- Maintain the car
- More clean for the clean
- Save time only five minutes
- Car rust prevention
- Friendly and maintain proof of ease of payment and use
- Laundry at any time 24/7



## فوائد الغسيل الآلي

- تحافظ علي السيارة
- نظافته اكثر للسيارة
- توفير الوقت فقد خمس دقائق
- الوقايه من الصدأ للسيارة
- صديقه ومحافظه علي البيئه
- سهوله الدفع والاستخدام
- الغسيل في اي وقت 24h/7



## Technical Data

## معلومات تقنية عن T.S.I 102

No.	Function Descriptions	Brand Details	Remarks
(1)	Water Protection Level is IP67	Taiwan Delta servo motor	Germany pinfl
(2)	It can display a variety of car wash modes, parking indication, fault display, status display, etc.	Sino-Intlund waterproof air-drying motor	Japan NSK
(3)	Accurately sense the body position, determine the cleaning range	Sino-Intlund waterproof air-drying motor	Germany PEPPERL+FUCHS
(4)	Precisely control the amount of foam, colorful leave-in solution, and coating water wax	Taiwan Delta servo drive system	France schneider
(5)	1.Thickness up to 4mm, 2.Q235 international standard, 3.salt spray test grade ten 4mm,Q235	Taiwan Delta LCD screen Pepperl+Fuchs Alemania P+F ultrasónico Pepperl+Fuchs P+F Photoelectric Sensor Japan Omron Relay French Schneider Contactor taly New Dotz Liquid Dosing Pump Hot dipped galvanized steel frame High strength 416 stainless steel nozzle	Taiwan Delta Taiwan Delta Germany PEPPERL+FUCHS
(1)	HP-260 Type (Touchless 360 car wash)	HP-260 (STANDARD)	Specifications: Model
1.1	Descriptions / Touchless 360 car wash	LXWXH=3300mm*1100mm*1000mm	Machine dimensions
1.2	1.Intelligent unmanned systems	LXWXH=8180mm*3680mm*3500mm	INSTALLATION SPACE
1.3	2. Smart 360 technology.	LXWXH=2500mm*1600mm*2000mm	SUPPLY STATION
		3 Phase 380 V 50HZ Max:18.5kw;max working:18.5kw 70-120Bar	Main power Total power Water pressure Air supply Vehicle type Wash size

1.4	3. Intelligent chemical mixing system.	car/SUV/Coatch within 10 seats LXWXH=2300mm*2500mm*2050mm	Wash speed
1.5	4. Innovative suspension system non-resistance rails		Power consumption
1.6	5. Unique embedded fast drying system	Quick wash:3'12" , Premium wash :5'12"	chemicals consumption
1.7	6. Digital voice security alarm system	0.65kwh	water consumption
1.8	7. Faulty self-checking system	7ml/12ml	
	8. One key anti-frozen system	165L	



**Tiba Swiss International T.S.I**  
**General Trading and Contracting**

شركة طيبه سويس العالمية  
 للتجاره العامه والمقاولات

Schlösslistrasse 2, 2504 Bie/Bienne  
 Tel. +41763435938, +41325546095  
[info@tibaswiss.ch](mailto:info@tibaswiss.ch) - [www.tibaswiss.ch](http://www.tibaswiss.ch)

