womens4.com

Complete website source code – Python learning platform from zero to job-ready developer

101 files · Next.js · Tailwind CSS · Supabase · Stripe · Pyodide

Important: this PDF is for reading, printing and reference. To run the website, GitHub and Vercel need the real files from womens4-website.zip (unzip it, then upload the files). Each section below shows one file: its path is the folder and file name to use.

Contents – all files

Project root

README.md	132 lines
package.json	39 lines
.env.example	27 lines
.gitignore	11 lines
next.config.mjs	21 lines
tsconfig.json	22 lines
tailwind.config.ts	42 lines
postcss.config.mjs	2 lines
middleware.ts	40 lines
tsconfig.tsbuildinfo	1 lines

supabase/

supabase/schema.sql	176 lines

lib/

lib/access.ts	7 lines
lib/auth.ts	76 lines
lib/billing.ts	64 lines
lib/certificates.ts	73 lines
lib/content.ts	167 lines
lib/email.ts	47 lines
lib/env.ts	15 lines
lib/exercise-types.ts	67 lines
lib/exercises.ts	24 lines
lib/progress.ts	96 lines
lib/pyodide-client.ts	95 lines
lib/stripe.ts	12 lines
lib/supabase/admin.ts	17 lines
lib/supabase/client.ts	14 lines
lib/supabase/server.ts	26 lines

app/

app/globals.css	141 lines
app/layout.tsx	47 lines
app/not-found.tsx	20 lines
app/page.tsx	316 lines
app/admin/layout.tsx	42 lines
app/admin/page.tsx	63 lines
app/cookies/page.tsx	25 lines
app/courses/page.tsx	112 lines
app/dashboard/layout.tsx	17 lines
app/dashboard/page.tsx	252 lines
app/forgot-password/page.tsx	54 lines
app/learn/layout.tsx	29 lines
app/learn/page.tsx	6 lines
app/login/page.tsx	91 lines
app/playground/page.tsx	33 lines

app/pricing/page.tsx	91 lines
app/privacy/page.tsx	55 lines
app/register/page.tsx	136 lines
app/roadmap/page.tsx	112 lines
app/terms/page.tsx	52 lines
app/update-password/page.tsx	58 lines
app/admin/certificates/page.tsx	71 lines
app/admin/content/page.tsx	144 lines
app/admin/users/page.tsx	171 lines
app/api/progress/route.ts	29 lines
app/auth/callback/route.ts	17 lines
app/auth/signout/route.ts	9 lines
app/certificates/[id]/page.tsx	86 lines
app/dashboard/billing/page.tsx	163 lines
app/dashboard/profile/page.tsx	108 lines
app/learn/[module]/page.tsx	9 lines
app/admin/content/[id]/page.tsx	307 lines
app/api/account/delete/route.ts	34 lines
app/api/account/export/route.ts	36 lines
app/api/certificates/issue/route.ts	46 lines
app/api/exercises/check/route.ts	27 lines
app/api/exercises/submit/route.ts	36 lines
app/api/materials/[module]/route.ts	30 lines
app/api/stripe/checkout/route.ts	37 lines
app/api/stripe/portal/route.ts	25 lines
app/api/stripe/webhook/route.ts	91 lines
app/learn/[module]/[lesson]/page.tsx	173 lines
app/learn/[module]/exercises/page.tsx	66 lines
app/api/certificates/[id]/pdf/route.ts	17 lines

components/

components/AuthShell.tsx	38 lines
components/CodeBlock.tsx	86 lines
components/CompleteButton.tsx	60 lines
components/CookieBanner.tsx	57 lines
components/CopyLink.tsx	26 lines
components/DashboardTabs.tsx	33 lines
components/DemoEditor.tsx	19 lines
components/ExerciseSet.tsx	236 lines
components/Faq.tsx	49 lines
components/Footer.tsx	88 lines
components/LegalPage.tsx	17 lines
components/LessonSidebar.tsx	153 lines
components/Logo.tsx	32 lines
components/Markdown.tsx	47 lines
components/Navbar.tsx	15 lines
components/NavbarClient.tsx	155 lines
components/Paywall.tsx	36 lines
components/PlaygroundEditor.tsx	49 lines

components/PricingCards.tsx	90 lines
components/PyEditor.tsx	164 lines
components/ThemeToggle.tsx	27 lines

content/

content/courses.ts	72 lines
content/exercises.ts	929 lines
content/course/01-foundations.md	765 lines
content/course/02-core.md	594 lines
content/course/03-intermediate.md	814 lines
content/course/04-projects-advanced.md	331 lines
content/course/05-professional.md	522 lines

public/

public/icon.svg	2 lines
public/pyodide-worker.js	58 lines

scripts/

scripts/create-stripe-price.mjs	26 lines

README.md

File 1 of 101 · 132 lines

```
# womens4.com — Learn Python from Zero to Job-Ready

A production-ready Python learning platform: 25 modules / 105 lessons, an in-browser Python editor (Pyodide + Monaco), graded exercises, progress tracking, certificates, a €6.99/month Stripe subscription and an admin dashboard.

**Stack:** Next.js 14 (App Router) · React · Tailwind CSS · Supabase (Postgres + Auth) · Stripe · Pyodide · Monaco Editor · Vercel

---

## 1. Run it locally

```bash
npm install
cp .env.example .env.local      # then fill in the values (see section 3)
npm run dev                      # http://localhost:3000
```

Lessons in the free modules and the "Try it Yourself" editor work even before Supabase and Stripe are configured. Accounts, progress, payments and certificates need the steps below.

2. Set up Supabase (accounts + database)

1. Create a project at https://supabase.com.
2. **SQL Editor →** paste and run `supabase/schema.sql`. This creates all tables with Row Level Security.
3. **Authentication → URL Configuration:**
   - Site URL: your domain (e.g. `https://womens4.example.com`, or `http://localhost:3000` in development)
   - Redirect URLs: add `https://YOUR-DOMAIN/auth/callback` (and `http://localhost:3000/auth/callback`)
4. **Authentication → Providers → Email:** keep "Confirm email" on (recommended). Configure custom SMTP under Project Settings → Auth for production email delivery.
5. Copy **Project URL**, **anon key** and **service_role key** from Project Settings → API into your env.
6. Register on your site, then make yourself admin in the SQL editor:
   ```sql
   update public.profiles set role = 'admin' where email = 'you@example.com';
   ```

3. Environment variables

Variable	Where it comes from	Exposed to browser?
`NEXT_PUBLIC_SITE_URL`	Your public URL	yes
`NEXT_PUBLIC_SUPPORT_EMAIL`, `NEXT_PUBLIC_COMPANY_NAME`, `NEXT_PUBLIC_COMPANY_ADDRESS`	Your legal details (footer, legal pages)	yes
`NEXT_PUBLIC_SUPABASE_URL`, `NEXT_PUBLIC_SUPABASE_ANON_KEY`	Supabase → Settings → API	yes (safe, RLS-protected)
`SUPABASE_SERVICE_ROLE_KEY`	Supabase → Settings → API	**no — server only**
`STRIPE_SECRET_KEY`	Stripe → Developers → API keys	**no — server only**
`STRIPE_WEBHOOK_SECRET`	Stripe webhook endpoint (see below)	**no — server only**
`STRIPE_PRICE_ID`	The €6.99/month price (see below)	no
`RESEND_API_KEY`, `EMAIL_FROM`	https://resend.com (optional)	no

Secrets are only read in server code (`app/api/**`, `lib/stripe.ts`, `lib/supabase/admin.ts`). Never prefix them with `NEXT_PUBLIC_`.

4. Set up Stripe (€6.99/month)

1. Create the product and price (or do it in the Stripe dashboard: recurring, monthly, EUR 6.99):
   ```bash
   STRIPE_SECRET_KEY=sk_test_... npm run stripe:create-price
   ```
   Put the printed `price_...` into `STRIPE_PRICE_ID`.
2. **Customer portal:** Stripe → Settings → Billing → Customer portal → enable *cancel
```

```
subscriptions*, *update payment methods* and *invoice history*. Users manage/cancel through this.
3. **Webhook:** Developers → Webhooks → add endpoint `https://YOUR-DOMAIN/api/stripe/webhook` with events:
   `checkout.session.completed`, `customer.subscription.created`, `customer.subscription.updated`, `customer.subscription.deleted`, `invoice.paid`, `invoice.payment_failed`. Copy the signing secret to `STRIPE_WEBHOOK_SECRET`.
   Locally: `stripe listen --forward-to localhost:3000/api/stripe/webhook`.
4. **Failed payments:** Settings → Billing → Subscriptions and emails → enable Smart Retries and "Send emails about failed payments". Also enable "Email customers about successful payments" for receipts.
5. Test with card `4242 4242 4242 4242`, then switch to live keys.

How access works: Premium is granted **only** from the webhook-synced `subscriptions` table when Stripe reports `active`/`trialing` and the paid period hasn't ended. The success page never grants access by itself — it waits for Stripe's confirmation.

## 5. Deploy to Vercel

1. Push the repo to GitHub and import it in Vercel.
2. Add all env variables (Production + Preview).
3. Update Supabase redirect URLs and the Stripe webhook URL to the production domain.

## 6. Before going live — checklist

- [ ] Replace the legal page templates (`app/privacy`, `app/terms`, `app/cookies`) with lawyer-reviewed text and your company details.
- [ ] Replace the sample testimonials on the home page with real ones (they're labelled as samples).
- [ ] Configure Stripe Tax if you sell to EU consumers (VAT OSS).
- [ ] Custom SMTP in Supabase so auth emails don't hit rate limits.
- [ ] Set yourself as admin and run a full test purchase + cancellation in test mode.

---

## Project structure

```
app/
  page.tsx                Home (hero, why Python, how it works, courses, live editor, pricing, FAQ)
  courses/ roadmap/       Curriculum overview and zero-to-job-ready roadmap
  learn/[module]/[lesson] W3Schools-style lesson view with sidebar, Try-it editor, prev/next, mark complete
  learn/[module]/exercises Quizzes, fill-in-the-code and coding challenges
  playground/             Full-page Python editor (Premium)
  pricing/                Plans and transparent billing terms
  login/ register/ forgot-password/ update-password/   Supabase Auth
  dashboard/              Progress, streak, quiz results, achievements, certificates
  dashboard/profile       Name, marketing consent, data export, account deletion (GDPR)
  dashboard/billing       Subscription status, cancel via Stripe portal, payment history
  certificates/[id]       Public verification page + PDF + LinkedIn share
  admin/                  MRR & stats, users & subscriptions, content editor, certificates
  api/stripe/*            checkout, portal, webhook (signature-verified)
  api/exercises/*         server-side answer checking and score saving
  api/progress, api/certificates, api/account, api/materials
content/
  course/*.md             The 25-module curriculum (lessons in Markdown)
  exercises.ts            Questions per module (answers never sent to the browser)
  courses.ts              Course bundles used for certificates
public/pyodide-worker.js  Runs Python in a Web Worker (with 10 s timeout)
supabase/schema.sql       Tables, RLS policies and triggers
```

Editing the curriculum

Lessons live in `content/course/*.md`:

```
@@module <slug> | <Title> | free|premium | <Stage>
Module description.
```
```

````
|
| @@lesson <slug> | <Lesson title>
| Markdown content…
| ```
|
| - ` ```python ` blocks get **Copy** and **Try it Yourself** buttons.
| - ` ```python-norun ` shows code without the Run button (for code that needs a network, files on disk, or a server).
|
| Admins can also create new modules, lessons and exercises without a deploy at **/admin/content**.
|
| ## Security notes
|
| - Learner code runs **only in the browser** (Pyodide in a Web Worker); nothing executes on the server.
| - Premium lesson content is rendered on the server and never sent to non-premium visitors.
| - Exercise answers stay on the server; scores are re-graded server-side before saving. Coding challenges are verified in the learner's browser sandbox, so their pass/fail is self-reported.
| - RLS: users can only read their own rows; subscriptions, payments, scores and certificates can only be written with the service-role key from server routes.
| - `profiles.role` cannot be changed by users (column-level grants).
| - Stripe webhooks are verified with `STRIPE_WEBHOOK_SECRET`.
````

package.json

File 2 of 101 · 39 lines

```
{
  "name": "womens4",
  "version": "1.0.0",
  "private": true,
  "description": "womens4.com — learn Python from zero to job-ready developer",
  "scripts": {
    "dev": "next dev",
    "build": "next build",
    "start": "next start",
    "typecheck": "tsc --noEmit",
    "stripe:create-price": "node scripts/create-stripe-price.mjs"
  },
  "dependencies": {
    "@fontsource-variable/inter": "^5.1.0",
    "@fontsource-variable/jetbrains-mono": "^5.1.1",
    "@monaco-editor/react": "^4.6.0",
    "@supabase/ssr": "^0.5.2",
    "@supabase/supabase-js": "^2.45.4",
    "lucide-react": "^0.454.0",
    "next": "14.2.35",
    "pdf-lib": "^1.17.1",
    "prism-react-renderer": "^2.4.0",
    "react": "18.3.1",
    "react-dom": "18.3.1",
    "react-markdown": "^9.0.1",
    "remark-gfm": "^4.0.0",
    "stripe": "^17.3.1"
  },
  "devDependencies": {
    "@types/node": "^20.17.6",
    "@types/react": "^18.3.12",
    "@types/react-dom": "^18.3.1",
    "autoprefixer": "^10.4.20",
    "postcss": "^8.4.49",
    "tailwindcss": "^3.4.14",
    "typescript": "^5.6.3"
  }
}
```

.env.example

File 3 of 101 · 27 lines

```
# ─── Site ──────────────────────────────────────────────
# Public URL of the site (used for Stripe redirects, auth emails, certificate links)
NEXT_PUBLIC_SITE_URL=http://localhost:3000
NEXT_PUBLIC_SUPPORT_EMAIL=support@example.com
# Legal entity shown in the footer, privacy policy and terms
NEXT_PUBLIC_COMPANY_NAME="Your Company Ltd."
NEXT_PUBLIC_COMPANY_ADDRESS="Street 1, 00000 City, Country"

# ─── Supabase (Project Settings → API) ─────────────────
NEXT_PUBLIC_SUPABASE_URL=https://YOUR-PROJECT.supabase.co
NEXT_PUBLIC_SUPABASE_ANON_KEY=
# SERVER ONLY — never prefix with NEXT_PUBLIC_
SUPABASE_SERVICE_ROLE_KEY=

# ─── Stripe (Developers → API keys) ────────────────────
# SERVER ONLY
STRIPE_SECRET_KEY=sk_test_...
# From `stripe listen` locally, or the webhook endpoint in the dashboard
STRIPE_WEBHOOK_SECRET=whsec_...
# Recurring €6.99/month price id (run `npm run stripe:create-price` to create it)
STRIPE_PRICE_ID=price_...

# ─── Transactional email (optional, https://resend.com) ──
# If unset, the app skips its own emails (Stripe can still send receipts).
RESEND_API_KEY=
EMAIL_FROM="womens4.com <hello@yourdomain.com>"
```

.gitignore

File 4 of 101 · 11 lines

```
 1 | node_modules
 2 | .next
 3 | out
 4 | .env
 5 | .env.local
 6 | .env*.local
 7 | *.tsbuildinfo
 8 | next-env.d.ts
 9 | .vercel
10 | .DS_Store
```

next.config.mjs

File 5 of 101 · 21 lines

```
/** @type {import('next').NextConfig} */
const securityHeaders = [
  { key: 'X-Content-Type-Options', value: 'nosniff' },
  { key: 'Referrer-Policy', value: 'strict-origin-when-cross-origin' },
  { key: 'X-Frame-Options', value: 'SAMEORIGIN' },
  { key: 'Permissions-Policy', value: 'camera=(), microphone=(), geolocation=()' },
];

const nextConfig = {
  reactStrictMode: true,
  experimental: {
    // Lesson markdown is read from disk at request time — make sure Vercel ships it.
    outputFileTracingIncludes: { '/**/*': ['./content/**/*'] },
  },
  async headers() {
    return [{ source: '/:path*', headers: securityHeaders }];
  },
};

export default nextConfig;
```

tsconfig.json

File 6 of 101 · 22 lines

```
{
  "compilerOptions": {
    "target": "ES2020",
    "lib": ["dom", "dom.iterable", "esnext"],
    "allowJs": false,
    "skipLibCheck": true,
    "strict": true,
    "noEmit": true,
    "esModuleInterop": true,
    "module": "esnext",
    "moduleResolution": "bundler",
    "resolveJsonModule": true,
    "isolatedModules": true,
    "jsx": "preserve",
    "incremental": true,
    "plugins": [{ "name": "next" }],
    "paths": { "@/*": ["./*"] }
  },
  "include": ["next-env.d.ts", "**/*.ts", "**/*.tsx", ".next/types/**/*.ts"],
  "exclude": ["node_modules"]
}
```

tailwind.config.ts

File 7 of 101 · 42 lines

```
import type { Config } from 'tailwindcss';

const config: Config = {
  darkMode: 'class',
  content: ['./app/**/*.{ts,tsx}', './components/**/*.{ts,tsx}', './lib/**/*.{ts,tsx}'],
  theme: {
    container: { center: true, padding: '1rem', screens: { '2xl': '1240px' } },
    extend: {
      colors: {
        brand: {
          50: '#ecfdf3',
          100: '#d1fadf',
          200: '#a6f4c5',
          300: '#6ce9a6',
          400: '#32d583',
          500: '#12b76a',
          600: '#039855',
          700: '#027a48',
          800: '#05603a',
          900: '#054f31',
          950: '#032b1b',
        },
      },
      fontFamily: {
        sans: ['"Inter Variable"', 'Inter', 'system-ui', '-apple-system', 'Segoe UI', 'Roboto', 'sans-serif'],
        mono: ['"JetBrains Mono Variable"', 'ui-monospace', 'SFMono-Regular', 'Menlo', 'Consolas', 'monospace'],
      },
      boxShadow: {
        card: '0 1px 2px rgba(16,24,40,.04), 0 1px 3px rgba(16,24,40,.06)',
        lift: '0 12px 24px -8px rgba(16,24,40,.12)',
      },
      keyframes: {
        'fade-up': { '0%': { opacity: '0', transform: 'translateY(8px)' }, '100%': { opacity: '1', transform: 'none' } },
        blink: { '0%,100%': { opacity: '1' }, '50%': { opacity: '0' } },
      },
      animation: { 'fade-up': 'fade-up .45s ease-out both', blink: 'blink 1s step-end infinite' },
    },
  },
  plugins: [],
};
export default config;
```

postcss.config.mjs

File 8 of 101 · 2 lines

```
1 | export default { plugins: { tailwindcss: {}, autoprefixer: {} } };
```

middleware.ts

File 9 of 101 · 40 lines

```
import { NextResponse, type NextRequest } from 'next/server';
import { createServerClient } from '@supabase/ssr';

export async function middleware(request: NextRequest) {
  let response = NextResponse.next({ request });
  const url = process.env.NEXT_PUBLIC_SUPABASE_URL;
  const key = process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY;
  if (!url || !key) return response;

  const supabase = createServerClient(url, key, {
    cookies: {
      getAll() {
        return request.cookies.getAll();
      },
      setAll(cookiesToSet) {
        cookiesToSet.forEach(({ name, value }) => request.cookies.set(name, value));
        response = NextResponse.next({ request });
        cookiesToSet.forEach(({ name, value, options }) => response.cookies.set(name, value, options));
      },
    },
  });

  // Refreshes the session cookie if needed.
  const { data } = await supabase.auth.getUser();

  const path = request.nextUrl.pathname;
  const protectedPath = path.startsWith('/dashboard') || path.startsWith('/admin');
  if (protectedPath && !data.user) {
    const login = request.nextUrl.clone();
    login.pathname = '/login';
    login.search = `?next=${encodeURIComponent(path)}`;
    return NextResponse.redirect(login);
  }
  return response;
}

export const config = {
  matcher: ['/((?!_next/static|_next/image|favicon.ico|pyodide-worker.js|api/stripe/webhook|.*\\.(?:svg|png|jpg|ico|webp)$).*)'],
};
```

supabase/schema.sql

File 10 of 101 · 176 lines

```
-- ═══════════════════════════════════════════════════════════════
-- womens4.com database schema — run once in Supabase → SQL Editor
-- Every table has Row Level Security enabled. Writes that must not be
-- forgeable by a user (subscriptions, payments, exercise scores,
-- certificates) are performed only by the server with the service-role key.
-- ═══════════════════════════════════════════════════════════════

create extension if not exists "pgcrypto";

-- ─── Profiles ──────────────────────────────────────────────────
create table if not exists public.profiles (
  id uuid primary key references auth.users (id) on delete cascade,
  email text,
  full_name text,
  role text not null default 'student' check (role in ('student', 'admin')),
  marketing_consent boolean not null default false,
  created_at timestamptz not null default now(),
  updated_at timestamptz not null default now()
);
alter table public.profiles enable row level security;

drop policy if exists "profiles: read own" on public.profiles;
create policy "profiles: read own" on public.profiles
  for select using (auth.uid() = id);

drop policy if exists "profiles: update own" on public.profiles;
create policy "profiles: update own" on public.profiles
  for update using (auth.uid() = id) with check (auth.uid() = id);

-- Users may only change these columns (never `role`).
revoke update on public.profiles from authenticated, anon;
grant update (full_name, marketing_consent, updated_at) on public.profiles to authenticated;

-- Create a profile automatically on sign-up.
create or replace function public.handle_new_user()
returns trigger language plpgsql security definer set search_path = public as $$
begin
  insert into public.profiles (id, email, full_name)
  values (new.id, new.email, coalesce(new.raw_user_meta_data ->> 'full_name', ''));
  return new;
end;
$$;

drop trigger if exists on_auth_user_created on auth.users;
create trigger on_auth_user_created
  after insert on auth.users
  for each row execute function public.handle_new_user();

-- ─── Subscriptions (written only by the Stripe webhook) ────────
create table if not exists public.subscriptions (
  user_id uuid primary key references auth.users (id) on delete cascade,
  stripe_customer_id text unique,
  stripe_subscription_id text unique,
  status text not null default 'none',          -- active | trialing | past_due | canceled |
 incomplete | unpaid | none
  price_id text,
  current_period_end timestamptz,
  cancel_at_period_end boolean not null default false,
  updated_at timestamptz not null default now()
);
alter table public.subscriptions enable row level security;
drop policy if exists "subscriptions: read own" on public.subscriptions;
create policy "subscriptions: read own" on public.subscriptions
  for select using (auth.uid() = user_id);

-- ─── Payment history (Stripe invoices) ─────────────────────────
create table if not exists public.payments (
  id text primary key,                          -- Stripe invoice id
```

```
  user_id uuid not null references auth.users (id) on delete cascade,
  amount integer not null,                        -- in cents
  currency text not null default 'eur',
  status text not null,                           -- paid | failed
  invoice_url text,
  created_at timestamptz not null default now()
);
create index if not exists payments_user_idx on public.payments (user_id, created_at desc);
alter table public.payments enable row level security;
drop policy if exists "payments: read own" on public.payments;
create policy "payments: read own" on public.payments
  for select using (auth.uid() = user_id);

-- ─── Lesson progress ──────────────────────────────────────
create table if not exists public.lesson_progress (
  user_id uuid not null references auth.users (id) on delete cascade,
  lesson_key text not null,                       -- "<module-slug>/<lesson-slug>"
  completed_at timestamptz not null default now(),
  primary key (user_id, lesson_key)
);
alter table public.lesson_progress enable row level security;
drop policy if exists "progress: read own" on public.lesson_progress;
create policy "progress: read own" on public.lesson_progress
  for select using (auth.uid() = user_id);
drop policy if exists "progress: insert own" on public.lesson_progress;
create policy "progress: insert own" on public.lesson_progress
  for insert with check (auth.uid() = user_id);
drop policy if exists "progress: delete own" on public.lesson_progress;
create policy "progress: delete own" on public.lesson_progress
  for delete using (auth.uid() = user_id);

-- ─── Exercise / quiz results (graded on the server) ───────
create table if not exists public.exercise_results (
  id uuid primary key default gen_random_uuid(),
  user_id uuid not null references auth.users (id) on delete cascade,
  module_slug text not null,
  score integer not null,
  total integer not null,
  created_at timestamptz not null default now()
);
create index if not exists exercise_results_user_idx on public.exercise_results (user_id,
module_slug);
alter table public.exercise_results enable row level security;
drop policy if exists "results: read own" on public.exercise_results;
create policy "results: read own" on public.exercise_results
  for select using (auth.uid() = user_id);

-- ─── Certificates (issued by the server after criteria check) ────
create table if not exists public.certificates (
  id uuid primary key default gen_random_uuid(),
  user_id uuid not null references auth.users (id) on delete cascade,
  course_slug text not null,
  recipient_name text not null,
  issued_at timestamptz not null default now(),
  revoked boolean not null default false,
  unique (user_id, course_slug)
);
alter table public.certificates enable row level security;
drop policy if exists "certificates: read own" on public.certificates;
create policy "certificates: read own" on public.certificates
  for select using (auth.uid() = user_id);

-- ─── Admin-authored content (merged with the built-in curriculum) ─
create table if not exists public.custom_modules (
  id uuid primary key default gen_random_uuid(),
  slug text not null unique,
  title text not null,
  description text not null default '',
  position integer not null default 100,
  is_free boolean not null default false,
  published boolean not null default false,
```

```
  created_at timestamptz not null default now()
);
alter table public.custom_modules enable row level security;
drop policy if exists "custom_modules: read published" on public.custom_modules;
create policy "custom_modules: read published" on public.custom_modules
  for select using (published);

create table if not exists public.custom_lessons (
  id uuid primary key default gen_random_uuid(),
  module_id uuid not null references public.custom_modules (id) on delete cascade,
  slug text not null,
  title text not null,
  body_md text not null default '',
  position integer not null default 0,
  published boolean not null default false,
  created_at timestamptz not null default now(),
  unique (module_id, slug)
);
alter table public.custom_lessons enable row level security;
drop policy if exists "custom_lessons: read published" on public.custom_lessons;
create policy "custom_lessons: read published" on public.custom_lessons
  for select using (
    published and exists (select 1 from public.custom_modules m where m.id = module_id and
m.published)
  );

-- Questions contain answers, so there is no public read policy:
-- the server reads them with the service role and strips answers.
create table if not exists public.custom_questions (
  id uuid primary key default gen_random_uuid(),
  module_id uuid not null references public.custom_modules (id) on delete cascade,
  position integer not null default 0,
  data jsonb not null,
  created_at timestamptz not null default now()
);
alter table public.custom_questions enable row level security;

-- ─── Make yourself admin (replace the email, then run) ──────────
-- update public.profiles set role = 'admin' where email = 'you@example.com';
```

lib/access.ts

File 11 of 101 · 7 lines

```
1 | import type { Module } from './content';
2 |
3 | /** Server-side decision: may this viewer open the module's lessons and exercises? */
4 | export function canAccessModule(mod: Module, premium: boolean) {
5 |   return mod.free || premium;
6 | }
```

lib/auth.ts

File 12 of 101 · 76 lines

```ts
import { redirect } from 'next/navigation';
import type { User } from '@supabase/supabase-js';
import { createClient } from './supabase/server';
import { isSupabaseConfigured } from './env';

export type Profile = {
  id: string;
  email: string | null;
  full_name: string | null;
  role: 'student' | 'admin';
  marketing_consent: boolean;
  created_at: string;
};

export type Subscription = {
  user_id: string;
  stripe_customer_id: string | null;
  stripe_subscription_id: string | null;
  status: string;
  price_id: string | null;
  current_period_end: string | null;
  cancel_at_period_end: boolean;
};

export async function getUser(): Promise<User | null> {
  if (!isSupabaseConfigured()) return null;
  const supabase = createClient();
  const { data } = await supabase.auth.getUser();
  return data.user ?? null;
}

export async function getProfile(userId: string): Promise<Profile | null> {
  const supabase = createClient();
  const { data } = await supabase.from('profiles').select('*').eq('id', userId).maybeSingle();
  return (data as Profile) ?? null;
}

export async function getSubscription(userId: string): Promise<Subscription | null> {
  const supabase = createClient();
  const { data } = await supabase.from('subscriptions').select('*').eq('user_id', userId).maybeSingle();
  return (data as Subscription) ?? null;
}

/** Premium only while Stripe reports the subscription as active/trialing and the paid period hasn't ended. */
export function isPremiumSubscription(sub: Subscription | null): boolean {
  if (!sub) return false;
  if (!['active', 'trialing'].includes(sub.status)) return false;
  if (!sub.current_period_end) return false;
  return new Date(sub.current_period_end).getTime() > Date.now();
}

export async function getViewer() {
  const user = await getUser();
  if (!user) return { user: null, profile: null, subscription: null, premium: false, isAdmin: false };
  const [profile, subscription] = await Promise.all([getProfile(user.id), getSubscription(user.id)]);
  return {
    user,
    profile,
    subscription,
    premium: isPremiumSubscription(subscription),
    isAdmin: profile?.role === 'admin',
  };
}
```

```
64 |
65 | export async function requireUser(next = '/dashboard') {
66 |   const viewer = await getViewer();
67 |   if (!viewer.user) redirect(`/login?next=${encodeURIComponent(next)}`);
68 |   return viewer as typeof viewer & { user: User };
69 | }
70 |
71 | export async function requireAdmin() {
72 |   const viewer = await requireUser('/admin');
73 |   if (!viewer.isAdmin) redirect('/dashboard');
74 |   return viewer;
75 | }
```

lib/billing.ts

File 13 of 101 · 64 lines

```ts
import type Stripe from 'stripe';
import { getStripe } from './stripe';
import { createAdminClient } from './supabase/admin';

/** Returns the Stripe customer for a user, creating and storing one if needed. */
export async function getOrCreateCustomer(userId: string, email: string | undefined) {
  const admin = createAdminClient();
  const { data: existing } = await admin
    .from('subscriptions')
    .select('stripe_customer_id')
    .eq('user_id', userId)
    .maybeSingle();
  if (existing?.stripe_customer_id) return existing.stripe_customer_id as string;

  const customer = await getStripe().customers.create({ email, metadata: { user_id: userId } });
  await admin
    .from('subscriptions')
    .upsert({ user_id: userId, stripe_customer_id: customer.id, status: 'none', updated_at: new Date().toISOString() });
  return customer.id;
}

/** Mirrors a Stripe subscription into our database. Stripe is the source of truth. */
export async function syncSubscription(sub: Stripe.Subscription) {
  const admin = createAdminClient();
  const customerId = typeof sub.customer === 'string' ? sub.customer : sub.customer.id;

  let userId = sub.metadata?.user_id as string | undefined;
  if (!userId) {
    const { data } = await admin.from('subscriptions').select('user_id').eq('stripe_customer_id', customerId).maybeSingle();
    userId = data?.user_id;
  }
  if (!userId) throw new Error(`No user found for Stripe customer ${customerId}`);

  // `current_period_end` lives on the subscription in older API versions and on items in newer ones.
  const periodEnd =
    (sub as any).current_period_end ?? (sub.items?.data?.[0] as any)?.current_period_end ?? null;

  const row = {
    user_id: userId,
    stripe_customer_id: customerId,
    stripe_subscription_id: sub.id,
    status: sub.status,
    price_id: sub.items.data[0]?.price.id ?? null,
    current_period_end: periodEnd ? new Date(periodEnd * 1000).toISOString() : null,
    cancel_at_period_end: sub.cancel_at_period_end,
    updated_at: new Date().toISOString(),
  };
  const { error } = await admin.from('subscriptions').upsert(row);
  if (error) throw error;
  return { userId, row };
}

export async function userIdForCustomer(customerId: string) {
  const admin = createAdminClient();
  const { data } = await admin.from('subscriptions').select('user_id').eq('stripe_customer_id', customerId).maybeSingle();
  return (data?.user_id as string | undefined) ?? null;
}

export async function emailForUser(userId: string) {
  const admin = createAdminClient();
```

```
61 |   const { data } = await admin.auth.admin.getUserById(userId);
62 |   return data.user?.email ?? null;
63 | }
```

lib/certificates.ts

File 14 of 101 · 73 lines

```ts
import { PDFDocument, StandardFonts, rgb } from 'pdf-lib';
import { createAdminClient, hasServiceRole } from './supabase/admin';
import { getCourse } from '@/content/courses';
import { SITE_URL } from './env';

export type Certificate = {
  id: string;
  user_id: string;
  course_slug: string;
  recipient_name: string;
  issued_at: string;
  revoked: boolean;
};

const UUID = /^[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}$/i;

export async function getCertificate(id: string): Promise<Certificate | null> {
  if (!UUID.test(id) || !hasServiceRole()) return null;
  const { data } = await createAdminClient().from('certificates').select('*').eq('id', id).maybeSingle();
  return (data as Certificate) ?? null;
}

export async function renderCertificatePdf(cert: Certificate) {
  const course = getCourse(cert.course_slug);
  const pdf = await PDFDocument.create();
  pdf.setTitle(`womens4.com Certificate — ${cert.recipient_name}`);
  const page = pdf.addPage([842, 595]); // A4 landscape
  const { width, height } = page.getSize();
  const serif = await pdf.embedFont(StandardFonts.TimesRomanBold);
  const sans = await pdf.embedFont(StandardFonts.Helvetica);
  const sansBold = await pdf.embedFont(StandardFonts.HelveticaBold);
  const green = rgb(0.012, 0.596, 0.333);
  const dark = rgb(0.06, 0.09, 0.16);
  const grey = rgb(0.4, 0.44, 0.52);

  page.drawRectangle({ x: 0, y: 0, width, height, color: rgb(1, 1, 1) });
  page.drawRectangle({ x: 24, y: 24, width: width - 48, height: height - 48, borderColor: green, borderWidth: 3 });
  page.drawRectangle({ x: 34, y: 34, width: width - 68, height: height - 68, borderColor: rgb(0.82, 0.98, 0.87), borderWidth: 1 });

  const center = (text: string, y: number, size: number, font = sans, color = dark) => {
    const w = font.widthOfTextAtSize(text, size);
    page.drawText(text, { x: (width - w) / 2, y, size, font, color });
  };

  // Logo mark
  // Logo mark: Venus symbol on a green square, then the wordmark
  const word = 'womens4.com';
  const wordW = sansBold.widthOfTextAtSize(word, 22);
  const markX = (width - (26 + 10 + wordW)) / 2;
  page.drawRectangle({ x: markX, y: 490, width: 26, height: 26, color: green });
  const white = rgb(1, 1, 1);
  page.drawCircle({ x: markX + 13, y: 507, size: 5, borderColor: white, borderWidth: 2 });
  page.drawLine({ start: { x: markX + 13, y: 502 }, end: { x: markX + 13, y: 494 }, thickness: 2, color: white });
  page.drawLine({ start: { x: markX + 9.5, y: 497.5 }, end: { x: markX + 16.5, y: 497.5 }, thickness: 2, color: white });
  page.drawText(word, { x: markX + 36, y: 495, size: 22, font: sansBold, color: dark });

  center('CERTIFICATE OF COMPLETION', 440, 14, sansBold, green);
  center('This certifies that', 395, 13, sans, grey);
  center(cert.recipient_name, 345, 40, serif, dark);
  center('has successfully completed the course', 305, 13, sans, grey);
  center(course?.title ?? cert.course_slug, 265, 26, sansBold, dark);
  if (course) center(`${course.modules.length} modules · ${course.level} level · lessons and graded exercises`, 238, 11, sans, grey);
```

```
63 │
64 │   const date = new Date(cert.issued_at).toLocaleDateString('en-GB', { day: 'numeric', month:
   ┆  'long', year: 'numeric' });
65 │   page.drawText('Completion date', { x: 110, y: 140, size: 10, font: sans, color: grey });
66 │   page.drawText(date, { x: 110, y: 120, size: 14, font: sansBold, color: dark });
67 │   page.drawText('Certificate ID', { x: width - 380, y: 140, size: 10, font: sans, color:
   ┆ grey });
68 │   page.drawText(cert.id, { x: width - 380, y: 120, size: 10, font: sansBold, color: dark });
69 │   center(`Verify at ${SITE_URL}/certificates/${cert.id}`, 70, 9, sans, grey);
70 │
71 │   return pdf.save();
72 │ }
```

lib/content.ts

File 15 of 101 · 167 lines

```
import fs from 'node:fs';
import path from 'node:path';
import { isSupabaseConfigured } from './env';

export type Lesson = {
  slug: string;
  title: string;
  body: string;
  moduleSlug: string;
  index: number;
};

export type Module = {
  slug: string;
  title: string;
  description: string;
  free: boolean;
  number: number;
  stage: string;
  lessons: Lesson[];
  custom?: boolean;
};

let staticCache: Module[] | null = null;

/**
 * Lessons live in content/course/*.md using simple markers:
 *   @@module <slug> | <Title> | <free|premium> | <Stage>
 *   (description lines)
 *   @@lesson <slug> | <Title>
 *   (markdown body)
 */
export function loadStaticModules(): Module[] {
  if (staticCache && process.env.NODE_ENV === 'production') return staticCache;
  const dir = path.join(process.cwd(), 'content', 'course');
  const files = fs.readdirSync(dir).filter((f) => f.endsWith('.md')).sort();
  const modules: Module[] = [];

  let mod: Module | null = null;
  let lessonSlug = '';
  let lessonTitle = '';
  let lessonLines: string[] = [];
  let descLines: string[] = [];
  let inLesson = false;

  const pushLesson = (m: Module | null) => {
    if (m && inLesson) {
      m.lessons.push({
        slug: lessonSlug,
        title: lessonTitle,
        body: lessonLines.join('\n').trim(),
        moduleSlug: m.slug,
        index: m.lessons.length,
      });
    }
    inLesson = false;
    lessonLines = [];
  };
  const finishDescription = (m: Module | null) => {
    if (m && !m.description) m.description = descLines.join(' ').trim();
    descLines = [];
  };

  for (const file of files) {
    const text = fs.readFileSync(path.join(dir, file), 'utf8');
    for (const line of text.split(/\r?\n/)) {
      if (line.startsWith('@@module ')) {
        pushLesson(mod);
```

```
        finishDescription(mod);
        const [slug, title, access, stage] = line.slice(9).split('|').map((s) => s.trim());
        mod = {
          slug,
          title,
          free: access === 'free',
          stage: stage || 'Core',
          description: '',
          number: modules.length + 1,
          lessons: [],
        };
        modules.push(mod);
      } else if (line.startsWith('@@lesson ')) {
        pushLesson(mod);
        finishDescription(mod);
        const [slug, title] = line.slice(9).split('|').map((s) => s.trim());
        lessonSlug = slug;
        lessonTitle = title;
        inLesson = true;
      } else if (inLesson) {
        lessonLines.push(line);
      } else if (mod) {
        descLines.push(line);
      }
    }
    pushLesson(mod);
  }
  finishDescription(mod);
  staticCache = modules;
  return modules;
}

/** Published admin-authored modules from Supabase (empty if not configured). */
async function loadCustomModules(startNumber: number): Promise<Module[]> {
  if (!isSupabaseConfigured()) return [];
  try {
    const { createClient } = await import('@supabase/supabase-js');
    const sb = createClient(process.env.NEXT_PUBLIC_SUPABASE_URL!,
process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY!, {
      auth: { persistSession: false },
    });
    const { data: mods } = await sb
      .from('custom_modules')
      .select('id, slug, title, description, position, is_free')
      .order('position');
    if (!mods?.length) return [];
    const { data: lessons } = await sb
      .from('custom_lessons')
      .select('module_id, slug, title, body_md, position')
      .order('position');
    return mods.map((m: any, i: number) => {
      const own = (lessons ?? []).filter((l: any) => l.module_id === m.id);
      return {
        slug: m.slug,
        title: m.title,
        description: m.description,
        free: m.is_free,
        stage: 'New content',
        number: startNumber + i,
        custom: true,
        lessons: own.map((l: any, idx: number) => ({
          slug: l.slug,
          title: l.title,
          body: l.body_md,
          moduleSlug: m.slug,
          index: idx,
        })),
      } satisfies Module;
    });
  } catch {
    return [];
```

```
  }
}

export async function getCurriculum(): Promise<Module[]> {
  const base = loadStaticModules();
  const custom = await loadCustomModules(base.length + 1);
  const taken = new Set(base.map((m) => m.slug));
  return [...base, ...custom.filter((m) => !taken.has(m.slug) && m.lessons.length > 0)];
}

export async function getModule(slug: string) {
  return (await getCurriculum()).find((m) => m.slug === slug) ?? null;
}

export const lessonKey = (moduleSlug: string, lessonSlug: string) =>
  `${moduleSlug}/${lessonSlug}`;

export function flattenLessons(modules: Module[]) {
  return modules.flatMap((m) => m.lessons.map((l) => ({ ...l, module: m })));
}

export function stripForPreview(md: string, max = 180) {
  const text = md
    .replace(/```[\s\S]*?```/g, ' ')
    .replace(/[#>*_`\[\]()|-]/g, ' ')
    .replace(/\s+/g, ' ')
    .trim();
  return text.length > max ? `${text.slice(0, max).trim()}…` : text;
}
```

lib/email.ts

File 16 of 101 · 47 lines

```
/**
 * Transactional email via Resend's HTTP API. If RESEND_API_KEY is not set,
 * nothing is sent and the function reports that — it never pretends.
 */
export async function sendEmail(to: string, subject: string, html: string): Promise<{ sent: boolean; reason?: string }> {
  const key = process.env.RESEND_API_KEY;
  const from = process.env.EMAIL_FROM;
  if (!key || !from) {
    console.info(`[email] skipped "${subject}" to ${to}: RESEND_API_KEY / EMAIL_FROM not configured`);
    return { sent: false, reason: 'not-configured' };
  }
  try {
    const res = await fetch('https://api.resend.com/emails', {
      method: 'POST',
      headers: { Authorization: `Bearer ${key}`, 'Content-Type': 'application/json' },
      body: JSON.stringify({ from, to, subject, html }),
    });
    if (!res.ok) return { sent: false, reason: `resend-${res.status}` };
    return { sent: true };
  } catch (e) {
    return { sent: false, reason: (e as Error).message };
  }
}

const wrap = (body: string) => `
<div style="font-family:Inter,Segoe UI,Arial,sans-serif;max-width:560px;margin:0 auto;color:#101828">
  <div style="font-weight:700;font-size:20px;color:#027a48;margin-bottom:16px">womens4.com</div>
  ${body}
  <p style="color:#667085;font-size:12px;margin-top:32px">You receive this email because you have a womens4.com account.</p>
</div>`;

export const emails = {
  subscriptionStarted: (siteUrl: string, periodEnd: string) =>
    wrap(`<h2>Welcome to womens4.com Premium </h2>
    <p>Your payment was successful and your Premium subscription (€6.99/month) is now active.</p>
    <p>It renews automatically on <b>${periodEnd}</b>. You can cancel any time from
    <a href="${siteUrl}/dashboard/billing">Billing</a> — you keep access until the end of the paid period.</p>
    <p><a href="${siteUrl}/courses" style="background:#039855;color:#fff;padding:10px 16px;border-radius:8px;text-decoration:none">Continue learning</a></p>`),
  paymentFailed: (siteUrl: string) =>
    wrap(`<h2>We couldn't process your payment</h2>
    <p>Your latest womens4.com Premium payment failed. Stripe will retry automatically, but please update your payment method to avoid losing access.</p>
    <p><a href="${siteUrl}/dashboard/billing">Update payment method</a></p>`),
  subscriptionCanceled: (siteUrl: string) =>
    wrap(`<h2>Your Premium subscription has ended</h2>
    <p>You still have access to all free lessons and your progress is saved. You can re-subscribe any time at <a href="${siteUrl}/pricing">${siteUrl}/pricing</a>.</p>`),
};
```

lib/env.ts

File 17 of 101 · 15 lines

```
export const SITE_URL = (process.env.NEXT_PUBLIC_SITE_URL ||
'http://localhost:3000').replace(/\/$/, '');
export const SUPPORT_EMAIL = process.env.NEXT_PUBLIC_SUPPORT_EMAIL || 'support@example.com';
export const COMPANY_NAME = process.env.NEXT_PUBLIC_COMPANY_NAME || '[Your Company Name]';
export const COMPANY_ADDRESS = process.env.NEXT_PUBLIC_COMPANY_ADDRESS || '[Company
address]';
export const BRAND = 'womens4.com';
export const PREMIUM_PRICE_EUR = 6.99;

export function isSupabaseConfigured() {
  return Boolean(process.env.NEXT_PUBLIC_SUPABASE_URL &&
process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY);
}

export function isStripeConfigured() {
  return Boolean(process.env.STRIPE_SECRET_KEY && process.env.STRIPE_PRICE_ID);
}
```

lib/exercise-types.ts

File 18 of 101 · 67 lines

```ts
export type Level = 'Beginner' | 'Intermediate' | 'Advanced';

export type McqQuestion = {
  type: 'mcq';
  level: Level;
  prompt: string;
  options: string[];
  answer: number;
  explain: string;
};

export type FillQuestion = {
  type: 'fill';
  level: Level;
  prompt: string;
  /** Code shown to the learner; `___` marks the blank. */
  code: string;
  /** Accepted answers (compared ignoring surrounding whitespace and quote style). */
  answer: string[];
  explain: string;
};

export type CodeQuestion = {
  type: 'code';
  level: Level;
  prompt: string;
  starter: string;
  /** Python run after the learner's code. `_output` holds captured stdout. Use assert. */
  tests: string;
  explain: string;
  hint?: string;
};

export type Question = McqQuestion | FillQuestion | CodeQuestion;

/** What the browser receives — never contains answers. */
export type PublicQuestion =
  | Omit<McqQuestion, 'answer' | 'explain'>
  | Omit<FillQuestion, 'answer' | 'explain'>
  | Omit<CodeQuestion, 'explain'>;

export function toPublic(q: Question): PublicQuestion {
  if (q.type === 'mcq') {
    const { answer: _a, explain: _e, ...rest } = q;
    return rest;
  }
  if (q.type === 'fill') {
    const { answer: _a, explain: _e, ...rest } = q;
    return rest;
  }
  const { explain: _e, ...rest } = q;
  return rest;
}

const normalize = (s: string) =>
  s
    .trim()
    .replace(/["']/g, '"')
    .replace(/\s+/g, ' ')
    .toLowerCase();

export function gradeAnswer(q: Question, given: unknown): boolean {
  if (q.type === 'mcq') return Number(given) === q.answer;
  if (q.type === 'fill') return typeof given === 'string' && q.answer.some((a) =>
normalize(a) === normalize(given));
  return given === true; // code challenges are verified in the browser sandbox
}
```

lib/exercises.ts

File 19 of 101 · 24 lines

```
 1 | import { EXERCISES } from '@/content/exercises';
 2 | import type { Question } from './exercise-types';
 3 | import { createAdminClient, hasServiceRole } from './supabase/admin';
 4 |
 5 | /** Full questions (with answers) — server only. */
 6 | export async function getQuestions(moduleSlug: string): Promise<Question[]> {
 7 |   if (EXERCISES[moduleSlug]) return EXERCISES[moduleSlug];
 8 |   if (!hasServiceRole()) return [];
 9 |   try {
10 |     const admin = createAdminClient();
11 |     const { data: mod } = await admin
12 |       .from('custom_modules')
13 |       .select('id')
14 |       .eq('slug', moduleSlug)
15 |       .eq('published', true)
16 |       .maybeSingle();
17 |     if (!mod) return [];
18 |     const { data } = await admin.from('custom_questions').select('data').eq('module_id',
   ¦ mod.id).order('position');
19 |     return (data ?? []).map((r: any) => r.data as Question).filter((q) => q && q.type &&
   ¦ q.prompt);
20 |   } catch {
21 |     return [];
22 |   }
23 | }
```

lib/progress.ts

File 20 of 101 · 96 lines

```
 1 | import { createClient } from './supabase/server';
 2 | import { COURSES, PASS_RATE, type Course } from '@/content/courses';
 3 | import { EXERCISES } from '@/content/exercises';
 4 | import { lessonKey, type Module } from './content';
 5 |
 6 | export type ProgressData = {
 7 |   completed: Map<string, string>; // lessonKey -> completed_at
 8 |   results: { module_slug: string; score: number; total: number; created_at: string }[];
 9 |   best: Map<string, { score: number; total: number }>;
10 | };
11 |
12 | export async function getProgress(userId: string): Promise<ProgressData> {
13 |   const sb = createClient();
14 |   const [{ data: lp }, { data: er }] = await Promise.all([
15 |     sb.from('lesson_progress').select('lesson_key, completed_at').eq('user_id', userId),
16 |     sb
17 |       .from('exercise_results')
18 |       .select('module_slug, score, total, created_at')
19 |       .eq('user_id', userId)
20 |       .order('created_at', { ascending: false }),
21 |   ]);
22 |   const completed = new Map<string, string>((lp ?? []).map((r: any) => [r.lesson_key,
   ¦ r.completed_at]));
23 |   const results = (er ?? []) as ProgressData['results'];
24 |   const best = new Map<string, { score: number; total: number }>();
25 |   for (const r of results) {
26 |     const prev = best.get(r.module_slug);
27 |     if (!prev || r.score / r.total > prev.score / prev.total) best.set(r.module_slug, {
   ¦ score: r.score, total: r.total });
28 |   }
29 |   return { completed, results, best };
30 | }
31 |
32 | export function moduleProgress(mod: Module, completed: Map<string, string>) {
33 |   const done = mod.lessons.filter((l) => completed.has(lessonKey(mod.slug, l.slug))).length;
34 |   return { done, total: mod.lessons.length, pct: mod.lessons.length ? Math.round((done /
   ¦ mod.lessons.length) * 100) : 0 };
35 | }
36 |
37 | export function courseStatus(course: Course, modules: Module[], p: ProgressData) {
38 |   const mods = course.modules.map((s) => modules.find((m) => m.slug === s)).filter(Boolean)
   ¦ as Module[];
39 |   let done = 0;
40 |   let total = 0;
41 |   const missingQuizzes: string[] = [];
42 |   for (const m of mods) {
43 |     const mp = moduleProgress(m, p.completed);
44 |     done += mp.done;
45 |     total += mp.total;
46 |     if (EXERCISES[m.slug]?.length) {
47 |       const b = p.best.get(m.slug);
48 |       if (!b || b.score / b.total < PASS_RATE) missingQuizzes.push(m.title);
49 |     }
50 |   }
51 |   return {
52 |     done,
53 |     total,
54 |     pct: total ? Math.round((done / total) * 100) : 0,
55 |     lessonsComplete: total > 0 && done === total,
56 |     missingQuizzes,
57 |     eligible: total > 0 && done === total && missingQuizzes.length === 0,
58 |   };
59 | }
60 |
61 | export function allCourseStatuses(modules: Module[], p: ProgressData) {
62 |   return COURSES.map((c) => ({ course: c, ...courseStatus(c, modules, p) }));
63 | }
64 |
```

```
/** Consecutive days (ending today or yesterday) with at least one completed lesson or exercise. */
export function learningStreak(p: ProgressData) {
  const days = new Set<string>();
  p.completed.forEach((d) => days.add(d.slice(0, 10)));
  p.results.forEach((r) => days.add(r.created_at.slice(0, 10)));
  const dayStr = (d: Date) => d.toISOString().slice(0, 10);
  const cursor = new Date();
  if (!days.has(dayStr(cursor))) cursor.setUTCDate(cursor.getUTCDate() - 1);
  let streak = 0;
  while (days.has(dayStr(cursor))) {
    streak++;
    cursor.setUTCDate(cursor.getUTCDate() - 1);
  }
  return { streak, activeDays: days.size };
}

export function achievements(p: ProgressData, modules: Module[], streak: number) {
  const lessons = p.completed.size;
  const perfect = Array.from(p.best.values()).some((b) => b.score === b.total && b.total > 0);
  const modulesDone = modules.filter((m) => m.lessons.length && moduleProgress(m, p.completed).pct === 100).length;
  return [
    { id: 'first-step', title: 'First Step', desc: 'Complete your first lesson', earned: lessons >= 1 },
    { id: 'ten-lessons', title: 'Getting Serious', desc: 'Complete 10 lessons', earned: lessons >= 10 },
    { id: 'fifty-lessons', title: 'Half Century', desc: 'Complete 50 lessons', earned: lessons >= 50 },
    { id: 'first-module', title: 'Module Master', desc: 'Finish an entire module', earned: modulesDone >= 1 },
    { id: 'quiz-taker', title: 'Quiz Taker', desc: 'Submit your first exercise set', earned: p.results.length >= 1 },
    { id: 'perfect', title: 'Perfectionist', desc: 'Score 100% on an exercise set', earned: perfect },
    { id: 'streak-3', title: 'On Fire', desc: 'Keep a 3-day learning streak', earned: streak >= 3 },
    { id: 'streak-7', title: 'Unstoppable', desc: 'Keep a 7-day learning streak', earned: streak >= 7 },
  ];
}
```

lib/pyodide-client.ts

File 21 of 101 · 95 lines

```
'use client';

export type RunResult = {
  stdout: string;
  error: string | null;
  passed?: boolean;
  testError?: string;
  timedOut?: boolean;
};

type Pending = (r: RunResult) => void;

let worker: Worker | null = null;
let readyPromise: Promise<void> | null = null;
let seq = 0;
const pending = new Map<number, Pending>();
const listeners = new Set<(s: 'loading' | 'ready' | 'error') => void>();
let status: 'idle' | 'loading' | 'ready' | 'error' = 'idle';

const TIMEOUT_MS = 10_000;

function setStatus(s: 'loading' | 'ready' | 'error') {
  status = s;
  listeners.forEach((l) => l(s));
}

export function onPythonStatus(fn: (s: 'loading' | 'ready' | 'error') => void) {
  listeners.add(fn);
  if (status !== 'idle') fn(status as any);
  return () => {
    listeners.delete(fn);
  };
}

function boot() {
  if (worker && readyPromise) return readyPromise;
  setStatus('loading');
  worker = new Worker('/pyodide-worker.js');
  readyPromise = new Promise<void>((resolve, reject) => {
    worker!.onmessage = (e: MessageEvent) => {
      const { id, ...rest } = e.data;
      if (id === 'ready') {
        setStatus('ready');
        resolve();
        return;
      }
      if (id === 'load-error') {
        setStatus('error');
        reject(new Error(rest.error));
        return;
      }
      const p = pending.get(id);
      if (p) {
        pending.delete(id);
        p(rest as RunResult);
      }
    };
  });
  return readyPromise;
}

/** Warm up Python in the background (e.g. when an editor scrolls into view). */
export function preloadPython() {
  if (typeof window !== 'undefined') boot().catch(() => {});
}

export async function runPython(code: string, opts: { stdin?: string; tests?: string } =
{}): Promise<RunResult> {
```

```
  try {
    await boot();
  } catch (e) {
    return { stdout: '', error: `Could not load Python in your browser: ${(e as Error).message}` };
  }
  const w = worker!;
  const id = ++seq;
  return new Promise<RunResult>((resolve) => {
    const timer = setTimeout(() => {
      pending.delete(id);
      w.terminate();
      worker = null;
      readyPromise = null;
      status = 'idle';
      resolve({
        stdout: '',
        error: `Stopped after ${TIMEOUT_MS / 1000} seconds. Does your code have an infinite loop?`,
        timedOut: true,
      });
    }, TIMEOUT_MS);
    pending.set(id, (r) => {
      clearTimeout(timer);
      resolve(r);
    });
    w.postMessage({ id, code, stdin: opts.stdin ?? '', tests: opts.tests ?? '' });
  });
}
```

lib/stripe.ts

File 22 of 101 · 12 lines

```
 1 | import Stripe from 'stripe';
 2 |
 3 | let stripe: Stripe | null = null;
 4 |
 5 | /** Server-only Stripe client. */
 6 | export function getStripe() {
 7 |   const key = process.env.STRIPE_SECRET_KEY;
 8 |   if (!key) throw new Error('STRIPE_SECRET_KEY is not configured');
 9 |   if (!stripe) stripe = new Stripe(key, { appInfo: { name: 'womens4.com' } });
10 |   return stripe;
11 | }
```

lib/supabase/admin.ts

File 23 of 101 · 17 lines

```
 1 | import { createClient } from '@supabase/supabase-js';
 2 |
 3 | /**
 4 |  * Service-role client. SERVER ONLY — bypasses RLS.
 5 |  * Never import this file from a 'use client' component.
 6 |  */
 7 | export function createAdminClient() {
 8 |   const url = process.env.NEXT_PUBLIC_SUPABASE_URL;
 9 |   const key = process.env.SUPABASE_SERVICE_ROLE_KEY;
10 |   if (!url || !key) throw new Error('SUPABASE_SERVICE_ROLE_KEY / NEXT_PUBLIC_SUPABASE_URL
   ¦ are not configured');
11 |   return createClient(url, key, { auth: { persistSession: false, autoRefreshToken: false }
   ¦ });
12 | }
13 |
14 | export function hasServiceRole() {
15 |   return Boolean(process.env.SUPABASE_SERVICE_ROLE_KEY &&
   ¦ process.env.NEXT_PUBLIC_SUPABASE_URL);
16 | }
```

lib/supabase/client.ts

File 24 of 101 · 14 lines

```
 1 | 'use client';
 2 | import { createBrowserClient } from '@supabase/ssr';
 3 |
 4 | export function createClient() {
 5 |   return createBrowserClient(
 6 |     process.env.NEXT_PUBLIC_SUPABASE_URL!,
 7 |     process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY!,
 8 |   );
 9 | }
10 |
11 | export const supabaseConfigured = Boolean(
12 |   process.env.NEXT_PUBLIC_SUPABASE_URL && process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY,
13 | );
```

lib/supabase/server.ts

File 25 of 101 · 26 lines

```
import { createServerClient } from '@supabase/ssr';
import { cookies } from 'next/headers';

/** Supabase client bound to the current user's session (respects RLS). */
export function createClient() {
  const cookieStore = cookies();
  return createServerClient(
    process.env.NEXT_PUBLIC_SUPABASE_URL!,
    process.env.NEXT_PUBLIC_SUPABASE_ANON_KEY!,
    {
      cookies: {
        getAll() {
          return cookieStore.getAll();
        },
        setAll(cookiesToSet) {
          try {
            cookiesToSet.forEach(({ name, value, options }) => cookieStore.set(name, value, options));
          } catch {
            // Called from a Server Component — middleware refreshes the session instead.
          }
        },
      },
    },
  );
}
```

app/globals.css

File 26 of 101 · 141 lines

```
@tailwind base;
@tailwind components;
@tailwind utilities;

@layer base {
  html {
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
    scroll-behavior: smooth;
  }
  body {
    @apply bg-white text-slate-800 dark:bg-slate-950 dark:text-slate-200;
    font-feature-settings: 'cv11', 'ss01';
  }
  ::selection {
    @apply bg-brand-200 text-brand-950;
  }
  :focus-visible {
    @apply outline-none ring-2 ring-brand-500 ring-offset-2 ring-offset-white dark:ring-offset-slate-950;
  }
}

@layer components {
  .btn {
    @apply inline-flex items-center justify-center gap-2 rounded-xl px-4 py-2.5 text-sm font-semibold transition-all duration-150 disabled:cursor-not-allowed disabled:opacity-60;
  }
  .btn-primary {
    @apply btn bg-brand-600 text-white shadow-sm hover:bg-brand-700 active:scale-[.98];
  }
  .btn-secondary {
    @apply btn border border-slate-200 bg-white text-slate-800 hover:border-slate-300 hover:bg-slate-50 dark:border-slate-700 dark:bg-slate-900 dark:text-slate-100 dark:hover:bg-slate-800;
  }
  .btn-ghost {
    @apply btn text-slate-600 hover:bg-slate-100 hover:text-slate-900 dark:text-slate-300 dark:hover:bg-slate-800 dark:hover:text-white;
  }
  .btn-lg {
    @apply px-6 py-3.5 text-base;
  }
  .card {
    @apply rounded-2xl border border-slate-200 bg-white shadow-card dark:border-slate-800 dark:bg-slate-900;
  }
  .input {
    @apply w-full rounded-xl border border-slate-300 bg-white px-3.5 py-2.5 text-sm text-slate-900 placeholder:text-slate-400 transition focus:border-brand-500 focus:outline-none focus:ring-4 focus:ring-brand-500/15 dark:border-slate-700 dark:bg-slate-900 dark:text-slate-100;
  }
  .label {
    @apply mb-1.5 block text-sm font-medium text-slate-700 dark:text-slate-300;
  }
  .badge {
    @apply inline-flex items-center gap-1 rounded-full px-2.5 py-0.5 text-xs font-semibold;
  }
  .badge-green {
    @apply badge bg-brand-50 text-brand-700 ring-1 ring-inset ring-brand-600/20 dark:bg-brand-500/10 dark:text-brand-300;
  }
  .badge-slate {
    @apply badge bg-slate-100 text-slate-600 dark:bg-slate-800 dark:text-slate-300;
  }
  .badge-amber {
    @apply badge bg-amber-50 text-amber-700 ring-1 ring-inset ring-amber-600/20 dark:bg-
```

```
amber-500/10 dark:text-amber-300;
  }
  .section-title {
    @apply text-3xl font-bold tracking-tight text-slate-900 dark:text-white sm:text-4xl;
  }
  .section-sub {
    @apply mt-3 text-lg text-slate-600 dark:text-slate-400;
  }
  .eyebrow {
    @apply text-sm font-semibold uppercase tracking-wider text-brand-600 dark:text-
brand-400;
  }
}

/* ─── Lesson typography ──────────────────────────────── */
.lesson {
  @apply text-[1.0625rem] leading-8 text-slate-700 dark:text-slate-300;
}
.lesson h1 {
  @apply mb-4 text-3xl font-bold tracking-tight text-slate-900 dark:text-white sm:text-4xl;
}
.lesson h2 {
  @apply mb-3 mt-10 scroll-mt-24 border-b border-slate-200 pb-2 text-2xl font-bold tracking-
tight text-slate-900 dark:border-slate-800 dark:text-white;
}
.lesson h3 {
  @apply mb-2 mt-8 text-xl font-semibold text-slate-900 dark:text-white;
}
.lesson p {
  @apply my-4;
}
.lesson a {
  @apply font-medium text-brand-700 underline decoration-brand-300 underline-offset-2
hover:decoration-brand-600 dark:text-brand-400;
}
.lesson ul {
  @apply my-4 list-disc space-y-1.5 pl-6 marker:text-brand-500;
}
.lesson ol {
  @apply my-4 list-decimal space-y-1.5 pl-6 marker:font-semibold marker:text-brand-600;
}
.lesson strong {
  @apply font-semibold text-slate-900 dark:text-white;
}
.lesson :not(pre) > code {
  @apply rounded-md bg-slate-100 px-1.5 py-0.5 font-mono text-[0.88em] font-medium text-
pink-700 dark:bg-slate-800 dark:text-pink-300;
}
.lesson blockquote {
  @apply my-6 rounded-r-xl border-l-4 border-brand-500 bg-brand-50/70 px-5 py-3 text-
slate-700 dark:bg-brand-500/10 dark:text-slate-300;
}
.lesson blockquote p {
  @apply my-1;
}
.lesson table {
  @apply my-6 w-full overflow-hidden rounded-xl text-left text-sm;
}
.lesson thead {
  @apply bg-slate-100 dark:bg-slate-800;
}
.lesson th {
  @apply px-4 py-2.5 font-semibold text-slate-900 dark:text-white;
}
.lesson td {
  @apply border-t border-slate-200 px-4 py-2.5 align-top dark:border-slate-800;
}
.lesson hr {
  @apply my-10 border-slate-200 dark:border-slate-800;
}

```

```
.scrollbar-thin {
  scrollbar-width: thin;
  scrollbar-color: rgb(203 213 225) transparent;
}
.dark .scrollbar-thin {
  scrollbar-color: rgb(51 65 85) transparent;
}

@media (prefers-reduced-motion: reduce) {
  *,
  *::before,
  *::after {
    animation-duration: 0.01ms !important;
    transition-duration: 0.01ms !important;
    scroll-behavior: auto !important;
  }
}
```

app/layout.tsx

File 27 of 101 · 47 lines

```tsx
import type { Metadata, Viewport } from 'next';
import '@fontsource-variable/inter';
import '@fontsource-variable/jetbrains-mono';
import './globals.css';
import { Navbar } from '@/components/Navbar';
import { Footer } from '@/components/Footer';
import { CookieBanner } from '@/components/CookieBanner';
import { themeScript } from '@/components/ThemeToggle';
import { SITE_URL } from '@/lib/env';

export const metadata: Metadata = {
  metadataBase: new URL(SITE_URL),
  title: { default: 'womens4.com — Learn Python from Zero to Job-Ready', template: '%s · womens4.com' },
  description:
    'Learn Python step by step with simple lessons, a browser code editor, exercises, real projects and certificates. From your first line of code to your first developer job.',
  openGraph: { title: 'womens4.com — Learn Python. Build Your Future.', type: 'website' },
  icons: { icon: '/icon.svg' },
};

export const viewport: Viewport = {
  themeColor: [
    { media: '(prefers-color-scheme: light)', color: '#ffffff' },
    { media: '(prefers-color-scheme: dark)', color: '#020617' },
  ],
};

export default function RootLayout({ children }: { children: React.ReactNode }) {
  return (
    <html lang="en" suppressHydrationWarning>
      <head>
        <script dangerouslySetInnerHTML={{ __html: themeScript }} />
      </head>
      <body className="flex min-h-screen flex-col">
        <a href="#main" className="sr-only focus:not-sr-only focus:fixed focus:left-4 focus:top-4 focus:z-50 focus:rounded-lg focus:bg-brand-600 focus:px-4 focus:py-2 focus:text-white">
          Skip to content
        </a>
        <Navbar />
        <main id="main" className="flex-1">
          {children}
        </main>
        <Footer />
        <CookieBanner />
      </body>
    </html>
  );
}
```

app/not-found.tsx

File 28 of 101 · 20 lines

```
import Link from 'next/link';

export default function NotFound() {
  return (
    <div className="container flex min-h-[60vh] flex-col items-center justify-center py-20 text-center">
      <p className="font-mono text-sm text-brand-600">NameError: name &apos;page&apos; is not defined</p>
      <h1 className="mt-3 text-4xl font-extrabold tracking-tight text-slate-900 dark:text-white">Page not found</h1>
      <p className="mt-3 text-slate-600 dark:text-slate-400">The page you&apos;re looking for doesn&apos;t exist or has moved.</p>
      <div className="mt-8 flex gap-3">
        <Link href="/" className="btn-primary">
          Go home
        </Link>
        <Link href="/courses" className="btn-secondary">
          Browse courses
        </Link>
      </div>
    </div>
  );
}
```

app/page.tsx

File 29 of 101 · 316 lines

```
import Link from 'next/link';
import {
  ArrowRight,
  BookOpen,
  Briefcase,
  Code2,
  Cpu,
  Database,
  GraduationCap,
  LineChart,
  MousePointerClick,
  PlayCircle,
  Rocket,
  Sparkles,
  Target,
  Trophy,
  Users,
  Globe,
  Quote,
} from 'lucide-react';
import { COURSES } from '@/content/courses';
import { getCurriculum } from '@/lib/content';
import { getViewer } from '@/lib/auth';
import { DemoEditor } from '@/components/DemoEditor';
import { PricingCards } from '@/components/PricingCards';
import { Faq } from '@/components/Faq';

export default async function Home() {
  const [modules, viewer] = await Promise.all([getCurriculum(), getViewer()]);
  const lessonCount = modules.reduce((n, m) => n + m.lessons.length, 0);

  return (
    <>
      {/* ─── Hero ──────────────────────────────────── */}
      <section className="relative overflow-hidden">
        <div className="pointer-events-none absolute inset-0 -z-10 bg-[radial-gradient(60rem_30rem_at_70%_-10%,rgba(18,183,106,.12),transparent)] dark:bg-[radial-gradient(60rem_30rem_at_70%_-10%,rgba(18,183,106,.18),transparent)]" />
        <div className="pointer-events-none absolute inset-0 -z-10 bg-[linear-gradient(to_right,rgba(148,163,184,.08)_1px,transparent_1px),linear-gradient(to_bottom,rgba(148,163,184,.08)_1px,transparent_1px)] bg-[size:44px_44px] [mask-image:radial-gradient(ellipse_at_top,black,transparent_70%)]" />
        <div className="container grid items-center gap-14 py-16 sm:py-24 lg:grid-cols-[1.05fr_1fr]">
          <div className="animate-fade-up">
            <span className="badge-green mb-5 !px-3 !py-1">
              <Sparkles className="h-3.5 w-3.5" /> From zero to job-ready Python developer
            </span>
            <h1 className="text-5xl font-extrabold leading-[1.05] tracking-tight text-slate-900 dark:text-white sm:text-6xl">
              Learn Python.
              <br />
              <span className="bg-gradient-to-r from-brand-600 to-emerald-500 bg-clip-text text-transparent">Build Your Future.</span>
            </h1>
            <p className="mt-6 max-w-xl text-lg leading-8 text-slate-600 dark:text-slate-400">
              Start learning Python from zero with interactive lessons, practical exercises, and real-world projects.
            </p>
            <div className="mt-8 flex flex-col gap-3 sm:flex-row">
              <Link href={viewer.user ? '/dashboard' : '/register'} className="btn-primary btn-lg">
                Start Learning for Free <ArrowRight className="h-5 w-5" />
              </Link>
              <Link href="/courses" className="btn-secondary btn-lg">
                Explore Python Courses
              </Link>
```

```
            </div>
            <dl className="mt-10 grid max-w-md grid-cols-3 gap-6">
              {[
                [String(modules.length), 'modules'],
                [`${lessonCount}+`, 'lessons'],
                ['0', 'installs needed'],
              ].map(([v, l]) => (
                <div key={l}>
                  <dt className="text-2xl font-bold text-slate-900 dark:text-white">{v}</dt>
                  <dd className="text-sm text-slate-500">{l}</dd>
                </div>
              ))}
            </dl>
          </div>

          {/* code editor visual */}
          <div className="relative animate-fade-up [animation-delay:120ms]">
            <div className="absolute -inset-4 -z-10 rounded-[2rem] bg-gradient-to-br from-brand-200/60 to-transparent blur-2xl dark:from-brand-500/20" />
            <div className="overflow-hidden rounded-2xl border border-slate-800 bg-slate-950 shadow-2xl">
              <div className="flex items-center justify-between border-b border-slate-800 px-4 py-3">
                <div className="flex gap-1.5">
                  <span className="h-3 w-3 rounded-full bg-red-400" />
                  <span className="h-3 w-3 rounded-full bg-amber-400" />
                  <span className="h-3 w-3 rounded-full bg-brand-400" />
                </div>
                <span className="font-mono text-xs text-slate-400">first_program.py</span>
                <span className="flex items-center gap-1 rounded-md bg-brand-600 px-2 py-1 text-[11px] font-semibold text-white">
                  <PlayCircle className="h-3 w-3" /> Run
                </span>
              </div>
              <pre className="overflow-x-auto p-5 font-mono text-[13.5px] leading-7 text-slate-300">
                <code>
                  <span className="text-slate-500"># Your journey starts with one line</span>
                  {'\n'}
                  <span className="text-sky-300">def</span> <span className="text-amber-200">greet</span>(name):
                  {'\n'}
                  {'    '}
                  <span className="text-sky-300">return</span> <span className="text-brand-300">f&quot;Hello, {'{'}name{'}'}! Ready to code?&quot;</span>
                  {'\n\n'}
                  goals = [<span className="text-brand-300">&quot;learn&quot;</span>, <span className="text-brand-300">&quot;build&quot;</span>,{' '}
                  <span className="text-brand-300">&quot;get hired&quot;</span>]{'\n'}
                  <span className="text-sky-300">for</span> step, goal <span className="text-sky-300">in</span> <span className="text-amber-200">enumerate</span>(goals, 1):
                  {'\n'}
                  {'    '}
                  <span className="text-amber-200">print</span>(step, goal.title())
                  {'\n\n'}
                  <span className="text-amber-200">print</span>(greet(<span className="text-brand-300">&quot;you&quot;</span>))
                </code>
              </pre>
              <div className="border-t border-slate-800 bg-black/40 px-5 py-4 font-mono text-[13px] leading-6">
                <p className="mb-1 text-[11px] uppercase tracking-wider text-slate-500">Output</p>
                <p className="text-slate-200">1 Learn</p>
                <p className="text-slate-200">2 Build</p>
                <p className="text-slate-200">3 Get Hired</p>
                <p className="text-brand-300">
                  Hello, you! Ready to code?<span className="ml-0.5 inline-block h-4 w-2 translate-y-0.5 animate-blink bg-brand-400" />
```

```
                </p>
              </div>
            </div>
          </div>
        </div>
      </section>

      {/* ─── Why Python ──────────────────────── */}
      <section className="border-y border-slate-200 bg-slate-50 py-20 dark:border-slate-800 dark:bg-slate-900/40">
        <div className="container">
          <div className="mx-auto max-w-2xl text-center">
            <p className="eyebrow">Why learn Python?</p>
            <h2 className="section-title mt-2">The most beginner-friendly language is also one of the most in-demand</h2>
            <p className="section-sub">Python reads almost like English, and it powers everything from websites to artificial intelligence.</p>
          </div>
          <div className="mt-14 grid gap-5 sm:grid-cols-2 lg:grid-cols-3">
            {[
              [BookOpen, 'Easy to read and write', 'Clean syntax with no curly braces or semicolons — you focus on solving problems, not on punctuation.'],
              [Briefcase, 'Great career prospects', 'Python is used by startups and the largest tech companies alike for backend, automation, data and AI roles.'],
              [Cpu, 'AI & machine learning', 'The leading libraries for AI, from NumPy to PyTorch, are written for Python first.'],
              [Globe, 'Web development', 'Build APIs and websites with Flask, FastAPI and Django.'],
              [LineChart, 'Data analysis', 'Clean, analyse and visualise data with pandas and Matplotlib.'],
              [Rocket, 'Automate boring tasks', 'Rename files, fill spreadsheets, scrape websites and send reports — automatically.'],
            ].map(([Icon, title, text]: any) => (
              <div key={title} className="card p-6 transition hover:-translate-y-0.5 hover:shadow-lift">
                <span className="grid h-11 w-11 place-items-center rounded-xl bg-brand-50 text-brand-600 dark:bg-brand-500/10 dark:text-brand-400">
                  <Icon className="h-5 w-5" />
                </span>
                <h3 className="mt-4 font-semibold text-slate-900 dark:text-white">{title}</h3>
                <p className="mt-1.5 text-sm leading-6 text-slate-600 dark:text-slate-400">{text}</p>
              </div>
            ))}
          </div>
        </div>
      </section>

      {/* ─── How it works ──────────────────────── */}
      <section className="py-20">
        <div className="container">
          <div className="mx-auto max-w-2xl text-center">
            <p className="eyebrow">How it works</p>
            <h2 className="section-title mt-2">Learn by doing, one small step at a time</h2>
          </div>
          <ol className="mt-14 grid gap-6 md:grid-cols-4">
            {[
              [BookOpen, 'Read', 'Short lessons in plain English with clear examples.'],
              [MousePointerClick, 'Try it yourself', 'Edit every example and run it instantly in your browser.'],
              [Target, 'Practise', 'Quizzes, fill-in-the-code and coding challenges with instant feedback.'],
              [Trophy, 'Build & certify', 'Ship real projects, track your streak and earn certificates.'],
            ].map(([Icon, title, text], i) => (
              <li key={title} className="relative text-center">
                <span className="mx-auto grid h-14 w-14 place-items-center rounded-2xl bg-brand-600 text-white shadow-lg shadow-brand-600/20">
                  <Icon className="h-6 w-6" />
                </span>
```

```
                <span className="mt-4 block text-xs font-bold uppercase tracking-wider text-brand-600">Step {i + 1}</span>
                <h3 className="mt-1 text-lg font-semibold text-slate-900 dark:text-white">{title}</h3>
                <p className="mt-1 text-sm leading-6 text-slate-600 dark:text-slate-400">{text}</p>
              </li>
            ))}
          </ol>
        </div>
      </section>

      {/* ─── Popular courses ──────────────────── */}
      <section className="border-y border-slate-200 bg-slate-50 py-20 dark:border-slate-800 dark:bg-slate-900/40">
        <div className="container">
          <div className="flex flex-wrap items-end justify-between gap-4">
            <div>
              <p className="eyebrow">Popular Python courses</p>
              <h2 className="section-title mt-2">A clear path from beginner to professional</h2>
            </div>
            <Link href="/courses" className="btn-secondary">
              See full curriculum <ArrowRight className="h-4 w-4" />
            </Link>
          </div>
          <div className="mt-10 grid gap-6 lg:grid-cols-3">
            {COURSES.map((c, i) => {
              const Icon = [Code2, Database, GraduationCap][i];
              const first = modules.find((m) => m.slug === c.modules[0]);
              return (
                <Link key={c.slug} href={`/courses#${c.slug}`} className="card group flex flex-col p-6 transition hover:-translate-y-1 hover:border-brand-300 hover:shadow-lift">
                  <div className="flex items-center justify-between">
                    <span className="grid h-12 w-12 place-items-center rounded-xl bg-slate-900 text-white dark:bg-white dark:text-slate-900">
                      <Icon className="h-6 w-6" />
                    </span>
                    <span className={c.level === 'Beginner' ? 'badge-green' : 'badge-slate'}>{c.level}</span>
                  </div>
                  <h3 className="mt-5 text-xl font-bold text-slate-900 group-hover:text-brand-700 dark:text-white">{c.title}</h3>
                  <p className="mt-2 flex-1 text-sm leading-6 text-slate-600 dark:text-slate-400">{c.description}</p>
                  <div className="mt-5 flex items-center gap-4 border-t border-slate-100 pt-4 text-xs font-medium text-slate-500 dark:border-slate-800">
                    <span>{c.modules.length} modules</span>
                    <span>~{c.hours} hours</span>
                    <span className="ml-auto flex items-center gap-1 text-brand-700 dark:text-brand-400">
                      Start with {first?.title ?? 'lesson 1'} <ArrowRight className="h-3.5 w-3.5" />
                    </span>
                  </div>
                </Link>
              );
            })}
          </div>
        </div>
      </section>

      {/* ─── Interactive demo ──────────────────── */}
      <section className="py-20">
        <div className="container grid items-center gap-12 lg:grid-cols-[0.9fr_1.1fr]">
          <div>
            <p className="eyebrow">Interactive coding</p>
            <h2 className="section-title mt-2">Write real Python right here — no setup</h2>
            <p className="section-sub">
              Every lesson has a “Try it Yourself” editor powered by a full Python interpreter running safely in your browser. Change the code on the right and press{' '}
```

```
              <b>Run</b>.
            </p>
            <ul className="mt-6 space-y-3 text-slate-700 dark:text-slate-300">
              {['Professional code editor with syntax highlighting', 'Instant output and readable error messages', 'Works on laptop, tablet and phone'].map((t) => (
                <li key={t} className="flex items-center gap-3">
                  <span className="grid h-6 w-6 place-items-center rounded-full bg-brand-100 text-brand-700 dark:bg-brand-500/20 dark:text-brand-300">✓</span>
                  {t}
                </li>
              ))}
            </ul>
          </div>
          <DemoEditor />
        </div>
      </section>

      {/* ─── Pricing ──────────────────────────── */}
      <section id="pricing" className="border-y border-slate-200 bg-slate-50 py-20 dark:border-slate-800 dark:bg-slate-900/40">
        <div className="container">
          <div className="mx-auto mb-14 max-w-2xl text-center">
            <p className="eyebrow">Free vs Premium</p>
            <h2 className="section-title mt-2">Start free. Upgrade when you&apos;re ready.</h2>
            <p className="section-sub">One simple plan. No hidden fees. Cancel anytime.</p>
          </div>
          <PricingCards signedIn={!!viewer.user} premiumActive={viewer.premium} />
        </div>
      </section>

      {/* ─── Testimonials (sample) ────────────── */}
      <section className="py-20">
        <div className="container">
          <div className="mx-auto max-w-2xl text-center">
            <p className="eyebrow">Student stories</p>
            <h2 className="section-title mt-2">What learning with womens4.com feels like</h2>
            <p className="mt-3 inline-flex items-center gap-1.5 rounded-full bg-amber-50 px-3 py-1 text-xs font-semibold text-amber-800 dark:bg-amber-500/10 dark:text-amber-300">
              <Users className="h-3.5 w-3.5" /> Sample testimonials — placeholders until real student reviews are collected
            </p>
          </div>
          <div className="mt-12 grid gap-6 md:grid-cols-3">
            {[
              ['Sample Student A', 'Career switcher', 'I had never written code. The tiny steps and “Try it Yourself” buttons made it click — I finished the fundamentals in five weeks.'],
              ['Sample Student B', 'University student', 'The exercises explain why my answer was wrong, which helped me far more than just seeing a red cross.'],
              ['Sample Student C', 'Junior developer', 'The Git, testing and FastAPI modules filled exactly the gaps I had before my first technical interview.'],
            ].map(([name, role, quote]) => (
              <figure key={name} className="card p-6">
                <Quote className="h-6 w-6 text-brand-500" />
                <blockquote className="mt-3 leading-7 text-slate-700 dark:text-slate-300">{quote}</blockquote>
                <figcaption className="mt-5 flex items-center gap-3 border-t border-slate-100 pt-4 dark:border-slate-800">
                  <span className="grid h-10 w-10 place-items-center rounded-full bg-slate-100 font-bold text-slate-500 dark:bg-slate-800">{name.slice(-1)}</span>
                  <span>
                    <span className="block text-sm font-semibold text-slate-900 dark:text-white">{name}</span>
                    <span className="text-xs text-slate-500">{role} · sample content</span>
                  </span>
                </figcaption>
              </figure>
            ))}
          </div>
```

```
        </div>
      </section>

      {/* ─── FAQ ──────────────────────────────── */}
      <section id="faq" className="border-t border-slate-200 bg-slate-50 py-20 dark:border-slate-800 dark:bg-slate-900/40">
        <div className="container">
          <div className="mx-auto mb-12 max-w-2xl text-center">
            <p className="eyebrow">FAQ</p>
            <h2 className="section-title mt-2">Frequently asked questions</h2>
          </div>
          <Faq />
        </div>
      </section>

      {/* ─── CTA ──────────────────────────────── */}
      <section className="py-20">
        <div className="container">
          <div className="relative overflow-hidden rounded-3xl bg-slate-900 px-6 py-16 text-center dark:bg-brand-950">
            <div className="absolute inset-0 bg-[radial-gradient(40rem_20rem_at_50%_120%,rgba(18,183,106,.35),transparent)]" />
            <h2 className="relative text-3xl font-bold tracking-tight text-white sm:text-4xl">Your first line of Python is one click away.</h2>
            <p className="relative mx-auto mt-3 max-w-xl text-slate-300">Join for free, finish your first lesson in under 10 minutes, and follow a clear plan to your first developer job.</p>
            <div className="relative mt-8 flex flex-col justify-center gap-3 sm:flex-row">
              <Link href="/learn/introduction/what-is-python" className="btn-primary btn-lg">
                Start lesson 1 <ArrowRight className="h-5 w-5" />
              </Link>
              <Link href="/roadmap" className="btn btn-lg border border-white/20 text-white hover:bg-white/10">
                View the roadmap
              </Link>
            </div>
          </div>
        </div>
      </section>
    </>
  );
}
```

app/admin/layout.tsx

File 30 of 101 · 42 lines

```
import Link from 'next/link';
import { BarChart3, Users, BookOpenText, Award, ShieldAlert } from 'lucide-react';
import { requireAdmin } from '@/lib/auth';
import { hasServiceRole } from '@/lib/supabase/admin';

export const dynamic = 'force-dynamic';

const nav = [
  { href: '/admin', label: 'Overview', icon: BarChart3 },
  { href: '/admin/users', label: 'Users & subscriptions', icon: Users },
  { href: '/admin/content', label: 'Courses & content', icon: BookOpenText },
  { href: '/admin/certificates', label: 'Certificates', icon: Award },
];

export default async function AdminLayout({ children }: { children: React.ReactNode }) {
  await requireAdmin();
  return (
    <div className="min-h-[calc(100vh-4rem)] bg-slate-50 dark:bg-slate-950">
      <div className="container grid gap-8 py-8 lg:grid-cols-[220px_1fr]">
        <aside>
          <p className="mb-3 flex items-center gap-2 px-3 text-xs font-bold uppercase tracking-wider text-slate-400">
            <ShieldAlert className="h-3.5 w-3.5" /> Admin
          </p>
          <nav className="flex gap-1 overflow-x-auto lg:flex-col">
            {nav.map(({ href, label, icon: Icon }) => (
              <Link key={href} href={href} className="flex items-center gap-2 whitespace-nowrap rounded-lg px-3 py-2 text-sm font-medium text-slate-700 hover:bg-white dark:text-slate-300 dark:hover:bg-slate-900">
                <Icon className="h-4 w-4 text-brand-600" /> {label}
              </Link>
            ))}
          </nav>
        </aside>
        <div className="min-w-0">
          {!hasServiceRole() && (
            <p className="mb-6 rounded-xl bg-red-50 p-4 text-sm text-red-800">SUPABASE_SERVICE_ROLE_KEY is not set — admin data cannot be loaded.</p>
          )}
          {children}
        </div>
      </div>
    </div>
  );
}
```

app/admin/page.tsx

File 31 of 101 · 63 lines

```
import { Users, Crown, Euro, TrendingDown, AlertTriangle, BookOpen } from 'lucide-react';
import { requireAdmin } from '@/lib/auth';
import { createAdminClient, hasServiceRole } from '@/lib/supabase/admin';
import { getCurriculum } from '@/lib/content';
import { PREMIUM_PRICE_EUR } from '@/lib/env';

export const metadata = { title: 'Admin' };

export default async function AdminOverview() {
  await requireAdmin();
  if (!hasServiceRole()) return null;
  const admin = createAdminClient();
  const since30 = new Date(Date.now() - 30 * 864e5).toISOString();

  const [usersCount, newUsers, subs, payments30, completions] = await Promise.all([
    admin.from('profiles').select('id', { count: 'exact', head: true }),
    admin.from('profiles').select('id', { count: 'exact', head: true }).gte('created_at', since30),
    admin.from('subscriptions').select('status, cancel_at_period_end, current_period_end'),
    admin.from('payments').select('amount, status, created_at').gte('created_at', since30),
    admin.from('lesson_progress').select('lesson_key', { count: 'exact', head: true }).gte('completed_at', since30),
  ]);
  const modules = await getCurriculum();

  const rows = subs.data ?? [];
  const active = rows.filter((s: any) => ['active', 'trialing'].includes(s.status)).length;
  const canceling = rows.filter((s: any) => s.status === 'active' && s.cancel_at_period_end).length;
  const pastDue = rows.filter((s: any) => ['past_due', 'unpaid'].includes(s.status)).length;
  const churned = rows.filter((s: any) => s.status === 'canceled').length;
  const mrr = active * PREMIUM_PRICE_EUR;
  const revenue30 = (payments30.data ?? []).filter((p: any) => p.status === 'paid').reduce((n: number, p: any) => n + p.amount, 0) / 100;
  const failed30 = (payments30.data ?? []).filter((p: any) => p.status === 'failed').length;
  const conversion = usersCount.count ? ((active / usersCount.count) * 100).toFixed(1) : '0';
  const eur = (n: number) => new Intl.NumberFormat('en-IE', { style: 'currency', currency: 'EUR' }).format(n);

  const cards = [
    { icon: Euro, label: 'Monthly recurring revenue', value: eur(mrr), sub: `${active} active × €${PREMIUM_PRICE_EUR}` },
    { icon: Crown, label: 'Active Premium', value: String(active), sub: `${conversion}% of users · ${canceling} cancelling` },
    { icon: Users, label: 'Registered users', value: String(usersCount.count ?? 0), sub: `+${newUsers.count ?? 0} in 30 days` },
    { icon: Euro, label: 'Revenue (30 days)', value: eur(revenue30), sub: `${failed30} failed payments` },
    { icon: AlertTriangle, label: 'Past due', value: String(pastDue), sub: 'Payment retry in progress' },
    { icon: TrendingDown, label: 'Churned subscriptions', value: String(churned), sub: 'All time' },
    { icon: BookOpen, label: 'Lessons completed (30d)', value: String(completions.count ?? 0), sub: `${modules.length} modules live` },
  ];

  return (
    <div>
      <h1 className="text-2xl font-bold text-slate-900 dark:text-white">Overview</h1>
      <p className="mt-1 text-sm text-slate-500">MRR is computed from subscriptions Stripe reports as active. Stripe&apos;s dashboard remains the financial source of truth.</p>
      <div className="mt-6 grid gap-4 sm:grid-cols-2 xl:grid-cols-4">
        {cards.map(({ icon: Icon, label, value, sub }) => (
          <div key={label} className="card p-5">
            <p className="flex items-center gap-2 text-sm text-slate-500">
              <Icon className="h-4 w-4 text-brand-600" /> {label}
            </p>
```

```
55 |             <p className="mt-2 text-2xl font-bold text-slate-900 dark:text-
   ¦ white">{value}</p>
56 |             <p className="mt-0.5 text-xs text-slate-500">{sub}</p>
57 |           </div>
58 |         ))}
59 |       </div>
60 |     </div>
61 |   );
62 | }
```

app/cookies/page.tsx

File 32 of 101 · 25 lines

```
import { LegalPage } from '@/components/LegalPage';

export const metadata = { title: 'Cookie Policy' };

export default function Cookies() {
  const md = `
## Strictly necessary only
womens4.com does **not** use analytics, advertising or tracking cookies. We only store what is needed to run the service:

| Name | Type | Purpose | Duration |
|---|---|---|---|
| \`sb-*-auth-token\` | Cookie | Keeps you logged in (Supabase Auth) | Session / up to 1 year |
| \`theme\` | Local storage | Remembers light or dark mode | Until cleared |
| \`cookie-notice\` | Local storage | Remembers that you saw the cookie notice | Until cleared |
| \`playground-code\` | Local storage | Saves your playground scratchpad on this device | Until cleared |

When you pay, Stripe sets its own strictly necessary cookies on the Stripe checkout page for fraud prevention.

Because these are strictly necessary, no consent is required under the ePrivacy Directive — but we still tell you about them. You can delete them at any time in your browser settings; you will then be logged out.

If we ever add optional cookies, we will ask for your consent first.
`;
  return <LegalPage title="Cookie Policy" updated="31 October 2026" source={md} />;
}
```

app/courses/page.tsx

File 33 of 101 · 112 lines

```
import Link from 'next/link';
import { ArrowRight, CheckCircle2, Lock, Clock, Layers } from 'lucide-react';
import { COURSES } from '@/content/courses';
import { getCurriculum } from '@/lib/content';
import { getViewer } from '@/lib/auth';
import { getProgress, moduleProgress } from '@/lib/progress';

export const metadata = { title: 'Python Courses & Full Curriculum' };

export default async function CoursesPage() {
  const [modules, viewer] = await Promise.all([getCurriculum(), getViewer()]);
  const progress = viewer.user ? await getProgress(viewer.user.id) : null;
  const custom = modules.filter((m) => m.custom);

  return (
    <div className="container py-14">
      <div className="max-w-2xl">
        <p className="eyebrow">Curriculum</p>
        <h1 className="mt-2 text-4xl font-extrabold tracking-tight text-slate-900 dark:text-white sm:text-5xl">Python courses</h1>
        <p className="section-sub">
          {modules.length} modules and {modules.reduce((n, m) => n + m.lessons.length, 0)} lessons that take you from your very first line of code to a job-ready
          developer. Modules marked <span className="badge-green">Free</span> are open to everyone.
        </p>
      </div>

      <div className="mt-12 space-y-16">
        {COURSES.map((c) => {
          const mods = c.modules.map((s) => modules.find((m) => m.slug === s)).filter(Boolean) as typeof modules;
          // The job-ready course shows only the extra modules to avoid repeating the list.
          const shown = c.slug === 'job-ready-python-developer' ? mods.filter((m) => m.stage === 'Professional') : mods;
          return (
            <section key={c.slug} id={c.slug} className="scroll-mt-24">
              <div className="flex flex-wrap items-end justify-between gap-4 border-b border-slate-200 pb-5 dark:border-slate-800">
                <div className="max-w-2xl">
                  <span className={c.level === 'Beginner' ? 'badge-green' : 'badge-slate'}>{c.level}</span>
                  <h2 className="mt-2 text-2xl font-bold text-slate-900 dark:text-white">{c.title}</h2>
                  <p className="mt-1 text-slate-600 dark:text-slate-400">{c.description}</p>
                </div>
                <div className="flex gap-4 text-sm text-slate-500">
                  <span className="flex items-center gap-1.5">
                    <Layers className="h-4 w-4" /> {c.modules.length} modules
                  </span>
                  <span className="flex items-center gap-1.5">
                    <Clock className="h-4 w-4" /> ~{c.hours} h
                  </span>
                </div>
              </div>
              {c.slug === 'job-ready-python-developer' && (
                <p className="mt-4 text-sm text-slate-500">Includes every module above, plus these professional modules:</p>
              )}
              <div className="mt-6 grid gap-4 sm:grid-cols-2 lg:grid-cols-3">
                {shown.map((m) => {
                  const mp = progress ? moduleProgress(m, progress.completed) : null;
                  const locked = !m.free && !viewer.premium;
                  return (
                    <Link
                      key={m.slug}
                      href={`/learn/${m.slug}/${m.lessons[0]?.slug ?? ''}`}
                      className="card group flex flex-col p-5 transition
```

```
hover:-translate-y-0.5 hover:border-brand-300 hover:shadow-lift"
                    >
                      <div className="flex items-center justify-between">
                        <span className="text-xs font-bold text-slate-400">MODULE
{m.number}</span>
                        {m.free ? (
                          <span className="badge-green">Free</span>
                        ) : locked ? (
                          <span className="badge-amber">
                            <Lock className="h-3 w-3" /> Premium
                          </span>
                        ) : (
                          <span className="badge-slate">Premium</span>
                        )}
                      </div>
                      <h3 className="mt-2 font-semibold text-slate-900 group-hover:text-
brand-700 dark:text-white">{m.title}</h3>
                      <p className="mt-1 line-clamp-2 flex-1 text-sm text-slate-600
dark:text-slate-400">{m.description}</p>
                      <div className="mt-4 flex items-center gap-2 text-xs text-slate-500">
                        {mp && mp.pct === 100 ? <CheckCircle2 className="h-4 w-4 text-
brand-500" /> : null}
                        <span>{m.lessons.length} lessons</span>
                        {mp && mp.done > 0 && (
                          <>
                            <div className="ml-2 h-1.5 flex-1 overflow-hidden rounded-full
bg-slate-100 dark:bg-slate-800">
                              <div className="h-full bg-brand-500" style={{ width:
`${mp.pct}%` }} />
                            </div>
                            <span>{mp.pct}%</span>
                          </>
                        )}
                        {!mp?.done && <ArrowRight className="ml-auto h-4 w-4 text-brand-600
opacity-0 transition group-hover:opacity-100" />}
                      </div>
                    </Link>
                  );
                })}
              </div>
            </section>
          );
        })}
        {custom.length > 0 && (
          <section>
            <h2 className="border-b border-slate-200 pb-4 text-2xl font-bold dark:border-
slate-800">New content</h2>
            <div className="mt-6 grid gap-4 sm:grid-cols-2 lg:grid-cols-3">
              {custom.map((m) => (
                <Link key={m.slug} href={`/learn/${m.slug}/${m.lessons[0].slug}`}
className="card p-5 hover:border-brand-300">
                  <h3 className="font-semibold">{m.title}</h3>
                  <p className="mt-1 text-sm text-slate-500">{m.description}</p>
                </Link>
              ))}
            </div>
          </section>
        )}
      </div>
    </div>
  );
}
```

app/dashboard/layout.tsx

File 34 of 101 · 17 lines

```
import { DashboardTabs } from '@/components/DashboardTabs';

export const dynamic = 'force-dynamic';

export default function DashboardLayout({ children }: { children: React.ReactNode }) {
  return (
    <div className="min-h-[calc(100vh-4rem)] bg-slate-50 dark:bg-slate-950">
      <div className="border-b border-slate-200 bg-white dark:border-slate-800 dark:bg-slate-950">
        <div className="container">
          <DashboardTabs />
        </div>
      </div>
      <div className="container py-8">{children}</div>
    </div>
  );
}
```

app/dashboard/page.tsx

File 35 of 101 · 252 lines

```
import Link from 'next/link';
import {
  ArrowRight,
  Award,
  BookCheck,
  Crown,
  Flame,
  Lock,
  Medal,
  PlayCircle,
  Target,
  Trophy,
  CheckCircle2,
  AlertCircle,
} from 'lucide-react';
import { requireUser } from '@/lib/auth';
import { getCurriculum, flattenLessons, lessonKey } from '@/lib/content';
import { getProgress, allCourseStatuses, learningStreak, achievements } from
'@/lib/progress';
import { createClient } from '@/lib/supabase/server';
import { PASS_RATE } from '@/content/courses';

export const metadata = { title: 'Dashboard' };

const certMessages: Record<string, string> = {
  'not-eligible': 'You have not met all completion criteria for that course yet.',
  error: 'The certificate could not be issued. Please try again.',
  'unknown-course': 'Unknown course.',
};

export default async function DashboardPage({ searchParams }: { searchParams: { cert?:
string } }) {
  const viewer = await requireUser('/dashboard');
  const [modules, progress] = await Promise.all([getCurriculum(),
getProgress(viewer.user.id)]);
  const { data: certs } = await createClient().from('certificates').select('id, course_slug,
 issued_at, revoked').eq('user_id', viewer.user.id);

  const all = flattenLessons(modules);
  const accessible = all.filter((l) => l.module.free || viewer.premium);
  const nextLesson = accessible.find((l) => !progress.completed.has(lessonKey(l.moduleSlug,
l.slug)));
  const lockedNext = !nextLesson ? all.find((l) =>
!progress.completed.has(lessonKey(l.moduleSlug, l.slug))) : null;
  const { streak, activeDays } = learningStreak(progress);
  const courses = allCourseStatuses(modules, progress);
  const badges = achievements(progress, modules, streak);
  const totalPct = all.length ? Math.round((progress.completed.size / all.length) * 100) :
0;
  const firstName = (viewer.profile?.full_name || viewer.user.email || '').split('
')[0].split('@')[0];

  const recent = Array.from(progress.completed.entries())
    .sort((a, b) => b[1].localeCompare(a[1]))
    .slice(0, 6)
    .map(([key, at]) => {
      const [m, l] = key.split('/');
      const lesson = all.find((x) => x.moduleSlug === m && x.slug === l);
      return lesson ? { lesson, at } : null;
    })
    .filter(Boolean) as { lesson: (typeof all)[number]; at: string }[];

  return (
    <div className="space-y-8">
      {searchParams.cert && certMessages[searchParams.cert] && (
        <div className="flex items-center gap-3 rounded-xl border border-amber-200 bg-
amber-50 p-4 text-sm text-amber-900 dark:border-amber-900 dark:bg-amber-500/10 dark:text-
amber-200">
```

```
          <AlertCircle className="h-5 w-5" /> {certMessages[searchParams.cert]}
        </div>
      )}

      {/* welcome */}
      <div className="flex flex-wrap items-center justify-between gap-6">
        <div>
          <h1 className="text-3xl font-bold tracking-tight text-slate-900 dark:text-white">Welcome back, {firstName} 👋</h1>
          <p className="mt-1 text-slate-600 dark:text-slate-400">
            {progress.completed.size === 0 ? 'Ready for your very first lesson? It takes about 10 minutes.' : 'Keep the momentum going — small daily steps add up.'}
          </p>
        </div>
        {viewer.premium ? (
          <span className="badge-amber !px-3 !py-1.5 !text-sm">
            <Crown className="h-4 w-4" /> Premium member
          </span>
        ) : (
          <Link href="/pricing" className="btn-primary">
            <Crown className="h-4 w-4" /> Upgrade to Premium
          </Link>
        )}
      </div>

      {/* stats */}
      <div className="grid gap-4 sm:grid-cols-2 lg:grid-cols-4">
        <Stat icon={BookCheck} label="Lessons completed" value={`${progress.completed.size}`} sub={`of ${all.length} · ${totalPct}%`} />
        <Stat icon={Flame} label="Learning streak" value={`${streak} day${streak === 1 ? '' : 's'}`} sub={`${activeDays} active days in total`} accent="text-orange-500" />
        <Stat icon={Target} label="Exercise sets" value={`${progress.best.size}`} sub={`${progress.results.length} attempts`} />
        <Stat icon={Award} label="Certificates" value={`${(certs ?? []).filter((c: any) => !c.revoked).length}`} sub={`${courses.filter((c) => c.eligible).length} course(s) ready`} accent="text-amber-500" />
      </div>

      <div className="grid gap-8 lg:grid-cols-[1.6fr_1fr]">
        <div className="space-y-8">
          {/* next lesson */}
          <section className="relative overflow-hidden rounded-2xl bg-slate-900 p-6 text-white dark:bg-brand-950 sm:p-8">
            <div className="absolute inset-0 bg-[radial-gradient(30rem_15rem_at_100%_0%,rgba(18,183,106,.35),transparent)]" />
            <div className="relative">
              <p className="text-sm font-semibold text-brand-300">Recommended next lesson</p>
              {nextLesson ? (
                <>
                  <h2 className="mt-2 text-2xl font-bold">{nextLesson.title}</h2>
                  <p className="mt-1 text-slate-300">
                    Module {nextLesson.module.number}: {nextLesson.module.title}
                  </p>
                  <Link href={`/learn/${nextLesson.moduleSlug}/${nextLesson.slug}`} className="btn-primary mt-6">
                    <PlayCircle className="h-5 w-5" /> {progress.completed.size ? 'Continue learning' : 'Start lesson 1'}
                  </Link>
                </>
              ) : lockedNext ? (
                <>
                  <h2 className="mt-2 text-2xl font-bold">You finished all free lessons! 🎉</h2>
                  <p className="mt-1 text-slate-300">Next up: {lockedNext.module.title} — part of Premium.</p>
                  <Link href="/pricing" className="btn-primary mt-6">
                    <Lock className="h-4 w-4" /> Unlock the full path
                  </Link>
                </>
              ) : (
```

```
                <>
                  <h2 className="mt-2 text-2xl font-bold">You completed every lesson. Incredible! □</h2>
                  <p className="mt-1 text-slate-300">Claim your certificates below and keep building projects.</p>
                </>
              )}
            </div>
          </section>

          {/* courses */}
          <section>
            <h2 className="mb-4 text-lg font-semibold text-slate-900 dark:text-white">Your courses</h2>
            <div className="space-y-4">
              {courses.map((c) => {
                const cert = (certs ?? []).find((x: any) => x.course_slug === c.course.slug && !x.revoked);
                return (
                  <div key={c.course.slug} className="card p-5">
                    <div className="flex flex-wrap items-start justify-between gap-3">
                      <div>
                        <h3 className="font-semibold text-slate-900 dark:text-white">{c.course.title}</h3>
                        <p className="text-sm text-slate-500">
                          {c.done}/{c.total} lessons · {c.course.level}
                        </p>
                      </div>
                      {cert ? (
                        <Link href={`/certificates/${cert.id}`} className="btn-secondary !py-2">
                          <Award className="h-4 w-4 text-amber-500" /> View certificate
                        </Link>
                      ) : c.eligible ? (
                        <form action="/api/certificates/issue" method="post">
                          <input type="hidden" name="course" value={c.course.slug} />
                          <button className="btn-primary !py-2">
                            <Award className="h-4 w-4" /> Claim certificate
                          </button>
                        </form>
                      ) : (
                        <span className="text-sm font-semibold text-brand-700 dark:text-brand-400">{c.pct}%</span>
                      )}
                    </div>
                    <div className="mt-3 h-2 overflow-hidden rounded-full bg-slate-100 dark:bg-slate-800">
                      <div className="h-full rounded-full bg-gradient-to-r from-brand-500 to-emerald-400 transition-all" style={{ width: `${c.pct}%` }} />
                    </div>
                    {!c.eligible && !cert && (c.done > 0 || c.missingQuizzes.length < c.course.modules.length) && (
                      <p className="mt-3 text-xs text-slate-500">
                        Certificate requires: all lessons completed{c.lessonsComplete ? ' ✓' : ''} and ≥{PASS_RATE * 100}% in every module&apos;s exercises
                        {c.missingQuizzes.length ? ` (${c.missingQuizzes.length} remaining)` : ' ✓'}
                        {!viewer.premium && ' · Premium plan'}.
                      </p>
                    )}
                  </div>
                );
              })}
            </div>
          </section>

          {/* quiz results */}
          <section>
            <h2 className="mb-4 text-lg font-semibold text-slate-900 dark:text-white">Quiz & exercise results</h2>
            {progress.best.size === 0 ? (
```

```
              <p className="card p-5 text-sm text-slate-500">No scores yet. Finish a module and open its “Exercises & Quiz” page.</p>
            ) : (
              <div className="card divide-y divide-slate-100 dark:divide-slate-800">
                {Array.from(progress.best.entries()).map(([slug, b]) => {
                  const m = modules.find((x) => x.slug === slug);
                  const pct = Math.round((b.score / b.total) * 100);
                  return (
                    <Link key={slug} href={`/learn/${slug}/exercises`} className="flex items-center justify-between gap-4 px-5 py-3.5 hover:bg-slate-50 dark:hover:bg-slate-800/50">
                      <span className="text-sm font-medium text-slate-800 dark:text-slate-200">
                        {m?.number}. {m?.title ?? slug}
                      </span>
                      <span className={`text-sm font-semibold ${pct >= PASS_RATE * 100 ? 'text-brand-700 dark:text-brand-400' : 'text-amber-600'}`}>
                        {b.score}/{b.total} · {pct}%
                      </span>
                    </Link>
                  );
                })}
              </div>
            )}
          </section>
        </div>

        <div className="space-y-8">
          {/* achievements */}
          <section>
            <h2 className="mb-4 flex items-center gap-2 text-lg font-semibold text-slate-900 dark:text-white">
              <Trophy className="h-5 w-5 text-amber-500" /> Achievements
            </h2>
            <div className="grid grid-cols-2 gap-3">
              {badges.map((b) => (
                <div key={b.id} className={`card p-4 text-center ${b.earned ? '' : 'opacity-50 grayscale'}`} title={b.desc}>
                  <Medal className={`mx-auto h-8 w-8 ${b.earned ? 'text-amber-500' : 'text-slate-400'}`} />
                  <p className="mt-2 text-sm font-semibold text-slate-900 dark:text-white">{b.title}</p>
                  <p className="text-[11px] leading-4 text-slate-500">{b.desc}</p>
                </div>
              ))}
            </div>
          </section>

          {/* completed lessons */}
          <section>
            <h2 className="mb-4 text-lg font-semibold text-slate-900 dark:text-white">Recently completed</h2>
            {recent.length === 0 ? (
              <p className="card p-5 text-sm text-slate-500">Lessons you mark as completed appear here.</p>
            ) : (
              <ul className="card divide-y divide-slate-100 dark:divide-slate-800">
                {recent.map(({ lesson, at }) => (
                  <li key={lesson.moduleSlug + lesson.slug}>
                    <Link href={`/learn/${lesson.moduleSlug}/${lesson.slug}`} className="flex items-center gap-3 px-4 py-3 hover:bg-slate-50 dark:hover:bg-slate-800/50">
                      <CheckCircle2 className="h-4 w-4 shrink-0 text-brand-500" />
                      <span className="flex-1 text-sm text-slate-800 dark:text-slate-200">{lesson.title}</span>
                      <span className="text-xs text-slate-400">{new Date(at).toLocaleDateString('en-GB', { day: 'numeric', month: 'short' })}</span>
                    </Link>
                  </li>
                ))}
              </ul>
            )}
```

```
            <Link href="/courses" className="mt-3 inline-flex items-center gap-1 text-sm font-medium text-brand-700 dark:text-brand-400">
              Browse all modules <ArrowRight className="h-4 w-4" />
            </Link>
          </section>
        </div>
      </div>
    </div>
  );
}

function Stat({ icon: Icon, label, value, sub, accent = 'text-brand-600' }: { icon: any; label: string; value: string; sub: string; accent?: string }) {
  return (
    <div className="card p-5">
      <div className="flex items-center gap-2 text-sm font-medium text-slate-500">
        <Icon className={`h-4 w-4 ${accent}`} /> {label}
      </div>
      <p className="mt-2 text-3xl font-bold tracking-tight text-slate-900 dark:text-white">{value}</p>
      <p className="mt-0.5 text-xs text-slate-500">{sub}</p>
    </div>
  );
}
```

app/forgot-password/page.tsx

File 36 of 101 · 54 lines

```tsx
'use client';
import Link from 'next/link';
import { useState } from 'react';
import { Loader2 } from 'lucide-react';
import { createClient, supabaseConfigured } from '@/lib/supabase/client';
import { AuthShell, FormMessage, NotConfigured } from '@/components/AuthShell';

export default function ForgotPasswordPage() {
  const [email, setEmail] = useState('');
  const [sent, setSent] = useState(false);
  const [error, setError] = useState('');
  const [loading, setLoading] = useState(false);

  const submit = async (e: React.FormEvent) => {
    e.preventDefault();
    setLoading(true);
    setError('');
    const { error } = await createClient().auth.resetPasswordForEmail(email, {
      redirectTo: `${window.location.origin}/auth/callback?next=/update-password`,
    });
    setLoading(false);
    if (error) return setError(error.message);
    setSent(true);
  };

  return (
    <AuthShell title="Reset your password" subtitle="We'll email you a secure link to choose a new password.">
      {!supabaseConfigured ? (
        <NotConfigured />
      ) : sent ? (
        <FormMessage type="success">If an account exists for {email}, a reset link is on its way. The link is valid for a limited time.</FormMessage>
      ) : (
        <form onSubmit={submit} className="space-y-5">
          {error && <FormMessage type="error">{error}</FormMessage>}
          <div>
            <label htmlFor="email" className="label">
              Email
            </label>
            <input id="email" type="email" required autoComplete="email" className="input" value={email} onChange={(e) => setEmail(e.target.value)} />
          </div>
          <button className="btn-primary w-full" disabled={loading}>
            {loading && <Loader2 className="h-4 w-4 animate-spin" />} Send reset link
          </button>
          <p className="text-center text-sm">
            <Link href="/login" className="font-medium text-brand-700 dark:text-brand-400">
              Back to log in
            </Link>
          </p>
        </form>
      )}
    </AuthShell>
  );
}
```

app/learn/layout.tsx

File 37 of 101 · 29 lines

```
 1 | import { LessonSidebar, type SidebarModule } from '@/components/LessonSidebar';
 2 | import { getCurriculum } from '@/lib/content';
 3 | import { getViewer } from '@/lib/auth';
 4 | import { getProgress } from '@/lib/progress';
 5 | import { EXERCISES } from '@/content/exercises';
 6 |
 7 | export const dynamic = 'force-dynamic';
 8 |
 9 | export default async function LearnLayout({ children }: { children: React.ReactNode }) {
10 |   const [modules, viewer] = await Promise.all([getCurriculum(), getViewer()]);
11 |   const completed = viewer.user ? Array.from((await
   ¦ getProgress(viewer.user.id)).completed.keys()) : [];
12 |   const sidebar: SidebarModule[] = modules.map((m) => ({
13 |     slug: m.slug,
14 |     title: m.title,
15 |     number: m.number,
16 |     free: m.free,
17 |     stage: m.stage,
18 |     hasExercises: Boolean(EXERCISES[m.slug]?.length) || !!m.custom,
19 |     lessons: m.lessons.map((l) => ({ slug: l.slug, title: l.title })),
20 |   }));
21 |
22 |   return (
23 |     <div className="mx-auto flex max-w-[1440px]">
24 |       <LessonSidebar modules={sidebar} completed={completed} premium={viewer.premium} />
25 |       <div className="min-w-0 flex-1">{children}</div>
26 |     </div>
27 |   );
28 | }
```

app/learn/page.tsx

File 38 of 101 · 6 lines

```
import { redirect } from 'next/navigation';

export default function LearnIndex() {
  redirect('/learn/introduction/what-is-python');
}
```

app/login/page.tsx

File 39 of 101 · 91 lines

```
'use client';
import Link from 'next/link';
import { useRouter, useSearchParams } from 'next/navigation';
import { Suspense, useState } from 'react';
import { Loader2 } from 'lucide-react';
import { createClient, supabaseConfigured } from '@/lib/supabase/client';
import { AuthShell, FormMessage, NotConfigured } from '@/components/AuthShell';

function LoginForm() {
  const params = useSearchParams();
  const router = useRouter();
  const nextRaw = params.get('next') || '/dashboard';
  const next = nextRaw.startsWith('/') && !nextRaw.startsWith('//') ? nextRaw : '/dashboard';
  const [email, setEmail] = useState('');
  const [password, setPassword] = useState('');
  const [error, setError] = useState(params.get('error') === 'link-expired' ? 'That link has expired. Please request a new one.' : '');
  const [loading, setLoading] = useState(false);

  const submit = async (e: React.FormEvent) => {
    e.preventDefault();
    setLoading(true);
    setError('');
    const { error } = await createClient().auth.signInWithPassword({ email, password });
    setLoading(false);
    if (error) {
      setError(error.message === 'Invalid login credentials' ? 'Wrong email or password.' : error.message);
      return;
    }
    router.push(next);
    router.refresh();
  };

  return (
    <AuthShell
      title="Welcome back"
      subtitle={
        <>
          New to womens4.com?{' '}
          <Link href={`/register?next=${encodeURIComponent(next)}`} className="font-semibold text-brand-700 dark:text-brand-400">
            Create a free account
          </Link>
        </>
      }
    >
      {!supabaseConfigured ? (
        <NotConfigured />
      ) : (
        <form onSubmit={submit} className="space-y-5">
          {error && <FormMessage type="error">{error}</FormMessage>}
          <div>
            <label htmlFor="email" className="label">
              Email
            </label>
            <input id="email" type="email" required autoComplete="email" className="input" value={email} onChange={(e) => setEmail(e.target.value)} />
          </div>
          <div>
            <div className="flex items-center justify-between">
              <label htmlFor="password" className="label">
                Password
              </label>
              <Link href="/forgot-password" className="mb-1.5 text-xs font-medium text-brand-700 dark:text-brand-400">
                Forgot password?
```

```
              </Link>
            </div>
            <input
              id="password"
              type="password"
              required
              autoComplete="current-password"
              className="input"
              value={password}
              onChange={(e) => setPassword(e.target.value)}
            />
          </div>
          <button className="btn-primary w-full" disabled={loading}>
            {loading && <Loader2 className="h-4 w-4 animate-spin" />} Log in
          </button>
        </form>
      )}
    </AuthShell>
  );
}

export default function LoginPage() {
  return (
    <Suspense>
      <LoginForm />
    </Suspense>
  );
}
```

app/playground/page.tsx

File 40 of 101 · 33 lines

```
import { getViewer } from '@/lib/auth';
import { Paywall } from '@/components/Paywall';
import { PlaygroundEditor } from '@/components/PlaygroundEditor';

export const metadata = { title: 'Online Python Editor' };

export default async function PlaygroundPage() {
  const viewer = await getViewer();
  return (
    <div className="container py-10">
      <div className="mb-6 flex flex-wrap items-end justify-between gap-4">
        <div>
          <p className="eyebrow">Playground</p>
          <h1 className="mt-1 text-3xl font-bold tracking-tight text-slate-900 dark:text-white">Online Python editor</h1>
          <p className="mt-2 text-slate-600 dark:text-slate-400">
            A full Python 3 interpreter in your browser. Libraries like numpy and pandas load automatically when you import them.
          </p>
        </div>
      </div>
      {viewer.premium ? (
        <PlaygroundEditor />
      ) : (
        <div className="mx-auto max-w-2xl">
          <p className="mb-6 text-center text-slate-600 dark:text-slate-400">
            Free members can run code in every free lesson with “Try it Yourself”. The standalone playground with saved scratchpad is a Premium feature.
          </p>
          <Paywall title="The Python playground" signedIn={!!viewer.user} />
        </div>
      )}
    </div>
  );
}
```

app/pricing/page.tsx

File 41 of 101 · 91 lines

```
import Link from 'next/link';
import { AlertCircle, CalendarClock, CreditCard, RefreshCcw, ShieldCheck, XCircle } from 'lucide-react';
import { getViewer } from '@/lib/auth';
import { PricingCards } from '@/components/PricingCards';
import { Faq } from '@/components/Faq';
import { isStripeConfigured } from '@/lib/env';

export const metadata = { title: 'Pricing — Free & Premium €6.99/month' };

const errors: Record<string, string> = {
  'stripe-not-configured': 'Payments are not configured yet on this site (missing Stripe keys). No charge was made.',
  'checkout-failed': 'We could not start the checkout. No charge was made — please try again.',
};

export default async function PricingPage({ searchParams }: { searchParams: { error?: string; checkout?: string; reason?: string } }) {
  const viewer = await getViewer();
  return (
    <div className="py-14">
      <div className="container">
        <div className="mx-auto mb-12 max-w-2xl text-center">
          <p className="eyebrow">Pricing</p>
          <h1 className="mt-2 text-4xl font-extrabold tracking-tight text-slate-900 dark:text-white sm:text-5xl">Simple, transparent pricing</h1>
          <p className="section-sub">Learn the basics for free forever. Go Premium for the complete path to a Python developer job.</p>
        </div>

        {searchParams.error && (
          <div className="mx-auto mb-8 flex max-w-2xl items-start gap-3 rounded-xl border border-red-200 bg-red-50 p-4 text-sm text-red-800 dark:border-red-900 dark:bg-red-500/10 dark:text-red-300">
            <AlertCircle className="h-5 w-5 shrink-0" /> {errors[searchParams.error] ?? 'Something went wrong. No charge was made.'}
          </div>
        )}
        {searchParams.checkout === 'canceled' && (
          <div className="mx-auto mb-8 max-w-2xl rounded-xl border border-slate-200 bg-slate-50 p-4 text-center text-sm text-slate-700 dark:border-slate-800 dark:bg-slate-900 dark:text-slate-300">
            Checkout was canceled — you have not been charged.
          </div>
        )}
        {searchParams.reason === 'certificates' && (
          <div className="mx-auto mb-8 max-w-2xl rounded-xl bg-amber-50 p-4 text-center text-sm text-amber-900 dark:bg-amber-500/10 dark:text-amber-200">
            Certificates are included with Premium.
          </div>
        )}
        {!isStripeConfigured() && (
          <p className="mx-auto mb-8 max-w-2xl rounded-xl bg-slate-100 p-3 text-center text-xs text-slate-600 dark:bg-slate-800 dark:text-slate-400">
            Site owner: set STRIPE_SECRET_KEY and STRIPE_PRICE_ID to enable checkout.
          </p>
        )}

        <PricingCards signedIn={!!viewer.user} premiumActive={viewer.premium} />

        {/* Billing terms — shown before payment */}
        <div className="mx-auto mt-16 max-w-4xl">
          <h2 className="text-center text-2xl font-bold text-slate-900 dark:text-white">How Premium billing works</h2>
          <div className="mt-8 grid gap-4 sm:grid-cols-2">
            {[
              [CreditCard, 'Secure payment by Stripe', 'You pay on Stripe’s secure checkout
```

```
page. We never see or store your card number.'],
              [RefreshCcw, 'Automatic monthly renewal', 'Your subscription renews every month at €6.99 on the same day you subscribed, until you cancel.'],
              [XCircle, 'Cancel anytime', 'Dashboard → Subscription → “Manage or cancel”. No fees, no questions. Cancelling stops all future charges.'],
              [CalendarClock, 'Access until period end', 'After cancelling you keep Premium until the end of the month already paid. We don’t prorate partial months.'],
              [ShieldCheck, 'EU right of withdrawal', 'By starting Premium immediately you agree that digital content is provided at once, and you acknowledge that the 14-day withdrawal right ends when access begins (where permitted by law). See our Terms.'],
              [AlertCircle, 'Failed payments', 'If a payment fails we email you and Stripe retries. If it still fails, Premium is paused until payment succeeds — your progress is kept.'],
            ].map(([Icon, t, d]: any) => (
              <div key={t} className="card flex gap-4 p-5">
                <Icon className="h-5 w-5 shrink-0 text-brand-600" />
                <div>
                  <h3 className="font-semibold text-slate-900 dark:text-white">{t}</h3>
                  <p className="mt-1 text-sm leading-6 text-slate-600 dark:text-slate-400">{d}</p>
                </div>
              </div>
            ))}
          </div>
          <p className="mt-6 text-center text-sm text-slate-500">
            Full details in our{' '}
            <Link href="/terms" className="font-medium text-brand-700 underline">
              Terms of Service
            </Link>{' '}
            and{' '}
            <Link href="/privacy" className="font-medium text-brand-700 underline">
              Privacy Policy
            </Link>
            .
          </p>
        </div>

        <div className="mt-20">
          <h2 className="mb-8 text-center text-2xl font-bold text-slate-900 dark:text-white">Questions</h2>
          <Faq />
        </div>
      </div>
    </div>
  );
}
```

app/privacy/page.tsx

File 42 of 101 · 55 lines

```
import { LegalPage } from '@/components/LegalPage';
import { COMPANY_ADDRESS, COMPANY_NAME, SUPPORT_EMAIL } from '@/lib/env';

export const metadata = { title: 'Privacy Policy' };

export default function Privacy() {
  const md = `
## 1. Who we are
The controller responsible for your personal data is **${COMPANY_NAME}**, ${COMPANY_ADDRESS} ("womens4.com", "we"). Contact: [${SUPPORT_EMAIL}](mailto:${SUPPORT_EMAIL}).

## 2. What data we process and why

| Data | Purpose | Legal basis (GDPR) |
|---|---|---|
| Email, password (hashed), name | Creating and securing your account, certificates | Art. 6(1)(b) — contract |
| Lesson progress, exercise scores, streaks | Providing the learning service and dashboard | Art. 6(1)(b) — contract |
| Subscription status, invoices | Billing and accounting obligations | Art. 6(1)(b) and (c) — contract, legal obligation |
| Technical logs (IP address, browser) | Security and abuse prevention | Art. 6(1)(f) — legitimate interest |
| Marketing email preference | Optional newsletters, only if you opt in | Art. 6(1)(a) — consent |

**Code you run in the editor** is executed entirely in your own browser (Pyodide). It is not sent to or stored on our servers.

## 3. Processors
We use carefully selected service providers under data processing agreements:
- **Supabase** — database and authentication hosting.
- **Stripe** — payment processing. Card details go directly to Stripe; we never see or store them.
- **Vercel** — website hosting.
- **Resend** (if enabled) — sending transactional emails.
- **jsDelivr CDN** — delivers the in-browser Python runtime and code editor files.

Some providers may process data outside the EU/EEA. In that case transfers are protected by the EU Standard Contractual Clauses or an adequacy decision.

## 4. Retention
Account data is kept while your account exists. When you delete your account, we delete your profile, progress, scores and certificates immediately. Invoice records are kept by Stripe and us for the period required by tax law (typically up to 10 years).

## 5. Your rights
You have the right to access, rectify, erase, restrict and object to processing, and to data portability. You can withdraw consent at any time.
- **Download your data:** Dashboard → Profile & privacy → "Download my data".
- **Delete your account:** Dashboard → Profile & privacy → "Delete account".
- For anything else, email [${SUPPORT_EMAIL}](mailto:${SUPPORT_EMAIL}).

You may also lodge a complaint with your local data protection supervisory authority.

## 6. Cookies
We only use strictly necessary cookies and browser storage. See our [Cookie Policy](/cookies).

## 7. Children
womens4.com is intended for users aged 16 and over. Younger users need the consent of a parent or guardian.

## 8. Changes
We will announce material changes to this policy by email or on the website.
`;
  return <LegalPage title="Privacy Policy" updated="31 October 2026" source={md} />;
}
```

app/register/page.tsx

File 43 of 101 · 136 lines

```
'use client';
import Link from 'next/link';
import { useRouter, useSearchParams } from 'next/navigation';
import { Suspense, useState } from 'react';
import { Loader2, MailCheck } from 'lucide-react';
import { createClient, supabaseConfigured } from '@/lib/supabase/client';
import { AuthShell, FormMessage, NotConfigured } from '@/components/AuthShell';

function RegisterForm() {
  const params = useSearchParams();
  const router = useRouter();
  const nextRaw = params.get('next') || '/dashboard';
  const next = nextRaw.startsWith('/') && !nextRaw.startsWith('//') ? nextRaw :
'/dashboard';
  const [name, setName] = useState('');
  const [email, setEmail] = useState('');
  const [password, setPassword] = useState('');
  const [terms, setTerms] = useState(false);
  const [error, setError] = useState('');
  const [loading, setLoading] = useState(false);
  const [checkEmail, setCheckEmail] = useState(false);

  const submit = async (e: React.FormEvent) => {
    e.preventDefault();
    if (password.length < 8) return setError('Use at least 8 characters for your
password.');
    if (!terms) return setError('Please accept the Terms of Service and Privacy Policy.');
    setLoading(true);
    setError('');
    const { data, error } = await createClient().auth.signUp({
      email,
      password,
      options: {
        data: { full_name: name.trim() },
        emailRedirectTo:
`${window.location.origin}/auth/callback?next=${encodeURIComponent(next)}`,
      },
    });
    setLoading(false);
    if (error) return setError(error.message);
    if (data.session) {
      router.push(next);
      router.refresh();
    } else {
      // Email confirmation is enabled — the account is not active until the link is
clicked.
      setCheckEmail(true);
    }
  };

  if (checkEmail) {
    return (
      <AuthShell title="Check your inbox">
        <div className="text-center">
          <MailCheck className="mx-auto h-12 w-12 text-brand-600" />
          <p className="mt-4 text-slate-700 dark:text-slate-300">
            We sent a confirmation link to <b>{email}</b>. Click it to activate your account
 — then you can start learning.
          </p>
          <p className="mt-3 text-sm text-slate-500">No email after a few minutes? Check
your spam folder.</p>
        </div>
      </AuthShell>
    );
  }

  return (
    <AuthShell
```

```
      title="Create your free account"
      subtitle={
        <>
          Already have one?{' '}
          <Link href={`/login?next=${encodeURIComponent(next)}`} className="font-semibold text-brand-700 dark:text-brand-400">
            Log in
          </Link>
        </>
      }
    >
      {!supabaseConfigured ? (
        <NotConfigured />
      ) : (
        <form onSubmit={submit} className="space-y-5">
          {error && <FormMessage type="error">{error}</FormMessage>}
          <div>
            <label htmlFor="name" className="label">
              Full name <span className="font-normal text-slate-400">(shown on certificates)</span>
            </label>
            <input id="name" required autoComplete="name" className="input" value={name} onChange={(e) => setName(e.target.value)} />
          </div>
          <div>
            <label htmlFor="email" className="label">
              Email
            </label>
            <input id="email" type="email" required autoComplete="email" className="input" value={email} onChange={(e) => setEmail(e.target.value)} />
          </div>
          <div>
            <label htmlFor="password" className="label">
              Password
            </label>
            <input
              id="password"
              type="password"
              required
              minLength={8}
              autoComplete="new-password"
              className="input"
              value={password}
              onChange={(e) => setPassword(e.target.value)}
            />
            <p className="mt-1 text-xs text-slate-500">At least 8 characters.</p>
          </div>
          <label className="flex items-start gap-2.5 text-sm text-slate-600 dark:text-slate-400">
            <input type="checkbox" className="mt-1 accent-brand-600" checked={terms} onChange={(e) => setTerms(e.target.checked)} />
            <span>
              I agree to the{' '}
              <Link href="/terms" target="_blank" className="font-medium text-brand-700 underline">
                Terms of Service
              </Link>{' '}
              and have read the{' '}
              <Link href="/privacy" target="_blank" className="font-medium text-brand-700 underline">
                Privacy Policy
              </Link>
              .
            </span>
          </label>
          <button className="btn-primary w-full" disabled={loading}>
            {loading && <Loader2 className="h-4 w-4 animate-spin" />} Create account
          </button>
        </form>
      )}
    </AuthShell>
```

```
  );
}

export default function RegisterPage() {
  return (
    <Suspense>
      <RegisterForm />
    </Suspense>
  );
}
```

app/roadmap/page.tsx

File 44 of 101 · 112 lines

```
import Link from 'next/link';
import { ArrowRight, Flag } from 'lucide-react';
import { getCurriculum } from '@/lib/content';

export const metadata = {
  title: 'Python Developer Roadmap: Zero to Job-Ready',
  description: 'A week-by-week plan to go from never having coded to applying for junior Python developer jobs.',
};

const PHASES = [
  {
    weeks: 'Weeks 1–3',
    title: 'Foundations',
    goal: 'Write small programs confidently.',
    stage: 'Foundations',
    outcome: 'You can explain what a program is, install Python, and use variables, strings, numbers and operators.',
  },
  {
    weeks: 'Weeks 4–7',
    title: 'Core Python',
    goal: 'Control flow, collections and functions.',
    stage: 'Core Python',
    outcome: 'You can solve beginner coding challenges using if/else, loops, lists, dictionaries and your own functions.',
  },
  {
    weeks: 'Weeks 8–13',
    title: 'Intermediate Python',
    goal: 'Structure real programs.',
    stage: 'Intermediate',
    outcome: 'You write classes, split code into modules, read/write files, handle errors and use third-party libraries, APIs and SQL.',
  },
  {
    weeks: 'Weeks 14–17',
    title: 'Projects & advanced concepts',
    goal: 'Build things people can use.',
    stage: 'Projects & Advanced',
    outcome: 'You have 3–4 finished projects and understand comprehensions, generators, decorators, type hints and async.',
  },
  {
    weeks: 'Weeks 18–24',
    title: 'Professional skills & job search',
    goal: 'Work like a developer and get hired.',
    stage: 'Professional',
    outcome: 'You use Git daily, write tests, build a FastAPI/Flask API, analyse data with pandas, publish a portfolio and practise interviews.',
  },
];

export default async function RoadmapPage() {
  const modules = await getCurriculum();
  return (
    <div className="container py-14">
      <div className="mx-auto max-w-3xl text-center">
        <p className="eyebrow">Roadmap</p>
        <h1 className="mt-2 text-4xl font-extrabold tracking-tight text-slate-900 dark:text-white sm:text-5xl">From zero to job-ready Python developer</h1>
        <p className="section-sub">
          A realistic plan of about 6 months at 8–10 hours per week. Go faster or slower — what matters is finishing each step and building projects.
        </p>
      </div>

      <ol className="relative mx-auto mt-16 max-w-4xl space-y-10 before:absolute
```

```
before:bottom-4 before:left-5 before:top-4 before:w-0.5 before:bg-gradient-to-b before:from-brand-500 before:to-brand-200 dark:before:to-brand-900 sm:before:left-6">
        {PHASES.map((p, i) => {
          const mods = modules.filter((m) => m.stage === p.stage);
          return (
            <li key={p.title} className="relative pl-14 sm:pl-20">
              <span className="absolute left-0 top-0 grid h-10 w-10 place-items-center rounded-full bg-brand-600 font-bold text-white ring-8 ring-white dark:ring-slate-950 sm:h-12 sm:w-12">
                {i + 1}
              </span>
              <div className="card p-6">
                <p className="text-sm font-semibold text-brand-700 dark:text-brand-400">{p.weeks}</p>
                <h2 className="mt-1 text-2xl font-bold text-slate-900 dark:text-white">{p.title}</h2>
                <p className="mt-1 text-slate-600 dark:text-slate-400">{p.goal}</p>
                <div className="mt-5 flex flex-wrap gap-2">
                  {mods.map((m) => (
                    <Link
                      key={m.slug}
                      href={`/learn/${m.slug}/${m.lessons[0]?.slug ?? ''}`}
                      className="rounded-lg border border-slate-200 px-3 py-1.5 text-sm font-medium text-slate-700 transition hover:border-brand-400 hover:bg-brand-50 hover:text-brand-800 dark:border-slate-700 dark:text-slate-300 dark:hover:bg-brand-500/10"
                    >
                      {m.number}. {m.title}
                    </Link>
                  ))}
                </div>
                <p className="mt-5 rounded-xl bg-slate-50 p-4 text-sm leading-6 text-slate-700 dark:bg-slate-800/60 dark:text-slate-300">
                  <b>You&apos;re ready to move on when:</b> {p.outcome}
                </p>
              </div>
            </li>
          );
        })}
        <li className="relative pl-14 sm:pl-20">
          <span className="absolute left-0 top-0 grid h-10 w-10 place-items-center rounded-full bg-amber-500 text-white ring-8 ring-white dark:ring-slate-950 sm:h-12 sm:w-12">
            <Flag className="h-5 w-5" />
          </span>
          <div className="card border-amber-200 bg-amber-50/50 p-6 dark:border-amber-900 dark:bg-amber-500/5">
            <h2 className="text-2xl font-bold text-slate-900 dark:text-white">Apply for junior roles</h2>
            <p className="mt-2 text-slate-600 dark:text-slate-400">
              Typical first titles: Junior Python Developer, Backend Developer (Python), Automation Engineer, Data Analyst, QA Automation Engineer. Keep building and
              applying — consistency wins.
            </p>
          </div>
        </li>
      </ol>

      <div className="mt-14 text-center">
        <Link href="/learn/introduction/what-is-python" className="btn-primary btn-lg">
          Start step 1 now <ArrowRight className="h-5 w-5" />
        </Link>
      </div>
    </div>
  );
}
```

app/terms/page.tsx

File 45 of 101 · 52 lines

```
import { LegalPage } from '@/components/LegalPage';
import { COMPANY_ADDRESS, COMPANY_NAME, SUPPORT_EMAIL } from '@/lib/env';

export const metadata = { title: 'Terms of Service' };

export default function Terms() {
  const md = `
## 1. Provider
These terms govern your use of womens4.com, operated by **${COMPANY_NAME}**, ${COMPANY_ADDRESS}. Contact: [${SUPPORT_EMAIL}](mailto:${SUPPORT_EMAIL}).

## 2. Account
You need a free account to save progress. Keep your password confidential. You must provide accurate information, including your real name if you want certificates.

## 3. Free plan
The Free plan gives access to the introductory modules, their exercises and a personal dashboard at no cost. We may change the scope of free content.

## 4. Premium subscription
- **Price:** €6.99 per month, including VAT where applicable.
- **Billing:** charged in advance via Stripe on the day you subscribe and then **automatically every month** on the same date.
- **Renewal:** the subscription renews automatically until you cancel.
- **Access:** Premium features are available only while the subscription is active and paid.

## 5. Cancellation
You can cancel at any time: **Dashboard → Subscription → "Manage or cancel subscription" → Cancel plan**. Cancellation takes effect at the end of the current billing month. You keep Premium until then and will not be charged again. We do not refund partially used months, except where required by law.

## 6. Right of withdrawal (EU consumers)
EU consumers generally have a 14-day right of withdrawal for online contracts. Because Premium gives immediate access to digital content, at checkout you request immediate performance and acknowledge that your right of withdrawal expires once access begins, to the extent permitted by law. If you have not used Premium content, contact us within 14 days for a refund.

## 7. Failed payments
If a payment fails, Stripe retries automatically and we notify you by email. If payment cannot be collected, Premium access is suspended until the balance is paid. Your progress is kept.

## 8. Certificates
Certificates are issued only after all completion criteria for a course are met (all lessons completed and at least 70% in each module's exercises) and only to Premium members. They are certificates of completion, not accredited academic qualifications. We may revoke certificates obtained through misuse.

## 9. Acceptable use
Do not share your account, copy or redistribute course content, attack the service, or attempt to bypass access controls. Downloadable study guides are for personal use only.

## 10. Content and availability
We work hard to keep lessons accurate and the service available, but we do not guarantee uninterrupted availability or that the course will lead to employment.

## 11. Liability
We are liable without limitation for intent and gross negligence and for injury to life, body or health. For slight negligence we are only liable for breach of essential contractual obligations, limited to foreseeable damage. Mandatory consumer law remains unaffected.

## 12. Changes to these terms
We will notify you of changes at least 30 days in advance. If you do not agree, you can cancel before they take effect.

## 13. Law and disputes
```

```
48 | The law of the provider's country applies, without depriving consumers of the protection of
   ¦ mandatory provisions of the law of their country of residence. The EU online dispute
   ¦ resolution platform is available at
   ¦ [https://ec.europa.eu/consumers/odr](https://ec.europa.eu/consumers/odr).
49 | `;
50 |   return <LegalPage title="Terms of Service" updated="31 October 2026" source={md} />;
51 | }
```

app/update-password/page.tsx

File 46 of 101 · 58 lines

```
'use client';
import { useRouter } from 'next/navigation';
import { useState } from 'react';
import { Loader2 } from 'lucide-react';
import { createClient, supabaseConfigured } from '@/lib/supabase/client';
import { AuthShell, FormMessage, NotConfigured } from '@/components/AuthShell';

export default function UpdatePasswordPage() {
  const router = useRouter();
  const [password, setPassword] = useState('');
  const [confirm, setConfirm] = useState('');
  const [error, setError] = useState('');
  const [done, setDone] = useState(false);
  const [loading, setLoading] = useState(false);

  const submit = async (e: React.FormEvent) => {
    e.preventDefault();
    if (password.length < 8) return setError('Use at least 8 characters.');
    if (password !== confirm) return setError('The passwords do not match.');
    setLoading(true);
    setError('');
    const { error } = await createClient().auth.updateUser({ password });
    setLoading(false);
    if (error) return setError(error.message.includes('session') ? 'Your reset link has expired. Request a new one.' : error.message);
    setDone(true);
    setTimeout(() => router.push('/dashboard'), 1500);
  };

  return (
    <AuthShell title="Choose a new password">
      {!supabaseConfigured ? (
        <NotConfigured />
      ) : done ? (
        <FormMessage type="success">Password updated. Taking you to your dashboard…</FormMessage>
      ) : (
        <form onSubmit={submit} className="space-y-5">
          {error && <FormMessage type="error">{error}</FormMessage>}
          <div>
            <label htmlFor="pw" className="label">
              New password
            </label>
            <input id="pw" type="password" minLength={8} required autoComplete="new-password" className="input" value={password} onChange={(e) => setPassword(e.target.value)} />
          </div>
          <div>
            <label htmlFor="pw2" className="label">
              Confirm new password
            </label>
            <input id="pw2" type="password" required autoComplete="new-password" className="input" value={confirm} onChange={(e) => setConfirm(e.target.value)} />
          </div>
          <button className="btn-primary w-full" disabled={loading}>
            {loading && <Loader2 className="h-4 w-4 animate-spin" />} Update password
          </button>
        </form>
      )}
    </AuthShell>
  );
}
```

app/admin/certificates/page.tsx

File 47 of 101 · 71 lines

```
import Link from 'next/link';
import { revalidatePath } from 'next/cache';
import { requireAdmin } from '@/lib/auth';
import { createAdminClient, hasServiceRole } from '@/lib/supabase/admin';
import { getCourse } from '@/content/courses';

export const metadata = { title: 'Admin · Certificates' };

async function toggleRevoke(formData: FormData) {
  'use server';
  await requireAdmin();
  await createAdminClient()
    .from('certificates')
    .update({ revoked: formData.get('revoked') === 'true' })
    .eq('id', String(formData.get('id')));
  revalidatePath('/admin/certificates');
}

export default async function AdminCertificates() {
  await requireAdmin();
  if (!hasServiceRole()) return null;
  const { data } = await createAdminClient().from('certificates').select('*').order('issued_at', { ascending: false }).limit(200);
  return (
    <div>
      <h1 className="text-2xl font-bold text-slate-900 dark:text-white">Certificates</h1>
      <p className="text-sm text-slate-500">Certificates are issued automatically when a learner meets all course criteria. Revoked certificates stop verifying.</p>
      <div className="card mt-6 overflow-x-auto">
        <table className="w-full text-sm">
          <thead className="bg-slate-50 text-left text-xs uppercase tracking-wider text-slate-500 dark:bg-slate-800/50">
            <tr>
              <th className="px-4 py-3">Recipient</th>
              <th className="px-4 py-3">Course</th>
              <th className="px-4 py-3">Issued</th>
              <th className="px-4 py-3">Status</th>
              <th className="px-4 py-3" />
            </tr>
          </thead>
          <tbody className="divide-y divide-slate-100 dark:divide-slate-800">
            {(data ?? []).map((c: any) => (
              <tr key={c.id}>
                <td className="px-4 py-3 font-medium">
                  <Link href={`/certificates/${c.id}`} className="hover:text-brand-700">
                    {c.recipient_name}
                  </Link>
                </td>
                <td className="px-4 py-3">{getCourse(c.course_slug)?.title ?? c.course_slug}</td>
                <td className="px-4 py-3 text-slate-500">{new Date(c.issued_at).toLocaleDateString('en-GB')}</td>
                <td className="px-4 py-3">{c.revoked ? <span className="badge bg-red-50 text-red-700">revoked</span> : <span className="badge-green">valid</span>}</td>
                <td className="px-4 py-3">
                  <form action={toggleRevoke}>
                    <input type="hidden" name="id" value={c.id} />
                    <input type="hidden" name="revoked" value={String(!c.revoked)} />
                    <button className={`text-xs font-medium hover:underline ${c.revoked ? 'text-brand-700' : 'text-red-600'}`}>{c.revoked ? 'Restore' : 'Revoke'}</button>
                  </form>
                </td>
              </tr>
            ))}
            {!data?.length && (
              <tr>
                <td colSpan={5} className="px-4 py-6 text-center text-slate-500">
```

```
                  No certificates issued yet.
                </td>
              </tr>
            )}
          </tbody>
        </table>
      </div>
    </div>
  );
}
```

app/admin/content/page.tsx

File 48 of 101 · 144 lines

```
import Link from 'next/link';
import { revalidatePath } from 'next/cache';
import { redirect } from 'next/navigation';
import { Plus, FileText, Lock } from 'lucide-react';
import { requireAdmin } from '@/lib/auth';
import { createAdminClient, hasServiceRole } from '@/lib/supabase/admin';
import { loadStaticModules } from '@/lib/content';
import { EXERCISES } from '@/content/exercises';

export const metadata = { title: 'Admin · Content' };

const slugify = (s: string) =>
  s
    .toLowerCase()
    .trim()
    .replace(/[^a-z0-9]+/g, '-')
    .replace(/(^-|-$)/g, '')
    .slice(0, 60);

async function createModule(formData: FormData) {
  'use server';
  await requireAdmin();
  const title = String(formData.get('title') ?? '').trim();
  if (!title) return;
  const slug = slugify(String(formData.get('slug') || title));
  if (loadStaticModules().some((m) => m.slug === slug))
redirect('/admin/content?error=slug');
  const { data, error } = await createAdminClient()
    .from('custom_modules')
    .insert({
      title,
      slug,
      description: String(formData.get('description') ?? ''),
      is_free: formData.get('is_free') === 'on',
      position: Number(formData.get('position') || 100),
    })
    .select('id')
    .single();
  if (error || !data) redirect('/admin/content?error=create');
  revalidatePath('/admin/content');
  redirect(`/admin/content/${data.id}`);
}

export default async function AdminContent({ searchParams }: { searchParams: { error?:
string } }) {
  await requireAdmin();
  const builtIn = loadStaticModules();
  const { data: custom } = hasServiceRole()
    ? await createAdminClient().from('custom_modules').select('id, slug, title, published,
is_free, position').order('position')
    : { data: [] };

  return (
    <div className="space-y-10">
      <div>
        <h1 className="text-2xl font-bold text-slate-900 dark:text-white">Courses &
content</h1>
        <p className="mt-1 text-sm text-slate-500">
          Create new modules, lessons (Markdown), quizzes and coding exercises here.
Published modules appear in the curriculum immediately.
        </p>
      </div>

      {searchParams.error && (
        <p className="rounded-xl bg-red-50 p-3 text-sm text-red-800">
          {searchParams.error === 'slug' ? 'That slug is used by a built-in module.' :
'Could not create the module (is the slug unique?).'}
        </p>
```

```
      )}

      <section className="card p-6">
        <h2 className="flex items-center gap-2 font-semibold">
          <Plus className="h-4 w-4 text-brand-600" /> New module
        </h2>
        <form action={createModule} className="mt-4 grid gap-4 sm:grid-cols-2">
          <div>
            <label className="label">Title</label>
            <input name="title" required className="input" placeholder="e.g. Machine Learning Basics" />
          </div>
          <div>
            <label className="label">URL slug (optional)</label>
            <input name="slug" className="input" placeholder="machine-learning-basics" />
          </div>
          <div className="sm:col-span-2">
            <label className="label">Description</label>
            <textarea name="description" rows={2} className="input" />
          </div>
          <div>
            <label className="label">Sort position</label>
            <input name="position" type="number" defaultValue={100} className="input" />
          </div>
          <label className="mt-7 flex items-center gap-2 text-sm">
            <input type="checkbox" name="is_free" className="accent-brand-600" /> Free for everyone
          </label>
          <div className="sm:col-span-2">
            <button className="btn-primary">Create module</button>
          </div>
        </form>
      </section>

      <section>
        <h2 className="mb-3 font-semibold">Admin-created modules</h2>
        {!custom?.length ? (
          <p className="card p-5 text-sm text-slate-500">None yet.</p>
        ) : (
          <ul className="card divide-y divide-slate-100 dark:divide-slate-800">
            {custom.map((m: any) => (
              <li key={m.id}>
                <Link href={`/admin/content/${m.id}`} className="flex items-center justify-between px-5 py-3 hover:bg-slate-50 dark:hover:bg-slate-800/50">
                  <span className="font-medium">{m.title}</span>
                  <span className="flex gap-2">
                    {m.is_free && <span className="badge-green">Free</span>}
                    <span className={m.published ? 'badge-green' : 'badge-slate'}>{m.published ? 'Published' : 'Draft'}</span>
                  </span>
                </Link>
              </li>
            ))}
          </ul>
        )}
      </section>

      <section>
        <h2 className="mb-1 flex items-center gap-2 font-semibold">
          <Lock className="h-4 w-4 text-slate-400" /> Built-in curriculum ({builtIn.length} modules)
        </h2>
        <p className="mb-3 text-sm text-slate-500">
          Version-controlled in <code>content/course/*.md</code> and <code>content/exercises.ts</code>; edit them in the repository and redeploy.
        </p>
        <ul className="card divide-y divide-slate-100 text-sm dark:divide-slate-800">
          {builtIn.map((m) => (
            <li key={m.slug} className="flex items-center justify-between px-5 py-2.5">
              <span>
                <span className="mr-2 text-slate-400">{m.number}.</span>
```

```
                {m.title}
              </span>
              <span className="flex items-center gap-3 text-xs text-slate-500">
                <span className="flex items-center gap-1">
                  <FileText className="h-3.5 w-3.5" /> {m.lessons.length} lessons
                </span>
                <span>{EXERCISES[m.slug]?.length ?? 0} questions</span>
                {m.free ? <span className="badge-green">Free</span> : <span
┆ className="badge-slate">Premium</span>}
              </span>
            </li>
          ))}
        </ul>
      </section>
    </div>
  );
}
```

app/admin/users/page.tsx

File 49 of 101 · 171 lines

```
import { revalidatePath } from 'next/cache';
import { requireAdmin } from '@/lib/auth';
import { createAdminClient, hasServiceRole } from '@/lib/supabase/admin';
import { getStripe } from '@/lib/stripe';
import { syncSubscription } from '@/lib/billing';

export const metadata = { title: 'Admin · Users' };

async function setRole(formData: FormData) {
  'use server';
  const me = await requireAdmin();
  const id = String(formData.get('id'));
  const role = formData.get('role') === 'admin' ? 'admin' : 'student';
  if (id === me.user.id) return; // don't lock yourself out
  await createAdminClient().from('profiles').update({ role }).eq('id', id);
  revalidatePath('/admin/users');
}

async function cancelSubscription(formData: FormData) {
  'use server';
  await requireAdmin();
  const subId = String(formData.get('sub'));
  const immediate = formData.get('mode') === 'now';
  const stripe = getStripe();
  const sub = immediate ? await stripe.subscriptions.cancel(subId) : await
stripe.subscriptions.update(subId, { cancel_at_period_end: true });
  await syncSubscription(sub);
  revalidatePath('/admin/users');
}

async function resyncSubscription(formData: FormData) {
  'use server';
  await requireAdmin();
  const sub = await getStripe().subscriptions.retrieve(String(formData.get('sub')));
  await syncSubscription(sub);
  revalidatePath('/admin/users');
}

export default async function AdminUsers({ searchParams }: { searchParams: { q?: string;
page?: string } }) {
  await requireAdmin();
  if (!hasServiceRole()) return null;
  const admin = createAdminClient();
  const page = Math.max(1, Number(searchParams.page) || 1);
  const per = 50;
  let query = admin
    .from('profiles')
    .select('id, email, full_name, role, created_at', { count: 'exact' })
    .order('created_at', { ascending: false })
    .range((page - 1) * per, page * per - 1);
  if (searchParams.q) query = query.or(`email.ilike.%${searchParams.q.replace(/[%,()]/g,
'')}%,full_name.ilike.%${searchParams.q.replace(/[%,()]/g, '')}%`);
  const { data: users, count } = await query;
  const ids = (users ?? []).map((u: any) => u.id);
  const { data: subs } = ids.length ? await
admin.from('subscriptions').select('*').in('user_id', ids) : { data: [] };
  const { data: progress } = ids.length ? await
admin.from('lesson_progress').select('user_id').in('user_id', ids) : { data: [] };
  const subOf = (id: string) => (subs ?? []).find((s: any) => s.user_id === id);
  const lessonsOf = (id: string) => (progress ?? []).filter((p: any) => p.user_id ===
id).length;

  return (
    <div>
      <div className="flex flex-wrap items-end justify-between gap-4">
        <div>
          <h1 className="text-2xl font-bold text-slate-900 dark:text-white">Users &
subscriptions</h1>
```

```
          <p className="text-sm text-slate-500">{count ?? 0} users</p>
        </div>
        <form className="flex gap-2">
          <input name="q" defaultValue={searchParams.q} placeholder="Search email or name"
 className="input w-64" />
          <button className="btn-secondary">Search</button>
        </form>
      </div>

      <div className="card mt-6 overflow-x-auto">
        <table className="w-full text-sm">
          <thead className="bg-slate-50 text-left text-xs uppercase tracking-wider text-
 slate-500 dark:bg-slate-800/50">
            <tr>
              <th className="px-4 py-3">User</th>
              <th className="px-4 py-3">Joined</th>
              <th className="px-4 py-3">Lessons</th>
              <th className="px-4 py-3">Subscription</th>
              <th className="px-4 py-3">Role</th>
              <th className="px-4 py-3">Actions</th>
            </tr>
          </thead>
          <tbody className="divide-y divide-slate-100 dark:divide-slate-800">
            {(users ?? []).map((u: any) => {
              const s = subOf(u.id);
              const live = s && ['active', 'trialing', 'past_due'].includes(s.status);
              return (
                <tr key={u.id} className="align-top">
                  <td className="px-4 py-3">
                    <p className="font-medium text-slate-900 dark:text-white">{u.full_name
 || '—'}</p>
                    <p className="text-xs text-slate-500">{u.email}</p>
                  </td>
                  <td className="px-4 py-3 text-slate-500">{new
 Date(u.created_at).toLocaleDateString('en-GB')}</td>
                  <td className="px-4 py-3">{lessonsOf(u.id)}</td>
                  <td className="px-4 py-3">
                    {s && s.status !== 'none' ? (
                      <>
                        <span className={['active', 'trialing'].includes(s.status) ? 'badge-
 green' : 'badge-slate'}>{s.status}</span>
                        {s.cancel_at_period_end && <span className="badge-amber
 ml-1">cancelling</span>}
                        {s.current_period_end && <p className="mt-1 text-xs text-
 slate-500">until {new Date(s.current_period_end).toLocaleDateString('en-GB')}</p>}
                        {s.stripe_customer_id && (
                          <a
                            className="mt-1 block text-xs text-brand-700 hover:underline"

 href={`https://dashboard.stripe.com/customers/${s.stripe_customer_id}`}
                            target="_blank"
                            rel="noopener noreferrer"
                          >
                            Open in Stripe
                          </a>
                        )}
                      </>
                    ) : (
                      <span className="text-slate-400">Free</span>
                    )}
                  </td>
                  <td className="px-4 py-3">
                    <form action={setRole} className="flex items-center gap-1">
                      <input type="hidden" name="id" value={u.id} />
                      <select name="role" defaultValue={u.role} className="rounded-lg border
  border-slate-200 bg-transparent px-2 py-1 text-xs dark:border-slate-700">
                        <option value="student">student</option>
                        <option value="admin">admin</option>
                      </select>
                      <button className="text-xs font-medium text-brand-700">Save</button>
                    </form>
```

```
                  </td>
                  <td className="space-y-1 px-4 py-3">
                    {live && s.stripe_subscription_id && (
                      <>
                        {!s.cancel_at_period_end && (
                          <form action={cancelSubscription}>
                            <input type="hidden" name="sub" value={s.stripe_subscription_id}
 />
                            <input type="hidden" name="mode" value="period_end" />
                            <button className="text-xs font-medium text-amber-700
hover:underline">Cancel at period end</button>
                          </form>
                        )}
                        <form action={cancelSubscription}>
                          <input type="hidden" name="sub" value={s.stripe_subscription_id}
/>
                          <input type="hidden" name="mode" value="now" />
                          <button className="text-xs font-medium text-red-600
hover:underline">Cancel immediately</button>
                        </form>
                      </>
                    )}
                    {s?.stripe_subscription_id && (
                      <form action={resyncSubscription}>
                        <input type="hidden" name="sub" value={s.stripe_subscription_id} />
                        <button className="text-xs font-medium text-slate-600
hover:underline">Re-sync from Stripe</button>
                      </form>
                    )}
                  </td>
                </tr>
              );
            })}
          </tbody>
        </table>
      </div>
      <div className="mt-4 flex gap-2">
        {page > 1 && (
          <a className="btn-secondary" href={`?page=${page - 1}${searchParams.q ?
`&q=${encodeURIComponent(searchParams.q)}` : ''}`}>
            Previous
          </a>
        )}
        {(count ?? 0) > page * per && (
          <a className="btn-secondary" href={`?page=${page + 1}${searchParams.q ?
`&q=${encodeURIComponent(searchParams.q)}` : ''}`}>
            Next
          </a>
        )}
      </div>
      <p className="mt-4 text-xs text-slate-500">Refunds and plan changes are handled in the
 Stripe dashboard; changes sync back automatically via webhooks.</p>
    </div>
  );
}
```

app/api/progress/route.ts

File 50 of 101 · 29 lines

```
 1 | import { NextResponse } from 'next/server';
 2 | import { getViewer } from '@/lib/auth';
 3 | import { getModule, lessonKey } from '@/lib/content';
 4 | import { canAccessModule } from '@/lib/access';
 5 | import { createClient } from '@/lib/supabase/server';
 6 |
 7 | export async function POST(req: Request) {
 8 |   const viewer = await getViewer();
 9 |   if (!viewer.user) return NextResponse.json({ error: 'Please log in to save progress.' }, {
   ¦  status: 401 });
10 |
11 |   const body = await req.json().catch(() => null);
12 |   const moduleSlug = String(body?.moduleSlug ?? '');
13 |   const lessonSlug = String(body?.lessonSlug ?? '');
14 |   const completed = Boolean(body?.completed);
15 |
16 |   const mod = await getModule(moduleSlug);
17 |   const lesson = mod?.lessons.find((l) => l.slug === lessonSlug);
18 |   if (!mod || !lesson) return NextResponse.json({ error: 'Lesson not found' }, { status: 404
   ¦  });
19 |   if (!canAccessModule(mod, viewer.premium)) return NextResponse.json({ error: 'Premium
   ¦ required' }, { status: 403 });
20 |
21 |   const sb = createClient();
22 |   const key = lessonKey(moduleSlug, lessonSlug);
23 |   const { error } = completed
24 |     ? await sb.from('lesson_progress').upsert({ user_id: viewer.user.id, lesson_key: key },
   ¦ { onConflict: 'user_id,lesson_key', ignoreDuplicates: true })
25 |     : await sb.from('lesson_progress').delete().eq('user_id',
   ¦ viewer.user.id).eq('lesson_key', key);
26 |   if (error) return NextResponse.json({ error: error.message }, { status: 500 });
27 |   return NextResponse.json({ ok: true, completed });
28 | }
```

app/auth/callback/route.ts

File 51 of 101 · 17 lines

```
import { NextResponse } from 'next/server';
import { createClient } from '@/lib/supabase/server';

/** Handles links from Supabase emails (confirm sign-up, reset password). */
export async function GET(request: Request) {
  const { searchParams, origin } = new URL(request.url);
  const code = searchParams.get('code');
  const nextParam = searchParams.get('next') ?? '/dashboard';
  const next = nextParam.startsWith('/') && !nextParam.startsWith('//') ? nextParam :
'/dashboard';

  if (code) {
    const { error } = await createClient().auth.exchangeCodeForSession(code);
    if (!error) return NextResponse.redirect(`${origin}${next}`);
  }
  return NextResponse.redirect(`${origin}/login?error=link-expired`);
}
```

app/auth/signout/route.ts

File 52 of 101 · 9 lines

```
1 | import { NextResponse } from 'next/server';
2 | import { createClient } from '@/lib/supabase/server';
3 | import { SITE_URL, isSupabaseConfigured } from '@/lib/env';
4 |
5 | export async function POST() {
6 |   if (isSupabaseConfigured()) await createClient().auth.signOut();
7 |   return NextResponse.redirect(`${SITE_URL}/`, 303);
8 | }
```

app/certificates/[id]/page.tsx

File 53 of 101 · 86 lines

```
import Link from 'next/link';
import { notFound } from 'next/navigation';
import { Award, Download, Linkedin, ShieldCheck } from 'lucide-react';
import { getCertificate } from '@/lib/certificates';
import { getCourse } from '@/content/courses';
import { LogoMark } from '@/components/Logo';
import { CopyLink } from '@/components/CopyLink';
import { SITE_URL } from '@/lib/env';

export async function generateMetadata({ params }: { params: { id: string } }) {
  const cert = await getCertificate(params.id);
  if (!cert) return { title: 'Certificate not found' };
  return { title: `${cert.recipient_name} — ${getCourse(cert.course_slug)?.title ?? 'Certificate'}` };
}

export default async function CertificatePage({ params }: { params: { id: string } }) {
  const cert = await getCertificate(params.id);
  if (!cert) notFound();
  const course = getCourse(cert.course_slug);
  const url = `${SITE_URL}/certificates/${cert.id}`;
  const issued = new Date(cert.issued_at);
  const date = issued.toLocaleDateString('en-GB', { day: 'numeric', month: 'long', year: 'numeric' });
  const linkedin = `https://www.linkedin.com/profile/add?startTask=CERTIFICATION_NAME&name=${encodeURIComponent(course?.title ?? 'womens4.com course')}&organizationName=womens4.com&issueYear=${issued.getFullYear()}&issueMonth=${issued.getMonth() + 1}&certUrl=${encodeURIComponent(url)}&certId=${cert.id}`;

  return (
    <div className="container max-w-4xl py-12">
      {cert.revoked ? (
        <div className="card p-10 text-center">
          <h1 className="text-2xl font-bold text-red-700">This certificate has been revoked</h1>
          <p className="mt-2 text-slate-600">It is no longer valid.</p>
        </div>
      ) : (
        <>
          <div className="mb-6 flex items-center gap-2 rounded-xl bg-brand-50 px-4 py-3 text-sm font-medium text-brand-800 dark:bg-brand-500/10 dark:text-brand-300">
            <ShieldCheck className="h-5 w-5" /> Verified: this certificate was issued by womens4.com on {date}.
          </div>

          <div className="relative overflow-hidden rounded-3xl border-4 border-brand-500 bg-white p-8 text-center shadow-lift dark:bg-slate-900 sm:p-14">
            <div className="absolute inset-3 rounded-2xl border border-brand-200 dark:border-brand-900" />
            <div className="relative">
              <div className="flex items-center justify-center gap-2">
                <LogoMark className="h-9 w-9" />
                <span className="text-xl font-extrabold">womens4.com</span>
              </div>
              <p className="mt-8 text-sm font-bold uppercase tracking-[0.25em] text-brand-600">Certificate of completion</p>
              <p className="mt-6 text-slate-500">This certifies that</p>
              <p className="mt-2 font-serif text-4xl font-bold text-slate-900 dark:text-white sm:text-5xl">{cert.recipient_name}</p>
              <p className="mt-5 text-slate-500">has successfully completed the course</p>
              <p className="mt-2 text-2xl font-bold text-slate-900 dark:text-white sm:text-3xl">{course?.title ?? cert.course_slug}</p>
              {course && (
                <p className="mt-2 text-sm text-slate-500">
                  {course.modules.length} modules · {course.level} level · lessons and graded exercises
                </p>
              )}
```

```
              <div className="mt-10 flex flex-col items-center justify-between gap-4 text-left sm:flex-row">
                <div>
                  <p className="text-xs text-slate-500">Completion date</p>
                  <p className="font-semibold">{date}</p>
                </div>
                <Award className="h-14 w-14 text-amber-500" />
                <div className="sm:text-right">
                  <p className="text-xs text-slate-500">Certificate ID</p>
                  <p className="font-mono text-xs font-semibold">{cert.id}</p>
                </div>
              </div>
            </div>
          </div>

          <div className="mt-8 flex flex-wrap justify-center gap-3">
            <a href={`/api/certificates/${cert.id}/pdf`} className="btn-primary">
              <Download className="h-4 w-4" /> Download PDF
            </a>
            <a href={linkedin} target="_blank" rel="noopener noreferrer" className="btn-secondary">
              <Linkedin className="h-4 w-4 text-[#0a66c2]" /> Add to LinkedIn
            </a>
            <CopyLink url={url} />
          </div>
          <p className="mt-6 text-center text-xs text-slate-500">
            A womens4.com certificate of completion. It is not an accredited academic qualification. <Link href="/courses" className="underline">See the curriculum</Link>.
          </p>
        </>
      )}
    </div>
  );
}
```

app/dashboard/billing/page.tsx

File 54 of 101 · 163 lines

```
import Link from 'next/link';
import { AlertTriangle, CheckCircle2, Clock, Crown, ExternalLink, Receipt } from 'lucide-react';
import { requireUser } from '@/lib/auth';
import { createClient } from '@/lib/supabase/server';

export const metadata = { title: 'Subscription & billing' };

const fmtDate = (d: string | null) => (d ? new Date(d).toLocaleDateString('en-GB', { day: 'numeric', month: 'long', year: 'numeric' }) : '—');
const fmtMoney = (cents: number, cur: string) => new Intl.NumberFormat('en-IE', { style: 'currency', currency: cur.toUpperCase() }).format(cents / 100);

export default async function BillingPage({ searchParams }: { searchParams: { checkout?: string; error?: string } }) {
  const viewer = await requireUser('/dashboard/billing');
  const sub = viewer.subscription;
  const { data: payments } = await createClient()
    .from('payments')
    .select('*')
    .eq('user_id', viewer.user.id)
    .order('created_at', { ascending: false })
    .limit(24);

  const status = sub?.status ?? 'none';
  const pastDue = status === 'past_due' || status === 'unpaid';

  return (
    <div className="mx-auto max-w-3xl space-y-8">
      <h1 className="text-2xl font-bold text-slate-900 dark:text-white">Subscription & billing</h1>

      {searchParams.checkout === 'success' && !viewer.premium && (
        <div className="flex gap-3 rounded-xl border border-sky-200 bg-sky-50 p-4 text-sm text-sky-900 dark:border-sky-900 dark:bg-sky-500/10 dark:text-sky-200">
          <Clock className="h-5 w-5 shrink-0" />
          <div>
            <p className="font-semibold">We&apos;re confirming your payment with Stripe…</p>
            <p className="mt-0.5">This usually takes a few seconds. Refresh this page — Premium unlocks as soon as Stripe confirms the payment.</p>
          </div>
        </div>
      )}
      {searchParams.checkout === 'success' && viewer.premium && (
        <div className="flex items-center gap-3 rounded-xl bg-brand-50 p-4 text-sm font-medium text-brand-800 dark:bg-brand-500/10 dark:text-brand-300">
          <CheckCircle2 className="h-5 w-5" /> Payment confirmed — welcome to Premium!
        </div>
      )}
      {searchParams.error === 'portal' && (
        <p className="rounded-xl bg-red-50 p-4 text-sm text-red-800 dark:bg-red-500/10 dark:text-red-300">Could not open the billing portal. Please try again.</p>
      )}
      {pastDue && (
        <div className="flex gap-3 rounded-xl border border-red-200 bg-red-50 p-4 text-sm text-red-900 dark:border-red-900 dark:bg-red-500/10 dark:text-red-200">
          <AlertTriangle className="h-5 w-5 shrink-0" />
          <div>
            <p className="font-semibold">Your last payment failed</p>
            <p className="mt-0.5">Update your payment method to restore Premium. Stripe will retry automatically.</p>
          </div>
        </div>
      )}

      <div className="card p-6">
        <div className="flex flex-wrap items-start justify-between gap-4">
          <div>
```

```
            <p className="text-sm text-slate-500">Current plan</p>
            <p className="mt-1 flex items-center gap-2 text-2xl font-bold text-slate-900 dark:text-white">
              {viewer.premium ? (
                <>
                  <Crown className="h-6 w-6 text-amber-500" /> Premium
                </>
              ) : (
                'Free'
              )}
            </p>
            <p className="mt-1 text-sm text-slate-600 dark:text-slate-400">
              {viewer.premium ? '€6.99 per month' : '€0 — access to the first 6 modules'}
            </p>
          </div>
          <span className={viewer.premium ? 'badge-green' : pastDue ? 'badge bg-red-50 text-red-700' : 'badge-slate'}>Status: {status}</span>
        </div>

        {sub?.current_period_end && status !== 'none' && (
          <div className="mt-5 rounded-xl bg-slate-50 p-4 text-sm text-slate-700 dark:bg-slate-800/60 dark:text-slate-300">
            {sub.cancel_at_period_end ? (
              <>
                Your subscription is <b>cancelled</b>. You keep Premium until <b>{fmtDate(sub.current_period_end)}</b>; you will not be charged again.
              </>
            ) : status === 'canceled' ? (
              <>Your subscription ended on {fmtDate(sub.current_period_end)}.</>
            ) : (
              <>
                Next payment of <b>€6.99</b> on <b>{fmtDate(sub.current_period_end)}</b>. Renews automatically every month.
              </>
            )}
          </div>
        )}

        <div className="mt-6 flex flex-wrap gap-3">
          {sub?.stripe_customer_id && status !== 'none' ? (
            <form action="/api/stripe/portal" method="post">
              <button className="btn-primary">
                Manage or cancel subscription <ExternalLink className="h-4 w-4" />
              </button>
            </form>
          ) : null}
          {!viewer.premium && (
            <Link href="/pricing" className={sub?.stripe_customer_id && status !== 'none' ? 'btn-secondary' : 'btn-primary'}>
              <Crown className="h-4 w-4" /> Get Premium
            </Link>
          )}
        </div>
      </div>

      <div className="card p-6" id="cancel">
        <h2 className="font-semibold text-slate-900 dark:text-white">How to cancel</h2>
        <ol className="mt-3 list-decimal space-y-1.5 pl-5 text-sm text-slate-600 dark:text-slate-400">
          <li>Click “Manage or cancel subscription” above. You are taken to Stripe&amp;apos;s secure billing portal.</li>
          <li>Choose “Cancel plan” and confirm.</li>
          <li>You keep Premium until the end of the paid month and are not charged again. Your progress stays saved.</li>
        </ol>
        <p className="mt-3 text-sm text-slate-500">
          In the portal you can also update your card and download invoices. Need help? Contact support from the footer.
        </p>
      </div>

```

```
      <div className="card overflow-hidden">
        <h2 className="flex items-center gap-2 border-b border-slate-100 px-6 py-4 font-semibold text-slate-900 dark:border-slate-800 dark:text-white">
          <Receipt className="h-4 w-4" /> Payment history
        </h2>
        {!payments?.length ? (
          <p className="px-6 py-5 text-sm text-slate-500">No payments yet.</p>
        ) : (
          <div className="overflow-x-auto">
            <table className="w-full text-sm">
              <thead className="bg-slate-50 text-left text-xs uppercase tracking-wider text-slate-500 dark:bg-slate-800/50">
                <tr>
                  <th className="px-6 py-3">Date</th>
                  <th className="px-6 py-3">Amount</th>
                  <th className="px-6 py-3">Status</th>
                  <th className="px-6 py-3">Invoice</th>
                </tr>
              </thead>
              <tbody className="divide-y divide-slate-100 dark:divide-slate-800">
                {payments.map((p: any) => (
                  <tr key={p.id}>
                    <td className="px-6 py-3">{fmtDate(p.created_at)}</td>
                    <td className="px-6 py-3 font-medium">{fmtMoney(p.amount, p.currency)}</td>
                    <td className="px-6 py-3">
                      <span className={p.status === 'paid' ? 'badge-green' : 'badge bg-red-50 text-red-700 dark:bg-red-500/10 dark:text-red-300'}>{p.status}</span>
                    </td>
                    <td className="px-6 py-3">
                      {p.invoice_url ? (
                        <a href={p.invoice_url} target="_blank" rel="noopener noreferrer" className="font-medium text-brand-700 hover:underline dark:text-brand-400">
                          View
                        </a>
                      ) : (
                        '—'
                      )}
                    </td>
                  </tr>
                ))}
              </tbody>
            </table>
          </div>
        )}
      </div>
    </div>
  );
}
```

app/dashboard/profile/page.tsx

File 55 of 101 · 108 lines

```
import Link from 'next/link';
import { revalidatePath } from 'next/cache';
import { redirect } from 'next/navigation';
import { Download, KeyRound, Trash2, AlertCircle, CheckCircle2 } from 'lucide-react';
import { requireUser } from '@/lib/auth';
import { createClient } from '@/lib/supabase/server';

export const metadata = { title: 'Profile & privacy' };

async function saveProfile(formData: FormData) {
  'use server';
  const viewer = await requireUser('/dashboard/profile');
  const full_name = String(formData.get('full_name') ?? '').trim().slice(0, 120);
  const marketing_consent = formData.get('marketing_consent') === 'on';
  const { error } = await createClient()
    .from('profiles')
    .update({ full_name, marketing_consent, updated_at: new Date().toISOString() })
    .eq('id', viewer.user.id);
  revalidatePath('/dashboard', 'layout');
  redirect(`/dashboard/profile?${error ? 'error=save' : 'saved=1'}`);
}

export default async function ProfilePage({ searchParams }: { searchParams: { saved?: string; error?: string; need?: string } }) {
  const viewer = await requireUser('/dashboard/profile');
  const p = viewer.profile;

  return (
    <div className="mx-auto max-w-2xl space-y-8">
      <h1 className="text-2xl font-bold text-slate-900 dark:text-white">Profile & privacy</h1>

      {searchParams.saved && (
        <p className="flex items-center gap-2 rounded-xl bg-brand-50 p-3 text-sm text-brand-800 dark:bg-brand-500/10 dark:text-brand-300">
          <CheckCircle2 className="h-4 w-4" /> Profile saved.
        </p>
      )}
      {searchParams.need === 'name' && (
        <p className="flex items-center gap-2 rounded-xl bg-amber-50 p-3 text-sm text-amber-900 dark:bg-amber-500/10 dark:text-amber-200">
          <AlertCircle className="h-4 w-4" /> Add your full name first — it is printed on your certificate.
        </p>
      )}
      {searchParams.error && (
        <p className="flex items-center gap-2 rounded-xl bg-red-50 p-3 text-sm text-red-800 dark:bg-red-500/10 dark:text-red-300">
          <AlertCircle className="h-4 w-4" />
          {searchParams.error === 'confirm'
            ? 'Type DELETE to confirm account deletion.'
            : searchParams.error === 'delete-failed'
              ? 'Your account could not be deleted. Please contact support.'
              : 'Could not save your profile.'}
        </p>
      )}

      <form action={saveProfile} className="card space-y-5 p-6">
        <h2 className="font-semibold text-slate-900 dark:text-white">Personal details</h2>
        <div>
          <label className="label" htmlFor="full_name">
            Full name (shown on certificates)
          </label>
          <input id="full_name" name="full_name" defaultValue={p?.full_name ?? ''} className="input" required maxLength={120} />
        </div>
        <div>
          <label className="label">Email</label>
```

```
          <input value={viewer.user.email ?? ''} disabled className="input opacity-70" />
        </div>
        <label className="flex items-start gap-2.5 text-sm text-slate-600 dark:text-slate-400">
          <input type="checkbox" name="marketing_consent" defaultChecked={p?.marketing_consent} className="mt-1 accent-brand-600" />
          Send me occasional emails about new courses and features (optional, unsubscribe anytime).
        </label>
        <button className="btn-primary">Save changes</button>
      </form>

      <div className="card space-y-4 p-6">
        <h2 className="font-semibold text-slate-900 dark:text-white">Security</h2>
        <Link href="/forgot-password" className="btn-secondary">
          <KeyRound className="h-4 w-4" /> Change password
        </Link>
        <p className="text-xs text-slate-500">We email you a secure link to set a new password.</p>
      </div>

      <div className="card space-y-4 p-6">
        <h2 className="font-semibold text-slate-900 dark:text-white">Your data (GDPR)</h2>
        <p className="text-sm text-slate-600 dark:text-slate-400">
          Download a copy of everything we store about you: profile, progress, scores, certificates and payment history.
        </p>
        <a href="/api/account/export" className="btn-secondary">
          <Download className="h-4 w-4" /> Download my data (JSON)
        </a>
      </div>

      <form action="/api/account/delete" method="post" className="card space-y-4 border-red-200 p-6 dark:border-red-900/60">
        <h2 className="flex items-center gap-2 font-semibold text-red-700 dark:text-red-400">
          <Trash2 className="h-4 w-4" /> Delete account
        </h2>
        <p className="text-sm text-slate-600 dark:text-slate-400">
          This permanently deletes your account, progress and certificates and immediately cancels any active subscription (no further charges). This cannot be undone.
          Invoices required for tax purposes are kept by Stripe.
        </p>
        <div>
          <label className="label" htmlFor="confirm">
            Type <b>DELETE</b> to confirm
          </label>
          <input id="confirm" name="confirm" className="input max-w-xs" autoComplete="off" />
        </div>
        <button className="btn bg-red-600 text-white hover:bg-red-700">Delete my account permanently</button>
      </form>
    </div>
  );
}
```

app/learn/[module]/page.tsx

File 56 of 101 · 9 lines

```
1 | import { notFound, redirect } from 'next/navigation';
2 | import { getModule } from '@/lib/content';
3 |
4 | export default async function ModuleIndex({ params }: { params: { module: string } }) {
5 |   const mod = await getModule(params.module);
6 |   if (!mod || !mod.lessons.length) notFound();
7 |   redirect(`/learn/${mod.slug}/${mod.lessons[0].slug}`);
8 | }
```

app/admin/content/[id]/page.tsx

File 57 of 101 · 307 lines

```
import Link from 'next/link';
import { notFound, redirect } from 'next/navigation';
import { revalidatePath } from 'next/cache';
import { ArrowLeft, Trash2 } from 'lucide-react';
import { requireAdmin } from '@/lib/auth';
import { createAdminClient } from '@/lib/supabase/admin';
import type { Question, Level } from '@/lib/exercise-types';

const slugify = (s: string) =>
  s
    .toLowerCase()
    .trim()
    .replace(/[^a-z0-9]+/g, '-')
    .replace(/(^-|-$)/g, '')
    .slice(0, 60);

const LEVELS: Level[] = ['Beginner', 'Intermediate', 'Advanced'];

async function updateModule(formData: FormData) {
  'use server';
  await requireAdmin();
  const id = String(formData.get('id'));
  await createAdminClient()
    .from('custom_modules')
    .update({
      title: String(formData.get('title')),
      description: String(formData.get('description') ?? ''),
      position: Number(formData.get('position') || 100),
      is_free: formData.get('is_free') === 'on',
      published: formData.get('published') === 'on',
    })
    .eq('id', id);
  revalidatePath('/', 'layout');
  redirect(`/admin/content/${id}?saved=module`);
}

async function deleteModule(formData: FormData) {
  'use server';
  await requireAdmin();
  await createAdminClient().from('custom_modules').delete().eq('id',
String(formData.get('id')));
  revalidatePath('/', 'layout');
  redirect('/admin/content');
}

async function saveLesson(formData: FormData) {
  'use server';
  await requireAdmin();
  const moduleId = String(formData.get('module_id'));
  const lessonId = String(formData.get('lesson_id') ?? '');
  const title = String(formData.get('title')).trim();
  const row = {
    module_id: moduleId,
    title,
    slug: slugify(String(formData.get('slug') || title)),
    body_md: String(formData.get('body_md') ?? ''),
    position: Number(formData.get('position') || 0),
    published: formData.get('published') === 'on',
  };
  const admin = createAdminClient();
  if (lessonId) await admin.from('custom_lessons').update(row).eq('id', lessonId);
  else await admin.from('custom_lessons').insert(row);
  revalidatePath('/', 'layout');
  redirect(`/admin/content/${moduleId}?saved=lesson`);
}

async function deleteLesson(formData: FormData) {
  'use server';
```

```
  await requireAdmin();
  await createAdminClient().from('custom_lessons').delete().eq('id', String(formData.get('lesson_id')));
  revalidatePath('/', 'layout');
  redirect(`/admin/content/${formData.get('module_id')}`);
}

async function addQuestion(formData: FormData) {
  'use server';
  await requireAdmin();
  const moduleId = String(formData.get('module_id'));
  const type = String(formData.get('type'));
  const level = (LEVELS.includes(formData.get('level') as Level) ? formData.get('level') : 'Beginner') as Level;
  const prompt = String(formData.get('prompt') ?? '').trim();
  const explain = String(formData.get('explain') ?? '').trim();
  let q: Question | null = null;
  if (type === 'mcq') {
    const options = String(formData.get('options') ?? '')
      .split('\n')
      .map((s) => s.trim())
      .filter(Boolean);
    const answer = Number(formData.get('answer')) - 1;
    if (options.length >= 2 && answer >= 0 && answer < options.length) q = { type: 'mcq', level, prompt, options, answer, explain };
  } else if (type === 'fill') {
    const code = String(formData.get('code') ?? '');
    const answer = String(formData.get('accepted') ?? '')
      .split('\n')
      .map((s) => s.trim())
      .filter(Boolean);
    if (code.includes('___') && answer.length) q = { type: 'fill', level, prompt, code, answer, explain };
  } else if (type === 'code') {
    q = {
      type: 'code',
      level,
      prompt,
      starter: String(formData.get('starter') ?? ''),
      tests: String(formData.get('tests') ?? ''),
      explain,
      hint: String(formData.get('hint') ?? '') || undefined,
    };
  }
  if (!q || !prompt) redirect(`/admin/content/${moduleId}?error=question`);
  const admin = createAdminClient();
  const { count } = await admin.from('custom_questions').select('id', { count: 'exact', head: true }).eq('module_id', moduleId);
  await admin.from('custom_questions').insert({ module_id: moduleId, data: q, position: count ?? 0 });
  redirect(`/admin/content/${moduleId}?saved=question`);
}

async function deleteQuestion(formData: FormData) {
  'use server';
  await requireAdmin();
  await createAdminClient().from('custom_questions').delete().eq('id', String(formData.get('question_id')));
  redirect(`/admin/content/${formData.get('module_id')}`);
}

export default async function EditModule({ params, searchParams }: { params: { id: string }; searchParams: { saved?: string; error?: string } }) {
  await requireAdmin();
  const admin = createAdminClient();
  const { data: mod } = await admin.from('custom_modules').select('*').eq('id', params.id).maybeSingle();
  if (!mod) notFound();
  const [{ data: lessons }, { data: questions }] = await Promise.all([
    admin.from('custom_lessons').select('*').eq('module_id', mod.id).order('position'),
    admin.from('custom_questions').select('*').eq('module_id', mod.id).order('position'),
```

```
  ]);

  return (
    <div className="space-y-8">
      <Link href="/admin/content" className="inline-flex items-center gap-1 text-sm text-slate-500 hover:text-slate-900">
        <ArrowLeft className="h-4 w-4" /> All content
      </Link>
      {searchParams.saved && <p className="rounded-xl bg-brand-50 p-3 text-sm text-brand-800">Saved.</p>}
      {searchParams.error && <p className="rounded-xl bg-red-50 p-3 text-sm text-red-800">The question is incomplete. Check the fields.</p>}

      <form action={updateModule} className="card grid gap-4 p-6 sm:grid-cols-2">
        <input type="hidden" name="id" value={mod.id} />
        <h1 className="text-xl font-bold sm:col-span-2">Module: {mod.title}</h1>
        <div>
          <label className="label">Title</label>
          <input name="title" defaultValue={mod.title} className="input" required />
        </div>
        <div>
          <label className="label">Position</label>
          <input name="position" type="number" defaultValue={mod.position} className="input" />
        </div>
        <div className="sm:col-span-2">
          <label className="label">Description</label>
          <textarea name="description" defaultValue={mod.description} rows={2} className="input" />
        </div>
        <label className="flex items-center gap-2 text-sm">
          <input type="checkbox" name="is_free" defaultChecked={mod.is_free} className="accent-brand-600" /> Free for everyone
        </label>
        <label className="flex items-center gap-2 text-sm">
          <input type="checkbox" name="published" defaultChecked={mod.published} className="accent-brand-600" /> Published (visible to learners)
        </label>
        <div className="flex gap-3 sm:col-span-2">
          <button className="btn-primary">Save module</button>
          <Link href={`/learn/${mod.slug}`} className="btn-secondary" target="_blank">
            Preview
          </Link>
        </div>
      </form>

      <section className="space-y-4">
        <h2 className="text-lg font-semibold">Lessons</h2>
        {(lessons ?? []).map((l: any) => (
          <details key={l.id} className="card p-5">
            <summary className="cursor-pointer font-medium">
              {l.position}. {l.title} {!l.published && <span className="badge-slate ml-2">Draft</span>}
            </summary>
            <LessonForm moduleId={mod.id} lesson={l} />
            <form action={deleteLesson} className="mt-2">
              <input type="hidden" name="module_id" value={mod.id} />
              <input type="hidden" name="lesson_id" value={l.id} />
              <button className="inline-flex items-center gap-1 text-xs font-medium text-red-600">
                <Trash2 className="h-3.5 w-3.5" /> Delete lesson
              </button>
            </form>
          </details>
        ))}
        <details className="card p-5" open={!lessons?.length}>
          <summary className="cursor-pointer font-medium text-brand-700">+ Add lesson</summary>
          <LessonForm moduleId={mod.id} />
        </details>
      </section>
```

```
      <section className="space-y-4">
        <h2 className="text-lg font-semibold">Exercises & quiz ({questions?.length ?? 0})</h2>
        {(questions ?? []).map((q: any, i: number) => (
          <div key={q.id} className="card flex items-start justify-between gap-4 p-4 text-sm">
            <div>
              <span className="badge-slate mr-2">{q.data.type}</span>
              <span className="badge-green mr-2">{q.data.level}</span>
              <span className="font-medium">
                {i + 1}. {q.data.prompt}
              </span>
            </div>
            <form action={deleteQuestion}>
              <input type="hidden" name="module_id" value={mod.id} />
              <input type="hidden" name="question_id" value={q.id} />
              <button className="text-xs font-medium text-red-600">Delete</button>
            </form>
          </div>
        ))}
        <form action={addQuestion} className="card grid gap-4 p-6 sm:grid-cols-2">
          <input type="hidden" name="module_id" value={mod.id} />
          <h3 className="font-semibold sm:col-span-2">Add a question</h3>
          <div>
            <label className="label">Type</label>
            <select name="type" className="input">
              <option value="mcq">Multiple choice</option>
              <option value="fill">Fill in the code</option>
              <option value="code">Coding challenge</option>
            </select>
          </div>
          <div>
            <label className="label">Difficulty</label>
            <select name="level" className="input">
              {LEVELS.map((l) => (
                <option key={l}>{l}</option>
              ))}
            </select>
          </div>
          <div className="sm:col-span-2">
            <label className="label">Question / task</label>
            <textarea name="prompt" required rows={2} className="input" />
          </div>
          <fieldset className="rounded-xl border border-slate-200 p-4 dark:border-slate-700 sm:col-span-2">
            <legend className="px-1 text-xs font-semibold text-slate-500">Multiple choice</legend>
            <label className="label">Options (one per line)</label>
            <textarea name="options" rows={4} className="input font-mono" />
            <label className="label mt-3">Correct option number (1 = first)</label>
            <input name="answer" type="number" min={1} className="input w-28" />
          </fieldset>
          <fieldset className="rounded-xl border border-slate-200 p-4 dark:border-slate-700 sm:col-span-2">
            <legend className="px-1 text-xs font-semibold text-slate-500">Fill in the code</legend>
            <label className="label">Code with ___ marking the blank</label>
            <textarea name="code" rows={3} className="input font-mono" />
            <label className="label mt-3">Accepted answers (one per line)</label>
            <textarea name="accepted" rows={2} className="input font-mono" />
          </fieldset>
          <fieldset className="rounded-xl border border-slate-200 p-4 dark:border-slate-700 sm:col-span-2">
            <legend className="px-1 text-xs font-semibold text-slate-500">Coding challenge</legend>
            <label className="label">Starter code</label>
            <textarea name="starter" rows={4} className="input font-mono" />
            <label className="label mt-3">Tests (Python asserts; `_output` holds printed text)</label>
            <textarea name="tests" rows={3} className="input font-mono" placeholder={'assert
```

```
 _output.strip() == "Hello"\nassert add(2, 3) == 5, "add(2, 3) should be 5"'} />
            <label className="label mt-3">Hint (optional)</label>
            <input name="hint" className="input" />
          </fieldset>
          <div className="sm:col-span-2">
            <label className="label">Explanation (shown after answering)</label>
            <textarea name="explain" rows={2} className="input" />
          </div>
          <div className="sm:col-span-2">
            <button className="btn-primary">Add question</button>
          </div>
        </form>
      </section>

      <form action={deleteModule} className="card border-red-200 p-5">
        <input type="hidden" name="id" value={mod.id} />
        <p className="text-sm text-slate-600">Deleting a module removes all its lessons and questions.</p>
        <button className="mt-3 inline-flex items-center gap-1 text-sm font-semibold text-red-600">
          <Trash2 className="h-4 w-4" /> Delete module
        </button>
      </form>
    </div>
  );
}

function LessonForm({ moduleId, lesson }: { moduleId: string; lesson?: any }) {
  return (
    <form action={saveLesson} className="mt-4 grid gap-4 sm:grid-cols-3">
      <input type="hidden" name="module_id" value={moduleId} />
      {lesson && <input type="hidden" name="lesson_id" value={lesson.id} />}
      <div className="sm:col-span-2">
        <label className="label">Title</label>
        <input name="title" defaultValue={lesson?.title} required className="input" />
      </div>
      <div>
        <label className="label">Position</label>
        <input name="position" type="number" defaultValue={lesson?.position ?? 0} className="input" />
      </div>
      <div className="sm:col-span-3">
        <label className="label">Slug (optional)</label>
        <input name="slug" defaultValue={lesson?.slug} className="input" />
      </div>
      <div className="sm:col-span-3">
        <label className="label">Content (Markdown). Use ```python for runnable “Try it Yourself” examples, ```python-norun for display-only code.</label>
        <textarea name="body_md" defaultValue={lesson?.body_md} rows={14} className="input font-mono !text-xs" />
      </div>
      <label className="flex items-center gap-2 text-sm">
        <input type="checkbox" name="published" defaultChecked={lesson?.published ?? true} className="accent-brand-600" /> Published
      </label>
      <div className="sm:col-span-3">
        <button className="btn-primary">{lesson ? 'Save lesson' : 'Add lesson'}</button>
      </div>
    </form>
  );
}
```

app/api/account/delete/route.ts

File 58 of 101 · 34 lines

```ts
import { NextResponse } from 'next/server';
import { getViewer } from '@/lib/auth';
import { getStripe } from '@/lib/stripe';
import { createAdminClient } from '@/lib/supabase/admin';
import { createClient } from '@/lib/supabase/server';
import { SITE_URL } from '@/lib/env';

export const runtime = 'nodejs';

/** GDPR Art. 17 — cancel any subscription and permanently delete the account. */
export async function POST(req: Request) {
  const form = await req.formData().catch(() => null);
  if (String(form?.get('confirm') ?? '') !== 'DELETE') {
    return NextResponse.redirect(`${SITE_URL}/dashboard/profile?error=confirm`, 303);
  }
  const viewer = await getViewer();
  if (!viewer.user) return NextResponse.redirect(`${SITE_URL}/login`, 303);

  try {
    const subId = viewer.subscription?.stripe_subscription_id;
    if (subId && ['active', 'trialing', 'past_due',
'unpaid'].includes(viewer.subscription!.status)) {
      await getStripe().subscriptions.cancel(subId);
    }
    // Cascades to profile, progress, results, certificates, payments, subscriptions.
    const { error } = await createAdminClient().auth.admin.deleteUser(viewer.user.id);
    if (error) throw error;
    await createClient().auth.signOut();
  } catch (e) {
    console.error('[account/delete]', e);
    return NextResponse.redirect(`${SITE_URL}/dashboard/profile?error=delete-failed`, 303);
  }
  return NextResponse.redirect(`${SITE_URL}/?account=deleted`, 303);
}
```

app/api/account/export/route.ts

File 59 of 101 · 36 lines

```
 1 | import { NextResponse } from 'next/server';
 2 | import { getViewer } from '@/lib/auth';
 3 | import { createClient } from '@/lib/supabase/server';
 4 |
 5 | /** GDPR Art. 15/20 — download all personal data we hold, as JSON. */
 6 | export async function GET() {
 7 |   const viewer = await getViewer();
 8 |   if (!viewer.user) return NextResponse.json({ error: 'Unauthorized' }, { status: 401 });
 9 |   const sb = createClient();
10 |   const uid = viewer.user.id;
11 |   const [profile, subscription, payments, progress, results, certificates] = await
   ¦ Promise.all([
12 |     sb.from('profiles').select('*').eq('id', uid).maybeSingle(),
13 |     sb.from('subscriptions').select('status, current_period_end, cancel_at_period_end,
   ¦ updated_at').eq('user_id', uid).maybeSingle(),
14 |     sb.from('payments').select('*').eq('user_id', uid),
15 |     sb.from('lesson_progress').select('*').eq('user_id', uid),
16 |     sb.from('exercise_results').select('*').eq('user_id', uid),
17 |     sb.from('certificates').select('*').eq('user_id', uid),
18 |   ]);
19 |   const payload = {
20 |     exported_at: new Date().toISOString(),
21 |     account: { id: uid, email: viewer.user.email, created_at: viewer.user.created_at },
22 |     profile: profile.data,
23 |     subscription: subscription.data,
24 |     payments: payments.data,
25 |     lesson_progress: progress.data,
26 |     exercise_results: results.data,
27 |     certificates: certificates.data,
28 |   };
29 |   return new NextResponse(JSON.stringify(payload, null, 2), {
30 |     headers: {
31 |       'Content-Type': 'application/json',
32 |       'Content-Disposition': 'attachment; filename="womens4-my-data.json"',
33 |     },
34 |   });
35 | }
```

app/api/certificates/issue/route.ts

File 60 of 101 · 46 lines

```ts
import { NextResponse } from 'next/server';
import { getViewer } from '@/lib/auth';
import { getCourse } from '@/content/courses';
import { getCurriculum } from '@/lib/content';
import { getProgress, courseStatus } from '@/lib/progress';
import { createAdminClient } from '@/lib/supabase/admin';
import { SITE_URL } from '@/lib/env';

export const runtime = 'nodejs';

/** Issues a certificate only after all course criteria are verified on the server. */
export async function POST(req: Request) {
  const form = await req.formData().catch(() => null);
  const courseSlug = String(form?.get('course') ?? '');
  const viewer = await getViewer();
  if (!viewer.user) return NextResponse.redirect(`${SITE_URL}/login?next=/dashboard`, 303);

  const course = getCourse(courseSlug);
  if (!course) return NextResponse.redirect(`${SITE_URL}/dashboard?cert=unknown-course`, 303);
  if (!viewer.premium) return NextResponse.redirect(`${SITE_URL}/pricing?reason=certificates`, 303);

  const [modules, progress] = await Promise.all([getCurriculum(), getProgress(viewer.user.id)]);
  const status = courseStatus(course, modules, progress);
  if (!status.eligible) return NextResponse.redirect(`${SITE_URL}/dashboard?cert=not-eligible`, 303);

  const name = (viewer.profile?.full_name || '').trim();
  if (!name) return NextResponse.redirect(`${SITE_URL}/dashboard/profile?need=name`, 303);

  const admin = createAdminClient();
  const { data: existing } = await admin
    .from('certificates')
    .select('id')
    .eq('user_id', viewer.user.id)
    .eq('course_slug', course.slug)
    .maybeSingle();
  if (existing) return NextResponse.redirect(`${SITE_URL}/certificates/${existing.id}`, 303);

  const { data, error } = await admin
    .from('certificates')
    .insert({ user_id: viewer.user.id, course_slug: course.slug, recipient_name: name })
    .select('id')
    .single();
  if (error || !data) return NextResponse.redirect(`${SITE_URL}/dashboard?cert=error`, 303);
  return NextResponse.redirect(`${SITE_URL}/certificates/${data.id}`, 303);
}
```

app/api/exercises/check/route.ts

File 61 of 101 · 27 lines

```
 1 | import { NextResponse } from 'next/server';
 2 | import { getViewer } from '@/lib/auth';
 3 | import { getModule } from '@/lib/content';
 4 | import { canAccessModule } from '@/lib/access';
 5 | import { getQuestions } from '@/lib/exercises';
 6 | import { gradeAnswer } from '@/lib/exercise-types';
 7 |
 8 | /** Instant feedback for one question. Answers never leave the server until checked. */
 9 | export async function POST(req: Request) {
10 |   const body = await req.json().catch(() => null);
11 |   const moduleSlug = String(body?.moduleSlug ?? '');
12 |   const index = Number(body?.index);
13 |   const mod = await getModule(moduleSlug);
14 |   if (!mod) return NextResponse.json({ error: 'Module not found' }, { status: 404 });
15 |
16 |   const viewer = await getViewer();
17 |   if (!canAccessModule(mod, viewer.premium)) return NextResponse.json({ error: 'Premium
   ¦ required' }, { status: 403 });
18 |
19 |   const questions = await getQuestions(moduleSlug);
20 |   const q = questions[index];
21 |   if (!q) return NextResponse.json({ error: 'Question not found' }, { status: 404 });
22 |
23 |   const correct = gradeAnswer(q, body?.answer);
24 |   const correctAnswer = q.type === 'mcq' ? q.options[q.answer] : q.type === 'fill' ?
   ¦ q.answer[0] : null;
25 |   return NextResponse.json({ correct, explanation: q.explain, correctAnswer });
26 | }
```

app/api/exercises/submit/route.ts

File 62 of 101 · 36 lines

```ts
import { NextResponse } from 'next/server';
import { getViewer } from '@/lib/auth';
import { getModule } from '@/lib/content';
import { canAccessModule } from '@/lib/access';
import { getQuestions } from '@/lib/exercises';
import { gradeAnswer } from '@/lib/exercise-types';
import { createAdminClient } from '@/lib/supabase/admin';

/** Grades the whole set on the server and stores the score. */
export async function POST(req: Request) {
  const viewer = await getViewer();
  if (!viewer.user) return NextResponse.json({ error: 'Log in to save your score.' }, { status: 401 });

  const body = await req.json().catch(() => null);
  const moduleSlug = String(body?.moduleSlug ?? '');
  const answers: Record<string, unknown> = body?.answers ?? {};
  const mod = await getModule(moduleSlug);
  if (!mod) return NextResponse.json({ error: 'Module not found' }, { status: 404 });
  if (!canAccessModule(mod, viewer.premium)) return NextResponse.json({ error: 'Premium required' }, { status: 403 });

  const questions = await getQuestions(moduleSlug);
  if (!questions.length) return NextResponse.json({ error: 'No exercises' }, { status: 404 });
  const score = questions.reduce((n, q, i) => n + (gradeAnswer(q, answers[String(i)]) ? 1 : 0), 0);

  try {
    const admin = createAdminClient();
    const { error } = await admin
      .from('exercise_results')
      .insert({ user_id: viewer.user.id, module_slug: moduleSlug, score, total: questions.length });
    if (error) throw error;
  } catch (e) {
    return NextResponse.json({ error: `Score could not be saved: ${(e as Error).message}` }, { status: 500 });
  }
  return NextResponse.json({ ok: true, score, total: questions.length });
}
```

app/api/materials/[module]/route.ts

File 63 of 101 · 30 lines

```
import { NextResponse } from 'next/server';
import { getViewer } from '@/lib/auth';
import { getModule } from '@/lib/content';

/** Premium: download a module's lessons as a Markdown study guide. */
export async function GET(_req: Request, { params }: { params: { module: string } }) {
  const viewer = await getViewer();
  if (!viewer.user) return NextResponse.json({ error: 'Log in required' }, { status: 401 });
  if (!viewer.premium) return NextResponse.json({ error: 'Premium required' }, { status: 403 });
  const mod = await getModule(params.module);
  if (!mod) return NextResponse.json({ error: 'Not found' }, { status: 404 });

  const md = [
    `# Module ${mod.number}: ${mod.title}`,
    '',
    mod.description,
    '',
    ...mod.lessons.flatMap((l, i) => [`## ${i + 1}. ${l.title}`, '', l.body.replace(/```python-norun/g, '```python'), '']),
    '---',
    'womens4.com study guide — for personal use only.',
  ].join('\n');

  return new NextResponse(md, {
    headers: {
      'Content-Type': 'text/markdown; charset=utf-8',
      'Content-Disposition': `attachment; filename="womens4-${String(mod.number).padStart(2, '0')}-${mod.slug}.md"`,
    },
  });
}
```

app/api/stripe/checkout/route.ts

File 64 of 101 · 37 lines

```ts
import { NextResponse } from 'next/server';
import { getViewer } from '@/lib/auth';
import { getStripe } from '@/lib/stripe';
import { getOrCreateCustomer } from '@/lib/billing';
import { SITE_URL, isStripeConfigured } from '@/lib/env';

export const runtime = 'nodejs';

/** Starts a Stripe Checkout session for the €6.99/month Premium plan. */
export async function POST() {
  const viewer = await getViewer();
  if (!viewer.user) return NextResponse.redirect(`${SITE_URL}/login?next=/pricing`, 303);
  if (!isStripeConfigured()) return NextResponse.redirect(`${SITE_URL}/pricing?error=stripe-not-configured`, 303);
  if (viewer.premium) return NextResponse.redirect(`${SITE_URL}/dashboard/billing`, 303);

  try {
    const customer = await getOrCreateCustomer(viewer.user.id, viewer.user.email);
    const session = await getStripe().checkout.sessions.create({
      mode: 'subscription',
      customer,
      client_reference_id: viewer.user.id,
      line_items: [{ price: process.env.STRIPE_PRICE_ID!, quantity: 1 }],
      subscription_data: { metadata: { user_id: viewer.user.id } },
      metadata: { user_id: viewer.user.id },
      allow_promotion_codes: true,
      billing_address_collection: 'auto',
      success_url: `${SITE_URL}/dashboard/billing?checkout=success`,
      cancel_url: `${SITE_URL}/pricing?checkout=canceled`,
    });
    if (!session.url) throw new Error('Stripe did not return a checkout URL');
    return NextResponse.redirect(session.url, 303);
  } catch (e) {
    console.error('[checkout]', e);
    return NextResponse.redirect(`${SITE_URL}/pricing?error=checkout-failed`, 303);
  }
}
```

app/api/stripe/portal/route.ts

File 65 of 101 · 25 lines

```ts
import { NextResponse } from 'next/server';
import { getViewer } from '@/lib/auth';
import { getStripe } from '@/lib/stripe';
import { SITE_URL } from '@/lib/env';

export const runtime = 'nodejs';

/** Opens the Stripe Customer Portal (update card, invoices, cancel). */
export async function POST() {
  const viewer = await getViewer();
  if (!viewer.user) return NextResponse.redirect(`${SITE_URL}/login?next=/dashboard/billing`, 303);
  const customer = viewer.subscription?.stripe_customer_id;
  if (!customer) return NextResponse.redirect(`${SITE_URL}/pricing`, 303);
  try {
    const portal = await getStripe().billingPortal.sessions.create({
      customer,
      return_url: `${SITE_URL}/dashboard/billing`,
    });
    return NextResponse.redirect(portal.url, 303);
  } catch (e) {
    console.error('[portal]', e);
    return NextResponse.redirect(`${SITE_URL}/dashboard/billing?error=portal`, 303);
  }
}
```

app/api/stripe/webhook/route.ts

File 66 of 101 · 91 lines

```
 1 | import { NextResponse } from 'next/server';
 2 | import type Stripe from 'stripe';
 3 | import { getStripe } from '@/lib/stripe';
 4 | import { syncSubscription, userIdForCustomer, emailForUser } from '@/lib/billing';
 5 | import { createAdminClient } from '@/lib/supabase/admin';
 6 | import { emails, sendEmail } from '@/lib/email';
 7 | import { SITE_URL } from '@/lib/env';
 8 |
 9 | export const runtime = 'nodejs';
10 | export const dynamic = 'force-dynamic';
11 |
12 | /**
13 |  * Stripe → database sync. Configure this endpoint in Stripe with the events:
14 |  * checkout.session.completed, customer.subscription.created, customer.subscription.updated,
15 |  * customer.subscription.deleted, invoice.paid, invoice.payment_failed
16 |  */
17 | export async function POST(req: Request) {
18 |   const signature = req.headers.get('stripe-signature');
19 |   const secret = process.env.STRIPE_WEBHOOK_SECRET;
20 |   if (!signature || !secret) return NextResponse.json({ error: 'Missing signature' }, {
   ¦ status: 400 });
21 |
22 |   const raw = await req.text();
23 |   let event: Stripe.Event;
24 |   try {
25 |     event = getStripe().webhooks.constructEvent(raw, signature, secret);
26 |   } catch (e) {
27 |     return NextResponse.json({ error: `Signature verification failed: ${(e as
   ¦ Error).message}` }, { status: 400 });
28 |   }
29 |
30 |   const stripe = getStripe();
31 |   try {
32 |     switch (event.type) {
33 |       case 'checkout.session.completed': {
34 |         const session = event.data.object as Stripe.Checkout.Session;
35 |         if (session.mode !== 'subscription' || !session.subscription) break;
36 |         const subId = typeof session.subscription === 'string' ? session.subscription :
   ¦ session.subscription.id;
37 |         const sub = await stripe.subscriptions.retrieve(subId);
38 |         if (!sub.metadata?.user_id && session.client_reference_id) sub.metadata = {
   ¦ ...sub.metadata, user_id: session.client_reference_id };
39 |         const { userId, row } = await syncSubscription(sub);
40 |         if (row.status === 'active' || row.status === 'trialing') {
41 |           const email = session.customer_details?.email ?? (await emailForUser(userId));
42 |           const end = row.current_period_end ? new
   ¦ Date(row.current_period_end).toLocaleDateString('en-GB') : 'next month';
43 |           if (email) await sendEmail(email, 'Your womens4.com Premium subscription is
   ¦ active', emails.subscriptionStarted(SITE_URL, end));
44 |         }
45 |         break;
46 |       }
47 |       case 'customer.subscription.created':
48 |       case 'customer.subscription.updated': {
49 |         await syncSubscription(event.data.object as Stripe.Subscription);
50 |         break;
51 |       }
52 |       case 'customer.subscription.deleted': {
53 |         const { userId } = await syncSubscription(event.data.object as Stripe.Subscription);
54 |         const email = await emailForUser(userId);
55 |         if (email) await sendEmail(email, 'Your womens4.com Premium subscription has ended',
   ¦  emails.subscriptionCanceled(SITE_URL));
56 |         break;
57 |       }
58 |       case 'invoice.paid':
59 |       case 'invoice.payment_failed': {
60 |         const invoice = event.data.object as Stripe.Invoice;
61 |         const customerId = typeof invoice.customer === 'string' ? invoice.customer :
```

```
  ¦ invoice.customer?.id;
62 |         if (!customerId || !invoice.id) break;
63 |         const userId = await userIdForCustomer(customerId);
64 |         if (!userId) break;
65 |         const paid = event.type === 'invoice.paid';
66 |         await createAdminClient().from('payments').upsert({
67 |           id: invoice.id,
68 |           user_id: userId,
69 |           amount: paid ? invoice.amount_paid : invoice.amount_due,
70 |           currency: invoice.currency,
71 |           status: paid ? 'paid' : 'failed',
72 |           invoice_url: invoice.hosted_invoice_url ?? null,
73 |           created_at: new Date(invoice.created * 1000).toISOString(),
74 |         });
75 |         if (!paid) {
76 |           const email = invoice.customer_email ?? (await emailForUser(userId));
77 |           if (email) await sendEmail(email, 'Action needed: your womens4.com payment
  ¦ failed', emails.paymentFailed(SITE_URL));
78 |         }
79 |         break;
80 |       }
81 |       default:
82 |         break;
83 |     }
84 |   } catch (e) {
85 |     console.error(`[webhook] ${event.type} failed`, e);
86 |     // 500 makes Stripe retry the event later.
87 |     return NextResponse.json({ error: 'Handler failed' }, { status: 500 });
88 |   }
89 |   return NextResponse.json({ received: true });
90 | }
```

app/learn/[module]/[lesson]/page.tsx

File 67 of 101 · 173 lines

```
import Link from 'next/link';
import { notFound } from 'next/navigation';
import type { Metadata } from 'next';
import { ArrowLeft, ArrowRight, Download, Target } from 'lucide-react';
import { getCurriculum, flattenLessons, lessonKey, stripForPreview } from '@/lib/content';
import { getViewer } from '@/lib/auth';
import { canAccessModule } from '@/lib/access';
import { getProgress, moduleProgress } from '@/lib/progress';
import { Markdown } from '@/components/Markdown';
import { Paywall } from '@/components/Paywall';
import { CompleteButton } from '@/components/CompleteButton';
import { EXERCISES } from '@/content/exercises';

type Props = { params: { module: string; lesson: string } };

export async function generateMetadata({ params }: Props): Promise<Metadata> {
  const mods = await getCurriculum();
  const mod = mods.find((m) => m.slug === params.module);
  const lesson = mod?.lessons.find((l) => l.slug === params.lesson);
  if (!mod || !lesson) return {};
  return {
    title: `${lesson.title} — ${mod.title}`,
    description: mod.free ? stripForPreview(lesson.body, 155) : mod.description,
  };
}

export default async function LessonPage({ params }: Props) {
  const [modules, viewer] = await Promise.all([getCurriculum(), getViewer()]);
  const mod = modules.find((m) => m.slug === params.module);
  const lesson = mod?.lessons.find((l) => l.slug === params.lesson);
  if (!mod || !lesson) notFound();

  const all = flattenLessons(modules);
  const pos = all.findIndex((l) => l.moduleSlug === mod.slug && l.slug === lesson.slug);
  const prev = all[pos - 1];
  const next = all[pos + 1];
  const allowed = canAccessModule(mod, viewer.premium);
  const progress = viewer.user ? await getProgress(viewer.user.id) : null;
  const done = progress?.completed.has(lessonKey(mod.slug, lesson.slug)) ?? false;
  const mp = progress ? moduleProgress(mod, progress.completed) : { done: 0, total:
mod.lessons.length, pct: 0 };
  const isLastInModule = lesson.index === mod.lessons.length - 1;
  const hasExercises = Boolean(EXERCISES[mod.slug]?.length) || !!mod.custom;

  return (
    <article className="mx-auto max-w-3xl px-5 pb-24 pt-8 sm:px-8 lg:pt-10">
      {/* breadcrumb + progress */}
      <div className="mb-6 flex flex-wrap items-center justify-between gap-3">
        <nav className="flex items-center gap-2 text-sm text-slate-500">
          <Link href="/courses" className="hover:text-brand-700">
            Courses
          </Link>
          <span>/</span>
          <span className="font-medium text-slate-700 dark:text-slate-300">
            Module {mod.number}: {mod.title}
          </span>
        </nav>
        <div className="flex items-center gap-2 text-xs text-slate-500">
          <span>
            Lesson {lesson.index + 1} of {mod.lessons.length}
          </span>
          <div className="h-1.5 w-24 overflow-hidden rounded-full bg-slate-200 dark:bg-
slate-800">
            <div className="h-full rounded-full bg-brand-500" style={{ width: `${mp.pct}%`
}} />
          </div>
        </div>
      </div>
```

```
      <div className="mb-2 flex flex-wrap items-center gap-2">
        {mod.free ? <span className="badge-green">Free lesson</span> : <span
className="badge-amber">Premium</span>}
        <span className="badge-slate">{mod.stage}</span>
      </div>
      <h1 className="mb-8 text-3xl font-bold tracking-tight text-slate-900 dark:text-white
sm:text-4xl">{lesson.title}</h1>

      {/* top prev/next like W3Schools */}
      <PrevNext prev={prev} next={next} compact />

      {allowed ? (
        <>
          <Markdown source={lesson.body} />
          <div className="mt-12 flex flex-wrap items-center justify-between gap-4
rounded-2xl border border-slate-200 bg-slate-50 p-5 dark:border-slate-800 dark:bg-
slate-900/60">
            <div>
              <p className="font-semibold text-slate-900 dark:text-white">Finished this
lesson?</p>
              <p className="text-sm text-slate-500">Mark it complete to track your progress
and streak.</p>
            </div>
            <div className="flex flex-wrap gap-2">
              <CompleteButton moduleSlug={mod.slug} lessonSlug={lesson.slug}
initiallyDone={done} signedIn={!!viewer.user} />
              {viewer.premium && (
                <a href={`/api/materials/${mod.slug}`} className="btn-secondary" download>
                  <Download className="h-4 w-4" /> Study guide
                </a>
              )}
            </div>
          </div>
          {isLastInModule && hasExercises && (
            <Link
              href={`/learn/${mod.slug}/exercises`}
              className="mt-6 flex items-center gap-4 rounded-2xl border-2 border-dashed
border-brand-300 p-5 transition hover:border-brand-500 hover:bg-brand-50/60 dark:border-
brand-800 dark:hover:bg-brand-500/5"
            >
              <span className="grid h-11 w-11 place-items-center rounded-xl bg-brand-600
text-white">
                <Target className="h-5 w-5" />
              </span>
              <span className="flex-1">
                <span className="block font-semibold text-slate-900 dark:text-white">Test
yourself: {mod.title} exercises</span>
                <span className="text-sm text-slate-500">Quiz questions, fill-in-the-code
and coding challenges with instant feedback.</span>
              </span>
              <ArrowRight className="h-5 w-5 text-brand-600" />
            </Link>
          )}
        </>
      ) : (
        <>
          <p className="lesson mb-8">{stripForPreview(lesson.body, 260)}</p>
          <Paywall title={mod.title} signedIn={!!viewer.user} />
        </>
      )}

      <div className="mt-12">
        <PrevNext prev={prev} next={next} />
      </div>
    </article>
  );
}

function PrevNext({
  prev,
```

```
  next,
  compact,
}: {
  prev?: { slug: string; title: string; moduleSlug: string };
  next?: { slug: string; title: string; moduleSlug: string };
  compact?: boolean;
}) {
  if (compact) {
    return (
      <div className="mb-8 flex justify-between gap-3">
        {prev ? (
          <Link href={`/learn/${prev.moduleSlug}/${prev.slug}`} className="btn-primary !py-2">
            <ArrowLeft className="h-4 w-4" /> Previous
          </Link>
        ) : (
          <span />
        )}
        {next && (
          <Link href={`/learn/${next.moduleSlug}/${next.slug}`} className="btn-primary !py-2">
            Next <ArrowRight className="h-4 w-4" />
          </Link>
        )}
      </div>
    );
  }
  return (
    <div className="grid gap-3 sm:grid-cols-2">
      {prev ? (
        <Link href={`/learn/${prev.moduleSlug}/${prev.slug}`} className="card group p-4 transition hover:border-brand-300 hover:shadow-lift">
          <span className="flex items-center gap-1 text-xs font-medium text-slate-500">
            <ArrowLeft className="h-3.5 w-3.5" /> Previous
          </span>
          <span className="mt-1 block font-semibold text-slate-900 group-hover:text-brand-700 dark:text-white">{prev.title}</span>
        </Link>
      ) : (
        <span />
      )}
      {next && (
        <Link href={`/learn/${next.moduleSlug}/${next.slug}`} className="card group p-4 text-right transition hover:border-brand-300 hover:shadow-lift">
          <span className="flex items-center justify-end gap-1 text-xs font-medium text-slate-500">
            Next <ArrowRight className="h-3.5 w-3.5" />
          </span>
          <span className="mt-1 block font-semibold text-slate-900 group-hover:text-brand-700 dark:text-white">{next.title}</span>
        </Link>
      )}
    </div>
  );
}
```

app/learn/[module]/exercises/page.tsx

File 68 of 101 · 66 lines

```
import Link from 'next/link';
import { notFound } from 'next/navigation';
import { getCurriculum } from '@/lib/content';
import { getViewer } from '@/lib/auth';
import { canAccessModule } from '@/lib/access';
import { getQuestions } from '@/lib/exercises';
import { toPublic } from '@/lib/exercise-types';
import { getProgress } from '@/lib/progress';
import { ExerciseSet } from '@/components/ExerciseSet';
import { Paywall } from '@/components/Paywall';
import { ArrowRight } from 'lucide-react';

export async function generateMetadata({ params }: { params: { module: string } }) {
  const mod = (await getCurriculum()).find((m) => m.slug === params.module);
  return mod ? { title: `${mod.title} — Exercises & Quiz` } : {};
}

export default async function ExercisesPage({ params }: { params: { module: string } }) {
  const [modules, viewer] = await Promise.all([getCurriculum(), getViewer()]);
  const idx = modules.findIndex((m) => m.slug === params.module);
  const mod = modules[idx];
  if (!mod) notFound();
  const next = modules[idx + 1];
  const allowed = canAccessModule(mod, viewer.premium);
  const questions = allowed ? await getQuestions(mod.slug) : [];
  const best = viewer.user ? (await getProgress(viewer.user.id)).best.get(mod.slug) :
undefined;

  return (
    <div className="mx-auto max-w-3xl px-5 pb-24 pt-8 sm:px-8 lg:pt-10">
      <p className="eyebrow">Module {mod.number} · Practice</p>
      <h1 className="mt-2 text-3xl font-bold tracking-tight text-slate-900 dark:text-white
sm:text-4xl">{mod.title}: Exercises & Quiz</h1>
      <p className="mt-3 text-slate-600 dark:text-slate-400">
        Answer each question and press <b>Check</b> for instant feedback. When you&apos;re
done, submit to save your score. You need 70% in every module to earn a
        course certificate.
      </p>
      {best && (
        <p className="mt-3 inline-flex rounded-lg bg-brand-50 px-3 py-1.5 text-sm font-
medium text-brand-800 dark:bg-brand-500/10 dark:text-brand-300">
          Your best score: {best.score}/{best.total} ({Math.round((best.score / best.total)
* 100)}%)
        </p>
      )}

      <div className="mt-8">
        {!allowed ? (
          <Paywall title={`${mod.title} exercises`} signedIn={!!viewer.user} />
        ) : questions.length ? (
          <ExerciseSet moduleSlug={mod.slug} questions={questions.map(toPublic)}
signedIn={!!viewer.user} />
        ) : (
          <p className="card p-6 text-slate-600">Exercises for this module are coming
soon.</p>
        )}
      </div>

      {next && (
        <Link href={`/learn/${next.slug}/${next.lessons[0]?.slug ?? ''}`} className="card
group mt-10 flex items-center justify-between p-5 hover:border-brand-300">
          <span>
            <span className="text-xs font-medium text-slate-500">Next module</span>
            <span className="block font-semibold text-slate-900 group-hover:text-brand-700
dark:text-white">
              {next.number}. {next.title}
            </span>
          </span>
```

```
          <ArrowRight className="h-5 w-5 text-brand-600" />
        </Link>
      )}
    </div>
  );
}
```

app/api/certificates/[id]/pdf/route.ts

File 69 of 101 · 17 lines

```
 1 | import { NextResponse } from 'next/server';
 2 | import { getCertificate, renderCertificatePdf } from '@/lib/certificates';
 3 |
 4 | export const runtime = 'nodejs';
 5 |
 6 | export async function GET(_req: Request, { params }: { params: { id: string } }) {
 7 |   const cert = await getCertificate(params.id);
 8 |   if (!cert || cert.revoked) return NextResponse.json({ error: 'Certificate not found' }, {
   ¦ status: 404 });
 9 |   const bytes = await renderCertificatePdf(cert);
10 |   return new NextResponse(Buffer.from(bytes), {
11 |     headers: {
12 |       'Content-Type': 'application/pdf',
13 |       'Content-Disposition': `attachment;
   ¦ filename="womens4-certificate-${cert.course_slug}.pdf"`,
14 |     },
15 |   });
16 | }
```

components/AuthShell.tsx

File 70 of 101 · 38 lines

```
import { LogoMark } from './Logo';

export function AuthShell({ title, subtitle, children }: { title: string; subtitle?: React.ReactNode; children: React.ReactNode }) {
  return (
    <div className="flex min-h-[calc(100vh-4rem)] items-center justify-center bg-slate-50 px-4 py-12 dark:bg-slate-900/40">
      <div className="w-full max-w-md animate-fade-up">
        <div className="mb-8 text-center">
          <LogoMark className="mx-auto h-12 w-12" />
          <h1 className="mt-5 text-2xl font-bold tracking-tight text-slate-900 dark:text-white">{title}</h1>
          {subtitle && <p className="mt-2 text-sm text-slate-600 dark:text-slate-400">{subtitle}</p>}
        </div>
        <div className="card p-6 sm:p-8">{children}</div>
      </div>
    </div>
  );
}

export function FormMessage({ type, children }: { type: 'error' | 'success'; children: React.ReactNode }) {
  return (
    <div
      role="alert"
      className={`rounded-xl px-4 py-3 text-sm ${
        type === 'error' ? 'bg-red-50 text-red-800 dark:bg-red-500/10 dark:text-red-300' : 'bg-brand-50 text-brand-800 dark:bg-brand-500/10 dark:text-brand-300'
      }`}
    >
      {children}
    </div>
  );
}

export function NotConfigured() {
  return (
    <FormMessage type="error">
      Accounts are not configured yet. The site owner must set NEXT_PUBLIC_SUPABASE_URL and NEXT_PUBLIC_SUPABASE_ANON_KEY.
    </FormMessage>
  );
}
```

components/CodeBlock.tsx

File 71 of 101 · 86 lines

```
'use client';
import { Highlight, themes } from 'prism-react-renderer';
import { useState } from 'react';
import { Check, Copy, Play, X } from 'lucide-react';
import { PyEditor } from './PyEditor';

const LABELS: Record<string, string> = {
  python: 'Python',
  'python-norun': 'Python',
  bash: 'Terminal',
  sql: 'SQL',
  text: 'Output',
  json: 'JSON',
};

export function CodeBlock({ code, lang, canRun = true }: { code: string; lang: string; canRun?: boolean }) {
  const [copied, setCopied] = useState(false);
  const [tryIt, setTryIt] = useState(false);
  const runnable = lang === 'python' && canRun;
  const prismLang = lang.startsWith('python') ? 'python' : lang === 'bash' ? 'clike' : lang;

  const copy = async () => {
    try {
      await navigator.clipboard.writeText(code);
      setCopied(true);
      setTimeout(() => setCopied(false), 1600);
    } catch {}
  };

  return (
    <div className="not-prose my-6">
      <div className="overflow-hidden rounded-2xl border border-slate-200 dark:border-slate-800">
        <div className="flex items-center justify-between border-b border-slate-200 bg-slate-50 px-4 py-2 dark:border-slate-800 dark:bg-slate-900">
          <span className="text-xs font-semibold uppercase tracking-wider text-slate-500">{LABELS[lang] ?? lang}</span>
          <button onClick={copy} className="flex items-center gap-1.5 rounded-md px-2 py-1 text-xs font-medium text-slate-500 hover:bg-slate-200 hover:text-slate-800 dark:hover:bg-slate-800 dark:hover:text-white" aria-label="Copy code">
            {copied ? <Check className="h-3.5 w-3.5 text-brand-600" /> : <Copy className="h-3.5 w-3.5" />}
            {copied ? 'Copied' : 'Copy'}
          </button>
        </div>
        <Highlight code={code} language={prismLang} theme={themes.oneLight}>
          {({ tokens, getLineProps, getTokenProps }) => (
            <pre className="scrollbar-thin overflow-x-auto bg-white px-4 py-4 font-mono text-[13.5px] leading-6 dark:hidden">
              {tokens.map((line, i) => (
                <div key={i} {...getLineProps({ line })}>
                  {line.map((token, k) => (
                    <span key={k} {...getTokenProps({ token })} />
                  ))}
                </div>
              ))}
            </pre>
          )}
        </Highlight>
        <Highlight code={code} language={prismLang} theme={themes.oneDark}>
          {({ tokens, getLineProps, getTokenProps }) => (
            <pre className="scrollbar-thin hidden overflow-x-auto !bg-slate-900 px-4 py-4 font-mono text-[13.5px] leading-6 dark:block">
              {tokens.map((line, i) => (
                <div key={i} {...getLineProps({ line })}>
                  {line.map((token, k) => (
                    <span key={k} {...getTokenProps({ token })} />
```

```
                  ))}
                </div>
              ))}
            </pre>
          )}
        </Highlight>
      </div>
      {runnable && !tryIt && (
        <button onClick={() => setTryIt(true)} className="btn-primary mt-3 !py-2">
          <Play className="h-4 w-4 fill-current" /> Try it Yourself »
        </button>
      )}
      {runnable && tryIt && (
        <div className="mt-3 animate-fade-up">
          <div className="mb-2 flex items-center justify-between">
            <span className="text-sm font-semibold text-slate-700 dark:text-slate-300">Try
it Yourself — edit the code and press Run</span>
            <button onClick={() => setTryIt(false)} className="btn-ghost !p-1.5" aria-
label="Close editor">
              <X className="h-4 w-4" />
            </button>
          </div>
          <PyEditor initialCode={code} height={Math.min(420, Math.max(180,
code.split('\n').length * 22 + 40))} />
        </div>
      )}
    </div>
  );
}
```

components/CompleteButton.tsx

File 72 of 101 · 60 lines

```
'use client';
import { useRouter } from 'next/navigation';
import Link from 'next/link';
import { useState, useTransition } from 'react';
import { CheckCircle2, Circle, Loader2 } from 'lucide-react';

export function CompleteButton({
  moduleSlug,
  lessonSlug,
  initiallyDone,
  signedIn,
}: {
  moduleSlug: string;
  lessonSlug: string;
  initiallyDone: boolean;
  signedIn: boolean;
}) {
  const [done, setDone] = useState(initiallyDone);
  const [error, setError] = useState('');
  const [pending, start] = useTransition();
  const [busy, setBusy] = useState(false);
  const router = useRouter();

  if (!signedIn) {
    return (
      <Link href={`/login?next=/learn/${moduleSlug}/${lessonSlug}`} className="btn-
secondary">
        <Circle className="h-4 w-4" /> Log in to track progress
      </Link>
    );
  }

  const toggle = async () => {
    setBusy(true);
    setError('');
    const res = await fetch('/api/progress', {
      method: 'POST',
      headers: { 'Content-Type': 'application/json' },
      body: JSON.stringify({ moduleSlug, lessonSlug, completed: !done }),
    });
    setBusy(false);
    if (!res.ok) {
      const j = await res.json().catch(() => ({}));
      setError(j.error || 'Could not save progress.');
      return;
    }
    setDone(!done);
    start(() => router.refresh());
  };

  return (
    <div className="flex flex-col items-start gap-1">
      <button onClick={toggle} disabled={busy || pending} className={done ? 'btn-secondary
!border-brand-300 !text-brand-700 dark:!text-brand-400' : 'btn-primary'}>
        {busy ? <Loader2 className="h-4 w-4 animate-spin" /> : done ? <CheckCircle2
className="h-4 w-4" /> : <Circle className="h-4 w-4" />}
        {done ? 'Completed' : 'Mark as completed'}
      </button>
      {error && <span className="text-xs text-red-600">{error}</span>}
    </div>
  );
}
```

components/CookieBanner.tsx

File 73 of 101 · 57 lines

```tsx
'use client';
import Link from 'next/link';
import { useEffect, useState } from 'react';
import { Cookie } from 'lucide-react';

/**
 * womens4.com only uses strictly necessary storage (login session, theme, this notice).
 * No analytics or advertising cookies are set, so no opt-in is required under the
 * ePrivacy rules — this banner informs users. If you add analytics later, gate it
 * behind the "accepted" value stored here.
 */
export function CookieBanner() {
  const [show, setShow] = useState(false);
  useEffect(() => {
    try {
      setShow(!localStorage.getItem('cookie-notice'));
    } catch {
      setShow(false);
    }
  }, []);
  if (!show) return null;

  const close = (value: string) => {
    try {
      localStorage.setItem('cookie-notice', value);
    } catch {}
    setShow(false);
  };

  return (
    <div className="fixed inset-x-3 bottom-3 z-50 sm:inset-x-auto sm:right-5 sm:bottom-5 sm:max-w-md">
      <div className="card animate-fade-up p-5 shadow-lift">
        <div className="flex gap-3">
          <Cookie className="mt-0.5 h-5 w-5 shrink-0 text-brand-600" />
          <div>
            <p className="text-sm font-semibold text-slate-900 dark:text-white">We only use essential cookies</p>
            <p className="mt-1 text-sm text-slate-600 dark:text-slate-400">
              They keep you logged in and remember your theme. No tracking, no ads.{' '}
              <Link href="/cookies" className="font-medium text-brand-700 underline dark:text-brand-400">
                Cookie policy
              </Link>
            </p>
            <div className="mt-3 flex gap-2">
              <button className="btn-primary !py-2" onClick={() => close('essential')}>
                Got it
              </button>
              <Link href="/privacy" className="btn-ghost !py-2">
                Privacy
              </Link>
            </div>
          </div>
        </div>
      </div>
    </div>
  );
}
```

components/CopyLink.tsx

File 74 of 101 · 26 lines

```
'use client';
import { useState } from 'react';
import { Check, Link2 } from 'lucide-react';

export function CopyLink({ url }: { url: string }) {
  const [copied, setCopied] = useState(false);
  return (
    <button
      className="btn-secondary"
      onClick={async () => {
        try {
          if (navigator.share) await navigator.share({ title: 'My womens4.com certificate', url });
          else {
            await navigator.clipboard.writeText(url);
            setCopied(true);
            setTimeout(() => setCopied(false), 1800);
          }
        } catch {}
      }}
    >
      {copied ? <Check className="h-4 w-4 text-brand-600" /> : <Link2 className="h-4 w-4" />}
      {copied ? 'Link copied' : 'Share link'}
    </button>
  );
}
```

components/DashboardTabs.tsx

File 75 of 101 · 33 lines

```
'use client';
import Link from 'next/link';
import { usePathname } from 'next/navigation';
import { LayoutDashboard, UserRound, CreditCard } from 'lucide-react';

const tabs = [
  { href: '/dashboard', label: 'Overview', icon: LayoutDashboard },
  { href: '/dashboard/profile', label: 'Profile & privacy', icon: UserRound },
  { href: '/dashboard/billing', label: 'Subscription', icon: CreditCard },
];

export function DashboardTabs() {
  const pathname = usePathname();
  return (
    <nav className="-mb-px flex gap-1 overflow-x-auto">
      {tabs.map(({ href, label, icon: Icon }) => {
        const active = pathname === href;
        return (
          <Link
            key={href}
            href={href}
            className={`flex items-center gap-2 whitespace-nowrap border-b-2 px-4 py-3.5 text-sm font-medium transition ${
              active ? 'border-brand-600 text-brand-700 dark:text-brand-400' : 'border-transparent text-slate-500 hover:text-slate-900 dark:hover:text-white'
            }`}
          >
            <Icon className="h-4 w-4" /> {label}
          </Link>
        );
      })}
    </nav>
  );
}
```

components/DemoEditor.tsx

File 76 of 101 · 19 lines

```
'use client';
import { PyEditor } from './PyEditor';

const DEMO = `# Edit me and press Run — this is real Python in your browser!
name = "future developer"
skills = ["variables", "loops", "functions", "APIs"]

print(f"Hello, {name}! □")
for week, skill in enumerate(skills, start=1):
    print(f"Week {week}: learn {skill}")

total = sum(len(s) for s in skills)
print("Letters learned:", total)
`;

export function DemoEditor() {
  return <PyEditor initialCode={DEMO} height={280} showStdin={false} />;
}
```

components/ExerciseSet.tsx

File 77 of 101 · 236 lines

```
'use client';
import Link from 'next/link';
import { useMemo, useState } from 'react';
import { CheckCircle2, XCircle, Loader2, Lightbulb, Trophy } from 'lucide-react';
import type { PublicQuestion, Level } from '@/lib/exercise-types';
import { PyEditor } from './PyEditor';

type Feedback = { correct: boolean; explanation?: string; correctAnswer?: string | null };

const levelStyle: Record<Level, string> = {
  Beginner: 'badge-green',
  Intermediate: 'badge bg-sky-50 text-sky-700 ring-1 ring-inset ring-sky-600/20 dark:bg-sky-500/10 dark:text-sky-300',
  Advanced: 'badge bg-violet-50 text-violet-700 ring-1 ring-inset ring-violet-600/20 dark:bg-violet-500/10 dark:text-violet-300',
};

const typeLabel = { mcq: 'Multiple choice', fill: 'Fill in the code', code: 'Coding challenge' };

export function ExerciseSet({ moduleSlug, questions, signedIn }: { moduleSlug: string; questions: PublicQuestion[]; signedIn: boolean }) {
  const [answers, setAnswers] = useState<Record<number, unknown>>({});
  const [feedback, setFeedback] = useState<Record<number, Feedback>>({});
  const [checking, setChecking] = useState<number | null>(null);
  const [filter, setFilter] = useState<'All' | Level>('All');
  const [submit, setSubmit] = useState<{ state: 'idle' | 'saving' | 'saved' | 'error'; msg?: string }>({ state: 'idle' });

  const answeredCount = Object.keys(feedback).length;
  const correctCount = Object.values(feedback).filter((f) => f.correct).length;
  const levels = useMemo(() => Array.from(new Set(questions.map((q) => q.level))), [questions]);

  const check = async (i: number, answer: unknown) => {
    setChecking(i);
    const res = await fetch('/api/exercises/check', {
      method: 'POST',
      headers: { 'Content-Type': 'application/json' },
      body: JSON.stringify({ moduleSlug, index: i, answer }),
    });
    const j: Feedback = res.ok
      ? await res.json().catch(() => ({ correct: false, explanation: 'Could not check your answer. Try again.' }))
      : { correct: false, explanation: (await res.json().catch(() => ({}))).error || 'Could not check your answer. Try again.' };
    setChecking(null);
    setFeedback((f) => ({ ...f, [i]: j }));
  };

  const doSubmit = async () => {
    setSubmit({ state: 'saving' });
    const res = await fetch('/api/exercises/submit', {
      method: 'POST',
      headers: { 'Content-Type': 'application/json' },
      body: JSON.stringify({ moduleSlug, answers }),
    });
    const j = await res.json().catch(() => ({}));
    if (res.ok) setSubmit({ state: 'saved', msg: `Saved: ${j.score}/${j.total} (${Math.round((j.score / j.total) * 100)}%)` });
    else setSubmit({ state: 'error', msg: j.error || 'Could not save your score.' });
  };

  return (
    <div>
      {/* score bar */}
      <div classNamе="sticky top-16 z-20 -mx-2 mb-6 rounded-2xl border border-slate-200 bg-white/95 px-4 py-3 backdrop-blur dark:border-slate-800 dark:bg-slate-950/95">
```

```
        <div className="flex flex-wrap items-center justify-between gap-3">
          <div className="flex items-center gap-3 text-sm">
            <Trophy className="h-5 w-5 text-amber-500" />
            <span className="font-semibold text-slate-900 dark:text-white">
              Score: {correctCount}/{questions.length}
            </span>
            <span className="text-slate-500">· {answeredCount} checked</span>
          </div>
          <div className="flex gap-1 rounded-lg bg-slate-100 p-1 text-xs font-medium
dark:bg-slate-800">
            {(['All', ...levels] as const).map((l) => (
              <button
                key={l}
                onClick={() => setFilter(l)}
                className={`rounded-md px-2.5 py-1 transition ${filter === l ? 'bg-white
text-slate-900 shadow-sm dark:bg-slate-700 dark:text-white' : 'text-slate-500 hover:text-
slate-800'}`}
              >
                {l}
              </button>
            ))}
          </div>
        </div>
        <div className="mt-2 h-1.5 overflow-hidden rounded-full bg-slate-100 dark:bg-
slate-800">
          <div className="h-full rounded-full bg-brand-500 transition-all" style={{ width:
`${(correctCount / questions.length) * 100}%` }} />
        </div>
      </div>

      <ol className="space-y-6">
        {questions.map((q, i) => {
          if (filter !== 'All' && q.level !== filter) return null;
          const fb = feedback[i];
          return (
            <li key={i} className={`card p-5 sm:p-6 ${fb ? (fb.correct ? '!border-brand-300
dark:!border-brand-800' : '!border-red-200 dark:!border-red-900') : ''}`}>
              <div className="mb-3 flex flex-wrap items-center gap-2">
                <span className="grid h-7 w-7 place-items-center rounded-lg bg-slate-900
text-xs font-bold text-white dark:bg-white dark:text-slate-900">{i + 1}</span>
                <span className="text-xs font-semibold uppercase tracking-wider text-
slate-500">{typeLabel[q.type]}</span>
                <span className={levelStyle[q.level]}>{q.level}</span>
              </div>
              <p className="font-medium leading-7 text-slate-900 dark:text-
white">{q.prompt}</p>

              {q.type === 'mcq' && (
                <div className="mt-4 grid gap-2">
                  {q.options.map((opt, oi) => {
                    const selected = answers[i] === oi;
                    return (
                      <label
                        key={oi}
                        className={`flex cursor-pointer items-start gap-3 rounded-xl border
px-4 py-3 text-sm transition ${
                          selected ? 'border-brand-500 bg-brand-50 dark:bg-brand-500/10' :
'border-slate-200 hover:border-slate-300 dark:border-slate-700'
                        }`}
                      >
                        <input
                          type="radio"
                          name={`q${i}`}
                          className="mt-0.5 accent-brand-600"
                          checked={selected}
                          onChange={() => {
                            setAnswers((a) => ({ ...a, [i]: oi }));
                            setFeedback((f) => {
                              const n = { ...f };
                              delete n[i];
                              return n;
```

```
                            });
                          }}
                        />
                        <span className="font-mono text-[13px] leading-6">{opt}</span>
                      </label>
                    );
                  })}
                  <CheckButton disabled={answers[i] === undefined} loading={checking === i} onClick={() => check(i, answers[i])} />
                </div>
              )}

              {q.type === 'fill' && (
                <div className="mt-4">
                  <pre className="overflow-x-auto rounded-xl bg-slate-900 p-4 font-mono text-[13px] leading-6 text-slate-100">{q.code}</pre>
                  <div className="mt-3 flex flex-col gap-2 sm:flex-row">
                    <input
                      className="input font-mono"
                      placeholder="Type what replaces ___"
                      value={String(answers[i] ?? '')}
                      onChange={(e) => {
                        setAnswers((a) => ({ ...a, [i]: e.target.value }));
                        setFeedback((f) => {
                          const n = { ...f };
                          delete n[i];
                          return n;
                        });
                      }}
                      onKeyDown={(e) => e.key === 'Enter' && String(answers[i] ?? '').trim() && check(i, answers[i])}
                      aria-label={`Answer for question ${i + 1}`}
                    />
                    <CheckButton disabled={!String(answers[i] ?? '').trim()} loading={checking === i} onClick={() => check(i, answers[i])} />
                  </div>
                </div>
              )}

              {q.type === 'code' && (
                <div className="mt-4">
                  {q.hint && (
                    <details className="mb-3 text-sm text-slate-600 dark:text-slate-400">
                      <summary className="cursor-pointer font-medium text-amber-600">
                        <Lightbulb className="mr-1 inline h-4 w-4" />
                        Show hint
                      </summary>
                      <p className="mt-1 pl-5">{q.hint}</p>
                    </details>
                  )}
                  <PyEditor
                    initialCode={q.starter}
                    tests={q.tests}
                    runLabel="Run & check"
                    height={220}
                    showStdin={false}
                    onResult={(r) => {
                      if (r.passed === undefined) return;
                      setAnswers((a) => ({ ...a, [i]: r.passed }));
                      if (r.passed) check(i, true);
                      else setFeedback((f) => ({ ...f, [i]: { correct: false, explanation: r.testError } }));
                    }}
                  />
                </div>
              )}

              {fb && (
                <div
                  className={`mt-4 flex gap-3 rounded-xl p-4 text-sm animate-fade-up ${
                    fb.correct ? 'bg-brand-50 text-brand-900 dark:bg-brand-500/10 dark:text-
```

```
    ┆ brand-200' : 'bg-red-50 text-red-900 dark:bg-red-500/10 dark:text-red-200'
185 │                   }`}
186 │                   role="status"
187 │                 >
188 │                   {fb.correct ? <CheckCircle2 className="h-5 w-5 shrink-0 text-brand-600" />
    ┆  : <XCircle className="h-5 w-5 shrink-0 text-red-500" />}
189 │                   <div>
190 │                     <p className="font-semibold">{fb.correct ? 'Correct!' : 'Not
    ┆ quite.'}</p>
191 │                     {!fb.correct && fb.correctAnswer && (
192 │                       <p className="mt-1">
193 │                         Correct answer: <code className="rounded bg-white/70 px-1.5 py-0.5
    ┆ font-mono dark:bg-black/30">{fb.correctAnswer}</code>
194 │                       </p>
195 │                     )}
196 │                     {fb.explanation && <p className="mt-1 leading-6">{fb.explanation}</p>}
197 │                   </div>
198 │                 </div>
199 │               )}
200 │             </li>
201 │           );
202 │         })}
203 │       </ol>
204 │
205 │       <div className="card mt-8 flex flex-wrap items-center justify-between gap-4 p-5">
206 │         <div>
207 │           <p className="font-semibold text-slate-900 dark:text-white">
208 │             You answered {correctCount} of {questions.length} correctly
209 │           </p>
210 │           <p className="text-sm text-slate-500">Submitting grades every answer again on our
    ┆ server and saves your score.</p>
211 │           {submit.msg && <p className={`mt-1 text-sm font-medium ${submit.state === 'error'
    ┆ ? 'text-red-600' : 'text-brand-700'}`}>{submit.msg}</p>}
212 │         </div>
213 │         {signedIn ? (
214 │           <button className="btn-primary" disabled={submit.state === 'saving'}
    ┆ onClick={doSubmit}>
215 │             {submit.state === 'saving' && <Loader2 className="h-4 w-4 animate-spin" />}
216 │             Submit score
217 │           </button>
218 │         ) : (
219 │           <Link href="/register" className="btn-primary">
220 │             Sign up to save scores
221 │           </Link>
222 │         )}
223 │       </div>
224 │     </div>
225 │   );
226 │ }
227 │
228 │ function CheckButton({ disabled, loading, onClick }: { disabled: boolean; loading: boolean;
    ┆ onClick: () => void }) {
229 │   return (
230 │     <button className="btn-primary self-start" disabled={disabled || loading}
    ┆ onClick={onClick}>
231 │       {loading && <Loader2 className="h-4 w-4 animate-spin" />}
232 │       Check
233 │     </button>
234 │   );
235 │ }
```

components/Faq.tsx

File 78 of 101 · 49 lines

```
import { ChevronDown } from 'lucide-react';

export const FAQ_ITEMS = [
  {
    q: 'I have never programmed before. Is womens4.com for me?',
    a: 'Yes. The first module assumes zero knowledge — we explain what a program is, what Python is, and walk you through your first line of code. Each lesson builds on the previous one in small steps.',
  },
  {
    q: 'Do I need to install anything?',
    a: 'No. Every code example runs directly in your browser with a real Python interpreter (Pyodide). Module 2 shows you how to install Python on your own computer when you are ready.',
  },
  {
    q: 'Can womens4.com really make me job-ready?',
    a: 'The Job-Ready path covers what junior Python roles typically ask for: solid Python, OOP, files, errors, SQL, APIs, Git, testing, a web framework (Flask/FastAPI), pandas, portfolio projects and interview preparation. Getting hired also takes practice and applications — we give you a clear plan for both, but no course can guarantee a job.',
  },
  {
    q: 'What does Premium cost and how is it billed?',
    a: 'Premium is €6.99 per month, charged automatically every month through Stripe until you cancel. There are no setup fees or long-term contracts.',
  },
  {
    q: 'How do I cancel?',
    a: 'Go to Dashboard → Subscription → “Manage or cancel”. You can cancel in two clicks. You keep Premium access until the end of the month you already paid for, and you are not charged again.',
  },
  {
    q: 'What happens to my progress if I cancel?',
    a: 'Nothing is lost. Your progress, scores and certificates stay in your account, and you can keep using all free lessons.',
  },
  {
    q: 'Are the certificates official?',
    a: 'They are womens4.com certificates of completion with a unique ID and public verification page you can share on LinkedIn. They are not a university degree or government-accredited qualification.',
  },
];

export function Faq() {
  return (
    <div className="mx-auto max-w-3xl divide-y divide-slate-200 rounded-2xl border border-slate-200 bg-white dark:divide-slate-800 dark:border-slate-800 dark:bg-slate-900">
      {FAQ_ITEMS.map((f) => (
        <details key={f.q} className="group p-5 [&_summary::-webkit-details-marker]:hidden">
          <summary className="flex cursor-pointer items-center justify-between gap-4 font-semibold text-slate-900 dark:text-white">
            {f.q}
            <ChevronDown className="h-5 w-5 shrink-0 text-slate-400 transition group-open:rotate-180" />
          </summary>
          <p className="mt-3 leading-7 text-slate-600 dark:text-slate-400">{f.a}</p>
        </details>
      ))}
    </div>
  );
}
```

components/Footer.tsx

File 79 of 101 · 88 lines

```
import Link from 'next/link';
import { Mail, MapPin } from 'lucide-react';
import { Logo } from './Logo';
import { COMPANY_ADDRESS, COMPANY_NAME, SUPPORT_EMAIL } from '@/lib/env';

const cols = [
  {
    title: 'Learn',
    links: [
      ['All courses', '/courses'],
      ['Zero to job-ready roadmap', '/roadmap'],
      ['Python tutorial', '/learn/introduction/what-is-python'],
      ['Online Python editor', '/playground'],
    ],
  },
  {
    title: 'Platform',
    links: [
      ['Pricing', '/pricing'],
      ['Create account', '/register'],
      ['Dashboard', '/dashboard'],
      ['FAQ', '/#faq'],
    ],
  },
  {
    title: 'Legal',
    links: [
      ['Privacy policy', '/privacy'],
      ['Terms of service', '/terms'],
      ['Cookie policy', '/cookies'],
      ['Cancel subscription', '/terms#cancellation'],
    ],
  },
];

export function Footer() {
  return (
    <footer className="border-t border-slate-200 bg-slate-50 dark:border-slate-800 dark:bg-slate-900/40">
      <div className="container grid gap-10 py-14 md:grid-cols-[1.4fr_repeat(3,1fr)]">
        <div>
          <Logo />
          <p className="mt-4 max-w-xs text-sm leading-6 text-slate-600 dark:text-slate-400">
            Learn Python from your very first line of code to your first developer job — one clear lesson at a time.
          </p>
          <ul className="mt-5 space-y-2 text-sm text-slate-600 dark:text-slate-400">
            <li className="flex items-center gap-2">
              <Mail className="h-4 w-4 text-brand-600" />
              <a href={`mailto:${SUPPORT_EMAIL}`} className="hover:text-brand-700">
                {SUPPORT_EMAIL}
              </a>
            </li>
            <li className="flex items-start gap-2">
              <MapPin className="mt-0.5 h-4 w-4 text-brand-600" />
              <span>
                {COMPANY_NAME}
                <br />
                {COMPANY_ADDRESS}
              </span>
            </li>
          </ul>
        </div>
        {cols.map((c) => (
          <div key={c.title}>
            <h3 className="text-sm font-semibold text-slate-900 dark:text-white">{c.title}</h3>
            <ul className="mt-4 space-y-2.5 text-sm">
```

```
              {c.links.map(([label, href]) => (
                <li key={href}>
                  <Link href={href} className="text-slate-600 transition hover:text-
brand-700 dark:text-slate-400 dark:hover:text-brand-400">
                    {label}
                  </Link>
                </li>
              ))}
            </ul>
          </div>
        ))}
      </div>
      <div className="border-t border-slate-200 dark:border-slate-800">
        <div className="container flex flex-col items-center justify-between gap-2 py-6
text-xs text-slate-500 sm:flex-row">
          <p>
            © {new Date().getFullYear()} {COMPANY_NAME}. All rights reserved.
          </p>
          <p>Python is a trademark of the Python Software Foundation. womens4.com is not
affiliated with the PSF.</p>
        </div>
      </div>
    </footer>
  );
}
```

components/LegalPage.tsx

File 80 of 101 · 17 lines

```
import { Markdown } from './Markdown';

export function LegalPage({ title, updated, source }: { title: string; updated: string; source: string }) {
  return (
    <div className="container max-w-3xl py-14">
      <h1 className="text-4xl font-extrabold tracking-tight text-slate-900 dark:text-white">{title}</h1>
      <p className="mt-2 text-sm text-slate-500">Last updated: {updated}</p>
      <div className="mt-6 rounded-xl border border-amber-200 bg-amber-50 p-4 text-sm text-amber-900 dark:border-amber-900 dark:bg-amber-500/10 dark:text-amber-200">
        Template text — the site operator must review this with a qualified lawyer and fill in company details before launch.
      </div>
      <div className="mt-8">
        <Markdown source={source} canRun={false} />
      </div>
    </div>
  );
}
```

components/LessonSidebar.tsx

File 81 of 101 · 153 lines

```
'use client';
import Link from 'next/link';
import { usePathname } from 'next/navigation';
import { useEffect, useRef, useState } from 'react';
import { CheckCircle2, ChevronDown, Circle, Lock, PanelLeftOpen, Target, X } from 'lucide-react';

export type SidebarModule = {
  slug: string;
  title: string;
  number: number;
  free: boolean;
  stage: string;
  hasExercises: boolean;
  lessons: { slug: string; title: string }[];
};

export function LessonSidebar({ modules, completed, premium }: { modules: SidebarModule[]; completed: string[]; premium: boolean }) {
  const pathname = usePathname();
  const [, , currentModule, currentLesson] = pathname.split('/');
  const [open, setOpen] = useState<Record<string, boolean>>({ [currentModule]: true });
  const [mobileOpen, setMobileOpen] = useState(false);
  const done = new Set(completed);
  const activeRef = useRef<HTMLAnchorElement>(null);

  useEffect(() => {
    setOpen((o) => ({ ...o, [currentModule]: true }));
    setMobileOpen(false);
  }, [currentModule, currentLesson]);
  useEffect(() => {
    activeRef.current?.scrollIntoView({ block: 'center' });
  }, []);

  const totalLessons = modules.reduce((n, m) => n + m.lessons.length, 0);
  const pct = totalLessons ? Math.round((completed.length / totalLessons) * 100) : 0;

  let lastStage = '';
  const nav = (
    <nav aria-label="Course lessons" className="space-y-1 pb-10">
      <div className="mb-4 rounded-xl bg-brand-50 p-3 dark:bg-brand-500/10">
        <div className="flex justify-between text-xs font-semibold text-brand-800 dark:text-brand-300">
          <span>Your progress</span>
          <span>{pct}%</span>
        </div>
        <div aria-label="Course lessons" classNa="space-y-1 pb-10">
      <div classNa="mb-4 rounded-xl bg-brand-50 p-3 dark:bg-brand-500/10">
        <div classNa="flex justify-between text-xs font-semibold text-brand-800 dark:text-brand-300">
          <span>Your progress</span>
          <span>{pct}%</span>
        </div>
        <div classNa="mt-2 h-1.5 overflow-hidden rounded-full bg-brand-100 dark:bg-brand-900/50">
          <div classNa="h-full rounded-full bg-brand-500 transition-all duration-500" style={{ width: `${pct}%` }} />
        </div>
        <p classNa="mt-1.5 text-[11px] text-brand-700/80 dark:text-brand-300/70">
          {completed.length} of {totalLessons} lessons completed
        </p>
      </div>
      {modules.map((m) => {
        const locked = !m.free && !premium;
        const isOpen = open[m.slug];
        const modDone = m.lessons.filter((l) => done.has(`${m.slug}/${l.slug}`)).length;
        const showStage = m.stage !== lastStage;
        lastStage = m.stage;
        return (
          <div key={m.slug}>
            {showStage && <p classNa="mb-1 mt-5 px-2 text-[11px] font-bold uppercase tracking-wider text-slate-400 first:mt-0">{m.stage}</p>}
            <button
              onClick={() => setOpen((o) => ({ ...o, [m.slug]: !o[m.slug] }))}
              classNa={`flex w-full items-center gap-2 rounded-lg px-2 py-2 text-left
```

```
text-sm font-semibold transition hover:bg-slate-100 dark:hover:bg-slate-800 ${
                m.slug === currentModule ? 'text-slate-900 dark:text-white' : 'text-
slate-700 dark:text-slate-300'
              }`}
              aria-expanded={!!isOpen}
            >
              <span className="grid h-6 w-6 shrink-0 place-items-center rounded-md bg-
slate-100 text-[11px] font-bold text-slate-500 dark:bg-slate-800">
                {m.number}
              </span>
              <span className="flex-1 leading-snug">{m.title}</span>
              {locked ? (
                <Lock className="h-3.5 w-3.5 text-slate-400" />
              ) : (
                <span className="text-[11px] font-medium text-slate-400">
                  {modDone}/{m.lessons.length}
                </span>
              )}
              <ChevronDown className={`h-4 w-4 text-slate-400 transition ${isOpen ?
'rotate-180' : ''}`} />
            </button>
            {isOpen && (
              <ul className="ml-[18px] mt-0.5 space-y-0.5 border-l border-slate-200 pl-3
dark:border-slate-800">
                {m.lessons.map((l) => {
                  const active = m.slug === currentModule && l.slug === currentLesson;
                  const isDone = done.has(`${m.slug}/${l.slug}`);
                  return (
                    <li key={l.slug}>
                      <Link
                        ref={active ? activeRef : undefined}
                        href={`/learn/${m.slug}/${l.slug}`}
                        className={`flex items-center gap-2 rounded-lg px-2.5 py-1.5
text-[13.5px] transition ${
                          active
                            ? 'bg-brand-600 font-medium text-white'
                            : 'text-slate-600 hover:bg-slate-100 hover:text-slate-900
dark:text-slate-400 dark:hover:bg-slate-800 dark:hover:text-white'
                        }`}
                      >
                        {isDone ? (
                          <CheckCircle2 className={`h-3.5 w-3.5 shrink-0 ${active ? 'text-
white' : 'text-brand-500'}`} />
                        ) : (
                          <Circle className={`h-3.5 w-3.5 shrink-0 ${active ? 'text-
white/70' : 'text-slate-300 dark:text-slate-600'}`} />
                        )}
                        <span className="leading-snug">{l.title}</span>
                      </Link>
                    </li>
                  );
                })}
                {m.hasExercises && (
                  <li>
                    <Link
                      href={`/learn/${m.slug}/exercises`}
                      className={`flex items-center gap-2 rounded-lg px-2.5 py-1.5
text-[13.5px] font-medium transition ${
                        m.slug === currentModule && currentLesson === 'exercises'
                          ? 'bg-brand-600 text-white'
                          : 'text-brand-700 hover:bg-brand-50 dark:text-brand-400
dark:hover:bg-brand-500/10'
                      }`}
                    >
                      <Target className="h-3.5 w-3.5 shrink-0" /> Exercises & Quiz
                    </Link>
                  </li>
                )}
              </ul>
            )}
          </div>
```

```
        );
      })}
    </nav>
  );

  return (
    <>
      <button onClick={() => setMobileOpen(true)} className="btn-secondary fixed bottom-5 left-5 z-30 shadow-lift lg:hidden">
        <PanelLeftOpen className="h-4 w-4" /> Lessons
      </button>
      <aside className="scrollbar-thin sticky top-16 hidden h-[calc(100vh-4rem)] w-72 shrink-0 overflow-y-auto border-r border-slate-200 px-3 py-6 dark:border-slate-800 lg:block">
        {nav}
      </aside>
      {mobileOpen && (
        <div className="fixed inset-0 z-50 lg:hidden">
          <div className="absolute inset-0 bg-slate-950/40 backdrop-blur-sm" onClick={() => setMobileOpen(false)} />
          <div className="scrollbar-thin absolute inset-y-0 left-0 w-[85%] max-w-sm overflow-y-auto bg-white px-3 py-4 shadow-xl dark:bg-slate-950">
            <div className="mb-3 flex items-center justify-between px-2">
              <span className="font-semibold">All lessons</span>
              <button onClick={() => setMobileOpen(false)} className="btn-ghost !p-1.5" aria-label="Close">
                <X className="h-5 w-5" />
              </button>
            </div>
            {nav}
          </div>
        </div>
      )}
    </>
  );
}
```

components/Logo.tsx

File 82 of 101 · 32 lines

```tsx
import Link from 'next/link';

/** womens4.com mark: the Venus symbol (women) with a rising spark (empowerment). */
export function LogoMark({ className = 'h-8 w-8' }: { className?: string }) {
  return (
    <svg viewBox="0 0 40 40" className={className} aria-hidden="true">
      <defs>
        <linearGradient id="w4-g" x1="0" y1="0" x2="1" y2="1">
          <stop offset="0" stopColor="#12b76a" />
          <stop offset="1" stopColor="#027a48" />
        </linearGradient>
      </defs>
      <rect width="40" height="40" rx="11" fill="url(#w4-g)" />
      <circle cx="18" cy="16" r="7.5" fill="none" stroke="#fff" strokeWidth="3.2" />
      <path d="M18 23.5V33M13 28.5h10" stroke="#fff" strokeWidth="3.2" strokeLinecap="round"
 />
      <path d="M31 5.5l1.3 3.2 3.2 1.3-3.2 1.3L31 14.5l-1.3-3.2-3.2-1.3 3.2-1.3z"
fill="#a6f4c5" />
    </svg>
  );
}

export function Logo({ href = '/' }: { href?: string }) {
  return (
    <Link href={href} className="flex items-center gap-2.5" aria-label="womens4.com home">
      <LogoMark />
      <span className="text-lg font-extrabold tracking-tight text-slate-900 dark:text-
white">
        womens<span className="text-brand-600 dark:text-brand-400">4</span>
        <span className="font-semibold text-slate-400">.com</span>
      </span>
    </Link>
  );
}
```

components/Markdown.tsx

File 83 of 101 · 47 lines

```tsx
import ReactMarkdown from 'react-markdown';
import remarkGfm from 'remark-gfm';
import { CodeBlock } from './CodeBlock';

const slugify = (s: string) =>
  s
    .toLowerCase()
    .replace(/[^a-z0-9]+/g, '-')
    .replace(/(^-|-$)/g, '');

function text(children: React.ReactNode): string {
  if (typeof children === 'string') return children;
  if (Array.isArray(children)) return children.map(text).join('');
  return '';
}

export function Markdown({ source, canRun = true }: { source: string; canRun?: boolean }) {
  return (
    <div className="lesson">
      <ReactMarkdown
        remarkPlugins={[remarkGfm]}
        components={{
          pre: ({ children }) => <>{children}</>,
          code: ({ className, children }) => {
            const match = /language-([\w-]+)/.exec(className || '');
            if (!match) return <code>{children}</code>;
            return <CodeBlock code={String(children).replace(/\n$/, '')} lang={match[1]}
canRun={canRun} />;
          },
          h2: ({ children }) => <h2 id={slugify(text(children).replace(/^\d+\.\s*/,
''))}>{children}</h2>,
          table: ({ children }) => (
            <div className="overflow-x-auto rounded-xl border border-slate-200 dark:border-
slate-800">
              <table className="!my-0">{children}</table>
            </div>
          ),
          a: ({ href, children }) => (
            <a href={href} {...(href?.startsWith('http') ? { target: '_blank', rel:
'noopener noreferrer' } : {})}>
              {children}
            </a>
          ),
        }}
      >
        {source}
      </ReactMarkdown>
    </div>
  );
}
```

components/Navbar.tsx

File 84 of 101 · 15 lines

```
 1 | import { getViewer } from '@/lib/auth';
 2 | import { NavbarClient } from './NavbarClient';
 3 |
 4 | export async function Navbar() {
 5 |   const viewer = await getViewer();
 6 |   return (
 7 |     <NavbarClient
 8 |       signedIn={!!viewer.user}
 9 |       name={viewer.profile?.full_name || viewer.user?.email || ''}
10 |       premium={viewer.premium}
11 |       isAdmin={viewer.isAdmin}
12 |     />
13 |   );
14 | }
```

components/NavbarClient.tsx

File 85 of 101 · 155 lines

```
'use client';
import Link from 'next/link';
import { usePathname } from 'next/navigation';
import { useEffect, useState } from 'react';
import { Menu, X, Crown, LayoutDashboard, LogOut, Shield } from 'lucide-react';
import { Logo } from './Logo';
import { ThemeToggle } from './ThemeToggle';

const links = [
  { href: '/courses', label: 'Courses' },
  { href: '/roadmap', label: 'Roadmap' },
  { href: '/learn/introduction/what-is-python', label: 'Tutorial' },
  { href: '/playground', label: 'Playground' },
  { href: '/pricing', label: 'Pricing' },
];

export function NavbarClient({
  signedIn,
  name,
  premium,
  isAdmin,
}: {
  signedIn: boolean;
  name: string;
  premium: boolean;
  isAdmin: boolean;
}) {
  const [open, setOpen] = useState(false);
  const [menu, setMenu] = useState(false);
  const pathname = usePathname();
  useEffect(() => {
    setOpen(false);
    setMenu(false);
  }, [pathname]);

  const initial = (name || '?').trim().charAt(0).toUpperCase();
  const active = (href: string) =>
    href === '/learn/introduction/what-is-python' ? pathname.startsWith('/learn') :
pathname.startsWith(href);

  return (
    <header className="sticky top-0 z-40 border-b border-slate-200/80 bg-white/85 backdrop-
blur-lg dark:border-slate-800/80 dark:bg-slate-950/85">
      <nav className="container flex h-16 items-center justify-between gap-4">
        <div className="flex items-center gap-8">
          <Logo />
          <ul className="hidden items-center gap-1 lg:flex">
            {links.map((l) => (
              <li key={l.href}>
                <Link
                  href={l.href}
                  className={`rounded-lg px-3 py-2 text-sm font-medium transition ${
                    active(l.href)
                      ? 'text-brand-700 dark:text-brand-400'
                      : 'text-slate-600 hover:text-slate-900 dark:text-slate-400
dark:hover:text-white'
                  }`}
                >
                  {l.label}
                </Link>
              </li>
            ))}
          </ul>
        </div>

        <div className="flex items-center gap-2">
          <ThemeToggle />
          {signedIn ? (
```

```
            <div className="relative hidden lg:block">
              <button
                onClick={() => setMenu((m) => !m)}
                className="flex items-center gap-2 rounded-xl py-1 pl-1 pr-3 text-sm font-medium hover:bg-slate-100 dark:hover:bg-slate-800"
                aria-expanded={menu}
              >
                <span className="grid h-8 w-8 place-items-center rounded-lg bg-brand-600 text-sm font-bold text-white">{initial}</span>
                <span className="max-w-[140px] truncate">{name}</span>
                {premium && <Crown className="h-4 w-4 text-amber-500" aria-label="Premium" />}
              </button>
              {menu && (
                <div className="card absolute right-0 mt-2 w-56 animate-fade-up p-1.5">
                  <Link href="/dashboard" className="flex items-center gap-2 rounded-lg px-3 py-2 text-sm hover:bg-slate-100 dark:hover:bg-slate-800">
                    <LayoutDashboard className="h-4 w-4" /> Dashboard
                  </Link>
                  <Link href="/dashboard/billing" className="flex items-center gap-2 rounded-lg px-3 py-2 text-sm hover:bg-slate-100 dark:hover:bg-slate-800">
                    <Crown className="h-4 w-4" /> Subscription
                  </Link>
                  {isAdmin && (
                    <Link href="/admin" className="flex items-center gap-2 rounded-lg px-3 py-2 text-sm hover:bg-slate-100 dark:hover:bg-slate-800">
                      <Shield className="h-4 w-4" /> Admin
                    </Link>
                  )}
                  <form action="/auth/signout" method="post">
                    <button className="flex w-full items-center gap-2 rounded-lg px-3 py-2 text-left text-sm text-red-600 hover:bg-red-50 dark:hover:bg-red-500/10">
                      <LogOut className="h-4 w-4" /> Log out
                    </button>
                  </form>
                </div>
              )}
            </div>
          ) : (
            <div className="hidden items-center gap-2 lg:flex">
              <Link href="/login" className="btn-ghost">
                Log in
              </Link>
              <Link href="/register" className="btn-primary">
                Start for free
              </Link>
            </div>
          )}
          <button className="btn-ghost h-9 w-9 !p-0 lg:hidden" onClick={() => setOpen((o) => !o)} aria-label="Toggle menu" aria-expanded={open}>
            {open ? <X className="h-5 w-5" /> : <Menu className="h-5 w-5" />}
          </button>
        </div>
      </nav>

      {open && (
        <div className="border-t border-slate-200 bg-white px-4 pb-6 pt-2 dark:border-slate-800 dark:bg-slate-950 lg:hidden">
          <ul className="space-y-1">
            {links.map((l) => (
              <li key={l.href}>
                <Link href={l.href} className="block rounded-lg px-3 py-2.5 font-medium hover:bg-slate-100 dark:hover:bg-slate-800">
                  {l.label}
                </Link>
              </li>
            ))}
          </ul>
          <div className="mt-4 grid gap-2">
            {signedIn ? (
              <>
```

```
                <Link href="/dashboard" className="btn-secondary">
                  Dashboard
                </Link>
                {isAdmin && (
                  <Link href="/admin" className="btn-secondary">
                    Admin
                  </Link>
                )}
                <form action="/auth/signout" method="post" className="grid">
                  <button className="btn-ghost text-red-600">Log out</button>
                </form>
              </>
            ) : (
              <>
                <Link href="/login" className="btn-secondary">
                  Log in
                </Link>
                <Link href="/register" className="btn-primary">
                  Start for free
                </Link>
              </>
            )}
          </div>
        </div>
      )}
    </header>
  );
}
```

components/Paywall.tsx

File 86 of 101 · 36 lines

```
import Link from 'next/link';
import { Crown, Check } from 'lucide-react';

export function Paywall({ title, signedIn }: { title: string; signedIn: boolean }) {
  return (
    <div className="card relative overflow-hidden p-8 text-center sm:p-12">
      <div className="absolute inset-x-0 top-0 h-1 bg-gradient-to-r from-brand-400 via-brand-600 to-brand-400" />
      <div className="mx-auto grid h-14 w-14 place-items-center rounded-2xl bg-amber-50 dark:bg-amber-500/10">
        <Crown className="h-7 w-7 text-amber-500" />
      </div>
      <h2 className="mt-5 text-2xl font-bold text-slate-900 dark:text-white">“{title}” is part of Premium</h2>
      <p className="mx-auto mt-2 max-w-md text-slate-600 dark:text-slate-400">
        Unlock every module from loops to job-ready web development, all exercises, projects, downloadable guides and certificates.
      </p>
      <ul className="mx-auto mt-6 grid max-w-sm gap-2 text-left text-sm">
        {['All 25 modules and 100+ lessons', 'Unlimited exercises & code challenges', 'Course certificates (PDF)', 'Cancel anytime in two clicks'].map((f) => (
          <li key={f} className="flex items-center gap-2">
            <Check className="h-4 w-4 text-brand-600" /> {f}
          </li>
        ))}
      </ul>
      <div className="mt-8 flex flex-col justify-center gap-3 sm:flex-row">
        <Link href="/pricing" className="btn-primary btn-lg">
          Get Premium — €6.99/month
        </Link>
        {!signedIn && (
          <Link href="/register" className="btn-secondary btn-lg">
            Create free account
          </Link>
        )}
      </div>
      <p className="mt-4 text-xs text-slate-500">Recurring monthly subscription. Cancel any time; access continues until the end of the paid month.</p>
    </div>
  );
}
```

components/PlaygroundEditor.tsx

File 87 of 101 · 49 lines

```
'use client';
import { useEffect, useRef, useState } from 'react';
import { PyEditor } from './PyEditor';

const DEFAULT = `import statistics

scores = [72, 88, 95, 64, 81]
print("Average:", statistics.mean(scores))
print("Best:", max(scores))

name = input("What's your name? ")
print(f"Nice to meet you, {name}!")
`;

/** Remembers your scratchpad in this browser (a per-device convenience). */
export function PlaygroundEditor() {
  const [initial, setInitial] = useState<string | null>(null);
  const timer = useRef<ReturnType<typeof setTimeout>>();

  useEffect(() => {
    let saved: string | null = null;
    try {
      saved = localStorage.getItem('playground-code');
    } catch {}
    setInitial(saved || DEFAULT);
  }, []);

  if (initial === null) return <div className="card h-[560px] animate-pulse" />;
  return (
    <>
      <PyEditor
        initialCode={initial}
        height={480}
        onCodeChange={(code) => {
          clearTimeout(timer.current);
          timer.current = setTimeout(() => {
            try {
              localStorage.setItem('playground-code', code);
            } catch {}
          }, 400);
        }}
      />
      <p className="mt-3 text-xs text-slate-500">
        Your code is saved automatically in this browser. Ctrl/⌘ + Enter runs it; use the Input button to provide values for input().
      </p>
    </>
  );
}
```

components/PricingCards.tsx

File 88 of 101 · 90 lines

```
import Link from 'next/link';
import { Check, Crown, Minus } from 'lucide-react';

const free = [
  'First 6 beginner modules (30+ lessons)',
  'Try-it-yourself editor in every free lesson',
  'Exercises & basic quizzes for free modules',
  'Personal learning dashboard',
];
const premium = [
  'All 25 modules — beginner to job-ready',
  'Unlimited exercises & coding challenges',
  'Full online Python playground',
  'All quizzes and tests',
  'Practical portfolio projects',
  'Advanced Python, Git, testing, web & data',
  'Progress tracking and achievements',
  'Downloadable study guides',
  'Course completion certificates (PDF)',
  'All new courses and content updates',
];

export function PricingCards({ signedIn, premiumActive }: { signedIn: boolean; premiumActive: boolean }) {
  return (
    <div className="mx-auto grid max-w-4xl gap-6 md:grid-cols-2">
      <div className="card flex flex-col p-7 sm:p-8">
        <h3 className="text-lg font-semibold text-slate-900 dark:text-white">Free</h3>
        <p className="mt-1 text-sm text-slate-500">Start learning today, no card required.</p>
        <p className="mt-6 flex items-baseline gap-1">
          <span className="text-5xl font-extrabold tracking-tight text-slate-900 dark:text-white">€0</span>
          <span className="text-slate-500">/month</span>
        </p>
        <ul className="mt-8 flex-1 space-y-3 text-sm">
          {free.map((f) => (
            <li key={f} className="flex gap-3">
              <Check className="h-5 w-5 shrink-0 text-brand-600" /> {f}
            </li>
          ))}
          {['Certificates', 'Advanced & career modules'].map((f) => (
            <li key={f} className="flex gap-3 text-slate-400">
              <Minus className="h-5 w-5 shrink-0" /> {f}
            </li>
          ))}
        </ul>
        <Link href={signedIn ? '/learn/introduction/what-is-python' : '/register'} className="btn-secondary btn-lg mt-8">
          {signedIn ? 'Continue learning' : 'Start Learning for Free'}
        </Link>
      </div>

      <div className="relative flex flex-col rounded-2xl border-2 border-brand-500 bg-white p-7 shadow-lift dark:bg-slate-900 sm:p-8">
        <span className="absolute -top-3.5 left-1/2 -translate-x-1/2 rounded-full bg-brand-600 px-3 py-1 text-xs font-bold uppercase tracking-wider text-white">
          Most popular
        </span>
        <h3 className="flex items-center gap-2 text-lg font-semibold text-slate-900 dark:text-white">
          <Crown className="h-5 w-5 text-amber-500" /> Premium
        </h3>
        <p className="mt-1 text-sm text-slate-500">Everything you need to become job-ready.</p>
        <p className="mt-6 flex items-baseline gap-1">
          <span className="text-5xl font-extrabold tracking-tight text-slate-900 dark:text-white">€6.99</span>
```

```
          <span className="text-slate-500">/month</span>
        </p>
        <p className="mt-1 text-xs text-slate-500">VAT included where applicable · billed monthly</p>
        <ul className="mt-8 flex-1 space-y-3 text-sm">
          {premium.map((f) => (
            <li key={f} className="flex gap-3">
              <Check className="h-5 w-5 shrink-0 text-brand-600" /> {f}
            </li>
          ))}
        </ul>
        {premiumActive ? (
          <Link href="/dashboard/billing" className="btn-primary btn-lg mt-8">
            You&apos;re Premium — manage subscription
          </Link>
        ) : signedIn ? (
          <form action="/api/stripe/checkout" method="post" className="mt-8 grid">
            <button className="btn-primary btn-lg">Get Premium</button>
          </form>
        ) : (
          <Link href="/register?next=/pricing" className="btn-primary btn-lg mt-8">
            Get Premium
          </Link>
        )}
        <p className="mt-3 text-center text-xs leading-5 text-slate-500">
          Renews automatically every month until you cancel. Cancel anytime in your dashboard — you keep access until the end of the period you paid for.
        </p>
      </div>
    </div>
  );
}
```

components/PyEditor.tsx

File 89 of 101 · 164 lines

```
'use client';
import dynamic from 'next/dynamic';
import { useEffect, useRef, useState } from 'react';
import { Play, RotateCcw, Loader2, Terminal, Keyboard, CheckCircle2, XCircle } from 'lucide-react';
import { onPythonStatus, preloadPython, runPython, type RunResult } from '@/lib/pyodide-client';

const Monaco = dynamic(() => import('@monaco-editor/react'), {
  ssr: false,
  loading: () => <div className="grid h-full place-items-center text-sm text-slate-400">Loading editor…</div>,
});

function useDark() {
  const [dark, setDark] = useState(false);
  useEffect(() => {
    const el = document.documentElement;
    const update = () => setDark(el.classList.contains('dark'));
    update();
    const obs = new MutationObserver(update);
    obs.observe(el, { attributes: true, attributeFilter: ['class'] });
    return () => obs.disconnect();
  }, []);
  return dark;
}

export function PyEditor({
  initialCode,
  height = 260,
  tests,
  onResult,
  runLabel = 'Run',
  showStdin = true,
  onCodeChange,
}: {
  onCodeChange?: (code: string) => void;
  initialCode: string;
  height?: number;
  tests?: string;
  onResult?: (r: RunResult) => void;
  runLabel?: string;
  showStdin?: boolean;
}) {
  const [code, setCode] = useState(initialCode);
  const [stdin, setStdin] = useState('');
  const [stdinOpen, setStdinOpen] = useState(false);
  const [running, setRunning] = useState(false);
  const [result, setResult] = useState<RunResult | null>(null);
  const [pyStatus, setPyStatus] = useState<string>('idle');
  const codeRef = useRef(code);
  codeRef.current = code;
  const dark = useDark();

  useEffect(() => onPythonStatus(setPyStatus), []);
  useEffect(() => {
    if (/\binput\s*\(/.test(initialCode)) setStdinOpen(true);
  }, [initialCode]);

  const run = async () => {
    setRunning(true);
    setResult(null);
    const r = await runPython(codeRef.current, { stdin, tests });
    setResult(r);
    setRunning(false);
    onResult?.(r);
  };

```

```
  return (
    <div className="overflow-hidden rounded-2xl border border-slate-200 bg-white shadow-card dark:border-slate-800 dark:bg-slate-900" onMouseEnter={preloadPython} onFocus={preloadPython}>
      <div className="flex items-center justify-between gap-2 border-b border-slate-200 bg-slate-50 px-3 py-2 dark:border-slate-800 dark:bg-slate-900">
        <div className="flex items-center gap-2 text-xs font-medium text-slate-500">
          <span className="flex gap-1.5">
            <span className="h-2.5 w-2.5 rounded-full bg-red-400" />
            <span className="h-2.5 w-2.5 rounded-full bg-amber-400" />
            <span className="h-2.5 w-2.5 rounded-full bg-brand-400" />
          </span>
          <span className="ml-2 font-mono">main.py</span>
        </div>
        <div className="flex items-center gap-1.5">
          {showStdin && (
            <button onClick={() => setStdinOpen((o) => !o)} className="btn-ghost !px-2.5 !py-1.5 text-xs" title="Provide input() values">
              <Keyboard className="h-3.5 w-3.5" /> Input
            </button>
          )}
          <button
            onClick={() => {
              setCode(initialCode);
              setResult(null);
            }}
            className="btn-ghost !px-2.5 !py-1.5 text-xs"
            title="Reset code"
          >
            <RotateCcw className="h-3.5 w-3.5" /> Reset
          </button>
          <button onClick={run} disabled={running} className="btn-primary !px-3.5 !py-1.5 text-xs">
            {running ? <Loader2 className="h-3.5 w-3.5 animate-spin" /> : <Play className="h-3.5 w-3.5 fill-current" />}
            {running ? (pyStatus === 'loading' ? 'Loading Python…' : 'Running…') : runLabel}
          </button>
        </div>
      </div>

      <div style={{ height }}>
        <Monaco
          language="python"
          value={code}
          onChange={(v) => {
            setCode(v ?? '');
            onCodeChange?.(v ?? '');
          }}
          theme={dark ? 'vs-dark' : 'light'}
          onMount={(editor, monaco) => {
            editor.addCommand(monaco.KeyMod.CtrlCmd | monaco.KeyCode.Enter, () => run());
          }}
          options={{
            fontSize: 14,
            fontFamily: '"JetBrains Mono Variable", ui-monospace, monospace',
            minimap: { enabled: false },
            scrollBeyondLastLine: false,
            lineNumbersMinChars: 3,
            padding: { top: 12, bottom: 12 },
            tabSize: 4,
            automaticLayout: true,
            wordWrap: 'on',
            renderLineHighlight: 'gutter',
          }}
        />
      </div>

      {stdinOpen && showStdin && (
        <div className="border-t border-slate-200 px-3 py-2 dark:border-slate-800">
          <label className="mb-1 block text-xs font-medium text-slate-500">Input for input() — one value per line</label>
```

```
          <textarea
            value={stdin}
            onChange={(e) => setStdin(e.target.value)}
            rows={2}
            className="input font-mono !text-xs"
            placeholder={'Ada\n36'}
          />
        </div>
      )}

      <div className="border-t border-slate-200 bg-slate-950 dark:border-slate-800">
        <div className="flex items-center justify-between px-4 pt-2.5 text-xs font-medium text-slate-400">
          <span className="flex items-center gap-1.5">
            <Terminal className="h-3.5 w-3.5" /> Output
          </span>
          <span className="text-slate-500">Ctrl/⌘ + Enter to run</span>
        </div>
        <pre className="scrollbar-thin max-h-64 min-h-[72px] overflow-auto whitespace-pre-wrap px-4 pb-3 pt-2 font-mono text-[13px] leading-6 text-slate-100" aria-live="polite">
          {!result && !running && <span className="text-slate-500">Click “{runLabel}” to see the result here.</span>}
          {running && pyStatus === 'loading' && <span className="text-slate-400">Starting Python in your browser (first run takes a few seconds)…</span>}
          {result?.stdout}
          {result?.error && <span className="text-red-400">{result.error}</span>}
          {result && !result.stdout && !result.error && result.passed === undefined && <span className="text-slate-500">(no output)</span>}
        </pre>
        {result && result.passed !== undefined && (
          <div className={`flex items-start gap-2 border-t px-4 py-2.5 text-sm ${result.passed ? 'border-brand-900 bg-brand-950 text-brand-300' : 'border-red-900 bg-red-950/60 text-red-300'}`}>
            {result.passed ? <CheckCircle2 className="mt-0.5 h-4 w-4" /> : <XCircle className="mt-0.5 h-4 w-4" />}
            {result.passed ? 'All tests passed!' : `Not yet: ${result.testError}`}
          </div>
        )}
      </div>
    </div>
  );
}
```

components/ThemeToggle.tsx

File 90 of 101 · 27 lines

```
'use client';
import { Moon, Sun } from 'lucide-react';
import { useEffect, useState } from 'react';

export function ThemeToggle() {
  const [dark, setDark] = useState(false);
  useEffect(() => setDark(document.documentElement.classList.contains('dark')), []);

  const toggle = () => {
    const next = !dark;
    setDark(next);
    document.documentElement.classList.toggle('dark', next);
    try {
      localStorage.setItem('theme', next ? 'dark' : 'light');
    } catch {}
  };

  return (
    <button onClick={toggle} className="btn-ghost h-9 w-9 !p-0" aria-label={dark ? 'Switch to light mode' : 'Switch to dark mode'}>
      {dark ? <Sun className="h-[18px] w-[18px]" /> : <Moon className="h-[18px] w-[18px]" />}
    </button>
  );
}

/** Inline script that applies the saved theme before paint (no flash). */
export const themeScript = `(function(){try{var t=localStorage.getItem('theme');if(t==='dark'||(!t&&window.matchMedia('(prefers-color-scheme: dark)').matches)){document.documentElement.classList.add('dark')}}catch(e){}})();`;
```

content/courses.ts

File 91 of 101 · 72 lines

```
export type Course = {
  slug: string;
  title: string;
  level: 'Beginner' | 'Intermediate' | 'Advanced';
  description: string;
  hours: number;
  modules: string[];
};

export const FUNDAMENTALS = [
  'introduction',
  'setup',
  'syntax',
  'variables-data-types',
  'numbers-strings',
  'operators',
  'conditionals',
  'loops',
  'lists-tuples',
  'dictionaries-sets',
  'functions',
];

export const INTERMEDIATE = [
  'oop',
  'modules-packages',
  'file-handling',
  'error-handling',
  'libraries',
  'apis',
  'databases',
  'projects',
  'advanced',
];

export const PROFESSIONAL = ['git-github', 'testing', 'web-development', 'data-analysis',
'career'];

export const COURSES: Course[] = [
  {
    slug: 'python-fundamentals',
    title: 'Python Fundamentals',
    level: 'Beginner',
    description:
      'Start from absolute zero: install Python, write your first program and master
variables, strings, loops, collections and functions.',
    hours: 30,
    modules: FUNDAMENTALS,
  },
  {
    slug: 'intermediate-python',
    title: 'Intermediate & Advanced Python',
    level: 'Intermediate',
    description:
      'Think like a developer: classes, modules, files, errors, libraries, APIs, SQL
databases, real projects and advanced language features.',
    hours: 40,
    modules: INTERMEDIATE,
  },
  {
    slug: 'job-ready-python-developer',
    title: 'Job-Ready Python Developer',
    level: 'Advanced',
    description:
      'The complete path: everything above plus Git, testing, web APIs with Flask & FastAPI,
 data analysis with pandas, a portfolio and interview prep.',
    hours: 100,
    modules: [...FUNDAMENTALS, ...INTERMEDIATE, ...PROFESSIONAL],
```

```
  },
];

export const getCourse = (slug: string) => COURSES.find((c) => c.slug === slug) ?? null;

/** Minimum share of correct answers in each module's exercises to earn a certificate. */
export const PASS_RATE = 0.7;
```

content/exercises.ts

File 92 of 101 · 929 lines

```
import type { Question } from '@/lib/exercise-types';

/**
 * Exercises per module slug. Answers stay on the server; the browser only
 * receives prompts, options and (for coding challenges) the test code.
 * Coding-challenge tests run after the learner's code; `_output` = printed text.
 */
export const EXERCISES: Record<string, Question[]> = {
  introduction: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which function displays text on the screen in Python?',
      options: ['echo()', 'print()', 'show()', 'console.log()'],
      answer: 1,
      explain: 'print() writes its arguments to the output. echo and console.log belong to other languages.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Python reads and runs your code…',
      options: ['All at once, in random order', 'Line by line, from top to bottom', 'From the bottom up', 'Only the last line'],
      answer: 1,
      explain: 'The interpreter executes statements one after another, starting at the top of the file.',
    },
    {
      type: 'fill',
      level: 'Beginner',
      prompt: 'Complete the code so it prints Hello, World!',
      code: '___("Hello, World!")',
      answer: ['print'],
      explain: 'print is the built-in function for output.',
    },
    {
      type: 'code',
      level: 'Beginner',
      prompt: 'Write a program that prints exactly: I am learning Python',
      starter: '# write your code below\n',
      tests: 'assert _output.strip() == "I am learning Python", "Print exactly: I am learning Python (check capital letters)"',
      explain: 'print("I am learning Python") — text must be in quotes and match exactly.',
    },
  ],
  setup: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What file extension do Python scripts use?',
      options: ['.pt', '.py', '.pyt', '.python'],
      answer: 1,
      explain: 'Python source files end in .py, for example hello.py.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'On Windows, which installer option is important so you can run python from any terminal?',
      options: ['Install for all users', 'Add python.exe to PATH', 'Disable path length limit', 'Install pip'],
      answer: 1,
      explain: 'Adding Python to PATH lets the terminal find the python command.',
    },
    {
      type: 'fill',
      level: 'Beginner',
```

```
      prompt: 'Which terminal command runs the file app.py? (Windows style)',
      code: '___ app.py',
      answer: ['python', 'py', 'python3'],
      explain: 'python app.py (or python3 on macOS/Linux, py on Windows) runs a script.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What does the >>> prompt indicate?',
      options: ['An error', 'The interactive Python shell (REPL)', 'A comment', 'A finished program'],
      answer: 1,
      explain: '>>> is the REPL prompt waiting for a line of Python to evaluate.',
    },
  ],
  syntax: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'How does Python know which lines belong to an if block?',
      options: ['Curly braces { }', 'Indentation', 'The word end', 'Semicolons'],
      answer: 1,
      explain: 'Python uses indentation (normally 4 spaces) to group code into blocks.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which line is a comment?',
      options: ['// total', '<!-- total -->', '# total', '-- total'],
      answer: 2,
      explain: 'Python comments start with #.',
    },
    {
      type: 'fill',
      level: 'Beginner',
      prompt: 'Read the user\'s name from the keyboard.',
      code: 'name = ___("Your name: ")',
      answer: ['input'],
      explain: 'input() shows a prompt and returns what the user typed, as a string.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'What does print("a", "b", sep="-") output?',
      options: ['a b', 'a-b', 'ab', 'a - b'],
      answer: 1,
      explain: 'sep sets the separator between arguments; the default is a space.',
    },
    {
      type: 'code',
      level: 'Beginner',
      prompt: 'Create a variable city = "Rome" and print exactly: I live in Rome (use an f-string).',
      starter: 'city = "Rome"\n',
      tests: 'assert city == "Rome"\nassert _output.strip() == "I live in Rome", "Expected output: I live in Rome"',
      explain: 'print(f"I live in {city}")',
    },
  ],
  'variables-data-types': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which variable name is valid?',
      options: ['2name', 'first-name', 'first_name', 'class'],
      answer: 2,
      explain: 'Names can contain letters, digits and _, cannot start with a digit, and cannot be keywords like class.',
    },
    {
      type: 'mcq',
```

```
      level: 'Beginner',
      prompt: 'What is type(3.0)?',
      options: ["<class 'int'>", "<class 'float'>", "<class 'str'>", "<class 'decimal'>"],
      answer: 1,
      explain: 'Any number with a decimal point is a float.',
    },
    {
      type: 'fill',
      level: 'Beginner',
      prompt: 'Convert the text "42" into an integer.',
      code: 'number = ___("42")',
      answer: ['int'],
      explain: 'int() converts strings and floats to whole numbers.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Which of these values is falsy?',
      options: ['"0"', '[0]', '0', '"False"'],
      answer: 2,
      explain: 'The number 0 is falsy. "0" and "False" are non-empty strings and [0] is a non-empty list, so they are truthy.',
    },
    {
      type: 'code',
      level: 'Beginner',
      prompt: 'The variable price_text = "19.5" is a string. Create price as a float from it, then print price * 2.',
      starter: 'price_text = "19.5"\n',
      tests: 'assert isinstance(price, float), "price must be a float — use float()"\nassert price == 19.5\nassert _output.strip() == "39.0", "Expected 39.0"',
      explain: 'price = float(price_text); print(price * 2)',
    },
  ],
  'numbers-strings': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What is 17 // 5?',
      options: ['3.4', '3', '2', '4'],
      answer: 1,
      explain: '// is floor division: it keeps only the whole part of 3.4.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'If word = "Python", what is word[-1]?',
      options: ['P', 'n', 'o', 'Error'],
      answer: 1,
      explain: 'Negative indexes count from the end; -1 is the last character.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Reverse the string using slicing.',
      code: 'text = "hello"\nprint(text[___])',
      answer: ['::-1'],
      explain: 'A step of -1 walks the string backwards: text[::-1].',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'What does f"{3.14159:.2f}" produce?',
      options: ['3.14159', '3.1', '3.14', '3'],
      answer: 2,
      explain: ':.2f formats a number with exactly 2 decimal places.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Given email = "  Ada@Example.COM ", print it trimmed and in lowercase.',
```

```
      starter: 'email = "  Ada@Example.COM "\n',
      tests: 'assert _output.strip() == "ada@example.com", "Expected ada@example.com — use .strip() and .lower()"',
      explain: 'print(email.strip().lower())',
    },
  ],
  operators: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What is 2 + 3 * 4?',
      options: ['20', '14', '24', '9'],
      answer: 1,
      explain: 'Multiplication happens before addition: 3 * 4 = 12, then + 2.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which operator checks whether two values are equal?',
      options: ['=', '==', '===', 'is'],
      answer: 1,
      explain: '== compares values. = assigns. is checks identity (same object).',
    },
    {
      type: 'fill',
      level: 'Beginner',
      prompt: 'Increase score by 10 using an assignment operator.',
      code: 'score = 5\nscore ___ 10',
      answer: ['+='],
      explain: 'score += 10 is shorthand for score = score + 10.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'What is True or False and False?',
      options: ['True', 'False', 'None', 'Error'],
      answer: 0,
      explain: 'and binds tighter than or: False and False is False, then True or False is True.',
    },
    {
      type: 'code',
      level: 'Beginner',
      prompt: 'minutes = 135. Print the hours and remaining minutes as: 2 15',
      starter: 'minutes = 135\n',
      tests: 'assert _output.strip() == "2 15", "Use // for hours and % for minutes: print(minutes // 60, minutes % 60)"',
      explain: 'print(minutes // 60, minutes % 60)',
    },
  ],
  conditionals: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which keyword checks another condition after an if?',
      options: ['else if', 'elseif', 'elif', 'then'],
      answer: 2,
      explain: 'Python uses elif.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'x = 15. What prints?\nif x > 10: print("A")\nelif x > 5: print("B")\nelse: print("C")',
      options: ['A', 'B', 'A and B', 'C'],
      answer: 0,
      explain: 'Only the first true branch runs, so only A is printed.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
```

```
      prompt: 'Complete the one-line conditional expression.',
      code: 'status = "adult" if age >= 18 ___ "minor"',
      answer: ['else'],
      explain: 'value_if_true if condition else value_if_false',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Write a function grade(score) that returns "A" for 90+, "B" for 80–89, "C" for 70–79 and "F" otherwise.',
      starter: 'def grade(score):\n    # your code\n    pass\n',
      tests:
        'assert grade(95) == "A", "grade(95) should be A"\nassert grade(90) == "A", "90 is an A"\nassert grade(85) == "B"\nassert grade(70) == "C", "70 is a C"\nassert grade(12) == "F"',
      explain: 'Check from the highest threshold down using if / elif / else and return the letter.',
    },
    {
      type: 'code',
      level: 'Advanced',
      prompt: 'Write fizzbuzz(n): return "FizzBuzz" if n is divisible by 3 and 5, "Fizz" if by 3, "Buzz" if by 5, otherwise the number as a string.',
      starter: 'def fizzbuzz(n):\n    pass\n',
      tests: 'assert fizzbuzz(15) == "FizzBuzz"\nassert fizzbuzz(9) == "Fizz"\nassert fizzbuzz(10) == "Buzz"\nassert fizzbuzz(7) == "7", "Return str(n) for other numbers"',
      explain: 'Test n % 15 == 0 (or both conditions) first, otherwise "Fizz" would win for 15.',
      hint: 'Order matters — check the most specific case first.',
    },
  ],
  loops: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What numbers does range(1, 5) produce?',
      options: ['1, 2, 3, 4, 5', '1, 2, 3, 4', '0, 1, 2, 3, 4', '2, 3, 4, 5'],
      answer: 1,
      explain: 'The stop value is excluded.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which statement exits a loop immediately?',
      options: ['continue', 'exit', 'break', 'stop'],
      answer: 2,
      explain: 'break leaves the loop; continue skips to the next iteration.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Get both index and value while looping.',
      code: 'for i, name in ___(names):\n    print(i, name)',
      answer: ['enumerate'],
      explain: 'enumerate() yields (index, value) pairs.',
    },
    {
      type: 'code',
      level: 'Beginner',
      prompt: 'Use a loop to compute the sum of all even numbers from 1 to 100 (inclusive) and store it in total.',
      starter: 'total = 0\n',
      tests: 'assert total == 2550, f"Expected 2550, got {total}"',
      explain: 'for n in range(2, 101, 2): total += n',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Write count_vowels(text) that returns how many vowels (a, e, i, o, u — any case) are in text.',
      starter: 'def count_vowels(text):\n    pass\n',
```

```
      tests: 'assert count_vowels("Python") == 1\nassert count_vowels("AEIOU aeiou") == 10, "Remember uppercase vowels"\nassert count_vowels("") == 0',
      explain: 'Loop over text.lower() and add 1 when the character is in "aeiou".',
    },
  ],
  'lists-tuples': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which method adds one item to the end of a list?',
      options: ['add()', 'push()', 'append()', 'insert()'],
      answer: 2,
      explain: 'append() adds to the end; insert() adds at a position.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What is the main difference between a list and a tuple?',
      options: ['Tuples can only hold numbers', 'Tuples are immutable', 'Lists are faster always', 'There is no difference'],
      answer: 1,
      explain: 'Tuples cannot be changed after creation.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Create a list of squares of 1 to 5 with a comprehension.',
      code: 'squares = [n * n ___ n in range(1, 6)]',
      answer: ['for'],
      explain: '[expression for item in iterable]',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'a = [1, 2]; b = a; b.append(3). What is a?',
      options: ['[1, 2]', '[1, 2, 3]', '[3]', 'Error'],
      answer: 1,
      explain: 'b = a does not copy; both names refer to the same list. Use a.copy() for a copy.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Write top_three(scores) that returns the three highest scores, highest first.',
      starter: 'def top_three(scores):\n    pass\n',
      tests: 'assert top_three([5, 1, 9, 7, 3]) == [9, 7, 5]\nassert top_three([10, 20, 30, 40]) == [40, 30, 20]',
      explain: 'return sorted(scores, reverse=True)[:3]',
    },
  ],
  'dictionaries-sets': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'How do you safely read a key that might not exist?',
      options: ['d["key"]', 'd.get("key")', 'd.read("key")', 'd->key'],
      answer: 1,
      explain: 'get() returns None (or a default) instead of raising KeyError.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'What is {1, 2, 2, 3}?',
      options: ['{1, 2, 2, 3}', '{1, 2, 3}', '[1, 2, 3]', 'Error'],
      answer: 1,
      explain: 'Sets keep only unique values.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
```

```
      prompt: 'Loop over keys and values together.',
      code: 'for key, value in prices.___():\n    print(key, value)',
      answer: ['items'],
      explain: '.items() returns (key, value) pairs.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Write word_count(text) that returns a dict mapping each word (split on spaces, lowercase) to how often it appears.',
      starter: 'def word_count(text):\n    pass\n',
      tests: 'assert word_count("the cat the hat") == {"the": 2, "cat": 1, "hat": 1}\nassert word_count("A a A") == {"a": 3}, "Convert to lowercase"',
      explain: 'counts = {}; for w in text.lower().split(): counts[w] = counts.get(w, 0) + 1',
    },
    {
      type: 'code',
      level: 'Advanced',
      prompt: 'Write common_skills(a, b) returning a sorted list of skills present in both lists.',
      starter: 'def common_skills(a, b):\n    pass\n',
      tests: 'assert common_skills(["python", "sql", "git"], ["git", "python", "java"]) == ["git", "python"]',
      explain: 'return sorted(set(a) & set(b))',
    },
  ],
  functions: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What does a function return if it has no return statement?',
      options: ['0', 'An empty string', 'None', 'An error'],
      answer: 2,
      explain: 'Functions without return give back None.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'In def f(*args): …, what is args?',
      options: ['A list', 'A tuple of positional arguments', 'A dictionary', 'A string'],
      answer: 1,
      explain: '*args collects extra positional arguments into a tuple; **kwargs collects keyword arguments into a dict.',
    },
    {
      type: 'fill',
      level: 'Beginner',
      prompt: 'Complete the definition.',
      code: '___ greet(name):\n    return f"Hi {name}"',
      answer: ['def'],
      explain: 'Functions are defined with def.',
    },
    {
      type: 'code',
      level: 'Beginner',
      prompt: 'Write area(width, height=1) that returns width * height.',
      starter: 'def area(width, height=1):\n    pass\n',
      tests: 'assert area(3, 4) == 12\nassert area(5) == 5, "height should default to 1"',
      explain: 'return width * height',
    },
    {
      type: 'code',
      level: 'Advanced',
      prompt: 'Write a recursive function factorial(n) (factorial(0) == 1).',
      starter: 'def factorial(n):\n    pass\n',
      tests: 'assert factorial(0) == 1\nassert factorial(5) == 120\nassert factorial(10) == 3628800',
      explain: 'Base case: n <= 1 returns 1; otherwise return n * factorial(n - 1).',
    },
  ],
```

```
  oop: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which method runs automatically when an object is created?',
      options: ['__new__ only', '__init__', '__start__', 'create()'],
      answer: 1,
      explain: '__init__ initialises a new instance.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'What does self refer to inside a method?',
      options: ['The class', 'The current instance', 'The module', 'The parent class'],
      answer: 1,
      explain: 'self is the object the method was called on.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Call the parent constructor from a subclass.',
      code: 'class Manager(Employee):\n    def __init__(self, name):\n
___().__init__(name)',
      answer: ['super'],
      explain: 'super() gives access to the parent class.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Create a class Rectangle with width and height attributes, and methods area()
 and perimeter().',
      starter: 'class Rectangle:\n    pass\n',
      tests: 'r = Rectangle(3, 4)\nassert r.width == 3 and r.height == 4\nassert r.area() ==
 12\nassert r.perimeter() == 14',
      explain: 'def __init__(self, width, height): store both; area = width*height;
perimeter = 2*(width+height).',
    },
    {
      type: 'code',
      level: 'Advanced',
      prompt: 'Create class Square(Rectangle) that takes one side length and reuses
Rectangle. (Define Rectangle too.)',
      starter: 'class Rectangle:\n    def __init__(self, width, height):\n        self.width
 = width\n        self.height = height\n    def area(self):\n        return self.width *
self.height\n\nclass Square(Rectangle):\n    pass\n',
      tests: 's = Square(5)\nassert isinstance(s, Rectangle), "Square must inherit from
Rectangle"\nassert s.area() == 25',
      explain: 'def __init__(self, side): super().__init__(side, side)',
    },
  ],
  'modules-packages': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which command installs a third-party package?',
      options: ['python get requests', 'pip install requests', 'import install requests',
'npm install requests'],
      answer: 1,
      explain: 'pip installs packages from PyPI.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Why use a virtual environment?',
      options: ['To make Python faster', 'To isolate each project\'s dependencies', 'To hide
 your code', 'It is required to run Python'],
      answer: 1,
      explain: 'Each project gets its own packages and versions, avoiding conflicts.',
    },
    {
      type: 'fill',
```

```
      level: 'Intermediate',
      prompt: 'Run main() only when the file is executed directly.',
      code: 'if __name__ == "___":\n    main()',
      answer: ['__main__'],
      explain: 'When a file is run as a script, __name__ is "__main__".',
    },
    {
      type: 'code',
      level: 'Beginner',
      prompt: 'Import the math module and store the square root of 144 in root.',
      starter: '',
      tests: 'assert root == 12, "Use math.sqrt(144)"',
      explain: 'import math; root = math.sqrt(144)',
    },
  ],
  'file-handling': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which mode adds text to the end of an existing file?',
      options: ['"r"', '"w"', '"a"', '"x"'],
      answer: 2,
      explain: '"a" appends. "w" would replace the whole file.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Why open files with a with statement?',
      options: ['It is faster', 'The file is closed automatically', 'It encrypts the file',
'It is required for CSV'],
      answer: 1,
      explain: 'with guarantees the file is closed, even if an error occurs.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Parse a JSON string into Python objects.',
      code: 'import json\ndata = json.___(\'{"ok": true}\')',
      answer: ['loads'],
      explain: 'json.loads parses a string; json.load reads from a file.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Write the three lines "a", "b", "c" to letters.txt (one per line), then read
the file back into a list called lines (without newline characters).',
      starter: '',
      tests: 'assert open("letters.txt").read().split() == ["a", "b", "c"], "letters.txt
should contain a, b and c on separate lines"\nassert lines == ["a", "b", "c"], "lines should
 be [\'a\', \'b\', \'c\']"',
      explain: 'Write with open(..., "w") and "\\n".join(...), then lines =
f.read().splitlines().',
    },
  ],
  'error-handling': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which exception does int("abc") raise?',
      options: ['TypeError', 'ValueError', 'NameError', 'KeyError'],
      answer: 1,
      explain: 'The type (str) is acceptable, but the value cannot be converted.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'When does the finally block run?',
      options: ['Only on errors', 'Only without errors', 'Always', 'Never'],
      answer: 2,
      explain: 'finally always runs — ideal for cleanup.',
    },
```

```
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Signal invalid input from your own function.',
      code: 'if age < 0:\n    ___ ValueError("age cannot be negative")',
      answer: ['raise'],
      explain: 'raise throws an exception.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Write to_int(text) that returns int(text), or None if the text is not a valid number.',
      starter: 'def to_int(text):\n    pass\n',
      tests: 'assert to_int("42") == 42\nassert to_int("abc") is None, "Catch ValueError and return None"\nassert to_int("-7") == -7',
      explain: 'try: return int(text) except ValueError: return None',
    },
  ],
  libraries: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What is PyPI?',
      options: ['A Python IDE', 'The Python Package Index', 'A testing tool', 'A web framework'],
      answer: 1,
      explain: 'PyPI hosts the packages that pip installs.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Which library is the standard choice for fast numerical arrays?',
      options: ['requests', 'NumPy', 'Flask', 'pytest'],
      answer: 1,
      explain: 'NumPy provides vectorised arrays used across data science.',
    },
    {
      type: 'fill',
      level: 'Advanced',
      prompt: 'Find all numbers in a string with a regular expression.',
      code: 'import re\nre.___(r"\\d+", "a1 b22 c333")',
      answer: ['findall'],
      explain: 're.findall returns every match as a list.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Use collections.Counter to find the most common letter in word = "mississippi". Store it in top.',
      starter: 'word = "mississippi"\n',
      tests: 'assert top in ("i", "s"), "Counter(word).most_common(1)[0][0]"',
      explain: 'from collections import Counter; top = Counter(word).most_common(1)[0][0]',
    },
  ],
  apis: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which HTTP status code means "Not Found"?',
      options: ['200', '301', '404', '500'],
      answer: 2,
      explain: '404 = not found, 200 = OK, 500 = server error.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Which HTTP method is normally used to create a resource?',
      options: ['GET', 'POST', 'DELETE', 'HEAD'],
      answer: 1,
      explain: 'POST creates; GET reads; PUT/PATCH update; DELETE removes.',
```

```
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Where should an API key be stored?',
      options: ['Hard-coded in the script', 'In an environment variable', 'In a public README', 'In the URL of a GitHub issue'],
      answer: 1,
      explain: 'Secrets belong in environment variables or a secrets manager, never in code.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Given the JSON text raw, parse it and store a list of the names of active users in active_names.',
      starter: 'import json\nraw = \'[{"name": "Ada", "active": true}, {"name": "Bob", "active": false}, {"name": "Cy", "active": true}]\'\n',
      tests: 'assert active_names == ["Ada", "Cy"]',
      explain: 'users = json.loads(raw); active_names = [u["name"] for u in users if u["active"]]',
    },
  ],
  databases: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which SQL statement reads data?',
      options: ['INSERT', 'SELECT', 'UPDATE', 'CREATE'],
      answer: 1,
      explain: 'SELECT queries rows.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'How do you prevent SQL injection with sqlite3?',
      options: ['Use f-strings', 'Use ? placeholders with parameters', 'Escape quotes manually', 'Use uppercase SQL'],
      answer: 1,
      explain: 'Parameterised queries keep data separate from SQL code.',
    },
    {
      type: 'mcq',
      level: 'Advanced',
      prompt: 'A LEFT JOIN between customers and orders…',
      options: ['Only returns customers with orders', 'Returns all customers, with order data where it exists', 'Returns only orders', 'Deletes unmatched rows'],
      answer: 1,
      explain: 'LEFT JOIN keeps every row from the left table.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Using the in-memory database below, query the names of products cheaper than 10, ordered by name, into a list called cheap.',
      starter:
        'import sqlite3\ndb = sqlite3.connect(":memory:")\ndb.execute("CREATE TABLE products (name TEXT, price REAL)")\ndb.executemany("INSERT INTO products VALUES (?, ?)", [("pen", 2.5), ("lamp", 25), ("cup", 6), ("bag", 15)])\n',
      tests: 'assert cheap == ["cup", "pen"], f"Expected [\'cup\', \'pen\'], got {cheap!r}"',
      explain: 'cheap = [r[0] for r in db.execute("SELECT name FROM products WHERE price < ? ORDER BY name", (10,))]',
    },
  ],
  projects: [
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Which module should you use to generate secure passwords?',
      options: ['random', 'secrets', 'math', 'hashlib'],
```

```
      answer: 1,
      explain: 'secrets uses a cryptographically secure random source; random is predictable.',
    },
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What should every portfolio project include?',
      options: ['Only the code', 'A README explaining what it does and how to run it', 'Your passwords', 'A video'],
      answer: 1,
      explain: 'A clear README makes your project understandable to recruiters and developers.',
    },
    {
      type: 'code',
      level: 'Advanced',
      prompt: 'Write summarize(expenses) where expenses is a list of (category, amount) tuples. Return a dict of category → total, rounded to 2 decimals.',
      starter: 'def summarize(expenses):\n    pass\n',
      tests:
        'r = summarize([("food", 10.5), ("rent", 500), ("food", 4.25)])\nassert r == {"food": 14.75, "rent": 500}, f"Got {r}"\nassert summarize([]) == {}',
      explain: 'Accumulate in a dict with get(cat, 0) + amount, then round each value.',
    },
  ],
  advanced: [
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'What keyword turns a function into a generator?',
      options: ['return', 'yield', 'async', 'lambda'],
      answer: 1,
      explain: 'A function containing yield returns a generator.',
    },
    {
      type: 'mcq',
      level: 'Advanced',
      prompt: 'What does a decorator do?',
      options: ['Changes the colour of output', 'Wraps a function to add behaviour', 'Deletes a function', 'Creates a class'],
      answer: 1,
      explain: 'A decorator takes a function and returns a new function that adds behaviour.',
    },
    {
      type: 'fill',
      level: 'Advanced',
      prompt: 'Add a return type hint.',
      code: 'def add(a: int, b: int) ___ int:\n    return a + b',
      answer: ['->'],
      explain: '-> annotates the return type.',
    },
    {
      type: 'code',
      level: 'Advanced',
      prompt: 'Write a generator evens(limit) that yields even numbers from 0 up to and including limit.',
      starter: 'def evens(limit):\n    pass\n',
      tests: 'import types\nassert isinstance(evens(4), types.GeneratorType), "Use yield"\nassert list(evens(10)) == [0, 2, 4, 6, 8, 10]',
      explain: 'for n in range(0, limit + 1, 2): yield n',
    },
  ],
  'git-github': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which command records staged changes in history?',
      options: ['git add', 'git commit', 'git push', 'git save'],
      answer: 1,
```

```
      explain: 'git add stages changes; git commit records them.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Which file lists things Git should never track?',
      options: ['.gitconfig', '.gitignore', 'README.md', 'requirements.txt'],
      answer: 1,
      explain: '.gitignore prevents files like .env and .venv from being committed.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Create and switch to a new branch.',
      code: 'git switch ___ feature/login',
      answer: ['-c'],
      explain: 'git switch -c creates a branch and switches to it.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'You accidentally pushed an API key to GitHub. What is the FIRST thing to
┆ do?',
      options: ['Delete the repository', 'Revoke/rotate the key', 'Make the repo private',
┆ 'Ignore it'],
      answer: 1,
      explain: 'Assume the key is compromised — revoke it immediately, then clean the
┆ history.',
    },
  ],
  testing: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'How does pytest find tests?',
      options: ['Files named test_*.py and functions named test_*', 'Any .py file', 'Only
┆ files in /tests', 'Functions with @test'],
      answer: 0,
      explain: 'pytest discovers test_*.py files and test_* functions by convention.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'In TDD, what do you write first?',
      options: ['The implementation', 'A failing test', 'Documentation', 'A deployment
┆ script'],
      answer: 1,
      explain: 'Red → Green → Refactor.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Check that a function raises an error in pytest.',
      code: 'with pytest.___(ValueError):\n    divide(1, 0)',
      answer: ['raises'],
      explain: 'pytest.raises asserts that the block raises the given exception.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Write is_palindrome(text) ignoring case and non-letters, so the asserts
┆ pass.',
      starter: 'def is_palindrome(text):\n    pass\n',
      tests: 'assert is_palindrome("Racecar")\nassert is_palindrome("A man, a plan, a canal:
┆  Panama")\nassert not is_palindrome("python")',
      explain: 'cleaned = "".join(c.lower() for c in text if c.isalnum()); return cleaned ==
┆  cleaned[::-1]',
    },
  ],
  'web-development': [
    {
```

```
      type: 'mcq',
      level: 'Beginner',
      prompt: 'Which framework automatically generates interactive API docs from type hints?',
      options: ['Flask', 'FastAPI', 'Tkinter', 'pandas'],
      answer: 1,
      explain: 'FastAPI builds OpenAPI docs at /docs from your type hints and Pydantic models.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Which status code should a successful "create" endpoint return?',
      options: ['200', '201', '204', '302'],
      answer: 1,
      explain: '201 Created signals a new resource was created.',
    },
    {
      type: 'mcq',
      level: 'Advanced',
      prompt: 'Where should production settings like database passwords come from?',
      options: ['Hard-coded constants', 'Environment variables', 'The HTML template', 'Query parameters'],
      answer: 1,
      explain: 'Use environment variables so secrets never live in your code.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Register a GET route in Flask 2+.',
      code: '@app.___("/hello")\ndef hello():\n    return "Hi"',
      answer: ['get', 'route'],
      explain: '@app.get("/hello") — or the older @app.route("/hello").',
    },
  ],
  'data-analysis': [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What is the main pandas table structure called?',
      options: ['Sheet', 'DataFrame', 'Matrix', 'Table'],
      answer: 1,
      explain: 'A DataFrame is a 2-D labelled table.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'Which call counts missing values per column?',
      options: ['df.count()', 'df.isna().sum()', 'df.missing()', 'df.null()'],
      answer: 1,
      explain: 'isna() marks missing cells; sum() counts them per column.',
    },
    {
      type: 'fill',
      level: 'Intermediate',
      prompt: 'Total sales per region.',
      code: 'df.___("region")["amount"].sum()',
      answer: ['groupby'],
      explain: 'groupby splits rows into groups before aggregating.',
    },
    {
      type: 'code',
      level: 'Intermediate',
      prompt: 'Using pandas, store the average score of rows where country == "UK" in uk_avg.',
      starter:
        'import pandas as pd\ndf = pd.DataFrame({"country": ["UK", "US", "UK", "FI"], "score": [80, 90, 70, 60]})\n',
      tests: 'assert float(uk_avg) == 75.0, f"Expected 75.0, got {uk_avg}"',
      explain: 'uk_avg = df[df["country"] == "UK"]["score"].mean()',
    },
```

```
  ],
  career: [
    {
      type: 'mcq',
      level: 'Beginner',
      prompt: 'What impresses employers most for a junior role with no experience?',
      options: ['A long list of technologies', 'Finished, deployed projects with clear
READMEs', 'Many certificates only', 'A 4-page CV'],
      answer: 1,
      explain: 'Real, working projects are the strongest evidence of skill.',
    },
    {
      type: 'mcq',
      level: 'Intermediate',
      prompt: 'In a live coding interview, what should you do first?',
      options: ['Start typing immediately', 'Clarify the problem and examples', 'Ask for the
 solution', 'Stay silent'],
      answer: 1,
      explain: 'Clarify requirements and edge cases, then explain your approach before
coding.',
    },
    {
      type: 'code',
      level: 'Advanced',
      prompt: 'Interview classic: write first_unique(s) returning the first character that
appears only once, or None.',
      starter: 'def first_unique(s):\n    pass\n',
      tests: 'assert first_unique("swiss") == "w"\nassert first_unique("aabb") is
None\nassert first_unique("") is None\nassert first_unique("abcabd") == "c"',
      explain: 'Count characters (Counter), then return the first char whose count is 1.',
    },
  ],
};
```

content/course/01-foundations.md

File 93 of 101 · 765 lines

```
@@module introduction | Introduction to Python | free | Foundations
What programming is, what Python is, what you can build with it, and your very first program.

@@lesson what-is-python | What is Python?
**Python** is a programming language: a way to give a computer precise instructions in text that both humans and computers can read.

It was created by Guido van Rossum and released in 1991. Today it is one of the most popular languages in the world because it is **easy to read**, **free**, and **useful for almost everything**.

## What is a program?

A program is a list of instructions the computer follows from top to bottom. Here is a complete Python program:

```python
print("Hello, World!")
```

Press **Try it Yourself**, then **Run**. The computer *prints* (shows) the text between the quotes. You just ran your first program!

What can you build with Python?

Area	Examples
Web development	Websites and APIs with Django, Flask, FastAPI
Data & AI	Data analysis, machine learning, chatbots
Automation	Renaming files, filling spreadsheets, sending reports
Testing	Automatically checking that software works
Science & finance	Simulations, statistics, trading tools

Why Python is great for beginners

- The code looks almost like English: `if age >= 18: print("adult")`.
- There is very little "noise" — no semicolons or curly braces.
- A huge community means answers to almost every question already exist.

> **How to use this course:** read a lesson, run every example, change something, run it again. Breaking code on purpose is one of the fastest ways to learn.

@@lesson how-python-runs | How Python Runs Your Code
When you press Run, a program called the **Python interpreter** reads your code **line by line** and carries out each instruction.

```python
print("Line 1 runs first")
print("Line 2 runs second")
print("Line 3 runs third")
```

Source code and the interpreter

- **Source code** is the text you write, saved in files ending in `.py`.
- The **interpreter** (the `python` program) translates and executes that code.

Because Python is *interpreted*, you can run code immediately without a separate "build" step. That's why it's great for experimenting.

Errors are normal

If the interpreter can't understand a line, it stops and shows an **error message**. Try running this:

```python
print("This line works")
```
```

````
prnt("This line has a typo")
```

You'll see a `NameError: name 'prnt' is not defined`. The message tells you **what** went wrong and **on which line**. Reading error messages calmly is a core developer skill — you'll practise it throughout the course.

## In your browser

On womens4.com your code runs in a real Python interpreter inside your web browser, so you don't need to install anything yet.

@@lesson first-program | Your First Real Program
Let's write a program that does a bit more than one line.

```python
print("Welcome to womens4.com!")
print("Today I start learning Python.")
print("2 + 3 =", 2 + 3)
```

Notice three things:

1. Text must be inside quotes: `"like this"` or `'like this'`.
2. Numbers and calculations are written **without** quotes: `2 + 3`.
3. `print()` can show several things separated by commas — it puts a space between them.

## Printing on several lines

```python
print("Line one")
print()            # an empty print() gives a blank line
print("Line three")
```

## Your turn

Change the program below so it prints **your name** and **your goal**. Then run it.

```python
print("My name is ...")
print("My goal is to become a Python developer")
```

@@lesson learning-plan | How to Learn Programming Effectively
Learning to code is a skill like learning a language or an instrument. A few habits make a huge difference.

## 1. Practise a little every day

Thirty focused minutes every day beats five hours once a week. Your dashboard tracks your **learning streak** to help you build the habit.

## 2. Type the code — don't just read it

Re-typing examples (instead of copy-pasting) builds muscle memory and helps you notice details like brackets and quotes.

## 3. Break things on purpose

After running an example, change it. What happens if you remove a quote? Use a different number? Predict the result first, then check.

## 4. Read error messages from the bottom

The last line of an error says what went wrong. The lines above show where.

## 5. Build small projects early

As soon as you know a few concepts, combine them into tiny programs: a tip calculator, a quiz game, a to-do list. Module 19 is all about projects.
````
````

```
122 |
123 | ## 6. Learn to search
124 |
125 | Professional developers search constantly. Good searches include the language and the error,
    |  for example: `python TypeError can only concatenate str`.
126 |
127 | > **Your path:** Foundations → Core Python → Intermediate → Projects → Professional skills.
    | Follow the [roadmap](/roadmap) and you will have a clear plan from today to your first job
    | application.
128 |
129 | @@module setup | Installing Python and Setting Up | free | Foundations
130 | Install Python on your computer, choose a code editor, run scripts from the terminal and use
    |  the interactive shell.
131 |
132 | @@lesson install-python | Installing Python
133 | You can do the whole beginner part of this course in the browser, but real projects run on
    | your own computer. Let's install Python 3.
134 |
135 | ## Windows
136 |
137 | 1. Go to **python.org/downloads** and download the latest Python 3 installer.
138 | 2. Run it and **tick "Add python.exe to PATH"** at the bottom of the first screen — this is
    | important.
139 | 3. Click **Install Now**.
140 |
141 | ## macOS
142 |
143 | Download the macOS installer from python.org, or with [Homebrew](https://brew.sh):
144 |
145 | ```bash
146 | brew install python
147 | ```
148 |
149 | ## Linux
150 |
151 | Python 3 is usually pre-installed. If not (Ubuntu/Debian):
152 |
153 | ```bash
154 | sudo apt update
155 | sudo apt install python3 python3-pip python3-venv
156 | ```
157 |
158 | ## Check that it works
159 |
160 | Open a terminal (Command Prompt / PowerShell on Windows, Terminal on macOS/Linux) and type:
161 |
162 | ```bash
163 | python --version
164 | ```
165 |
166 | On macOS/Linux you may need `python3 --version`. You should see something like `Python
    | 3.13.0`.
167 |
168 | @@lesson code-editor | Choosing a Code Editor
169 | A code editor is where you write your programs. We recommend **Visual Studio Code (VS
    | Code)** — free, fast and used by millions of developers.
170 |
171 | ## Setting up VS Code
172 |
173 | 1. Download it from **code.visualstudio.com** and install it.
174 | 2. Open VS Code, click the **Extensions** icon on the left and install the **Python**
    | extension (by Microsoft).
175 | 3. Create a folder for your projects, e.g. `python-projects`, and open it with **File → Open
    |  Folder**.
176 |
177 | ## Other good choices
178 |
179 | | Editor | Good for |
180 | |---|---|
181 | | PyCharm Community | A full Python IDE with powerful refactoring |
182 | | Thonny | Very simple editor made for absolute beginners |
```

```
| Jupyter Notebook | Data analysis and experiments |

> Whatever you choose, learn its keyboard shortcuts for saving, running code and searching. Small time savings add up quickly.

@@lesson running-scripts | Running Python Files
Create a new file called `hello.py` in your project folder and write:

```python-norun
name = "Ada"
print("Hello,", name)
print("This program runs from a file!")
```

Save it, then open a terminal **in that folder** and run:

```bash
python hello.py
```

(Use `python3 hello.py` on macOS/Linux if `python` doesn't work.)

Useful terminal commands

Task	Windows	macOS / Linux
Show current folder	`cd`	`pwd`
List files	`dir`	`ls`
Enter a folder	`cd projects`	`cd projects`
Go up one folder	`cd ..`	`cd ..`

In VS Code you can also press the **▶ Run** button in the top-right corner, which runs the current file in the built-in terminal.

@@lesson interactive-shell | The Interactive Shell (REPL)
Type `python` in a terminal with nothing after it and you enter the **interactive shell**, also called the **REPL** (Read–Eval–Print Loop):

```text
>>> 2 + 2
4
>>> "py" * 3
'pypypy'
>>> exit()
```

The `>>>` prompt waits for a line of Python, runs it, and immediately shows the result. It's perfect for quick experiments.

Shell vs script

- **Shell:** quick tests, one line at a time, nothing is saved.
- **Script (`.py` file):** real programs you can save, share and run again.

Getting help inside Python

```python
help(len)
```

`help()` shows the documentation for any function. `dir("text")` lists everything you can do with a value. Try both!

@@module syntax | Python Syntax | free | Foundations
The rules of writing Python: statements, indentation, comments, print and input.

@@lesson statements-indentation | Statements and Indentation
A **statement** is one instruction. In Python each statement normally sits on its own line.

```python
x = 5
```
```

````
y = 10
print(x + y)
```

## Indentation matters

Many languages use `{ }` to group code. Python uses **indentation** — spaces at the start of a line. Code that belongs to an `if`, loop or function is indented by **4 spaces**:

```python
temperature = 30
if temperature > 25:
    print("It's hot!")
    print("Drink water.")
print("This line always runs.")
```

If the indentation is wrong, Python stops with an `IndentationError`:

```python
if True:
print("Not indented")
```

## Case sensitivity

Python is case-sensitive: `name`, `Name` and `NAME` are three different things, and `Print("hi")` is an error because the function is called `print`.

@@lesson comments | Comments
Comments are notes for humans. Python ignores everything after `#` on a line.

```python
# Calculate the total price
price = 20
quantity = 3
total = price * quantity  # multiply price by quantity
print(total)
```

## Good comments explain *why*

```python-norun
# Bad: adds 1 to count
count = count + 1

# Good: the first item is the header row, so skip it
count = count + 1
```

## Multi-line notes

Python has no special multi-line comment, but you can start several lines with `#`. Triple-quoted strings (`"""..."""`) are used for **docstrings** — documentation for functions — which you'll meet in Module 11.

> **Tip:** You can temporarily "comment out" a line of code with `#` to stop it running while you debug.

@@lesson print-function | Output with print()
`print()` is the function you'll use most while learning.

```python
print("Python", "is", "fun")          # separated by spaces
print("Python", "is", "fun", sep="-") # custom separator
print("No newline", end=" ")
print("at the end")
```

## Special characters
````
````

Code	Meaning
`\n`	New line
`\t`	Tab
`\"`	A double quote inside a string
`\\`	A backslash

```python
print("Line 1\nLine 2")
print("Name:\tAda")
print("She said \"hi\"")
```

Printing variables and text together

The cleanest way is an **f-string** — put `f` before the quotes and variables inside `{ }`:

```python
name = "Ada"
age = 36
print(f"{name} is {age} years old.")
```

@@lesson input-function | Input with input()
`input()` pauses the program and waits for the user to type something.

```python
name = input("What is your name? ")
print(f"Nice to meet you, {name}!")
```

> In the womens4.com editor, click **Input** and type the values (one per line) *before* you press Run.

input() always returns text

Even if the user types `25`, you get the string `"25"`. To do maths you must **convert** it:

```python
age = int(input("How old are you? "))
print(f"Next year you will be {age + 1}.")
```

`int()` converts to a whole number, `float()` to a decimal number. If the user types something that isn't a number, Python raises a `ValueError` — you'll learn to handle that in Module 15.

@@module variables-data-types | Variables and Data Types | free | Foundations
Store data in variables and understand Python's basic types: str, int, float, bool and None.

@@lesson variables | Variables
A **variable** is a name that refers to a value. You create one with `=` (the *assignment* operator).

```python
city = "Milan"
population = 1_370_000
print(city, population)
```

Think of a variable as a **label** stuck on a value. You can move the label to a new value at any time:

```python
score = 10
score = score + 5   # take the old value, add 5, store it again
print(score)
```

Naming rules

```
- Letters, digits and `_` only; can't start with a digit.
- No spaces: use `snake_case` like `first_name`.
- Don't use Python keywords like `if`, `for`, `class`.

```python-norun
user_name = "ok"     # ✓
userName = "works"   # ✓ but not the Python style
2nd_place = "no"     # ✗ SyntaxError
```

Multiple assignment

```python
x, y, z = 1, 2, 3
a = b = 0
print(x, y, z, a, b)
```

Choose **descriptive names**. `total_price` is much clearer than `tp`.

@@lesson data-types | Data Types
Every value in Python has a **type**. Use `type()` to see it.

```python
print(type("hello"))   # str  — text
print(type(42))        # int  — whole number
print(type(3.14))      # float — decimal number
print(type(True))      # bool — True or False
print(type(None))      # NoneType — "nothing"
```

The basic types

Type	Example	Used for
`str`	`"Python"`	Text
`int`	`2026`	Counting, whole numbers
`float`	`19.99`	Measurements, prices
`bool`	`True`	Yes/no answers
`NoneType`	`None`	"No value yet"

Later you'll learn collection types: `list`, `tuple`, `dict` and `set`.

Dynamic typing

A variable can point to a value of any type, and that can change:

```python
thing = 5
print(type(thing))
thing = "five"
print(type(thing))
```

This flexibility is convenient, but in larger projects developers add **type hints** (Module 20) to keep things clear.

@@lesson type-conversion | Type Conversion (Casting)
Converting a value from one type to another is called **casting**.

```python
age_text = "29"
age = int(age_text)        # str -> int
price = float("4.50")      # str -> float
label = str(100)           # int -> str
print(age + 1, price * 2, label + "%")
```

Common conversions

```python
```
```

```
print(int(7.9))      # 7  (cuts off the decimals)
print(round(7.9))    # 8  (rounds)
print(float(3))      # 3.0
print(bool(0), bool(1), bool(""), bool("hi"))
```

Why it matters

You can't add a number to text directly:

```python
print("Age: " + 30)
```

That raises `TypeError: can only concatenate str (not "int") to str`. Fix it with `str(30)` or, better, an f-string: `f"Age: {30}"`.

@@lesson none-and-booleans | Booleans and None
Booleans

A **boolean** is either `True` or `False` (capital T and F). Comparisons produce booleans:

```python
print(5 > 3)
print(10 == 11)
is_logged_in = True
print(is_logged_in)
```

Truthy and falsy

Every value can be treated as a boolean. These are **falsy**: `False`, `0`, `0.0`, `""` (empty string), `None`, and empty collections. Everything else is **truthy**.

```python
name = ""
if name:
    print("Hello", name)
else:
    print("Name is empty")
```

None

`None` means "no value". It is often used as a placeholder:

```python
result = None
print(result is None)   # use 'is' to compare with None
```

@@module numbers-strings | Numbers and Strings | free | Foundations
Do maths with Python and master text: indexing, slicing, methods and f-strings.

@@lesson numbers-math | Numbers and Math
Python is a powerful calculator.

```python
print(7 + 3)    # 10  addition
print(7 - 3)    # 4   subtraction
print(7 * 3)    # 21  multiplication
print(7 / 2)    # 3.5 division (always returns a float)
print(7 // 2)   # 3   floor division (whole part)
print(7 % 2)    # 1   modulo (remainder)
print(2 ** 10)  # 1024 power
```

Useful built-in functions

```python
print(abs(-8))         # 8


```

````
print(round(3.14159, 2))# 3.14
print(max(4, 9, 2))     # 9
print(min(4, 9, 2))     # 2
```

## The math module

```python
import math
print(math.sqrt(81))
print(math.pi)
print(math.ceil(4.1), math.floor(4.9))
```

## A note about floats

Computers store decimals in binary, so tiny rounding errors happen:

```python
print(0.1 + 0.2)
print(round(0.1 + 0.2, 2))
```

For money, use `round()` for display or the `decimal` module for exact calculations.

@@lesson strings-basics | Strings
A **string** is text inside quotes. Single and double quotes work the same.

```python
greeting = "Hello"
name = 'Ada'
message = greeting + ", " + name + "!"   # joining = concatenation
print(message)
print("ha" * 3)
print(len(message))   # number of characters
```

## Multi-line strings

```python
poem = """Roses are red,
Python is great,
Learn it today,
Don't hesitate."""
print(poem)
```

## Strings are immutable

You can't change a character inside a string — you create a new string instead:

```python
word = "cat"
word = "b" + word[1:]
print(word)   # bat
```

@@lesson indexing-slicing | Indexing and Slicing
Each character in a string has a position called an **index**, starting at **0**.

```text
 P  y  t  h  o  n
 0  1  2  3  4  5
-6 -5 -4 -3 -2 -1
```

```python
lang = "Python"
print(lang[0])    # P
print(lang[5])    # n
print(lang[-1])   # n  (negative = count from the end)
````

```

## Slicing: `[start:stop:step]`

The `stop` index is **not included**.

```python
lang = "Python"
print(lang[0:2])   # Py
print(lang[2:])    # thon
print(lang[:4])    # Pyth
print(lang[::2])   # Pto  (every second char)
print(lang[::-1])  # nohtyP (reversed)
```

Slicing works the same way on lists, which you'll learn in Module 9.

@@lesson string-methods | String Methods
Methods are functions that belong to a value. You call them with a dot.

```python
text = "  Learn Python Today  "
print(text.strip())          # remove spaces at both ends
print(text.lower())
print(text.upper())
print(text.replace("Today", "Now"))
print("Python" in text)      # True — membership test
```

Searching and splitting

```python
sentence = "red,green,blue"
colors = sentence.split(",")
print(colors)                # ['red', 'green', 'blue']
print(" | ".join(colors))    # red | green | blue
print(sentence.find("green")) # 4
print(sentence.count("e"))
print("python".startswith("py"), "data.csv".endswith(".csv"))
```

Checking content

```python
print("2026".isdigit(), "abc".isalpha(), "Hello".istitle())
```

@@lesson f-strings | Formatting with f-strings
f-strings are the modern, readable way to build text from values.

```python
name = "Ada"
balance = 1234.5678
items = 3
print(f"Hi {name}, you have {items} items.")
print(f"Balance: €{balance:.2f}")          # 2 decimal places
print(f"Big number: {1234567:,}")          # thousands separator
print(f"Percent: {0.756:.1%}")             # 75.6%
print(f"{'left':<10}|{'right':>10}|")      # alignment
print(f"2 + 3 = {2 + 3}")                  # any expression
```

Debugging trick

Add `=` inside the braces to print the expression and its value:

```python
x = 42
print(f"{x=}")
```
```

````
@@module operators | Operators | free | Foundations
Arithmetic, assignment, comparison, logical, membership and identity operators — and how Python decides which runs first.

@@lesson arithmetic-assignment | Arithmetic and Assignment Operators
You've met the arithmetic operators: `+ - * / // % **`. **Assignment operators** combine maths with storing the result:

```python
score = 10
score += 5    # score = score + 5
score -= 2    # score = score - 2
score *= 3    # score = score * 3
score //= 2   # score = score // 2
print(score)
```

## Real example: modulo

`%` gives the remainder — perfect for checking even/odd numbers or wrapping around:

```python
number = 17
print(number % 2)          # 1 -> odd
minutes = 135
print(minutes // 60, "h", minutes % 60, "min")
```

@@lesson comparison-logical | Comparison and Logical Operators
Comparison operators compare two values and return `True` or `False`.

| Operator | Meaning |
|---|---|
| `==` | equal to |
| `!=` | not equal to |
| `>` `<` | greater / less than |
| `>=` `<=` | greater / less than or equal |

```python
age = 20
print(age >= 18)
print(age == 21)
print("apple" < "banana")   # strings compare alphabetically
print(1 < age < 30)         # chained comparison
```

## Logical operators: and, or, not

```python
age = 20
has_ticket = True
print(age >= 18 and has_ticket)   # both must be True
print(age < 12 or age > 65)       # at least one True
print(not has_ticket)             # flips the value
```

> `=` **assigns** a value, `==` **compares** values. Mixing them up is one of the most common beginner bugs.

@@lesson membership-identity | Membership and Identity Operators
## Membership: in, not in

```python
fruits = ["apple", "banana", "cherry"]
print("banana" in fruits)
print("grape" not in fruits)
print("py" in "python")
```

## Identity: is, is not
````

`is` checks whether two names point to **the very same object**, not just equal values.

```python
a = [1, 2, 3]
b = [1, 2, 3]
c = a
print(a == b)   # True  — same contents
print(a is b)   # False — different objects
print(a is c)   # True  — same object
```

Use `is` mainly with `None`: `if result is None:`.

@@lesson precedence | Operator Precedence
When an expression has several operators, Python follows an order — like maths at school.

Priority	Operators
1 (highest)	`()` parentheses
2	`**`
3	`*`, `/`, `//`, `%`
4	`+`, `-`
5	comparisons `==`, `<`, `in`, `is` …
6	`not`
7	`and`
8 (lowest)	`or`

```python
print(2 + 3 * 4)      # 14, not 20
print((2 + 3) * 4)    # 20
print(2 ** 3 ** 2)    # 512 — ** goes right to left
print(True or False and False)  # True — 'and' first
```

> **Best practice:** when in doubt, add parentheses. They make code easier to read even when they're not strictly needed.

content/course/02-core.md

File 94 of 101 · 594 lines

````
@@module conditionals | Conditional Statements (If, Else, Elif) | premium | Core Python
Make decisions in your programs with if, elif and else, combine conditions and use match.

@@lesson if-statement | The if Statement
An `if` statement runs code **only when a condition is True**.

```python
temperature = 31
if temperature > 30:
    print("It's a hot day.")
    print("Remember sunscreen!")
print("Have a good day.")
```

Structure:

1. The keyword `if`
2. A condition that is `True` or `False`
3. A colon `:`
4. An **indented** block of code

Try changing `temperature` to `20` and run again — the indented lines are skipped.

@@lesson else-elif | else and elif
`else` runs when the `if` condition is False. `elif` ("else if") lets you check several conditions in order.

```python
score = 74
if score >= 90:
    grade = "A"
elif score >= 80:
    grade = "B"
elif score >= 70:
    grade = "C"
else:
    grade = "F"
print("Grade:", grade)
```

Python checks from top to bottom and runs **only the first** matching block.

## A real example

```python
password = "pythonista2026"
if len(password) < 8:
    print("Too short")
elif password.isalpha():
    print("Add some numbers")
else:
    print("Password accepted")
```

@@lesson nested-combined | Combining and Nesting Conditions
Use `and`, `or` and `not` to combine conditions:

```python
age = 25
member = True
if age >= 18 and member:
    print("Welcome to the members' area")

day = "Sunday"
if day == "Saturday" or day == "Sunday":
    print("Weekend!")
```
````

````
You can also put an `if` inside another `if` (nesting), but keep it shallow — more than 2–3 levels gets hard to read.

```python
logged_in = True
is_admin = False
if logged_in:
    if is_admin:
        print("Admin dashboard")
    else:
        print("User dashboard")
else:
    print("Please log in")
```

## Conditional expression (ternary)

```python
age = 15
status = "adult" if age >= 18 else "minor"
print(status)
```

@@lesson match-case | Pattern Matching with match
Python 3.10 added `match`, a clean way to compare one value against many options:

```python
command = "stop"
match command:
    case "start":
        print("Starting engine")
    case "stop":
        print("Stopping engine")
    case "pause" | "wait":
        print("Pausing")
    case _:
        print("Unknown command")
```

`case _` is the default when nothing else matches. `match` can also unpack structures:

```python
point = (0, 5)
match point:
    case (0, 0):
        print("Origin")
    case (0, y):
        print(f"On the Y axis at {y}")
    case (x, y):
        print(f"Point at {x}, {y}")
```

@@module loops | While and For Loops | premium | Core Python
Repeat work automatically with while and for loops, range(), break, continue and nested loops.

@@lesson while-loop | The while Loop
A `while` loop repeats as long as its condition is True.

```python
count = 1
while count <= 5:
    print("Count:", count)
    count += 1
print("Done!")
```

> **Danger:** if the condition never becomes False you get an **infinite loop**. Always make sure something inside the loop moves it towards the end. (womens4.com stops code after 10 seconds to protect your browser.)
````

```
## A practical example

```python
balance = 1000
years = 0
while balance < 2000:
    balance *= 1.07   # 7% growth per year
    years += 1
print(f"It takes {years} years to double the money.")
```

@@lesson for-loop-range | The for Loop and range()
A `for` loop goes through each item of a sequence.

```python
for letter in "Python":
    print(letter)

for fruit in ["apple", "banana", "cherry"]:
    print("I like", fruit)
```

range()

`range()` generates numbers — ideal when you need to repeat something a fixed number of times.

```python
for i in range(5):          # 0 to 4
    print(i, end=" ")
print()
for i in range(2, 11, 2):   # start, stop (excluded), step
    print(i, end=" ")
print()
for i in range(5, 0, -1):   # count down
    print(i, end=" ")
```

Summing with a loop

```python
total = 0
for n in range(1, 101):
    total += n
print("Sum of 1..100 =", total)
```

@@lesson break-continue | break, continue and else
- `break` exits the loop immediately.
- `continue` skips to the next iteration.

```python
for n in range(1, 10):
    if n == 3:
        continue      # skip 3
    if n == 7:
        break         # stop at 7
    print(n)
```

The loop else

A loop's `else` block runs only if the loop **was not** stopped by `break` — handy for searches:

```python
numbers = [4, 8, 15, 16]
for n in numbers:
    if n % 2 != 0:
        print("Found an odd number:", n)
        break
```
```

```
else:
    print("All numbers are even")
```

@@lesson nested-loops-enumerate | Nested Loops, enumerate() and zip()
A loop inside a loop runs the inner loop completely for each outer iteration:

```python
for row in range(1, 4):
    for col in range(1, 4):
        print(row * col, end="\t")
    print()
```

enumerate(): index and value together

```python
tasks = ["learn loops", "practise", "build project"]
for number, task in enumerate(tasks, start=1):
    print(f"{number}. {task}")
```

zip(): loop over several lists in parallel

```python
names = ["Ada", "Linus", "Grace"]
scores = [92, 85, 97]
for name, score in zip(names, scores):
    print(f"{name}: {score}")
```

@@module lists-tuples | Lists and Tuples | premium | Core Python
Store many values in ordered collections: create, change, sort and loop through lists; use tuples for fixed data.

@@lesson lists-basics | Creating and Accessing Lists
A **list** stores many values in order, inside square brackets.

```python
fruits = ["apple", "banana", "cherry"]
numbers = [3, 1, 4, 1, 5]
mixed = ["Ada", 36, True]
print(fruits[0], fruits[-1])
print(len(numbers))
print(numbers[1:3])
```

Lists are **mutable** — you can change them:

```python
fruits = ["apple", "banana", "cherry"]
fruits[1] = "blueberry"
print(fruits)
```

@@lesson list-methods | Changing Lists
```python
todo = ["email Bob"]
todo.append("buy milk")          # add to the end
todo.insert(0, "wake up")        # add at a position
todo.extend(["code", "sleep"])   # add many
print(todo)

todo.remove("buy milk")          # remove by value
last = todo.pop()                # remove and return the last item
print("Popped:", last)
del todo[0]                      # remove by index
print(todo)
```

Sorting and searching

```
```python
scores = [70, 95, 82, 61]
scores.sort()                       # sorts in place
print(scores)
print(sorted(scores, reverse=True)) # returns a new sorted list
print(scores.index(82), scores.count(70))
print(sum(scores), max(scores), min(scores))
```

@@lesson list-comprehensions | Looping and List Comprehensions
The classic way to build a new list:

```python
numbers = [1, 2, 3, 4, 5]
squares = []
for n in numbers:
    squares.append(n * n)
print(squares)
```

A **list comprehension** does the same in one readable line:

```python
numbers = [1, 2, 3, 4, 5, 6]
squares = [n * n for n in numbers]
evens = [n for n in numbers if n % 2 == 0]
words = [w.upper() for w in ["py", "path"]]
print(squares, evens, words)
```

Pattern: `[expression for item in iterable if condition]`.

Copying lists — a common trap

```python
a = [1, 2, 3]
b = a          # NOT a copy — both names point to the same list
b.append(4)
print(a)       # [1, 2, 3, 4]
c = a.copy()   # a real copy
c.append(5)
print(a, c)
```

@@lesson tuples | Tuples
A **tuple** is like a list but **immutable** (can't be changed). Use round brackets.

```python
point = (10, 20)
rgb = (255, 128, 0)
print(point[0], len(rgb))
```

Use tuples for data that shouldn't change: coordinates, RGB colours, database rows.

Unpacking

```python
person = ("Ada", "Lovelace", 1815)
first, last, year = person
print(first, year)

a, b = 1, 2
a, b = b, a      # swap two variables
print(a, b)
```

Returning several values

Functions often return tuples:
```

```
```python
def min_max(values):
    return min(values), max(values)

low, high = min_max([4, 9, 1, 7])
print(low, high)
```

@@module dictionaries-sets | Dictionaries and Sets | premium | Core Python
Store data as key–value pairs with dictionaries and work with unique values using sets.

@@lesson dict-basics | Dictionaries
A **dictionary** stores **key: value** pairs — like a real dictionary that maps words to definitions.

```python
student = {
    "name": "Ada",
    "age": 21,
    "courses": ["Python", "SQL"],
}
print(student["name"])
student["age"] = 22            # change
student["email"] = "ada@example.com"  # add
print(student)
```

Safe access with get()

```python
student = {"name": "Ada"}
print(student.get("phone"))              # None instead of an error
print(student.get("phone", "unknown"))   # default value
```

Keys must be immutable (strings, numbers, tuples) and unique.

@@lesson dict-methods | Looping and Dictionary Methods
```python
prices = {"apple": 0.5, "bread": 2.2, "milk": 1.1}
for item, price in prices.items():
    print(f"{item}: €{price:.2f}")

print(list(prices.keys()))
print(list(prices.values()))
print("milk" in prices)
removed = prices.pop("bread")
print(prices, removed)
```

Counting with dictionaries

A very common pattern in interviews and real code:

```python
text = "the cat and the hat"
counts = {}
for word in text.split():
    counts[word] = counts.get(word, 0) + 1
print(counts)
```

Dictionary comprehension

```python
squares = {n: n * n for n in range(1, 6)}
print(squares)
```

@@lesson nested-data | Nested Data Structures
```

Real data (like JSON from an API) is usually lists of dictionaries:

```python
users = [
    {"name": "Ada", "skills": ["python", "math"], "active": True},
    {"name": "Linus", "skills": ["c", "git"], "active": False},
    {"name": "Grace", "skills": ["cobol", "python"], "active": True},
]

for user in users:
    if user["active"]:
        print(user["name"], "knows", ", ".join(user["skills"]))

python_devs = [u["name"] for u in users if "python" in u["skills"]]
print(python_devs)
```

Learning to read and transform nested data is one of the most useful job skills you can have.

@@lesson sets | Sets
A **set** is an unordered collection of **unique** values.

```python
tags = {"python", "web", "python", "api"}
print(tags)             # duplicates removed
tags.add("data")
tags.discard("web")
print("api" in tags)    # very fast membership test
```

Removing duplicates

```python
emails = ["a@x.com", "b@x.com", "a@x.com"]
unique = list(set(emails))
print(unique)
```

Set operations

```python
backend = {"python", "sql", "docker"}
data = {"python", "sql", "pandas"}
print(backend | data)   # union
print(backend & data)   # intersection — in both
print(backend - data)   # difference
```

@@module functions | Python Functions | premium | Core Python
Write reusable code with functions: parameters, return values, scope, default and keyword arguments, *args, **kwargs and lambdas.

@@lesson defining-functions | Defining Functions
A **function** is a named, reusable block of code. Define it with `def`, call it with `()`.

```python
def greet():
    print("Hello from a function!")

greet()
greet()
```

Parameters and return values

```python
def add(a, b):
    return a + b

result = add(3, 4)
```

````
print(result)
print(add(10, 20) * 2)
```

- **Parameters** are the names in the definition (`a`, `b`).
- **Arguments** are the values you pass in (`3`, `4`).
- `return` sends a value back. A function without `return` returns `None`.

> **Why functions?** They avoid repetition (DRY — Don't Repeat Yourself), make code easier to test and give names to ideas.

@@lesson arguments | Default and Keyword Arguments
```python
def make_coffee(size="medium", sugar=0):
    return f"{size} coffee with {sugar} sugar"

print(make_coffee())
print(make_coffee("large"))
print(make_coffee(sugar=2))              # keyword argument
print(make_coffee(sugar=1, size="small"))
```

## *args and **kwargs

```python
def total(*numbers):              # any number of positional arguments
    return sum(numbers)

def profile(**info):              # any number of keyword arguments
    for key, value in info.items():
        print(f"{key}: {value}")

print(total(1, 2, 3, 4))
profile(name="Ada", role="engineer")
```

> **Trap:** never use a mutable default like `def f(items=[])` — the same list is shared between calls. Use `items=None` and create the list inside.

@@lesson scope-docstrings | Scope and Docstrings
Variables created inside a function are **local** — they don't exist outside it.

```python
message = "global"

def show():
    message = "local"
    print("Inside:", message)

show()
print("Outside:", message)
```

Prefer passing values in as parameters and returning results instead of changing global variables.

## Docstrings

Document what a function does with a triple-quoted string right below `def`:

```python
def area(width, height):
    """Return the area of a rectangle."""
    return width * height

print(area(3, 4))
help(area)
```

@@lesson lambda-higher-order | Lambdas and Higher-Order Functions
A **lambda** is a tiny anonymous function written in one line:
````
````

```
```python
double = lambda x: x * 2
print(double(5))
```

Lambdas shine when passed to other functions:

```python
people = [("Ada", 36), ("Linus", 28), ("Grace", 45)]
by_age = sorted(people, key=lambda p: p[1])
print(by_age)

numbers = [1, 2, 3, 4, 5]
print(list(map(lambda n: n ** 2, numbers)))
print(list(filter(lambda n: n % 2 == 0, numbers)))
```

Functions are values

```python
def shout(text):
    return text.upper() + "!"

def apply(func, value):
    return func(value)

print(apply(shout, "hello"))
```

Recursion

A function can call itself — useful for tree-like problems:

```python
def factorial(n):
    if n <= 1:
        return 1
    return n * factorial(n - 1)

print(factorial(5))
```
```

content/course/03-intermediate.md

File 95 of 101 · 814 lines

```
@@module oop | Object-Oriented Programming | premium | Intermediate
Model real-world things with classes and objects: attributes, methods, inheritance,
encapsulation, special methods and dataclasses.

@@lesson classes-objects | Classes and Objects
A **class** is a blueprint. An **object** (instance) is a thing built from that blueprint.

```python
class Dog:
    def __init__(self, name, age):
        self.name = name      # attribute
        self.age = age

    def bark(self):           # method
        return f"{self.name} says woof!"

rex = Dog("Rex", 3)
luna = Dog("Luna", 5)
print(rex.bark())
print(luna.name, luna.age)
```

- `__init__` runs when you create an object and sets up its attributes.
- `self` refers to the specific object the method is working on.

@@lesson methods-attributes | Methods and Class Attributes
```python
class BankAccount:
    bank_name = "PyBank"          # class attribute, shared by all accounts

    def __init__(self, owner, balance=0):
        self.owner = owner        # instance attributes
        self.balance = balance

    def deposit(self, amount):
        if amount <= 0:
            raise ValueError("Amount must be positive")
        self.balance += amount
        return self.balance

    def withdraw(self, amount):
        if amount > self.balance:
            return "Insufficient funds"
        self.balance -= amount
        return self.balance

acct = BankAccount("Ada", 100)
acct.deposit(50)
print(acct.withdraw(30))
print(acct.withdraw(500))
print(acct.bank_name)
```

Objects bundle **data** (attributes) with the **behaviour** (methods) that works on that
data.

@@lesson inheritance | Inheritance and Polymorphism
Inheritance lets a class reuse and extend another class.

```python
class Animal:
    def __init__(self, name):
        self.name = name

    def speak(self):
        return "..."

    def introduce(self):
```
```

```
        return f"I am {self.name} and I say {self.speak()}"

class Cat(Animal):
    def speak(self):
        return "meow"

class Cow(Animal):
    def speak(self):
        return "moo"

for animal in [Cat("Tom"), Cow("Bella")]:
    print(animal.introduce())
```

The same method call (`speak()`) behaves differently per class — that's **polymorphism**.

super()

```python
class Employee:
    def __init__(self, name, salary):
        self.name, self.salary = name, salary

class Manager(Employee):
    def __init__(self, name, salary, team):
        super().__init__(name, salary)   # reuse parent setup
        self.team = team

m = Manager("Grace", 90000, ["Ada", "Linus"])
print(m.name, len(m.team))
```

@@lesson encapsulation-properties | Encapsulation and Properties
By convention, attributes starting with `_` are "internal — don't touch from outside". **Properties** let you control access with normal attribute syntax.

```python
class Temperature:
    def __init__(self, celsius):
        self._celsius = celsius

    @property
    def celsius(self):
        return self._celsius

    @celsius.setter
    def celsius(self, value):
        if value < -273.15:
            raise ValueError("Below absolute zero!")
        self._celsius = value

    @property
    def fahrenheit(self):
        return self._celsius * 9 / 5 + 32

t = Temperature(25)
print(t.fahrenheit)
t.celsius = 30
print(t.celsius, t.fahrenheit)
```

@@lesson dunder-dataclasses | Special Methods and Dataclasses
Special ("dunder") methods let your objects work with Python's built-in syntax.

```python
class Vector:
    def __init__(self, x, y):
        self.x, self.y = x, y
    def __repr__(self):
        return f"Vector({self.x}, {self.y})"
    def __add__(self, other):
```

```
        return Vector(self.x + other.x, self.y + other.y)
    def __eq__(self, other):
        return (self.x, self.y) == (other.x, other.y)

print(Vector(1, 2) + Vector(3, 4))
print(Vector(1, 1) == Vector(1, 1))
```

Dataclasses

For classes that mainly hold data, `@dataclass` writes `__init__`, `__repr__` and `__eq__` for you:

```python
from dataclasses import dataclass, field

@dataclass
class Product:
    name: str
    price: float
    tags: list = field(default_factory=list)

    def with_vat(self, rate=0.22):
        return round(self.price * (1 + rate), 2)

p = Product("Keyboard", 49.9, ["hardware"])
print(p)
print(p.with_vat())
```

@@module modules-packages | Modules and Packages | premium | Intermediate
Organise code into modules and packages, use the standard library, install packages with pip and isolate projects with virtual environments.

@@lesson importing | Importing Modules
A **module** is a `.py` file with code you can reuse. Python ships with a huge **standard library**.

```python
import math
import random
from datetime import date
import statistics as stats

print(math.factorial(5))
print(random.randint(1, 6))
print(date.today().year)
print(stats.median([3, 1, 4, 1, 5]))
```

Import styles

Style	Use
`import math`	Clear where names come from: `math.sqrt`
`from math import sqrt`	Shorter, import specific names
`import pandas as pd`	Alias for long names
`from math import *`	Avoid — hides where names come from

@@lesson own-modules | Creating Your Own Modules and Packages
Any `.py` file is a module. Suppose your project looks like this:

```text
shop/
├── main.py
└── utils/
    ├── __init__.py
    └── pricing.py
```

`utils/pricing.py`:

```
VAT = 0.22

def with_vat(price):
    return round(price * (1 + VAT), 2)
```

`main.py`:

```python-norun
from utils.pricing import with_vat

print(with_vat(10))
```

A folder with an `__init__.py` file is a **package**.

The `__name__` guard

```python-norun
def main():
    print("Running as a script")

if __name__ == "__main__":
    main()
```

Code under this guard runs when the file is executed directly, but not when it's imported. You'll see it in almost every professional Python script.

@@lesson pip-venv | pip and Virtual Environments
pip installs third-party packages from PyPI (the Python Package Index). A **virtual environment** keeps each project's packages separate.

```bash
# create and activate a virtual environment
python -m venv .venv
# Windows
.venv\Scripts\activate
# macOS / Linux
source .venv/bin/activate

# install packages
pip install requests pandas

# save exact versions for others
pip freeze > requirements.txt
# reinstall on another machine
pip install -r requirements.txt
```

> **Rule of thumb:** create a new virtual environment for every project, and never commit the `.venv` folder to Git.

Modern alternatives like **uv** and **Poetry** do the same job faster with extra features — worth learning once you're comfortable.

@@lesson standard-library | Tour of the Standard Library
"Batteries included" — these modules solve common problems without installing anything:

```python
from collections import Counter, defaultdict
from datetime import datetime, timedelta
import json, os, random, itertools

words = "to be or not to be".split()
print(Counter(words).most_common(2))

groups = defaultdict(list)
for name in ["Ada", "Alan", "Bob"]:
```

```
    groups[name[0]].append(name)
print(dict(groups))

deadline = datetime(2026, 12, 31) - timedelta(days=7)
print(deadline.strftime("%d %B %Y"))

print(json.dumps({"ok": True, "items": [1, 2]}))
print(list(itertools.combinations("ABC", 2)))
print(random.choice(["rock", "paper", "scissors"]))
```

Module	For
`os`, `pathlib`, `shutil`	Files and folders
`datetime`, `time`	Dates and times
`json`, `csv`	Data formats
`re`	Regular expressions
`logging`	Application logs
`argparse`	Command-line tools

@@module file-handling | File Handling | premium | Intermediate
Read and write text files, work with CSV and JSON, and manage paths with pathlib.

@@lesson reading-writing | Reading and Writing Files
Always open files with `with` — it closes the file automatically, even if an error happens.

```python
# write (creates or overwrites the file)
with open("notes.txt", "w", encoding="utf-8") as f:
    f.write("First line\n")
    f.write("Second line\n")

# append
with open("notes.txt", "a", encoding="utf-8") as f:
    f.write("Added later\n")

# read everything
with open("notes.txt", encoding="utf-8") as f:
    print(f.read())
```

Mode	Meaning
`"r"`	read (default)
`"w"`	write — replaces content
`"a"`	append to the end
`"x"`	create, fail if it exists
`"b"`	binary, e.g. `"rb"` for images

> In the browser editor, files live in a temporary in-memory file system — perfect for practice.

@@lesson lines | Working Line by Line
Large files should be processed one line at a time:

```python
with open("log.txt", "w") as f:
    f.write("INFO start\nERROR disk full\nINFO retry\nERROR timeout\n")

errors = []
with open("log.txt") as f:
    for line in f:
        line = line.strip()
        if line.startswith("ERROR"):
            errors.append(line)
print(errors)
print(f"{len(errors)} errors found")
```

`readlines()` returns all lines as a list — fine for small files, but iterating directly uses far less memory.

````
|
@@lesson csv-json | CSV and JSON Files
## CSV — spreadsheet-like data

```python
import csv

rows = [["name", "score"], ["Ada", 95], ["Linus", 88]]
with open("scores.csv", "w", newline="") as f:
    csv.writer(f).writerows(rows)

with open("scores.csv", newline="") as f:
    for row in csv.DictReader(f):
        print(row["name"], int(row["score"]))
```

## JSON — the language of web APIs

```python
import json

config = {"theme": "dark", "languages": ["python", "sql"], "beta": False}
with open("config.json", "w") as f:
    json.dump(config, f, indent=2)

with open("config.json") as f:
    loaded = json.load(f)
print(loaded["languages"])
print(json.dumps(loaded, indent=2))
```

`json.dumps` / `json.loads` convert to and from **strings**; `dump` / `load` work with **files**.

@@lesson pathlib | Paths with pathlib
`pathlib` is the modern way to work with file paths on any operating system.

```python
from pathlib import Path

folder = Path("reports")
folder.mkdir(exist_ok=True)
(folder / "jan.txt").write_text("January report")
(folder / "feb.txt").write_text("February report")

for path in sorted(folder.glob("*.txt")):
    print(path.name, path.stem, path.suffix, len(path.read_text()))

print(Path("data/2026/sales.csv").parent)
print(Path("photo.JPG").suffix.lower())
```

The `/` operator joins paths correctly on Windows, macOS and Linux.

@@module error-handling | Error Handling | premium | Intermediate
Understand exceptions, handle them with try/except/else/finally, raise your own errors and debug systematically.

@@lesson exceptions | Understanding Exceptions
When something goes wrong at runtime, Python raises an **exception**. If nobody handles it, the program crashes with a traceback.

```python
numbers = [1, 2, 3]
print(numbers[10])
```

## Common exceptions

| Exception | Typical cause |
|---|---|
````

```
| `SyntaxError` | Invalid code (missing colon, bracket) |
| `NameError` | Using a name that doesn't exist |
| `TypeError` | Wrong type, e.g. `"a" + 1` |
| `ValueError` | Right type, wrong value: `int("abc")` |
| `IndexError` | List index out of range |
| `KeyError` | Missing dictionary key |
| `ZeroDivisionError` | Dividing by zero |
| `FileNotFoundError` | Opening a file that doesn't exist |

@@lesson try-except | try, except, else, finally
```python
def safe_divide(a, b):
    try:
        result = a / b
    except ZeroDivisionError:
        print("Can't divide by zero!")
        return None
    except TypeError as err:
        print("Bad input:", err)
        return None
    else:
        print("Division worked")      # runs only if no exception
        return result
    finally:
        print("This always runs")     # cleanup

print(safe_divide(10, 2))
print(safe_divide(10, 0))
print(safe_divide(10, "x"))
```

Validating user input

```python
for raw in ["42", "forty-two", "7"]:
    try:
        number = int(raw)
        print("Got", number)
    except ValueError:
        print(f"'{raw}' is not a whole number")
```

> **Never** write a bare `except:` that silently swallows everything — you'll hide real bugs. Catch the specific exceptions you expect.

@@lesson raising | Raising Your Own Exceptions
Use `raise` when your function receives something it can't work with:

```python
def set_age(age):
    if not isinstance(age, int):
        raise TypeError("age must be an integer")
    if age < 0:
        raise ValueError("age cannot be negative")
    return age

try:
    set_age(-5)
except ValueError as e:
    print("Error:", e)
```

Custom exception classes

```python
class InsufficientFundsError(Exception):
    pass

def withdraw(balance, amount):
    if amount > balance:
        raise InsufficientFundsError(f"Need {amount - balance} more")
```
```

```
    return balance - amount

try:
    withdraw(50, 80)
except InsufficientFundsError as e:
    print("Payment declined:", e)
```

@@lesson debugging | Debugging Like a Pro
Bugs are normal. A systematic approach finds them fast:

1. **Read the traceback** from the bottom: exception type, message, then the line.
2. **Reproduce** the bug with the smallest possible input.
3. **Inspect values** with `print(f"{variable=}")` or a debugger.
4. **Form a hypothesis**, change one thing, test again.

```python
def average(values):
    total = 0
    for v in values:
        total += v
    print(f"{total=} {len(values)=}")   # debug print
    return total / len(values)

print(average([4, 8, 6]))
```

Using a debugger

In VS Code, click left of a line number to set a **breakpoint**, then press **F5**. The program pauses there so you can inspect every variable and step line by line. You can also put `breakpoint()` in your code to open Python's built-in debugger.

Logging instead of print

```python
import logging
logging.basicConfig(level=logging.INFO, format="%(levelname)s: %(message)s")
logging.info("Starting import")
logging.warning("3 rows skipped")
```

@@module libraries | Python Libraries | premium | Intermediate
Discover the Python ecosystem: how to find, evaluate and use popular libraries for HTTP, data, dates, and more.

@@lesson ecosystem | The Python Ecosystem
Python's superpower is its ecosystem: over 500,000 packages on **PyPI**. Knowing what exists saves you from reinventing the wheel.

Area	Popular libraries
HTTP & APIs	`requests`, `httpx`
Web frameworks	`Django`, `Flask`, `FastAPI`
Data	`pandas`, `NumPy`, `polars`
Visualisation	`matplotlib`, `seaborn`, `plotly`
Machine learning	`scikit-learn`, `PyTorch`
Databases	`SQLAlchemy`, `psycopg`
Testing	`pytest`
Automation	`openpyxl`, `selenium`, `playwright`
CLI tools	`typer`, `click`, `rich`

Choosing a library

Before you `pip install`, check: Is it actively maintained (recent releases)? Is the documentation good? How many projects use it? Does its licence allow your use?

@@lesson numpy-intro | NumPy: Fast Numbers
NumPy provides fast arrays for numerical work and underpins pandas and most of data science.

```python
```

```
import numpy as np

prices = np.array([19.99, 5.49, 3.20, 12.00])
print(prices * 1.22)          # maths on every element at once
print(prices.mean(), prices.max())
print(prices[prices > 5])     # boolean filtering

matrix = np.arange(1, 10).reshape(3, 3)
print(matrix)
print(matrix.sum(axis=0))     # column sums
```

(The first run downloads NumPy into your browser, so it takes a few seconds.)

@@lesson regex | Regular Expressions with re
Regular expressions find patterns in text — emails, phone numbers, dates.

```python
import re

text = "Contact ada@example.com or grace@navy.mil before 2026-12-01."
emails = re.findall(r"[\w.+-]+@[\w-]+\.\w+", text)
print(emails)

match = re.search(r"(\d{4})-(\d{2})-(\d{2})", text)
if match:
    year, month, day = match.groups()
    print(year, month, day)

print(re.sub(r"\d", "#", "Card 1234 5678"))
```

Pattern	Matches
`\d`	a digit
`\w`	letter, digit or `_`
`\s`	whitespace
`+` / `*` / `?`	1+, 0+, 0 or 1 times
`{4}`	exactly 4 times
`( )`	capture group

@@lesson automation | Automating Everyday Tasks
Python excels at automation. A typical script combines several libraries:

```python-norun
# rename all photos in a folder to date-based names
from pathlib import Path
from datetime import datetime

folder = Path("photos")
for i, photo in enumerate(sorted(folder.glob("*.jpg")), start=1):
    taken = datetime.fromtimestamp(photo.stat().st_mtime)
    new_name = f"{taken:%Y-%m-%d}_{i:03}.jpg"
    photo.rename(folder / new_name)
    print("Renamed", photo.name, "->", new_name)
```

Other popular automation jobs: generating Excel reports with `openpyxl`, sending emails with `smtplib`, filling web forms with `playwright`, and scheduling scripts with cron or Windows Task Scheduler.

@@module apis | Working with APIs | premium | Intermediate
Understand HTTP and REST, call real web APIs with requests, handle JSON, authentication, errors and rate limits.

@@lesson http-rest | HTTP and REST APIs
An **API** (Application Programming Interface) lets programs talk to each other. Most web APIs use **HTTP** and return **JSON**.

A request has:

```
| Part | Example |
|---|---|
| Method | `GET` (read), `POST` (create), `PUT`/`PATCH` (update), `DELETE` |
| URL | `https://api.example.com/users/42` |
| Headers | `Authorization: Bearer <token>` |
| Body | JSON data for POST/PUT |

The response has a **status code**:

| Code | Meaning |
|---|---|
| 200 | OK |
| 201 | Created |
| 400 | Bad request (your data is wrong) |
| 401 / 403 | Not authenticated / not allowed |
| 404 | Not found |
| 429 | Too many requests |
| 500 | Server error |

@@lesson requests-library | Calling APIs with requests
Install with `pip install requests`, then:

```python-norun
import requests

response = requests.get(
    "https://api.github.com/repos/python/cpython",
    timeout=10,
)
response.raise_for_status()          # raise an error for 4xx/5xx
data = response.json()               # parse JSON into dicts/lists
print(data["full_name"], "has", data["stargazers_count"], "stars")
```

Query parameters and POST

```python-norun
params = {"q": "language:python", "sort": "stars"}
r = requests.get("https://api.github.com/search/repositories", params=params, timeout=10)
for repo in r.json()["items"][:5]:
    print(repo["name"])

new_post = {"title": "Hello", "body": "From Python", "userId": 1}
r = requests.post("https://jsonplaceholder.typicode.com/posts", json=new_post, timeout=10)
print(r.status_code, r.json())
```

> Always pass a `timeout` — without it your program can hang forever if a server doesn't respond.

@@lesson json-processing | Processing API Data
API responses are nested dictionaries and lists. Here's a realistic (offline) example of transforming one:

```python
import json

raw = '''{"city": "Milan", "forecast": [
  {"day": "Mon", "temp": 18, "rain": 0.0},
  {"day": "Tue", "temp": 21, "rain": 2.5},
  {"day": "Wed", "temp": 16, "rain": 8.1}]}'''

data = json.loads(raw)
rainy = [d["day"] for d in data["forecast"] if d["rain"] > 1]
avg = sum(d["temp"] for d in data["forecast"]) / len(data["forecast"])
print(f"{data['city']}: avg {avg:.1f}°C, take an umbrella on {', '.join(rainy)}")
```

@@lesson api-auth-errors | Authentication, Secrets and Errors
Most APIs need a key. **Never hard-code secrets** in your code or commit them to Git — load them from environment variables:
```

```
```python-norun
import os
import time
import requests

API_KEY = os.environ["WEATHER_API_KEY"]   # set in your shell or a .env file

def get_with_retry(url, retries=3):
    for attempt in range(1, retries + 1):
        try:
            r = requests.get(url, headers={"Authorization": f"Bearer {API_KEY}"},
timeout=10)
            if r.status_code == 429:              # rate limited
                time.sleep(2 ** attempt)          # exponential back-off
                continue
            r.raise_for_status()
            return r.json()
        except requests.RequestException as e:
            print(f"Attempt {attempt} failed: {e}")
            time.sleep(1)
    raise RuntimeError("API unavailable")
```

Use the `python-dotenv` package to load a local `.env` file during development, and add `.env` to `.gitignore`.

@@module databases | Database Basics | premium | Intermediate
Store data permanently with SQL: tables, CRUD queries, joins, using SQLite from Python safely, and an introduction to ORMs.

@@lesson sql-intro | Databases and SQL
A **relational database** stores data in **tables** made of rows and columns. You talk to it with **SQL**.

```sql
CREATE TABLE students (
    id INTEGER PRIMARY KEY,
    name TEXT NOT NULL,
    country TEXT,
    score INTEGER
);
```

The four basic operations are called **CRUD**:

Operation	SQL
Create	`INSERT INTO students (name, score) VALUES ('Ada', 95);`
Read	`SELECT name, score FROM students WHERE score > 80 ORDER BY score DESC;`
Update	`UPDATE students SET score = 97 WHERE name = 'Ada';`
Delete	`DELETE FROM students WHERE id = 3;`

Popular databases: **PostgreSQL** and **MySQL** for servers, **SQLite** built into Python for small apps and learning.

@@lesson sqlite-python | Using SQLite from Python
```python
import sqlite3

conn = sqlite3.connect(":memory:")       # a database in memory
cur = conn.cursor()
cur.execute("CREATE TABLE students (id INTEGER PRIMARY KEY, name TEXT, score INTEGER)")

students = [("Ada", 95), ("Linus", 82), ("Grace", 99), ("Alan", 74)]
cur.executemany("INSERT INTO students (name, score) VALUES (?, ?)", students)
conn.commit()

for row in cur.execute("SELECT name, score FROM students WHERE score >= ? ORDER BY score
DESC", (80,)):
    print(row)
```
```

```
cur.execute("SELECT AVG(score), COUNT(*) FROM students")
print(cur.fetchone())
conn.close()
```

Always use placeholders

```python-norun
# DANGEROUS — SQL injection
cur.execute(f"SELECT * FROM users WHERE name = '{user_input}'")
# SAFE
cur.execute("SELECT * FROM users WHERE name = ?", (user_input,))
```

Placeholders (`?`) stop attackers from injecting SQL through user input. This is a classic interview question.

@@lesson joins | Relationships and JOINs
Real apps split data into related tables and combine them with `JOIN`.

```python
import sqlite3
db = sqlite3.connect(":memory:")
db.executescript("""
CREATE TABLE customers (id INTEGER PRIMARY KEY, name TEXT);
CREATE TABLE orders (id INTEGER PRIMARY KEY, customer_id INTEGER, total REAL,
                     FOREIGN KEY (customer_id) REFERENCES customers(id));
INSERT INTO customers VALUES (1, 'Ada'), (2, 'Linus'), (3, 'Grace');
INSERT INTO orders VALUES (1, 1, 25.0), (2, 1, 40.0), (3, 3, 15.5);
""")

query = """
SELECT c.name, COUNT(o.id) AS orders, COALESCE(SUM(o.total), 0) AS spent
FROM customers c
LEFT JOIN orders o ON o.customer_id = c.id
GROUP BY c.id
ORDER BY spent DESC
"""
for name, orders, spent in db.execute(query):
    print(f"{name:<6} {orders} orders  €{spent:.2f}")
```

`INNER JOIN` keeps only matches; `LEFT JOIN` keeps every row from the left table (Linus appears with 0 orders).

@@lesson orm-intro | ORMs and SQLAlchemy
An **ORM** (Object-Relational Mapper) lets you work with database rows as Python objects. **SQLAlchemy** is the most popular one; Django has its own.

```python-norun
from sqlalchemy import create_engine, String
from sqlalchemy.orm import DeclarativeBase, Mapped, mapped_column, Session

class Base(DeclarativeBase):
    pass

class User(Base):
    __tablename__ = "users"
    id: Mapped[int] = mapped_column(primary_key=True)
    email: Mapped[str] = mapped_column(String(255), unique=True)

engine = create_engine("sqlite:///app.db")
Base.metadata.create_all(engine)

with Session(engine) as session:
    session.add(User(email="ada@example.com"))
    session.commit()
    print(session.query(User).count())
```

```
813 | ORMs speed up development, but you should still understand the SQL they generate — employers
    ¦  expect both.
```

content/course/04-projects-advanced.md

File 96 of 101 · 331 lines

```
@@module projects | Practical Python Projects | premium | Projects & Advanced
Build real programs step by step: a number-guessing game, an expense tracker, a contact book, a password generator and a weather CLI.

@@lesson project-guessing-game | Project 1: Number Guessing Game
Combine variables, loops, conditionals and input into a complete game.

**Requirements:** the computer picks a number from 1–100; the player guesses; the program says "higher" or "lower" and counts attempts.

```python
import random

secret = random.randint(1, 100)
attempts = 0
guesses = [50, 75, 62, 56, 59, 57, 58]   # simulated player — replace with input()

for guess in guesses:
    attempts += 1
    if guess < secret:
        print(f"{guess}: higher!")
    elif guess > secret:
        print(f"{guess}: lower!")
    else:
        print(f"Correct! The number was {secret}. Attempts: {attempts}")
        break
else:
    print(f"Out of guesses — it was {secret}")
```

Make it yours: replace the list with `int(input("Guess: "))` in a `while` loop, add difficulty levels, and handle non-numeric input with `try/except`.

@@lesson project-expense-tracker | Project 2: Expense Tracker
A program that records expenses, summarises them by category and saves them to a file.

```python
import json
from collections import defaultdict
from datetime import date

expenses = []

def add_expense(amount, category, note=""):
    expenses.append({"date": date.today().isoformat(), "amount": round(amount, 2),
                     "category": category.lower(), "note": note})

def summary():
    totals = defaultdict(float)
    for e in expenses:
        totals[e["category"]] += e["amount"]
    for cat, total in sorted(totals.items(), key=lambda kv: -kv[1]):
        print(f"{cat:<12} €{total:>8.2f}")
    print(f"{'TOTAL':<12} €{sum(totals.values()):>8.2f}")

def save(path="expenses.json"):
    with open(path, "w") as f:
        json.dump(expenses, f, indent=2)

add_expense(12.5, "Food", "lunch")
add_expense(45, "Transport", "monthly pass")
add_expense(8.2, "food", "coffee")
summary()
save()
print(open("expenses.json").read()[:80], "...")
```

Extend it: load existing expenses at start-up, add a menu with `input()`, export to CSV,
```

```
 and chart spending per month with matplotlib.

@@lesson project-contact-book | Project 3: Contact Book with Classes
Practise OOP by modelling contacts and a contact book.

```python
from dataclasses import dataclass, asdict
import re

@dataclass
class Contact:
    name: str
    email: str
    phone: str = ""

class ContactBook:
    def __init__(self):
        self._contacts: dict[str, Contact] = {}

    def add(self, contact: Contact):
        if not re.fullmatch(r"[^@\s]+@[^@\s]+\.\w+", contact.email):
            raise ValueError(f"Invalid email: {contact.email}")
        self._contacts[contact.name.lower()] = contact

    def find(self, text: str):
        text = text.lower()
        return [c for c in self._contacts.values() if text in c.name.lower() or text in
c.email]

    def remove(self, name: str):
        return self._contacts.pop(name.lower(), None) is not None

    def __len__(self):
        return len(self._contacts)

book = ContactBook()
book.add(Contact("Ada Lovelace", "ada@example.com", "+39 333 000"))
book.add(Contact("Alan Turing", "alan@bletchley.uk"))
print(len(book), "contacts")
print([asdict(c) for c in book.find("ada")])
try:
    book.add(Contact("Bad", "not-an-email"))
except ValueError as e:
    print(e)
```

@@lesson project-password-generator | Project 4: Secure Password Generator
Use the `secrets` module (made for security) rather than `random`.

```python
import secrets
import string

def generate_password(length=16, symbols=True):
    if length < 8:
        raise ValueError("Use at least 8 characters")
    alphabet = string.ascii_letters + string.digits + (string.punctuation if symbols else
"")
    while True:
        pwd = "".join(secrets.choice(alphabet) for _ in range(length))
        if (any(c.islower() for c in pwd) and any(c.isupper() for c in pwd)
                and any(c.isdigit() for c in pwd)):
            return pwd

def strength(pwd):
    score = sum([len(pwd) >= 12, any(c.isupper() for c in pwd), any(c.isdigit() for c in
pwd),
                 any(c in string.punctuation for c in pwd)])
    return ["weak", "weak", "fair", "good", "strong"][score]

for _ in range(3):
```
```

```
    p = generate_password()
    print(p, "->", strength(p))
```

@@lesson project-weather-cli | Project 5: Weather Command-Line App
A portfolio-worthy tool that combines APIs, error handling and a command-line interface. Run it on your own computer.

```python-norun
"""weather.py — usage: python weather.py Milan"""
import argparse
import requests

GEO = "https://geocoding-api.open-meteo.com/v1/search"
FORECAST = "https://api.open-meteo.com/v1/forecast"

def get_coordinates(city: str):
    r = requests.get(GEO, params={"name": city, "count": 1}, timeout=10)
    r.raise_for_status()
    results = r.json().get("results")
    if not results:
        raise SystemExit(f"City not found: {city}")
    return results[0]["latitude"], results[0]["longitude"], results[0]["name"]

def get_forecast(lat, lon):
    params = {"latitude": lat, "longitude": lon,
              "daily": "temperature_2m_max,temperature_2m_min", "timezone": "auto"}
    r = requests.get(FORECAST, params=params, timeout=10)
    r.raise_for_status()
    return r.json()["daily"]

def main():
    parser = argparse.ArgumentParser(description="3-day weather forecast")
    parser.add_argument("city")
    args = parser.parse_args()
    lat, lon, name = get_coordinates(args.city)
    daily = get_forecast(lat, lon)
    print(f"Forecast for {name}")
    for day, hi, lo in list(zip(daily["time"], daily["temperature_2m_max"],
daily["temperature_2m_min"]))[:3]:
        print(f"  {day}: {lo:.0f}°C — {hi:.0f}°C")

if __name__ == "__main__":
    main()
```

Portfolio checklist for every project: a README with screenshots, clear setup instructions, a `requirements.txt`, tests (Module 22) and a link on your GitHub profile.

@@module advanced | Advanced Python Concepts | premium | Projects & Advanced
Write idiomatic, professional Python: comprehensions, iterators and generators, decorators, context managers, type hints, async and concurrency.

@@lesson comprehensions-advanced | Advanced Comprehensions
```python
matrix = [[1, 2, 3], [4, 5, 6], [7, 8, 9]]
flat = [n for row in matrix for n in row]
transposed = [[row[i] for row in matrix] for i in range(3)]
words = ["apple", "Banana", "cherry", "avocado"]
by_letter = {w[0].lower(): [x for x in words if x[0].lower() == w[0].lower()] for w in words}
lengths = {len(w) for w in words}
print(flat)
print(transposed)
print(by_letter)
print(lengths)
```

Comprehensions are great when they fit on one or two lines. If it gets complicated, a normal loop is more readable — readability wins.

````
@@lesson iterators-generators | Iterators and Generators
A **generator** produces values lazily, one at a time, using `yield`. It uses almost no memory, even for huge or infinite sequences.

```python
def countdown(n):
    while n > 0:
        yield n
        n -= 1

for x in countdown(3):
    print(x)

def fibonacci():
    a, b = 0, 1
    while True:
        yield a
        a, b = b, a + b

fib = fibonacci()
print([next(fib) for _ in range(10)])

# generator expression — like a list comprehension with ()
total = sum(n * n for n in range(1_000_000))
print(total)
```

Generators are how you process large files or data streams efficiently.

@@lesson decorators | Decorators
A **decorator** wraps a function to add behaviour — logging, timing, caching, access control — without changing its code.

```python
import time
from functools import wraps, lru_cache

def timer(func):
    @wraps(func)
    def wrapper(*args, **kwargs):
        start = time.perf_counter()
        result = func(*args, **kwargs)
        print(f"{func.__name__} took {time.perf_counter() - start:.4f}s")
        return result
    return wrapper

@timer
def slow_sum(n):
    return sum(range(n))

print(slow_sum(1_000_000))

@lru_cache(maxsize=None)        # built-in caching decorator
def fib(n):
    return n if n < 2 else fib(n - 1) + fib(n - 2)

print(fib(80))
```

You've already used decorators: `@property`, `@dataclass` — and web frameworks use them for routes, like `@app.get("/")`.

@@lesson context-managers | Context Managers
`with` guarantees setup and cleanup. You can write your own:

```python
from contextlib import contextmanager
import time

@contextmanager
def timed(label):
````
````

```
    start = time.perf_counter()
    try:
        yield
    finally:
        print(f"{label}: {time.perf_counter() - start:.3f}s")

with timed("building list"):
    data = [i ** 2 for i in range(300_000)]

class Transaction:
    def __enter__(self):
        print("BEGIN")
        return self
    def __exit__(self, exc_type, exc, tb):
        print("ROLLBACK" if exc_type else "COMMIT")
        return False   # don't swallow exceptions

with Transaction():
    print("updating rows...")
```

@@lesson type-hints | Type Hints
Type hints document what a function expects and returns. Tools like **mypy** and your editor use them to catch bugs before running the code.

```python
from typing import Optional

def greet(name: str, times: int = 1) -> str:
    return " ".join([f"Hello {name}!"] * times)

def find_user(users: dict[int, str], user_id: int) -> Optional[str]:
    return users.get(user_id)

scores: list[float] = [9.5, 7.0]
print(greet("Ada", 2))
print(find_user({1: "Ada"}, 2))
```

Python doesn't enforce hints at runtime — they're for humans and tools. Most professional codebases use them, and FastAPI uses them to validate data automatically.

@@lesson async-concurrency | Async and Concurrency
Programs often wait — for networks, disks or databases. **Concurrency** does other work while waiting.

```python
import asyncio
import time

async def fetch(name, delay):
    await asyncio.sleep(delay)          # simulates a network call
    return f"{name} done after {delay}s"

async def main():
    start = time.perf_counter()
    results = await asyncio.gather(fetch("A", 1), fetch("B", 1), fetch("C", 1))
    print(results)
    print(f"Total: {time.perf_counter() - start:.1f}s (not 3s!)")

await main()   # in a normal .py file use: asyncio.run(main())
```

Tool	Best for
`asyncio`	Many network calls (web servers, scrapers)
`threading`	I/O-bound work with blocking libraries
`multiprocessing`	CPU-heavy calculations on several cores

content/course/05-professional.md

File 97 of 101 · 522 lines

```
@@module git-github | Git and GitHub | premium | Professional
Version-control your code like a professional: commits, branches, merges, GitHub, pull requests and collaboration.

@@lesson git-basics | Why Git and First Commits
**Git** records the history of your code. You can go back in time, try ideas safely and work with others. Every development job uses it.

```bash
git --version                # check it's installed
git config --global user.name "Your Name"
git config --global user.email "you@example.com"

mkdir my-project && cd my-project
git init                     # start tracking this folder
echo "print('hi')" > app.py
git status                   # what changed?
git add app.py               # stage the change
git commit -m "Add hello script"
git log --oneline            # history
```

The workflow is always: **edit → `git add` → `git commit`**.

> Write commit messages in the imperative: "Add login form", "Fix rounding bug".

@@lesson branches | Branches and Merging
A **branch** is a separate line of work. Keep `main` stable and build features on branches.

```bash
git switch -c feature/discounts     # create and switch to a branch
# ... edit files ...
git add .
git commit -m "Add discount codes"
git switch main
git merge feature/discounts
git branch -d feature/discounts
```

Merge conflicts

If two branches change the same lines, Git asks you to choose:

```text
<<<<<<< HEAD
price = 10
=======
price = 12
>>>>>>> feature/discounts
```

Edit the file to the correct version, remove the markers, then `git add` and `git commit`.

@@lesson github | GitHub and Remote Repositories
GitHub hosts Git repositories online — it's your public portfolio as a developer.

```bash
git remote add origin https://github.com/<you>/my-project.git
git push -u origin main      # upload
git pull                     # download others' changes
git clone https://github.com/<user>/<repo>.git
```

.gitignore

List files that must never be committed:

```text
```
```

```
.venv/
__pycache__/
.env
*.sqlite3
```

> **Never** commit passwords or API keys. If you do, revoke the key immediately — deleting the commit is not enough.

@@lesson pull-requests | Pull Requests and Collaboration
In teams, changes go through a **pull request (PR)**:

1. Create a branch and push it: `git push -u origin feature/x`.
2. Open a PR on GitHub describing **what** and **why**.
3. Teammates review the code and automated tests run.
4. Fix feedback with new commits, then merge.

Good PR habits

- Keep PRs small and focused on one change.
- Add screenshots for UI changes.
- Link the issue it solves ("Closes #42").
- Respond to review comments politely — reviews are about code, not people.

Contributing a small fix to an open-source project is an excellent way to show employers you can collaborate.

@@module testing | Testing and Code Quality | premium | Professional
Prove your code works with automated tests using assert and pytest, and keep it clean with PEP 8, linters and formatters.

@@lesson why-testing | Why Automated Tests?
A test is code that checks other code. Tests let you change things confidently because they warn you instantly when something breaks.

```python
def is_palindrome(text: str) -> bool:
    cleaned = "".join(c.lower() for c in text if c.isalnum())
    return cleaned == cleaned[::-1]

# simple tests with assert
assert is_palindrome("racecar")
assert is_palindrome("A man, a plan, a canal: Panama")
assert not is_palindrome("python")
print("All tests passed!")
```

`assert condition` does nothing if the condition is True and raises `AssertionError` otherwise.

@@lesson pytest | Testing with pytest
pytest is the industry-standard test runner.

```bash
pip install pytest
```

`calculator.py`:

```python-norun
def divide(a, b):
    if b == 0:
        raise ValueError("Cannot divide by zero")
    return a / b
```

`test_calculator.py`:

```python-norun
import pytest
from calculator import divide
```

```
def test_divide():
    assert divide(10, 2) == 5

def test_divide_by_zero():
    with pytest.raises(ValueError):
        divide(1, 0)

@pytest.mark.parametrize("a, b, expected", [(9, 3, 3), (1, 4, 0.25), (-6, 2, -3)])
def test_divide_many(a, b, expected):
    assert divide(a, b) == expected
```

```bash
pytest -v
```

pytest finds files named `test_*.py` and functions named `test_*` automatically.

@@lesson tdd-mocking | Fixtures, Mocks and TDD
Fixtures — reusable test setup

```python-norun
import pytest

@pytest.fixture
def cart():
    return {"apple": 2, "bread": 1}

def test_cart_has_items(cart):
    assert sum(cart.values()) == 3
```

Mocking — replace slow or external things

```python-norun
from unittest.mock import patch
import weather

def test_forecast_uses_api():
    with patch("weather.requests.get") as fake_get:
        fake_get.return_value.json.return_value = {"temp": 20}
        assert weather.current_temp("Milan") == 20
```

Test-Driven Development (TDD)

1. **Red:** write a failing test for the behaviour you want.
2. **Green:** write the simplest code that passes.
3. **Refactor:** clean up while tests stay green.

@@lesson code-quality | PEP 8, Linters and Formatters
PEP 8 is Python's official style guide. Consistent style makes code easier for teams to read.

Rule	Example
4 spaces per indent	not tabs
`snake_case` names	`total_price`, `get_user()`
`PascalCase` classes	`class ShoppingCart:`
`UPPER_CASE` constants	`MAX_RETRIES = 3`
Lines ≤ 88–99 chars	split long expressions

Tools that do it for you

```bash
pip install ruff
ruff check .        # find bugs and style issues
ruff format .       # auto-format the code
```

````
Professional projects run these tools automatically before every commit (with `pre-commit`) and in CI pipelines such as GitHub Actions.

@@module web-development | Web Development with Python | premium | Professional
Build web applications and REST APIs with Flask and FastAPI, use templates, validate data and deploy to the cloud.

@@lesson how-web-works | How the Web Works
When you open a website:

1. The **browser** (client) sends an HTTP request to a **server**.
2. Server code (Python!) runs, maybe reads a database.
3. The server returns a **response**: HTML for pages or JSON for APIs.

## Python web frameworks

| Framework | Best for |
|---|---|
| **Flask** | Small to medium apps; simple and flexible |
| **FastAPI** | Modern, fast JSON APIs with automatic docs and validation |
| **Django** | Large apps with batteries included: ORM, admin, auth |

Backend developer job ads usually ask for at least one of these — learning FastAPI or Django deeply is a strong choice.

@@lesson flask | Your First Flask App
```bash
pip install flask
```

`app.py`:

```python-norun
from flask import Flask, jsonify, request, render_template_string

app = Flask(__name__)
tasks = [{"id": 1, "title": "Learn Flask", "done": False}]

@app.get("/")
def home():
    return render_template_string(
        "<h1>Tasks</h1><ul>{% for t in tasks %}<li>{{ t.title }}</li>{% endfor %}</ul>",
        tasks=tasks,
    )

@app.get("/api/tasks")
def list_tasks():
    return jsonify(tasks)

@app.post("/api/tasks")
def create_task():
    data = request.get_json()
    task = {"id": len(tasks) + 1, "title": data["title"], "done": False}
    tasks.append(task)
    return jsonify(task), 201

if __name__ == "__main__":
    app.run(debug=True)
```

Run `python app.py` and open `http://127.0.0.1:5000`. In real apps you'd use template files in a `templates/` folder and a database instead of a list.

@@lesson fastapi | REST APIs with FastAPI
```bash
pip install "fastapi[standard]"
```

`main.py`:

```python-norun
````
````

````
from fastapi import FastAPI, HTTPException
from pydantic import BaseModel, Field

app = FastAPI(title="Books API")

class BookIn(BaseModel):
    title: str = Field(min_length=1)
    author: str
    year: int = Field(ge=1450, le=2100)

class Book(BookIn):
    id: int

books: dict[int, Book] = {}

@app.get("/books")
def list_books() -> list[Book]:
    return list(books.values())

@app.post("/books", status_code=201)
def create_book(data: BookIn) -> Book:
    book = Book(id=len(books) + 1, **data.model_dump())
    books[book.id] = book
    return book

@app.get("/books/{book_id}")
def get_book(book_id: int) -> Book:
    if book_id not in books:
        raise HTTPException(status_code=404, detail="Book not found")
    return books[book_id]
```

```bash
fastapi dev main.py
```

Open `http://127.0.0.1:8000/docs` — FastAPI generates interactive documentation from your type hints. Invalid data (e.g. `year: "abc"`) is rejected automatically with a clear 422 error.

@@lesson deployment | Deploying Your App
Deployment puts your app on the internet. A typical path:

1. Pin dependencies in `requirements.txt`.
2. Read secrets and settings from **environment variables**.
3. Use a production server: `gunicorn app:app` (Flask) or `uvicorn main:app --host 0.0.0.0` (FastAPI).
4. Deploy to a platform such as **Render**, **Railway**, **Fly.io** or a cloud provider.

## Docker in 30 seconds

A `Dockerfile` packages your app and its dependencies so it runs the same everywhere:

```text
FROM python:3.13-slim
WORKDIR /app
COPY requirements.txt .
RUN pip install --no-cache-dir -r requirements.txt
COPY . .
CMD ["uvicorn", "main:app", "--host", "0.0.0.0", "--port", "8000"]
```

A deployed project with a live link on your CV is worth far more to employers than code that only runs on your laptop.

@@module data-analysis | Data Analysis with pandas | premium | Professional
Load, clean, analyse and visualise data with pandas and Matplotlib — the core toolkit for data analyst and data-heavy developer roles.

@@lesson pandas-intro | pandas DataFrames
**pandas** gives you the `DataFrame`: a table with rows and columns, like a spreadsheet you
````
````

```
control with code.

```python
import pandas as pd

df = pd.DataFrame({
    "name": ["Ada", "Linus", "Grace", "Alan", "Guido"],
    "country": ["UK", "FI", "US", "UK", "NL"],
    "score": [95, 82, 99, 74, 88],
    "hours": [40, 25, 42, 18, 30],
})
print(df.head())
print(df.shape)
print(df.describe())
```

(First run downloads pandas into your browser — give it a few seconds.)

In real projects you load data with `pd.read_csv("file.csv")`, `pd.read_excel(...)` or `pd.read_sql(...)`.

@@lesson selecting-filtering | Selecting and Filtering
```python
import pandas as pd
df = pd.DataFrame({
    "name": ["Ada", "Linus", "Grace", "Alan", "Guido"],
    "country": ["UK", "FI", "US", "UK", "NL"],
    "score": [95, 82, 99, 74, 88],
    "hours": [40, 25, 42, 18, 30],
})

print(df["score"].mean())
print(df[["name", "score"]])
print(df[df["score"] > 85])
print(df[(df["country"] == "UK") & (df["hours"] > 20)])
print(df.sort_values("score", ascending=False).head(3))
df["points_per_hour"] = (df["score"] / df["hours"]).round(2)
print(df)
```

@@lesson cleaning-grouping | Cleaning and Grouping Data
Real data is messy. Cleaning is often 80% of the work.

```python
import pandas as pd
import numpy as np

sales = pd.DataFrame({
    "region": ["North", "south", "North", "East", None, "South"],
    "product": ["A", "B", "A", "C", "B", "A"],
    "amount": [120, 80, np.nan, 200, 50, 95],
})
print(sales.isna().sum())

sales = sales.dropna(subset=["region"])
sales["region"] = sales["region"].str.title()
sales["amount"] = sales["amount"].fillna(sales["amount"].median())

summary = sales.groupby("region")["amount"].agg(["count", "sum", "mean"]).round(1)
print(summary)
print(sales.pivot_table(index="region", columns="product", values="amount", aggfunc="sum", fill_value=0))
```

@@lesson visualisation | Visualising Data with Matplotlib
```python-norun
import pandas as pd
import matplotlib.pyplot as plt

monthly = pd.DataFrame({
    "month": ["Jan", "Feb", "Mar", "Apr", "May", "Jun"],
```
```

```
    "revenue": [12.1, 13.4, 12.8, 15.2, 16.9, 18.3],
})

fig, ax = plt.subplots(figsize=(8, 4))
ax.plot(monthly["month"], monthly["revenue"], marker="o", color="#039855")
ax.set_title("Monthly revenue (k€)")
ax.set_ylabel("k€")
ax.grid(alpha=0.3)
fig.tight_layout()
fig.savefig("revenue.png", dpi=150)
plt.show()
```

Choosing a chart

Question	Chart
How does it change over time?	Line
How do categories compare?	Bar
How are two numbers related?	Scatter
How are values distributed?	Histogram

A data analysis project for your portfolio: download a public dataset (e.g. from Kaggle or your city's open-data portal), clean it, answer three questions and publish the notebook on GitHub.

@@module career | Getting Hired as a Python Developer | premium | Professional
Turn your skills into a job: choose a path, build a portfolio, write a strong CV, prepare for technical interviews and apply effectively.

@@lesson career-paths | Python Career Paths
Python opens several doors. Pick one direction to focus your projects:

Role	Key skills beyond core Python
Backend developer	FastAPI/Django, SQL, REST, Git, Docker, testing
Data analyst	pandas, SQL, visualisation, statistics, Excel
Automation / QA engineer	pytest, Selenium/Playwright, CI, scripting
Data engineer	SQL, pipelines, cloud, Airflow
ML engineer (later step)	NumPy, scikit-learn, PyTorch, maths

What "job-ready" means for a junior

- You can build a small app end to end without a tutorial.
- You read errors and documentation to solve problems yourself.
- You use Git, write basic tests and understand SQL.
- You can explain your code and decisions clearly.

@@lesson portfolio | Building Your Portfolio
Employers hire based on **evidence**. Aim for **3–4 polished projects** rather than 20 half-finished ones.

A strong junior portfolio:

1. **A REST API** (FastAPI/Flask) with a database, authentication and tests — deployed with a live URL.
2. **An automation tool** that solves a real problem (e.g. a report generator).
3. **A data project** that answers questions with a real dataset.
4. **Your choice** — something you're genuinely interested in.

Every project needs

- A clear **README**: what it does, screenshot/GIF, how to run it, tech used.
- Clean commit history and code formatted with ruff.
- Tests and a GitHub Actions workflow that runs them.

Pin your best repositories on your GitHub profile and add a short profile README introducing yourself.

@@lesson cv-linkedin | CV, LinkedIn and Applications
Your CV (1 page)

```
- **Headline:** "Junior Python Developer — FastAPI, SQL, pandas".
- **Projects first** if you have no developer experience: 2–3 bullet points each with results ("Built an API serving 10k requests/day").
- **Skills:** group them (Languages, Frameworks, Tools) and only list what you can discuss.
- Link to GitHub, LinkedIn and your womens4.com certificates.

## LinkedIn

Use the same headline, add projects to "Featured", add certificates, and post short updates about what you build.

## Applying

- Tailor your CV to each job's keywords.
- Apply consistently: e.g. 5–10 quality applications per week.
- Referrals work best — join local Python meetups and online communities.
- Track applications in a spreadsheet and follow up after a week.

@@lesson interviews | Technical Interview Preparation
Most junior Python interviews include some of these stages:

1. **Screening call** — motivation and background.
2. **Coding exercise** — small problems with lists, strings, dictionaries.
3. **Take-home or live project** — e.g. build a small API.
4. **Technical discussion** — your projects and core concepts.

## Common questions to practise

- Difference between a list and a tuple? Between `==` and `is`?
- What are `*args` and `**kwargs`? A decorator? A generator?
- How does a dictionary lookup work, and why is it fast?
- How do you prevent SQL injection?
- What happens when you type a URL in the browser?

## Solving a coding problem out loud

```python
# "Return the first non-repeating character in a string."
from collections import Counter

def first_unique(s: str):
    counts = Counter(s)          # O(n)
    for ch in s:                 # O(n)
        if counts[ch] == 1:
            return ch
    return None

print(first_unique("swiss"))     # w
print(first_unique("aabb"))      # None
```

Clarify the question, talk through your approach, write the code, then test with edge cases (empty string, all repeating). Practise on platforms like LeetCode (easy level), Exercism or Codewars.

> **You've reached the end of the path.** Keep building, keep applying — and congratulations on getting this far!
```

public/icon.svg

File 98 of 101 · 2 lines

```
1 | <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 40 40"><defs><linearGradient id="g"
  ¦ x1="0" y1="0" x2="1" y2="1"><stop offset="0" stop-color="#12b76a"/><stop offset="1" stop-
  ¦ color="#027a48"/></linearGradient></defs><rect width="40" height="40" rx="11"
  ¦ fill="url(#g)"/><circle cx="18" cy="16" r="7.5" fill="none" stroke="#fff" stroke-
  ¦ width="3.2"/><path d="M18 23.5V33M13 28.5h10" stroke="#fff" stroke-width="3.2" stroke-
  ¦ linecap="round"/><path d="M31 5.5l1.3 3.2 3.2 1.3-3.2 1.3L31 14.5l-1.3-3.2-3.2-1.3 3.2-1.3z"
  ¦  fill="#a6f4c5"/></svg>
```

public/pyodide-worker.js

File 99 of 101 · 58 lines

```
/* Runs learner code with Pyodide inside a Web Worker — entirely in the browser.
   Nothing is executed on the server. The page terminates this worker on timeout. */
importScripts('https://cdn.jsdelivr.net/pyodide/v0.26.4/full/pyodide.js');

let pyodide = null;
const ready = (async () => {
  pyodide = await loadPyodide();
  self.postMessage({ id: 'ready' });
})().catch((err) => self.postMessage({ id: 'load-error', error: String(err) }));

const decoder = new TextDecoder();

self.onmessage = async (event) => {
  const { id, code, stdin = '', tests = '' } = event.data;
  await ready;
  if (!pyodide) return self.postMessage({ id, stdout: '', error: 'Python failed to load. Check your connection and reload.' });

  let out = '';
  pyodide.setStdout({ write: (buf) => { out += decoder.decode(buf); return buf.length; } });
  pyodide.setStderr({ write: (buf) => { out += decoder.decode(buf); return buf.length; } });
  const lines = stdin.length ? stdin.split('\n') : [];
  let i = 0;
  pyodide.setStdin({ stdin: () => (i < lines.length ? lines[i++] : undefined) });

  const globals = pyodide.toPy({});
  const clean = (msg) => {
    // Hide Pyodide's internal frames, keep the learner's part of the traceback.
    const s = String(msg);
    const idx = s.indexOf('File "<exec>"');
    return idx >= 0 ? 'Traceback (most recent call last):\n  ' + s.slice(idx) : s;
  };

  try {
    await pyodide.loadPackagesFromImports(code);
    await pyodide.runPythonAsync(code, { globals });
  } catch (err) {
    globals.destroy();
    return self.postMessage({ id, stdout: out, error: clean(err.message || err) });
  }

  if (!tests) {
    globals.destroy();
    return self.postMessage({ id, stdout: out, error: null });
  }

  const userOutput = out;
  try {
    globals.set('_output', userOutput);
    await pyodide.runPythonAsync(tests, { globals });
    self.postMessage({ id, stdout: userOutput, error: null, passed: true });
  } catch (err) {
    const m = String(err.message || err).trim().split('\n').pop();
    self.postMessage({ id, stdout: userOutput, error: null, passed: false, testError: m.replace(/^AssertionError:?\s*/, '') || 'A test failed.' });
  } finally {
    globals.destroy();
  }
};
```

scripts/create-stripe-price.mjs

File 100 of 101 · 26 lines

```
// Creates the "womens4.com Premium" product with a €6.99 monthly recurring price.
// Usage:  STRIPE_SECRET_KEY=sk_test_... node scripts/create-stripe-price.mjs
import Stripe from 'stripe';

const key = process.env.STRIPE_SECRET_KEY;
if (!key) {
  console.error('Set STRIPE_SECRET_KEY first.');
  process.exit(1);
}
const stripe = new Stripe(key);

const product = await stripe.products.create({
  name: 'womens4.com Premium',
  description: 'Full access to every womens4.com Python course, exercise, project and certificate.',
});
const price = await stripe.prices.create({
  product: product.id,
  currency: 'eur',
  unit_amount: 699,
  recurring: { interval: 'month' },
  tax_behavior: 'inclusive',
});
console.log('\nCreated product:', product.id);
console.log('Created price:  ', price.id);
console.log(`\nAdd this to your environment:\nSTRIPE_PRICE_ID=${price.id}\n`);
```

tsconfig.tsbuildinfo

File 101 of 101 · 1 lines


```
1 {"version":"7.0.2","root":[[90,172]],"packageJsons":["./package.json"],"fileNames":["lib.es5
  .d.ts","lib.es2015.d.ts","lib.es2016.d.ts","lib.es2017.d.ts","lib.es2018.d.ts","lib.es2019.d
  .ts","lib.es2020.d.ts","lib.es2021.d.ts","lib.es2022.d.ts","lib.es2023.d.ts","lib.es2024.d.t
  s","lib.es2025.d.ts","lib.esnext.d.ts","lib.dom.d.ts","lib.dom.iterable.d.ts","lib.es2015.co
  re.d.ts","lib.es2015.collection.d.ts","lib.es2015.generator.d.ts","lib.es2015.iterable.d.ts"
  ,"lib.es2015.promise.d.ts","lib.es2015.proxy.d.ts","lib.es2015.reflect.d.ts","lib.es2015.sym
  bol.d.ts","lib.es2015.symbol.wellknown.d.ts","lib.es2016.array.include.d.ts","lib.es2016.int
  l.d.ts","lib.es2017.arraybuffer.d.ts","lib.es2017.date.d.ts","lib.es2017.object.d.ts","lib.e
  s2017.sharedmemory.d.ts","lib.es2017.string.d.ts","lib.es2017.intl.d.ts","lib.es2017.typedar
  rays.d.ts","lib.es2018.asyncgenerator.d.ts","lib.es2018.asynciterable.d.ts","lib.es2018.intl
  .d.ts","lib.es2018.promise.d.ts","lib.es2018.regexp.d.ts","lib.es2019.array.d.ts","lib.es201
  9.object.d.ts","lib.es2019.string.d.ts","lib.es2019.symbol.d.ts","lib.es2019.intl.d.ts","lib
  .es2020.bigint.d.ts","lib.es2020.date.d.ts","lib.es2020.promise.d.ts","lib.es2020.sharedmemo
  ry.d.ts","lib.es2020.string.d.ts","lib.es2020.symbol.wellknown.d.ts","lib.es2020.intl.d.ts",
  "lib.es2020.number.d.ts","lib.es2021.promise.d.ts","lib.es2021.string.d.ts","lib.es2021.weak
  ref.d.ts","lib.es2021.intl.d.ts","lib.es2022.array.d.ts","lib.es2022.error.d.ts","lib.es2022
  .intl.d.ts","lib.es2022.object.d.ts","lib.es2022.string.d.ts","lib.es2022.regexp.d.ts","lib.
  es2023.array.d.ts","lib.es2023.collection.d.ts","lib.es2023.intl.d.ts","lib.es2024.arraybuff
  er.d.ts","lib.es2024.collection.d.ts","lib.es2024.object.d.ts","lib.es2024.promise.d.ts","li
  b.es2024.regexp.d.ts","lib.es2024.sharedmemory.d.ts","lib.es2024.string.d.ts","lib.es2025.co
  llection.d.ts","lib.es2025.float16.d.ts","lib.es2025.intl.d.ts","lib.es2025.iterator.d.ts","
  lib.es2025.promise.d.ts","lib.es2025.regexp.d.ts","lib.esnext.array.d.ts","lib.esnext.collec
  tion.d.ts","lib.esnext.date.d.ts","lib.esnext.decorators.d.ts","lib.esnext.disposable.d.ts",
  "lib.esnext.error.d.ts","lib.esnext.intl.d.ts","lib.esnext.sharedmemory.d.ts","lib.esnext.te
  mporal.d.ts","lib.esnext.typedarrays.d.ts","lib.decorators.d.ts","lib.decorators.legacy.d.ts
  ","./middleware.ts","./tailwind.config.ts","./lib/supabase/server.ts","./lib/env.ts","./lib/
  auth.ts","./lib/stripe.ts","./lib/supabase/admin.ts","./app/api/account/delete/route.ts","./
  app/api/account/export/route.ts","./content/courses.ts","./lib/certificates.ts","./app/api/c
  ertificates/[id]/pdf/route.ts","./lib/content.ts","./lib/exercise-types.ts","./content/exerc
  ises.ts","./lib/progress.ts","./app/api/certificates/issue/route.ts","./lib/access.ts","./li
  b/exercises.ts","./app/api/exercises/check/route.ts","./app/api/exercises/submit/route.ts","
  ./app/api/materials/[module]/route.ts","./app/api/progress/route.ts","./lib/billing.ts","./a
  pp/api/stripe/checkout/route.ts","./app/api/stripe/portal/route.ts","./lib/email.ts","./app/
  api/stripe/webhook/route.ts","./app/auth/callback/route.ts","./app/auth/signout/route.ts","./
  lib/pyodide-client.ts","./lib/supabase/client.ts","./components/Logo.tsx","./components/The
  meToggle.tsx","./components/NavbarClient.tsx","./components/Navbar.tsx","./components/Footer
  .tsx","./components/CookieBanner.tsx","./app/layout.tsx","./app/not-found.tsx","./components
  /PyEditor.tsx","./components/DemoEditor.tsx","./components/PricingCards.tsx","./components/F
  aq.tsx","./app/page.tsx","./app/admin/layout.tsx","./app/admin/page.tsx","./app/admin/certif
  icates/page.tsx","./app/admin/content/page.tsx","./app/admin/content/[id]/page.tsx","./app/a
  dmin/users/page.tsx","./components/CopyLink.tsx","./app/certificates/[id]/page.tsx","./compo
  nents/CodeBlock.tsx","./components/Markdown.tsx","./components/LegalPage.tsx","./app/cookies
  /page.tsx","./app/courses/page.tsx","./components/DashboardTabs.tsx","./app/dashboard/layout
  .tsx","./app/dashboard/page.tsx","./app/dashboard/billing/page.tsx","./app/dashboard/profile
  /page.tsx","./components/AuthShell.tsx","./app/forgot-password/page.tsx","./components/Lesso
  nSidebar.tsx","./app/learn/layout.tsx","./app/learn/page.tsx","./app/learn/[module]/page.tsx
  ","./components/Paywall.tsx","./components/CompleteButton.tsx","./app/learn/[module]/[lesson
  ]/page.tsx","./components/ExerciseSet.tsx","./app/learn/[module]/exercises/page.tsx","./app/
  login/page.tsx","./components/PlaygroundEditor.tsx","./app/playground/page.tsx","./app/prici
  ng/page.tsx","./app/privacy/page.tsx","./app/register/page.tsx","./app/roadmap/page.tsx","./
  app/terms/page.tsx","./app/update-password/page.tsx"],"fileInfos":[{"version":"16934abaab702
  6ac114da441aabea1a0","affectsGlobalScope":true,"impliedNodeFormat":1},"d4306fb2e47f74835e867
  4ffac07d76f","e437c5c1302869326c3bb93da85bbbcf","e4324975a566567b21d350615f1fc6ac","333b1b9a
  2a9ac3b8497dba5c63b5ba50","6cffacd662b6eb5fa7a36aa2ea366bfa","b4c34f9c23304dbef2d23698637ed6
  38","e5cb86a5fc491796ecd1d2dd348d208f","feb6c6fb19cdb246a5d8acb36a6901c7","9443a7f109277ffaa
  79d893ed2549995","793cee405385076e27c24f409659dccd","09f69c6610266eaee1ac9e3e30df2c71","62ba
  d718844246b8e17547f37bad6085",{"version":"aae8996e8b5684814785a42cbbefcd79","affectsGlobalSc
  ope":true,"impliedNodeFormat":1},"abad6dd56cc8caf095c165df8124d237",{"version":"926204c28cd3
  d073865348473ae28d2e","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"f25e42c80
  1b2cb3cf2b39792006a9beb","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"6344b5
  5f26a4e81d9608777dbfb877dd","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"3c0
  ed28e53d3695b363e256ec1c023fd","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"
  4c2761daba7f17141c25baa0821ac5da","affectsGlobalScope":true,"impliedNodeFormat":1},{"version
  ":"b87656acabd63e69379ff6ffcfe52fc7","affectsGlobalScope":true,"impliedNodeFormat":1},{"vers
  ion":"597469522da047a5af5222cc6989f405","affectsGlobalScope":true,"impliedNodeFormat":1},{"v
  ersion":"1708ea4d34dc37fadadc63ca01127e80","affectsGlobalScope":true,"impliedNodeFormat":1},
  {"version":"55d97a8c6fbf34a30450a7b1e5f7a298","affectsGlobalScope":true,"impliedNodeFormat":
  1},{"version":"0ee05eb59426d33e374226d8dcfa708b","affectsGlobalScope":true,"impliedNodeForma
```

```
t":1},{"version":"e347c14030993906efcfbb88915b6a05","affectsGlobalScope":true,"impliedNodeFo
rmat":1},{"version":"b0231263857c9b6a03641acdc9280ceb","affectsGlobalScope":true,"impliedNod
eFormat":1},{"version":"3b15c4a83b598cacb4067676e6f0abed","affectsGlobalScope":true,"implied
NodeFormat":1},{"version":"b417d97b7934cef63b1889abec0bbfbf","affectsGlobalScope":true,"impl
iedNodeFormat":1},{"version":"09a6cf4032ebba60ce22a501e663f881","affectsGlobalScope":true,"i
mpliedNodeFormat":1},{"version":"2b056277dd138e8f5650fc04e20eaa8d","affectsGlobalScope":true
,"impliedNodeFormat":1},{"version":"e22cc07e3f3cc242ba52fa3f8ea1fc58","affectsGlobalScope":t
rue,"impliedNodeFormat":1},{"version":"2c45da767a1bfbb220848df1bc4029e4","affectsGlobalScope
":true,"impliedNodeFormat":1},{"version":"b44c3e0fbaf2130cdcf6ac38b120ffa1","affectsGlobalSc
ope":true,"impliedNodeFormat":1},{"version":"b612fb5cf8e5d964b92063a75207632a","affectsGloba
lScope":true,"impliedNodeFormat":1},{"version":"02705151a5e1551b9162a9ed8ab763f7","affectsGl
obalScope":true,"impliedNodeFormat":1},{"version":"41025e398be9215d32e4337335da8f0b","affect
sGlobalScope":true,"impliedNodeFormat":1},{"version":"52684c2b1f353a5538e4f275182a54cd","aff
ectsGlobalScope":true,"impliedNodeFormat":1},{"version":"6dedb6a4f90d1df3a6fbe5693e44886c","
affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"ca3f36fe3562c07e0f0d71c2bebd3f6d
","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"409974d6129befbb8226ddd1c6558
568","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"4d9cfde2a1ae1b4925f1f9bc10
848e5d","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"7e1daecc66dd564144e3bb1
a0266b5fd","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"a8e1d9bb35fd0637f2f9
fd2b2a54f2ec","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"4f168501772a65431
82765bfd5f2fbfe","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"a19c80aad1b216
2103496f5ba293a732","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"b69afa63cd5
d059851c78adb2856ee09","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"ae2fc5d9
54e9b0f5feee3d481b953c27","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"1cfd3
091a071d8b6feec15277643bafe","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"1d
a2c1f258970fd3cc91184f69e91a9d","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":
"a0d87491913d843139e0c993650a3235","affectsGlobalScope":true,"impliedNodeFormat":1},{"versio
n":"4ef72aa378127e7b7abba915b0110b1e","affectsGlobalScope":true,"impliedNodeFormat":1},{"ver
sion":"3ec74c6a7d4463f0254db3a74cf75646","affectsGlobalScope":true,"impliedNodeFormat":1},{"
version":"84c2bdfa470d075526cce6322d81b0b6","affectsGlobalScope":true,"impliedNodeFormat":1}
,{"version":"0b3844c2b8c73e4e1ab91431411cad11","affectsGlobalScope":true,"impliedNodeFormat"
:1},{"version":"4fc71cf4a15b8d99675a31df77f26e07","affectsGlobalScope":true,"impliedNodeForm
at":1},{"version":"d1b49564ddaeca3df5b6dbae925d2242","affectsGlobalScope":true,"impliedNodeF
ormat":1},{"version":"6a25be566d60ccfc2d6e8b7bfdeefa83","affectsGlobalScope":true,"impliedNo
deFormat":1},{"version":"8a20e27646985dfd58c57ca6566553dd","affectsGlobalScope":true,"implie
dNodeFormat":1},{"version":"9969f02ad3cdcbf4f709405cda44167f","affectsGlobalScope":true,"imp
liedNodeFormat":1},{"version":"9c9be4792a7a4f42c15ae7360bf28779","affectsGlobalScope":true,"
impliedNodeFormat":1},{"version":"8cf777fe00349b71ee9c4b6f3fe7fd19","affectsGlobalScope":tru
e,"impliedNodeFormat":1},{"version":"74f96bc192530c9723f572bfff3d3078","affectsGlobalScope":
true,"impliedNodeFormat":1},{"version":"1df91c56b25955c56387426f378173c5","affectsGlobalScop
e":true,"impliedNodeFormat":1},{"version":"38856f70edcd2115c355d96ec77cc09e","affectsGlobalS
cope":true,"impliedNodeFormat":1},{"version":"de8700156c1275465bcd473c28b359aa","affectsGlob
alScope":true,"impliedNodeFormat":1},{"version":"d47cfdb6ede40518357bb5a4cd7cd9fb","affectsG
lobalScope":true,"impliedNodeFormat":1},{"version":"6e5773860cd9e5b15e683113f642ab47","affec
tsGlobalScope":true,"impliedNodeFormat":1},{"version":"30ff5fe1682f7fcd629880476ca3c2e0","af
fectsGlobalScope":true,"impliedNodeFormat":1},{"version":"bf23d7d1b40b9015b694ddc2f011752f",
"affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"2cc585d42e2c548f9f24a30a1989fd3
3","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"713906ce9d332d2242b7f05ed930
4be3","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"0219894bfe5042c7e1aa2d22e
4a91ed0","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"6009ffff7e43c93318804d
2d28e37fe3","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"03be89b227587594fbb
50509fc1c2e45","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"b30df52dc24740c0
bad7c55c3511df7d","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"ab8d3c9b5ed5c
2ab8f383607eef439f0","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"d950ec671d
0a8e07f3c1a31e94abed86","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"1abef2a
ce5eccb02d60dd73cd5a5ee4c","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"f5f0
a3044029d1cc081b5887eb4deb07","affectsGlobalScope":true,"impliedNodeFormat":1},{"version":"d
57c697f1446940ec4bfe669c962e2c4","affectsGlobalScope":true,"impliedNodeFormat":1},{"version"
:"be41035d7b941482a1e1ae6a5c5dcca5","affectsGlobalScope":true,"impliedNodeFormat":1},{"versi
on":"10f7d9da7564f27f8ddf4a162b6da6d3","affectsGlobalScope":true,"impliedNodeFormat":1},{"ve
rsion":"1d0520af549e0c3581f15173cc713ca1","affectsGlobalScope":true,"impliedNodeFormat":1},{
"version":"d65083f97fd741cff028472563eddb79","affectsGlobalScope":true,"impliedNodeFormat":1
},{"version":"da7f24f00653ebac660ac1c0821ed33d","affectsGlobalScope":true,"impliedNodeFormat
":1},{"version":"7cb5ae9e65516ea2235f0721f6aac43c","affectsGlobalScope":true,"impliedNodeFor
mat":1},{"version":"f64453cbf9671f28158677fa5c43967a","affectsGlobalScope":true,"impliedNode
Format":1},{"version":"33f317af5428801f944a478d2c1e38e5","affectsGlobalScope":true,"impliedN
odeFormat":1},"64384e631ccb479ecf2120ef2bfe2a53","41aa4849fd6761ecc4027da8051f5f5d","ceade64
9a701774b1107946c6e1200a5","6a0ab769095af16050206703017e4bef","ca443e3ed4c52b76d11b78ac701a3
4c4","0a04f4839b54f2733c96b2ab737edddf","91de3c5a04350c9e8b3a7b3883f784a5","2cee94ba614cc2d1
ea1b1794d49f52de","b1b0561b373631346cc72b89d113d2da","f18564bfc0880d3e689a2b69bc3805ae","82e
1c4bee414dc5525ff6f3b63e2b2e0","e4ea434e531223acc8851b559e2d6829","3c3744ba2a0bf9bee5d6bbe0d
```

```
9b1f60b","d4a9527d0d97f07871e6f90cbc94a8ce","fdcf006c3b8db2e22284ce7b1991544c","abf3ad7dffe0
7c477b281a10e4335fb9","464cdbc4c080f1cafb07419b102c7e74","3f3fcea57629a3e7be210cfa8660917f",
"449bee31d74f4a9c9c230ab67a649946","3a5fb7471e778ed6bb6dc433a8921d97","42eebce7d8b7488c471f3
8c8e9f83a43","d555aca826e22232bd0103dc9105e3b5","90a6d3d7146226421be13c5863567535","9339c5e2
22dfcffbd6abe4d4fb7a062d","83fd13c37b74560127364e1b6a1fd485","284b5e19cece501a5ec20ffbb25c79
d9","f8110b5570a9285127cf2619bdd5f1f1","7bdd09509c4dfa88a66d971b8717df71","f84a49f9c2e95b912
7492c395e110cef","aaf1b9abe7649ea9382dfeca0a92714d","a5368c408bed6f42420c9df480305cbc","64a5
91e487d5915baa69dcd4b21da312","13dca5f0ba04b54fb66a36d01e4edb6a","6c6c3f1c6f1e834d533d0c1cbc
4bdab8","d710d9eb85f171126dbab2121279c726","e2d3843d265ac6afbc4dc3e583a69d5e","fe7e753e0fe21
68091cf89bf6861b988","63a93a222e30d3fa703d5e59b724dd0e","3d0139031c7404db217ad7bdd3809f8c","
01367eca74a72cad4945c1d4864ebef0","32242bb6b7ea01d2fef11ecdb7f80a09","ed4ca3a6ff441d00adb79f
043bd3b296","e2bf19a5bfbc51c9df8a68a8ef1a3274","f71f23c4142dbcfedff647cb060d712f","7e05d698b
300ed7929aaacd400d92f72","00678f6db242077e43d05e59d7786ca9","e4424fa147cea468100b73958124e95
5","7b824bbea7fccdc6ac1cb34e10f99630","330fcc51aa8966a7c412c8e81c390764","eab5a262d18081b69f
d7e0faf511bd91","c1d996a5f66a2d5b063be07b4eb6e043","9b012026ca89596540db5202e32762f3","4cd2e
ca3d6d9a10d92bbcf8842fce965","ba007152bac57f8ea7886ac614b5f572","56a29b18cbda1e319b21c5f5c89
accb2","46616404a33fb6a3540c87ad7ebf354c","7768ddf531b36d75b7ded35c74df638b","839225dfbc4c55
ac277b424b2be927e5","cf2f86b996196629e8136a123bb406ad","bbc8bebd39a7f3747bdaa4ac2536ca6a","a
1551bedb696271b03dea91274e1fec4","a6c224f5d1117511a4549dad1dd19904","9f692ab02a8b21fea68dbab
10384481d","2fb00cc38974a95fc1e40d8ab3e357fc","e2c6c9ea13b6f22bb4247551833cc134","ccbf849f0c
9cbce5eb89badf920dd544","83b2a35e4fd13a7789e9e8bb13255537","ddf26f9dcf78f9847adce2a738d61b24
","a401439b13792464f9e3456a121587a1","69c9c9bf181af0463c7996b10abe2986","2188fa262f23b6837a6
f2ea65c6ffd53","7a1aa84939c7755868dc538432bf3d96","15547e20c03686498a800cb30956e9a5","6dbabb
c87a0d18565fc7c35d14f9177a","d2a7a14b716f27c0e35a28f46f562db5","95eedcf785fc1c889ae8e49ef96d
3671","2a90783a97d8d3d1bb8b23b85055e675","ba919146259fbc94e6aa7ba19a45fd4d","119fd8a15bd4309
a968c6e3344bf89b3","15d551df11aedb5a99704e1d441ef407","8c7a4556b23d9b96da27428b08d4fa04","f2
3165871f57375a5c352dd9a648d932","4ed18d3b636265d699fa7ef9fb948fbb"],"fileIdsList":[[94,96,99
],[94,96,103],[94,96,102,104],[94,96],[93,94,96,102],[94,95,96,113],[92,93,94,95,96],[92,94]
,[100],[93,94,96,99,102,105],[94,102,103,107,108],[94,96,102,103,107,108],[94,102],[92,94,10
2,107],[93,94,95,113],[93,94,95],[93,95,96,113,116],[92],[92,93],[93,99,100,122,141],[145],[
94,99,102,105],[148],[92,94,99,102,105],[121,153],[93,123,125,126,127],[94,102,104,105,107,1
44,159,160],[94,102,103,105,107,108,159,162],[102],[94,102,104,105,155],[94,99,102,131,132,1
33],[94,159,165],[93,94,132,133],[93,145],[122],[130],[103,130],[93,122],[144],[143],[94,124
],[122,123],[120],[103],[95,96],[93,96,99],[93],[96,103,104],[92,99,102,104]],"options":{"al
lowJs":false,"jsx":1,"module":99,"skipLibCheck":true,"strict":true,"target":7,"esModuleInter
op":true},"referencedMap":[[137,1],[139,2],[138,3],[135,4],[136,5],[140,6],[97,7],[98,8],[10
1,9],[106,10],[109,11],[110,12],[111,13],[112,14],[114,15],[115,16],[117,17],[118,18],[119,1
9],[142,20],[146,21],[147,22],[151,8],[149,23],[150,24],[152,8],[154,25],[128,26],[161,27],[
163,28],[158,29],[156,30],[164,25],[134,31],[166,32],[167,33],[168,34],[169,25],[170,29],[17
1,34],[172,25],[153,35],[143,36],[131,36],[162,37],[126,38],[145,39],[144,40],[125,41],[124,
42],[165,36],[130,43],[104,44],[107,29],[94,19],[113,45],[100,46],[102,47],[108,48],[105,49]
],"semanticDiagnosticsPerFile":[[90,[{"pos":47,"end":60,"code":2307,"category":1,"messageKey
":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/se
rver"]},{"pos":97,"end":112,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_i
ts_corresponding_type_declarations_2307","messageArgs":["@supabase/ssr"]},{"pos":235,"end":2
42,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_def
initions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":2
87,"end":294,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_instal
l_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]
},{"pos":513,"end":525,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_
1_type_7006","messageArgs":["cookiesToSet","any"]},{"pos":561,"end":565,"code":7031,"categor
y":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":["name","a
ny"]},{"pos":567,"end":572,"code":7031,"category":1,"messageKey":"Binding_element_0_implicit
ly_has_an_1_type_7031","messageArgs":["value","any"]},{"pos":697,"end":701,"code":7031,"cate
gory":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":["name"
,"any"]},{"pos":703,"end":708,"code":7031,"category":1,"messageKey":"Binding_element_0_impli
citly_has_an_1_type_7031","messageArgs":["value","any"]},{"pos":710,"end":717,"code":7031,"c
ategory":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":["op
tions","any"]}]],[91,[{"pos":28,"end":41,"code":2307,"category":1,"messageKey":"Cannot_find_
module_0_or_its_corresponding_type_declarations_2307","messageArgs":["tailwindcss"]}]],[92,[
{"pos":35,"end":50,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corres
ponding_type_declarations_2307","messageArgs":["@supabase/ssr"]},{"pos":76,"end":90,"code":2
307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2
307","messageArgs":["next/headers"]},{"pos":267,"end":274,"code":2591,"category":1,"messageK
ey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_
types_Slashno_2591","messageArgs":["process"]},{"pos":310,"end":317,"code":2591,"category":1
,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i
_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":461,"end":473,"code":7006,"c
ategory":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["cookiesT
oSet","any"]},{"pos":529,"end":533,"code":7031,"category":1,"messageKey":"Binding_element_0_
implicitly_has_an_1_type_7031","messageArgs":["name","any"]},{"pos":535,"end":540,"code":703
```

1,"category":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":["value","any"]},{"pos":542,"end":549,"code":7031,"category":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":["options","any"]}]],[93,[{"pos":25,"end":32,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":135,"end":142,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":227,"end":234,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":321,"end":328,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":514,"end":521,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":554,"end":561,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":657,"end":664,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":690,"end":697,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]}]],[94,[{"pos":25,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/navigation"]},{"pos":70,"end":93,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["@supabase/supabase-js"]}]],[95,[{"pos":19,"end":27,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["stripe"]},{"pos":143,"end":150,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]}]],[96,[{"pos":29,"end":52,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["@supabase/supabase-js"]},{"pos":226,"end":233,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":278,"end":285,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":579,"end":586,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":620,"end":627,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]}]],[97,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[98,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[100,[{"pos":48,"end":57,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["pdf-lib"]}]],[101,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]},{"pos":469,"end":475,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["Buffer"]}]],[102,[{"pos":15,"end":24,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["node:fs"]},{"pos":43,"end":54,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["node:path"]},{"pos":709,"end":716,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":792,"end":799,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":873,"end":874,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["f","any"]},{"pos":1893,"end":1894,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["s","any"]},{"pos":2320,"end":2321,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["s","any"]},{"pos":2892,"end":2915,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["@supabase/supabase-js"]},{"pos":2946,"end":2953,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":2985,"end":2992,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]}]],[106,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[108,[{"pos":822,"end":823,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["q","any"]}]],[109,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[110,[{"pos":29,"end":42,"code":2307,"category":1,"m

essageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[111,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[112,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[113,[{"pos":24,"end":32,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["stripe"]}]],[114,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]},{"pos":982,"end":989,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]}]],[115,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[116,[{"pos":292,"end":299,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":335,"end":342,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]}]],[117,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]},{"pos":68,"end":76,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["stripe"]},{"pos":792,"end":799,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]}]],[118,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[119,[{"pos":29,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/server"]}]],[121,[{"pos":50,"end":65,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["@supabase/ssr"]},{"pos":135,"end":142,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":178,"end":185,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":275,"end":282,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]},{"pos":315,"end":322,"code":2591,"category":1,"messageKey":"Cannot_find_name_0_Do_you_need_to_install_type_definitions_for_node_Try_npm_i_save_dev_types_Slashno_2591","messageArgs":["process"]}]],[122,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":124,"end":190,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":197,"end":203,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":212,"end":266,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":277,"end":316,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":327,"end":366,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":375,"end":392,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":399,"end":406,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":413,"end":470,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":506,"end":622,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":672,"end":738,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":745,"end":794,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":801,"end":864,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":869,"end":875,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1064,"end":1151,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1162,"end":1215,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1219,"end":1226,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1233,"end":1240,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[123,[{"pos":40,"end":54,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messag

eArgs":["lucide-react"]},{"pos":92,"end":99,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["react"]},{"pos":500,"end":627,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":726,"end":735,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[124,[{"pos":31,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":72,"end":89,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/navigation"]},{"pos":127,"end":134,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["react"]},{"pos":200,"end":214,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":1141,"end":1283,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1290,"end":1362,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1371,"end":1412,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1442,"end":1492,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1539,"end":1556,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2002,"end":2007,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2034,"end":2039,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2048,"end":2054,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2064,"end":2105,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2168,"end":2210,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2225,"end":2477,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2273,"end":2274,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["m","any"]},{"pos":2494,"end":2597,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2606,"end":2613,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2630,"end":2671,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2677,"end":2684,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2794,"end":2803,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2845,"end":2916,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3719,"end":3762,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3783,"end":3927,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4009,"end":4018,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4037,"end":4044,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4061,"end":4067,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4097,"end":4103,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4132,"end":4183,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4413,"end":4419,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4443,"end":4577,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4520,"end":4521,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["o","any"]},{"pos":4666,"end":4675,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4684,"end":4690,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4697,"end":4703,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4730,"end":4847,"code":7026,"category

```
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":4858,"end":4884,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":4931,"end":4948,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":5148,"end":5153,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":5180,"end":5185,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":5196,"end":5229,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:5574,"end":5634,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5653,"en
d":5696,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5703,"end":5712,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5729,"end":5736,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6066,"end":6072,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":6081,"end":6087,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":6101,"end":6110,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]}]],[126,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"Can
not_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},
{"pos":59,"end":73,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corres
ponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":884,"end":985,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":992,"end":1072,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":1081,"end":1086,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":1116,"end":1198,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":1328,"end":1332,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":1343,"end":1417,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":1430,"end":1470,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":1543,"end":1612,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1659
,"end":1663,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1676,"end":16
81,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1694,"end":1733,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1815,"end":1821,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":1869,"end":1875,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":1924,"end":1931,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":1944,"end":1949,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":1960,"end":1965,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":1974,"end":1980,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":2018,"end":2037,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":20
50,"end":2119,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2128,"end":
2133,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2146,"end":2187,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2252,"end":2267,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":2480,"end":2485,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
```

```
,"messageArgs":["IntrinsicElements"]},{"pos":2516,"end":2521,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":2532,"end":2538,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":2557,"end":2563,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":2570,"end":2635,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":2644,"end":2760,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
2771,"end":2774,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2864,"end
":2868,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2879,"end":2882,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2977,"end":2981,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":2990,"end":2996,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":3003,"end":3009,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":3014,"end":3023,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]}]],[127,[{"pos":31,"end":42,"code":2307,"category":1,"messageKey":"Cann
ot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{
"pos":80,"end":87,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresp
onding_type_declarations_2307","messageArgs":["react"]},{"pos":112,"end":126,"code":2307,"ca
tegory":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","m
essageArgs":["lucide-react"]},{"pos":828,"end":926,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":933,"end":987,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":996,"end":1024,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":1107,"end":1112,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1125
,"end":1193,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1222,"end":12
26,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1239,"end":1302,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1562,"end":1566,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":1579,"end":1612,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":1627,"end":1700,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":1738,"end":1747,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":1871,"end":1877,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":1888,"end":1894,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":1903,"end":1909,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":19
16,"end":1922,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1927,"end":
1933,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[128,[{"pos":40,"end":46,
"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declar
ations_2307","messageArgs":["next"]},{"pos":55,"end":83,"code":2882,"category":1,"messageKey
":"Cannot_find_module_or_type_declarations_for_side_effect_import_of_0_2882","messageArgs":[
"@fontsource-variable/inter"]},{"pos":92,"end":129,"code":2882,"category":1,"messageKey":"Ca
nnot_find_module_or_type_declarations_for_side_effect_import_of_0_2882","messageArgs":["@fon
tsource-variable/jetbrains-mono"]},{"pos":138,"end":153,"code":2882,"category":1,"messageKey
":"Cannot_find_module_or_type_declarations_for_side_effect_import_of_0_2882","messageArgs":[
"./globals.css"]},{"pos":1139,"end":1144,"code":2503,"category":1,"messageKey":"Cannot_find_
namespace_0_2503","messageArgs":["React"]},{"pos":1175,"end":1216,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":1223,"end":1229,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
```

```
":["IntrinsicElements"]},{"pos":1238,"end":1298,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":1305,"end":1312,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":1319,"end":1364,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":1373,"end":1550,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1585
,"end":1589,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1617,"end":16
52,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1682,"end":1689,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1740,"end":1747,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":1752,"end":1759,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]}]],[129,[{"pos":17,"end":28,"code":2307,"category":1,"mes
sageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["
next/link"]},{"pos":83,"end":183,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":190,"end":238,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":285
,"end":289,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":296,"end":387,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":401,"end":406,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":413,"end":468,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":533,"end":537,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":544,"end":577,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":764,"end":770,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":775,"end":781,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[130
,[{"pos":34,"end":48,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corr
esponding_type_declarations_2307","messageArgs":["next/dynamic"]},{"pos":94,"end":101,"code"
:2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations
_2307","messageArgs":["react"]},{"pos":187,"end":201,"code":2307,"category":1,"messageKey":"
Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-rea
ct"]},{"pos":337,"end":359,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_it
s_corresponding_type_declarations_2307","messageArgs":["@monaco-editor/react"]},{"pos":395,"
end":466,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":483,"end":489,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1983,"end":2166,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":2173,"end":2318,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":2327,"end":2403,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":2414,"end":2445,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":2458,"end":2514,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":2527,"end":2585,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":2598,"end":2656,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":2667,"end":2674,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2685,"e
nd":2718,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2725,"end":2732,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2741,"end":2747,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2756,"end":2799,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
```

026","messageArgs":["IntrinsicElements"]},{"pos":2838,"end":2963,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":2875,"end":2876,"code":7006,"category":1,"messageKey
":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["o","any"]},{"pos":3033,"end":3
042,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3066,"end":3285,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3352,"end":3361,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":3372,"end":3461,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":3690,"end":3699,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":3708,"end":3714,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":3721,"end":3727,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":3735,"end":3759,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":3848,"end":3849,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an
_1_type_7006","messageArgs":["v","any"]},{"pos":4001,"end":4007,"code":7006,"category":1,"me
ssageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["editor","any"]},{"pos"
:4009,"end":4015,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type
_7006","messageArgs":["monaco","any"]},{"pos":4574,"end":4580,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":4625,"end":4700,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":4711,"end":4776,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":4816,"end":4824,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":4835,"end":5044,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:4894,"end":4895,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type
_7006","messageArgs":["e","any"]},{"pos":5053,"end":5059,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":5076,"end":5154,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":5163,"end":5261,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":5272,"end":5316,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":5383,"end":5390,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5401
,"end":5434,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5457,"end":54
64,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5473,"end":5479,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5488,"end":5657,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":5692,"end":5725,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":5771,"end":5778,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":5828,"end":5861,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":5927,"end":5934,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":5991,"end":6022,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":6036,"end":6043,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":61
32,"end":6165,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6176,"end":
6183,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6193,"end":6199,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6262,"end":6445,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":6654,"end":6660,"code":7026,"category"

```
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":6678,"end":6684,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":6689,"end":6695,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]}]],[132,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"Cannot
_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"p
os":66,"end":80,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_correspon
ding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":807,"end":868,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":875,"end":922,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":931,"end":1000,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":1004,"end":1009,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":1018,"end":1061,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":1100,"end":1104,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":1113,"end":1159,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
1170,"end":1258,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1262,"end
":1269,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1280,"end":1313,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1319,"end":1326,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":1335,"end":1339,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":1348,"end":1394,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":1436,"end":1471,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":1556,"end":1561,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":1658,"end":1708,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":1778,"end":1783,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":1806,"end":1811,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2027,"e
nd":2033,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2041,"end":2169,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2178,"end":2330,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2362,"end":2369,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":2378,"end":2471,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":2543,"end":2548,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":2557,"end":2600,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":2640,"end":2644,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":2653,"end":2699,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":2710,"end":2798,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2805,
"end":2812,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2823,"end":285
6,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2862,"end":2869,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2878,"end":2882,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":2891,"end":2934,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
```

essageArgs":["IntrinsicElements"]},{"pos":2981,"end":2985,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2994,"end":3040,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3085,"end":3120,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3205,"end":3210,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3233,"end":3238,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3454,"end":3526,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3539,"end":3578,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3589,"end":3598,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3609,"end":3616,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3776,"end":3841,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4006,"end":4010,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4017,"end":4023,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4028,"end":4034,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[133,[{"pos":28,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":1932,"end":2100,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2139,"end":2223,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2234,"end":2355,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2489,"end":2499,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2510,"end":2575,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2580,"end":2584,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2593,"end":2603,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2618,"end":2624,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[134,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":247,"end":261,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":887,"end":933,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":942,"end":1167,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1176,"end":1467,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1476,"end":1569,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1580,"end":1613,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1626,"end":1673,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1777,"end":1784,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1797,"end":1910,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1953,"end":1959,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1974,"end":2069,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2087,"end":2094,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2107,"end":2112,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2125,"end":2207,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2338,"end":2342,"code":7026,"category":1,"messageKey":"JSX_e

lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":2355,"end":2409,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":2750,"end":2756,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":2769,"end":2823,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3034
,"end":3047,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3066,"end":31
32,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3135,"end":3140,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3159,"end":3198,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":3201,"end":3206,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":3223,"end":3229,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":3260,"end":3265,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":3276,"end":3282,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":3331,"end":3397,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":3410,"end":3551,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":35
64,"end":3657,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3672,"end":
3759,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3776,"end":3806,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3825,"end":3877,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":3896,"end":3950,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":3969,"end":4023,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":4040,"end":4046,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":4063,"end":4114,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":4130,"end":4137,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":4154,"end":4267,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
4341,"end":4348,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4363,"end
":4369,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4384,"end":4470,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4487,"end":4493,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":4512,"end":4545,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":4580,"end":4587,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":4631,"end":4662,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":4665,"end":4672,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":4673,"end":4706,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":4711,"end":4718,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":4796,"end":4827,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4833,"e
nd":4840,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4841,"end":4874,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4924,"end":4931,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0

```
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4986,"end":5019,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":5036,"end":5043,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":5045,"end":5078,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":5095,"end":5102,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":5127,"end":5160,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":5181,"end":5188,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":5214,"end":5245,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5248,
"end":5255,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5267,"end":529
8,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5300,"end":5307,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5308,"end":5341,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":5350,"end":5357,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":5439,"end":5472,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":5477,"end":5484,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":5550,"end":5583,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":5588,"end":5595,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":5602,"end":5635,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":565
0,"end":5657,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5676,"end":5
683,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5698,"end":5704,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5719,"end":5816,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":5833,"end":5905,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":5911,"end":5915,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":5932,"end":5962,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":5969,"end":5973,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":5990,"end":6020,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":6027,"end":6031,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6
048,"end":6078,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6089,"end"
:6093,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6110,"end":6140,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6185,"end":6276,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":6293,"end":6297,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":6312,"end":6318,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":6331,"end":6337,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":6348,"end":6354,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":6363,"end":6369,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":6376,"end":6386,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
```

:6499,"end":6607,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6616,"en
d":6643,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6654,"end":6701,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6714,"end":6737,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6754,"end":6758,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":6771,"end":6806,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":6875,"end":6880,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":6893,"end":6920,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":7020,"end":7024,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":7035,"end":7041,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":7052,"end":7116,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7997,"
end":8087,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8104,"end":8235
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8299,"end":8306,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8323,"end":8389,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":8396,"end":8401,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":8418,"end":8493,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":8499,"end":8503,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":8518,"end":8524,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":8551,"end":8557,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":8566,"end":8572,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8579
,"end":8589,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8698,"end":87
25,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8734,"end":8761,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8772,"end":8819,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":8832,"end":8855,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":8867,"end":8871,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":8884,"end":8919,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":8959,"end":8964,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":8975,"end":8981,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":8992,"end":9040,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":95
43,"end":9592,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9609,"end":
9735,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9799,"end":9806,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9823,"end":9910,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":9922,"end":9929,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":9946,"end":10020,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":10027,"end":10032,"code":7026,"category":1,"messageKey"

```
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":10049,"end":10122,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":10128,"end":10132,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":10147,"end":10152,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":10179,"end":10184,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":10193,"end":10199,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10206
,"end":10216,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10319,"end":
10427,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10436,"end":10463,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10474,"end":10538,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10551,"end":10556,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":10571,"end":10594,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":10616,"end":10620,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":10635,"end":10670,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":10712,"end":10717,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":10730,"end":10736,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":10897,"end":10903,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":10914,"end":10963,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":11358,"end":11409,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1143
0,"end":11551,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11623,"end"
:11630,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11651,"end":11724,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11733,"end":11740,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11759,"end":11765,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":11784,"end":11881,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":11890,"end":11895,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":11914,"end":11994,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":12009,"end":12013,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":12032,"end":12166,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":12187,"end":12193,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":12219,"end":12226,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":12247,"end":12253,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":122
69,"end":12276,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12297,"end
":12382,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12504,"end":12511
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12530,"end":12536,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12604,"end":12610,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":12619,"end":12625,"code":7026,"categor
```

y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":12632,"end":12642,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":12743,"end":12770,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":12779,"end":12858,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":12869,"end":12874,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":12887,"end":12910,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":12928,"end":12932,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":12945,"end":12980,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13
021,"end":13026,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13039,"en
d":13066,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13256,"end":1325
9,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13262,"end":13266,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13280,"end":13284,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":13297,"end":13363,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":13545,"end":13593,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":13612,"end":13744,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":13747,"end":13754,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":13793,"end":13798,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":13829,"end":13834,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":13845,"end":13851,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":13885,"end":13891,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1
3898,"end":13908,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14027,"e
nd":14148,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14157,"end":141
84,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14195,"end":14248,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14261,"end":14284,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":14299,"end":14303,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":14316,"end":14351,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":14394,"end":14399,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":14412,"end":14439,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":14487,"end":14491,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":14502,"end":14508,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":14600,"end":14606,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":14613,"end":14623,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
14714,"end":14741,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14750,"
end":14777,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14788,"end":14
835,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14848,"end":14871,"co

```
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14886,"end":14890,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14903,"end":14938,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":14974,"end":14979,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":14992,"end":15158,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":15297,"end":15301,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":15312,"end":15318,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":15329,"end":15378,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":15973,"end":16013,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":16091,"end":16165,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:16172,"end":16185,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":16202,
"end":16308,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":16327,"end":1
6448,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":16464,"end":16471,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":16490,"end":16496,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":16517,"end":16594,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":16600,"end":16607,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":16628,"end":16669,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":16693,"end":16700,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":16719,"end":16726,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":16743,"end":16756,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":16771,"end":16780,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":16807,"end":16813,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":16822,"end":16828,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":16835
,"end":16845,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":16972,"end":
17089,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":17098,"end":17125,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":17136,"end":17189,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":17202,"end":17225,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":17228,"end":17232,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":17245,"end":17280,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":17306,"end":17311,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":17322,"end":17328,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":17355,"end":17361,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":17368,"end":17378,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":17505,"end":17532,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":17541,"end":17568,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1757
```

```
9,"end":17687,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":17700,"end"
:17815,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":17828,"end":17910,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":17954,"end":17959,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":17972,"end":18033,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":18146,"end":18150,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":18163,"end":18241,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":18603,"end":18609,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":18620,"end":18626,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":18635,"end":18641,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":18648,"end":18658,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]}]],[135,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_o
r_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":97,"end":111
,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_decla
rations_2307","messageArgs":["lucide-react"]},{"pos":619,"end":624,"code":2503,"category":1,
"messageKey":"Cannot_find_namespace_0_2503","messageArgs":["React"]},{"pos":679,"end":751,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":758,"end":826,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":835,"end":842,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":853,"end":960,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":1029,"end":1033,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":1044,"end":1100,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":1486,"end":1492,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":1501,"end":1509,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1518
,"end":1543,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1590,"end":16
56,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1725,"end":1729,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1772,"end":1778,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":1785,"end":1791,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":1796,"end":1802,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]}]],[136,[{"pos":74,"end":88,"code":2307,"category":1,"messageKey":
"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-re
act"]},{"pos":2911,"end":2916,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":2923,"end":2989,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2997
,"end":3002,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3009,"end":30
52,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3175,"end":3179,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3186,"end":3249,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":3320,"end":3358,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":3371,"end":3433,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":3512,"end":3516,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
```

rinsicElements"]},{"pos":3529,"end":3599,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3606,"end":3610,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3623,"end":3668,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3673,"end":3677,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3688,"end":3694,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3713,"end":3719,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3724,"end":3730,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[137,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":61,"end":73,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/cache"]},{"pos":853,"end":858,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":865,"end":931,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":943,"end":948,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":955,"end":993,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1109,"end":1113,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1120,"end":1163,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1172,"end":1206,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1217,"end":1327,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1340,"end":1344,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1359,"end":1385,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1394,"end":1399,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1414,"end":1440,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1446,"end":1451,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1466,"end":1492,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1498,"end":1503,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1518,"end":1544,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1550,"end":1555,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1570,"end":1598,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1611,"end":1616,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1627,"end":1635,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1646,"end":1713,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1772,"end":1787,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1804,"end":1842,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2013,"end":2018,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2035,"end":2061,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2111,"end":2116,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2133,"end":2174,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2225,"end":2230,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2247,"end":2273,"code":7026,"category":1,"messageKey":"JSX_element_implicit

```
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":2286,"end":2333,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2
340,"end":2347,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2350,"end"
:2380,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2385,"end":2392,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2393,"end":2398,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":2415,"end":2441,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":2460,"end":2488,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":2509,"end":2555,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":2576,"end":2641,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":2662,"end":2769,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":2803,"end":2812,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:2831,"end":2838,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2855,"en
d":2860,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2875,"end":2880,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2943,"end":2947,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2964,"end":3029,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":3092,"end":3097,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":3112,"end":3117,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":3143,"end":3151,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":3160,"end":3168,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":3175,"end":3181,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":3186,"end":3192,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[138,[{"pos
":17,"end":28,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_correspondi
ng_type_declarations_2307","messageArgs":["next/link"]},{"pos":61,"end":73,"code":2307,"cate
gory":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","mes
sageArgs":["next/cache"]},{"pos":100,"end":117,"code":2307,"category":1,"messageKey":"Cannot
_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/navigation"
]},{"pos":156,"end":170,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_c
orresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":1767,"end":1795,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1802,"end":1807,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1816,"end":1882,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":1899,"end":1904,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":1913,"end":1956,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":2106,"end":2110,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":2117,"end":2123,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":2164,"end":2225,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":2375,"end":2379,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2396,
"end":2426,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2435,"end":248
9,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2563,"end":2568,"code":
```

7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2577,"end":2648,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2659,"end":2664,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2677,"end":2702,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2707,"end":2715,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2728,"end":2820,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2831,"end":2837,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2848,"end":2853,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2866,"end":2891,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2910,"end":2918,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2931,"end":3008,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3019,"end":3025,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3036,"end":3067,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3080,"end":3105,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3116,"end":3124,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3137,"end":3195,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3206,"end":3212,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3223,"end":3228,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3241,"end":3266,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3279,"end":3287,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3300,"end":3376,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3387,"end":3393,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3404,"end":3460,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3473,"end":3542,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3571,"end":3579,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3590,"end":3621,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3634,"end":3666,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3679,"end":3688,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3699,"end":3705,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3714,"end":3721,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3728,"end":3738,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3746,"end":3755,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3764,"end":3799,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3820,"end":3825,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3865,"end":3912,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3921,"end":3925,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3950,"end":4019,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4072,"end":4087,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha

s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":4262,"end":4292,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4301,"
end":4308,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4327,"end":4356
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4391,"end":4421,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4425,"end":4432,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":4454,"end":4516,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":4553,"end":4560,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":4579,"end":4586,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":4625,"end":4630,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":4657,"end":4662,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":4680,"end":4690,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4698
,"end":4707,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4716,"end":47
75,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4885,"end":4890,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4899,"end":4942,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":4975,"end":4981,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":5000,"end":5007,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":5012,"end":5018,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":5038,"end":5045,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":5097,"end":5101,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":5110,"end":5187,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":52
32,"end":5307,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5322,"end":
5328,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5345,"end":5383,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5394,"end":5401,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":5442,"end":5449,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":5464,"end":5529,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":5546,"end":5588,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":5687,"end":5694,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":5711,"end":5717,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":5759,"end":5766,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
5793,"end":5823,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5827,"end
":5834,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5837,"end":5867,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5874,"end":5881,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":5897,"end":5904,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":5917,"end":5922,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa

geArgs":["IntrinsicElements"]},{"pos":5945,"end":5950,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5957,"end":5967,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5972,"end":5978,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[139,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":65,"end":82,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/navigation"]},{"pos":115,"end":127,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/cache"]},{"pos":163,"end":177,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":5150,"end":5177,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5397,"end":5462,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5468,"end":5472,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5503,"end":5564,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5609,"end":5613,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5622,"end":5697,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5706,"end":5754,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5763,"end":5811,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5830,"end":5835,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5844,"end":5849,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5860,"end":5885,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5890,"end":5898,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5909,"end":5983,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5992,"end":5998,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6007,"end":6012,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6023,"end":6048,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6056,"end":6064,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6075,"end":6160,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6169,"end":6175,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6184,"end":6215,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6226,"end":6251,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6262,"end":6270,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6281,"end":6370,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6379,"end":6385,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6394,"end":6445,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6456,"end":6554,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6581,"end":6589,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6598,"end":6649,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6660,"end":6762,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6803,"end":6811,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6820,"end":6862,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ

e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":68
73,"end":6905,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6916,"end":
6925,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7059,"end":7065,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7072,"end":7079,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":7087,"end":7118,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":7127,"end":7165,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":7172,"end":7177,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":7231,"end":7272,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":7285,"end":7333,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":7389,"end":7424,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
7429,"end":7436,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7450,"end
":7460,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7529,"end":7574,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7589,"end":7644,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":7659,"end":7712,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":7727,"end":7811,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":7891,"end":7900,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":7913,"end":7920,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":7931,"end":7941,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":7962,"end":8016,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":8027,"end":8090,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8102,"e
nd":8112,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8164,"end":8174,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8181,"end":8191,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8199,"end":8230,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":8239,"end":8277,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":8320,"end":8325,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":8392,"end":8476,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":8489,"end":8494,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":8509,"end":8544,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":8557,"end":8564,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8579,
"end":8614,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8628,"end":863
5,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8650,"end":8680,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8736,"end":8743,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":8756,"end":8762,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":8775,"end":8805,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg

```
s":["IntrinsicElements"]},{"pos":8820,"end":8875,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":8890,"end":8945,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":8960,"end":9013,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":9019,"end":9028,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":904
1,"end":9048,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9059,"end":9
065,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9086,"end":9160,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9171,"end":9226,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":9237,"end":9281,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":9295,"end":9300,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":9311,"end":9316,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":9329,"end":9354,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":9358,"end":9366,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":9379,"end":9417,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9
432,"end":9452,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9467,"end"
:9476,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9491,"end":9512,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9528,"end":9537,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":9552,"end":9573,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":9589,"end":9598,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":9611,"end":9620,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":9631,"end":9637,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":9648,"end":9653,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":9666,"end":9691,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:9701,"end":9709,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9722,"en
d":9761,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9813,"end":9829,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9832,"end":9841,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9872,"end":9881,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":9892,"end":9898,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":9909,"end":9940,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":9953,"end":9978,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":9993,"end":10001,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":10014,"end":10076,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":10087,"end":10093,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1
0104,"end":10201,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10214,"e
nd":10276,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10291,"end":103
```

00,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10313,"end":10338,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10360,"end":10368,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10381,"end":10445,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10458,"end":10488,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10521,"end":10529,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10542,"end":10610,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10621,"end":10632,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10643,"end":10740,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10753,"end":10815,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10831,"end":10840,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10853,"end":10878,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10909,"end":10917,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10930,"end":10991,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11004,"end":11034,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11065,"end":11073,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11086,"end":11151,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11162,"end":11173,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11184,"end":11281,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11294,"end":11356,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11372,"end":11381,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11394,"end":11419,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11431,"end":11439,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11452,"end":11516,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11529,"end":11559,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11611,"end":11619,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11632,"end":11792,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11805,"end":11835,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11850,"end":11858,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11871,"end":11910,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11921,"end":11932,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11943,"end":11974,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11987,"end":12012,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12047,"end":12055,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12068,"end":12122,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12133,"end":12139,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12150,"end":12181,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos

```
":12194,"end":12226,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12238
,"end":12247,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12258,"end":
12264,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12273,"end":12280,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12287,"end":12297,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12305,"end":12369,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":12378,"end":12426,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":12435,"end":12473,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":12529,"end":12533,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":12542,"end":12633,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":12697,"end":12706,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":12713,"end":12720,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":12725,"end":12731,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":12835,"end":12904,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1291
1,"end":12968,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12986,"end"
:13044,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13052,"end":13083,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13092,"end":13117,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13122,"end":13130,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":13139,"end":13217,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":13224,"end":13230,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":13237,"end":13242,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":13251,"end":13276,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":13284,"end":13292,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":13301,"end":13395,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":13402,"end":13408,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":13415,"end":13446,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":134
55,"end":13480,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13495,"end
":13503,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13512,"end":13579
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13586,"end":13592,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13599,"end":13630,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":13639,"end":13664,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":13781,"end":13789,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":13798,"end":13903,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":13910,"end":13916,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":13923,"end":13974,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
```

```
Elements"]},{"pos":13983,"end":14097,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":14114,"end":14122,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":14129,"end":14160,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14
169,"end":14201,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14240,"en
d":14249,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14256,"end":1426
2,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":14267,"end":14274,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[140,[{"pos":31,"end":43,"code":230
7,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_230
7","messageArgs":["next/cache"]},{"pos":2568,"end":2573,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":2580,"end":2644,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":2653,"end":2658,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":2669,"end":2735,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":2756,"end":2761,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2772,
"end":2810,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2828,"end":283
2,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2841,"end":2847,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2856,"end":2885,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":2896,"end":3002,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":3013,"end":3047,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":3053,"end":3062,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":3071,"end":3078,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":3085,"end":3091,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":3099,"end":3142,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":315
1,"end":3185,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3196,"end":3
306,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3319,"end":3323,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3338,"end":3364,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":3368,"end":3373,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":3388,"end":3414,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":3420,"end":3425,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":3440,"end":3466,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":3473,"end":3478,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":3493,"end":3519,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3
531,"end":3536,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3551,"end"
:3577,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3581,"end":3586,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3601,"end":3627,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":3634,"end":3639,"code":7026,"category
```

```
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":3652,"end":3657,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":3668,"end":3676,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":3687,"end":3754,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":3963,"end":4000,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":4019,"end":4045,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:4066,"end":4124,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4146,"en
d":4150,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4171,"end":4209,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4218,"end":4222,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4241,"end":4246,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":4265,"end":4306,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":4358,"end":4363,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":4382,"end":4408,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":4425,"end":4430,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":4449,"end":4475,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":4575,"end":4667,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4677,"
end":4684,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4736,"end":4771
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4781,"end":4788,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4839,"end":4882,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":4948,"end":4952,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":5031,"end":5349,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":5419,"end":5423,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":5525,"end":5558,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":5562,"end":5569,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":5611,"end":5616,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5635
,"end":5661,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5682,"end":57
41,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5764,"end":5810,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5833,"end":5977,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":6002,"end":6026,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":6033,"end":6042,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":6067,"end":6089,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":6094,"end":6103,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":6126,"end":6135,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":6158,"end":6213,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":62
17,"end":6226,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
```

ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6247,"end":6254,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6273,"end":6278,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6297,"end":6333,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6498,"end":6532,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6561,"end":6628,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6657,"end":6711,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6740,"end":6811,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6831,"end":6840,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6867,"end":6874,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6926,"end":6960,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6987,"end":7054,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7081,"end":7128,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7155,"end":7224,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7242,"end":7251,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7276,"end":7283,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7407,"end":7441,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7466,"end":7533,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7558,"end":7629,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7648,"end":7657,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7680,"end":7687,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7729,"end":7734,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7751,"end":7756,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7800,"end":7808,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7817,"end":7825,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7832,"end":7838,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7845,"end":7878,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7912,"end":8035,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8067,"end":8071,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8133,"end":8256,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8284,"end":8288,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8306,"end":8312,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8319,"end":8362,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8469,"end":8473,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8478,"end":8484,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[141,[{"pos":39,"end":46,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["react"]},{"pos":77,"end":91,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":209,"end":586,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":731,"end":740,"

```
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[142,[{"pos":17,"end":28,"code"
:2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations
_2307","messageArgs":["next/link"]},{"pos":55,"end":72,"code":2307,"category":1,"messageKey"
:"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/nav
igation"]},{"pos":129,"end":143,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_
or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":861,"end
":865,"code":18047,"category":1,"messageKey":"_0_is_possibly_null_18047","messageArgs":["cer
t"]},{"pos":922,"end":926,"code":18047,"category":1,"messageKey":"_0_is_possibly_null_18047"
,"messageArgs":["cert"]},{"pos":959,"end":963,"code":18047,"category":1,"messageKey":"_0_is_
possibly_null_18047","messageArgs":["cert"]},{"pos":1364,"end":1368,"code":18047,"category":
1,"messageKey":"_0_is_possibly_null_18047","messageArgs":["cert"]},{"pos":1391,"end":1434,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1442,"end":1446,"code":1804
7,"category":1,"messageKey":"_0_is_possibly_null_18047","messageArgs":["cert"]},{"pos":1467,
"end":1506,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1517,"end":156
5,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1598,"end":1603,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1614,"end":1649,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":1671,"end":1675,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":1684,"end":1690,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":1724,"end":1879,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":1997,"end":2003,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":2015,"end":2158,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":2171,"end":2265,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":227
8,"end":2304,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2319,"end":2
375,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2441,"end":2482,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2488,"end":2495,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":2510,"end":2516,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":2531,"end":2612,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":2637,"end":2641,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":2656,"end":2691,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":2710,"end":2714,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":2729,"end":2822,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2
823,"end":2827,"code":18047,"category":1,"messageKey":"_0_is_possibly_null_18047","messageAr
gs":["cert"]},{"pos":2843,"end":2847,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":2862,"end":2897,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":2934,"end":2938,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2953,"
end":3035,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3053,"end":3057
,"code":18047,"category":1,"messageKey":"_0_is_possibly_null_18047","messageArgs":["cert"]},
{"pos":3070,"end":3074,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":31
18,"end":3161,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3284,"end":
3288,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3320,"end":3414,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3431,"end":3436,"code":7026,"
```

```
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":3455,"end":3493,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":3508,"end":3512,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":3531,"end":3560,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":3566,"end":3570,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":3587,"end":3593,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":3673,"end":3704,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
3723,"end":3761,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3775,"end
":3779,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3798,"end":3845,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3846,"end":3850,"code":1804
7,"category":1,"messageKey":"_0_is_possibly_null_18047","messageArgs":["cert"]},{"pos":3854,
"end":3858,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3875,"end":388
1,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3896,"end":3902,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3915,"end":3921,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":3932,"end":3938,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":3950,"end":4008,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":4021,"end":4090,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":4051,"end":4055,"code":18047,"category":1,"messageKey":"_0_is_possib
ly_null_18047","messageArgs":["cert"]},{"pos":4163,"end":4167,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":4180,"end":4267,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":4358,"end":4362,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":4408,"end":4414,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":4425,"end":4480,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:4658,"end":4662,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4688,"en
d":4694,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[143,[{"pos":48,"end":
70,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_dec
larations_2307","messageArgs":["prism-react-renderer"]},{"pos":97,"end":104,"code":2307,"cat
egory":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","me
ssageArgs":["react"]},{"pos":143,"end":157,"code":2307,"category":1,"messageKey":"Cannot_fin
d_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"po
s":898,"end":930,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":937,"end
":1028,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1037,"end":1176,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1187,"end":1267,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":1289,"end":1296,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":1307,"end":1533,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":1692,"end":1701,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":1710,"end":1716,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":1808,"end":1814,"code":7031,"category":1,"messageKey":"Binding_element_0
_implicitly_has_an_1_type_7031","messageArgs":["tokens","any"]},{"pos":1816,"end":1828,"code
":7031,"category":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_7031","messageA
```

rgs":["getLineProps","any"]},{"pos":1830,"end":1843,"code":7031,"category":1,"messageKey":"B
inding_element_0_implicitly_has_an_1_type_7031","messageArgs":["getTokenProps","any"]},{"pos
":1864,"end":1977,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2005,"e
nd":2009,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","
messageArgs":["line","any"]},{"pos":2011,"end":2012,"code":7006,"category":1,"messageKey":"P
arameter_0_implicitly_has_an_1_type_7006","messageArgs":["i","any"]},{"pos":2035,"end":2076,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2106,"end":2111,"code":70
06,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["tok
en","any"]},{"pos":2113,"end":2114,"code":7006,"category":1,"messageKey":"Parameter_0_implic
itly_has_an_1_type_7006","messageArgs":["k","any"]},{"pos":2141,"end":2187,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":2226,"end":2232,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":2263,"end":2269,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":2394,"end":2400,"code":7031,"category":1,"messageKey":"Bindi
ng_element_0_implicitly_has_an_1_type_7031","messageArgs":["tokens","any"]},{"pos":2402,"end
":2414,"code":7031,"category":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_703
1","messageArgs":["getLineProps","any"]},{"pos":2416,"end":2429,"code":7031,"category":1,"me
ssageKey":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":["getTokenProps","
any"]},{"pos":2450,"end":2574,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":2602,"end":2606,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_
type_7006","messageArgs":["line","any"]},{"pos":2608,"end":2609,"code":7006,"category":1,"me
ssageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["i","any"]},{"pos":2632
,"end":2673,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2703,"end":27
08,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messag
eArgs":["token","any"]},{"pos":2710,"end":2711,"code":7006,"category":1,"messageKey":"Parame
ter_0_implicitly_has_an_1_type_7006","messageArgs":["k","any"]},{"pos":2738,"end":2784,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2823,"end":2829,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":2860,"end":2866,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":2907,"end":2913,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":2953,"end":3027,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":3107,"end":3116,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":3164,"end":3202,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":3213,"end":3269,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3
282,"end":3357,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3404,"end"
:3411,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3424,"end":3519,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3572,"end":3581,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":3592,"end":3598,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":3722,"end":3728,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":3742,"end":3748,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]}]],[144,[{"pos":26,"end":42,"code":2307,"category":1,"messageKey":"Canno
t_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["react-markdown"
]},{"pos":66,"end":78,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_cor
responding_type_declarations_2307","messageArgs":["remark-gfm"]},{"pos":264,"end":269,"code"
:2503,"category":1,"messageKey":"Cannot_find_namespace_0_2503","messageArgs":["React"]},{"po
s":534,"end":558,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":656,"end
":664,"code":7031,"category":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_7031
","messageArgs":["children","any"]},{"pos":707,"end":716,"code":7031,"category":1,"messageKe
y":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":["className","any"]},{"po
s":718,"end":726,"code":7031,"category":1,"messageKey":"Binding_element_0_implicitly_has_an_

```
1_type_7031","messageArgs":["children","any"]},{"pos":835,"end":841,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":851,"end":858,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":999,"end":1007,"code":7031,"category":1,"messageKey":"Bindin
g_element_0_implicitly_has_an_1_type_7031","messageArgs":["children","any"]},{"pos":1014,"en
d":1072,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1082,"end":1087,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1109,"end":1117,"code":703
1,"category":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":
["children","any"]},{"pos":1138,"end":1228,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":1243,"end":1268,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":1278,"end":1286,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
1299,"end":1305,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1335,"end
":1339,"code":7031,"category":1,"messageKey":"Binding_element_0_implicitly_has_an_1_type_703
1","messageArgs":["href","any"]},{"pos":1341,"end":1349,"code":7031,"category":1,"messageKey
":"Binding_element_0_implicitly_has_an_1_type_7031","messageArgs":["children","any"]},{"pos"
:1370,"end":1473,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1511,"en
d":1515,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1592,"end":1598,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[145,[{"pos":163,"end":206,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":213,"end":299,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":306,"end":311,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":318,"end":361,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":384,"end":388,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":395,"end":554,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":689,"end":695,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":702
,"end":724,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":783,"end":789,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":794,"end":800,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]}]],[147,[{"pos":17,"end":28,"code":2307,"cat
egory":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","me
ssageArgs":["next/link"]},{"pos":92,"end":106,"code":2307,"category":1,"messageKey":"Cannot_
find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{
"pos":641,"end":674,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":681,"
end":708,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":717,"end":740,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":750,"end":754,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":763,"end":866,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":880,"end":885,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":894,"end":921,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":1120,"end":1150,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":1154,"end":1161,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":1192,"end":1196,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1203,"
end":1209,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1217,"end":1251
```

```
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1640,"end":1699,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1714,"end":1831,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":1848,"end":1875,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":1894,"end":1967,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":1976,"end":1983,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":2002,"end":2073,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":2082,"end":2087,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":2106,"end":2161,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2176
,"end":2180,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2197,"end":22
03,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2220,"end":2271,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2290,"end":2334,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":2431,"end":2438,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":2457,"end":2501,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":2583,"end":2590,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":2607,"end":2613,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":2628,"end":2634,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":2711,"end":2754,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":28
15,"end":2819,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2851,"end":
2914,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3444,"end":3495,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3520,"end":3571,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":3588,"end":3595,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":3658,"end":3688,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":3692,"end":3699,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":3765,"end":3795,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":3887,"end":3894,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":3951,"end":3981,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
3988,"end":3995,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4045,"end
":4051,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4074,"end":4167,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4176,"end":4181,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":4204,"end":4287,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":4302,"end":4306,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":4329,"end":4398,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":4531,"end":4537,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":4563,"end":4570,"code":7026,"category":1,"messageKey":"JSX_element_impli
```

```
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":4676,"end":4771,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":4802,"end":4873,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4902,"e
nd":4908,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4937,"end":4943,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4952,"end":4959,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5181,"end":5187,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":5271,"end":5277,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":5290,"end":5300,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":5368,"end":5377,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":5390,"end":5478,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":5489,"end":5494,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":5507,"end":5570,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5751,
"end":5781,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5790,"end":579
5,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5814,"end":5857,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5872,"end":5876,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":5931,"end":5937,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":5948,"end":5958,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":5976,"end":5982,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":5987,"end":5993,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]}]],[148,[{"pos":31,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module
_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":72,"end"
:89,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_de
clarations_2307","messageArgs":["next/navigation"]},{"pos":146,"end":160,"code":2307,"catego
ry":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messa
geArgs":["lucide-react"]},{"pos":487,"end":538,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":1113,"end":1119,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]}]],[149,[{"pos":168,"end":173,"code":2503,"category":1,"messageKey":"Cannot_find_namesp
ace_0_2503","messageArgs":["React"]},{"pos":204,"end":276,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":283,"end":375,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":384,"end":411,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":448,"end":454,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
461,"end":467,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":474,"end":5
06,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":516,"end":522,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":527,"end":533,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]}]],[150,[{"pos":17,"end":28,"code":2307,"category":1
,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArg
s":["next/link"]},{"pos":182,"end":196,"code":2307,"category":1,"messageKey":"Cannot_find_mo
dule_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":2
296,"end":2323,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2397,"end"
:2575,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
```

interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2664,"end":2670,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2709,"end":2776,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":2785,"end":2790,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":2801,"end":2882,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":2912,"end":2917,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":2928,"end":2983,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":3161,"end":3165,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":3174,"end":3180,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:3219,"end":3272,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3340,"en
d":3347,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3515,"end":3521,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3549,"end":3607,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4261,"end":4267,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":4275,"end":4328,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":4337,"end":4364,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":4405,"end":4516,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":4529,"end":4643,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":4656,"end":4682,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":4697,"end":4749,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4772,"
end":4776,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4844,"end":4884
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4902,"end":4907,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4926,"end":4961,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":5061,"end":5065,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":5418,"end":5458,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":5493,"end":5498,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":5517,"end":5552,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":5607,"end":5611,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":5855,"end":5895,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5939
,"end":5944,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5963,"end":59
98,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6055,"end":6059,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6109,"end":6115,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":6126,"end":6136,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":6174,"end":6183,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":6196,"end":6270,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":6282,"end":6287,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle

ments"]},{"pos":6300,"end":6327,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":6515,"end":6561,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":65
82,"end":6648,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6671,"end":
6676,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6701,"end":6762,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6778,"end":6783,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":6808,"end":6846,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":6944,"end":6948,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":6971,"end":6977,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":7292,"end":7345,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":7372,"end":7431,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":7458,"end":7496,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
7599,"end":7608,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7633,"end
":7640,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7693,"end":7768,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7776,"end":7783,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":7829,"end":7835,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":7856,"end":7942,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":7965,"end":8097,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":8118,"end":8124,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":8263,"end":8306,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":8657,"end":8661,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":8703,"end":8709,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8759,"e
nd":8765,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8776,"end":8786,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8829,"end":8838,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8851,"end":8925,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":8948,"end":8953,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":9010,"end":9057,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":9129,"end":9133,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":9166,"end":9236,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":9676,"end":9749,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":9828,"end":9835,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9858,
"end":9984,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10061,"end":10
068,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10152,"end":10158,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10184,"end":10194,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10203,"end":10209,"code":7026,"cate

gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10219,"end":10246,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10288,"end":10297,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10310,"end":10408,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10494,"end":10499,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10512,"end":10552,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10604,"end":10712,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10839,"end":10912,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10921,"end":10925,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10944,"end":10996,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11004,"end":11008,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11025,"end":11031,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11062,"end":11068,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11079,"end":11089,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11137,"end":11146,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11159,"end":11233,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11251,"end":11256,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11308,"end":11355,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11397,"end":11401,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11434,"end":11503,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11572,"end":11614,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11890,"end":11958,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11972,"end":11979,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12002,"end":12043,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12121,"end":12128,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12175,"end":12180,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12215,"end":12220,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12472,"end":12482,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12491,"end":12497,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12504,"end":12510,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12515,"end":12521,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12698,"end":12724,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12731,"end":12807,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12871,"end":12877,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12884,"end":12969,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12976,"end":12980,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":12987,"end":13032,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13037,"end":13041,

```
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":13046,"end":13052,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[151,[{"pos":17,"end":28,"code":2307,
"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307"
,"messageArgs":["next/link"]},{"pos":111,"end":125,"code":2307,"category":1,"messageKey":"Ca
nnot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react
"]},{"pos":1105,"end":1150,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":1157,"end":1223,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1245,"e
nd":1250,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1327,"end":1480,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1540,"end":1545,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1558,"end":1587,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":1636,"end":1640,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":1653,"end":1675,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":1786,"end":1790,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":1801,"end":1807,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":1816,"end":1822,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":1906,"end":2050,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2148,
"end":2154,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2216,"end":231
4,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2366,"end":2370,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2408,"end":2561,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":2629,"end":2634,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":2647,"end":2676,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":2700,"end":2704,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":2717,"end":2739,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":2818,"end":2822,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":2833,"end":2839,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":284
8,"end":2854,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2871,"end":2
897,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2906,"end":2972,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2983,"end":2988,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":3001,"end":3039,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":3051,"end":3055,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":3068,"end":3162,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":3379,"end":3383,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":3396,"end":3459,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":3568,"end":3572,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3
583,"end":3589,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3600,"end"
:3708,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
```

interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3724,"end":3731,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3740,"end":3746,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":3817,"end":3930,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":4027,"end":4030,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":4039,"end":4043,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":4068,"end":4071,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":4104,"end":4108,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":4349,"end":4352,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:4359,"end":4363,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4367,"en
d":4370,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4403,"end":4407,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4486,"end":4492,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4513,"end":4556,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":4629,"end":4677,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":4692,"end":4724,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":4822,"end":4831,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":4844,"end":4851,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":5127,"end":5133,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":5140,"end":5146,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5154,"
end":5192,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5201,"end":5262
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5275,"end":5280,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5289,"end":5383,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":5394,"end":5398,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":5500,"end":5505,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":5516,"end":5520,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":5557,"end":5562,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":5573,"end":5577,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":5679,"end":5684,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5693
,"end":5698,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5707,"end":57
50,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5880,"end":5884,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5891,"end":5897,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":5905,"end":5943,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":5952,"end":6095,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":6162,"end":6167,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":6209,"end":6257,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle

```
ments"]},{"pos":6273,"end":6277,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":6302,"end":6335,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":63
48,"end":6382,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6397,"end":
6507,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6524,"end":6528,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6547,"end":6573,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":6577,"end":6582,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":6601,"end":6627,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":6633,"end":6638,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":6657,"end":6683,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":6689,"end":6694,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":6713,"end":6739,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
6746,"end":6751,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6768,"end
":6773,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6788,"end":6796,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6811,"end":6878,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":6941,"end":6956,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":6977,"end":7003,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":7026,"end":7031,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":7052,"end":7090,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":7122,"end":7127,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":7148,"end":7174,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":7197,"end":7321,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7331,"e
nd":7338,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7359,"end":7364,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7385,"end":7411,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7477,"end":7618,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":7674,"end":7678,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":7782,"end":7787,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":7806,"end":7811,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":7846,"end":7854,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":7867,"end":7875,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":7886,"end":7892,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7910,
"end":7916,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7921,"end":792
7,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[152,[{"pos":17,"end":28,"co
de":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarati
ons_2307","messageArgs":["next/link"]},{"pos":61,"end":73,"code":2307,"category":1,"messageK
ey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/
cache"]},{"pos":100,"end":117,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or
```

```
_its_corresponding_type_declarations_2307","messageArgs":["next/navigation"]},{"pos":189,"en
d":203,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type
_declarations_2307","messageArgs":["lucide-react"]},{"pos":1162,"end":1207,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":1214,"end":1280,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":1297,"end":1302,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":1343,"end":1473,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":1544,"end":1548,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":1607,"end":1737,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":1856,"end":1860,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1909
,"end":2031,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2365,"end":23
69,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2386,"end":2444,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2453,"end":2514,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":2530,"end":2535,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":2544,"end":2549,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":2560,"end":2605,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":2662,"end":2670,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":2681,"end":2799,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":2808,"end":2814,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":28
23,"end":2828,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2839,"end":
2864,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2869,"end":2877,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2888,"end":2967,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":2976,"end":2982,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":2991,"end":3078,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":3089,"end":3211,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":3320,"end":3328,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":3337,"end":3369,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":3381,"end":3390,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
3397,"end":3404,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3412,"end
":3448,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3457,"end":3518,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3526,"end":3531,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":3680,"end":3718,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":3767,"end":3771,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":3778,"end":3784,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":3792,"end":3828,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":3837,"end":3898,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
```

```
"]},{"pos":3914,"end":3919,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":3928,"end":3986,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4116,"e
nd":4120,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4129,"end":4185,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4261,"end":4265,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4272,"end":4278,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":4286,"end":4404,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":4413,"end":4498,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":4563,"end":4568,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":4577,"end":4635,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":4877,"end":4881,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":4890,"end":4895,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4906,
"end":4949,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4967,"end":497
0,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4976,"end":4980,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5002,"end":5010,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":5021,"end":5104,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":5113,"end":5119,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":5128,"end":5191,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":5220,"end":5229,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":5236,"end":5243,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":5248,"end":5254,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[153,[{"
pos":121,"end":126,"code":2503,"category":1,"messageKey":"Cannot_find_namespace_0_2503","mes
sageArgs":["React"]},{"pos":148,"end":153,"code":2503,"category":1,"messageKey":"Cannot_find
_namespace_0_2503","messageArgs":["React"]},{"pos":184,"end":303,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":310,"end":359,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":368,"end":402,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":466,"end":552,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":559,"end":564,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":588,
"end":651,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":661,"end":665,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":675,"end":681,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":690,"end":723,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":733,"end":739,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":746,"end":752,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":757,"end":763,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":859,"end":864,"code":2503,"category":1,"messageKey":"Cannot_find_namespace_0_2503
","messageArgs":["React"]},{"pos":895,"end":1145,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":1167,"end":1173,"code":7026,"category":1,"messageKey":"JSX_element_i
```

```
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":1232,"end":1243,"code":2741,"category":1,"messageKey":"Property_0_is_missing_
in_type_1_but_required_in_type_2_2741","messageArgs":["children","{ type: \"error\"; }","{
type: \"error\" | \"success\"; children: React.ReactNode; }"],"relatedInformation":[{"pos":8
49,"end":857,"code":2728,"category":3,"messageKey":"_0_is_declared_here_2728","messageArgs":
["children"]}]}]],[154,[{"pos":31,"end":42,"code":2307,"category":1,"messageKey":"Cannot_fin
d_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":
69,"end":76,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding
_type_declarations_2307","messageArgs":["react"]},{"pos":102,"end":116,"code":2307,"category
":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","message
Args":["lucide-react"]},{"pos":524,"end":529,"code":2503,"category":1,"messageKey":"Cannot_f
ind_namespace_0_2503","messageArgs":["React"]},{"pos":891,"end":900,"code":2741,"category":1
,"messageKey":"Property_0_is_missing_in_type_1_but_required_in_type_2_2741","messageArgs":["
children","{ title: string; subtitle: string; }","{ title: string; subtitle?: any; children:
 React.ReactNode; }"],"relatedInformation":[{"file":153,"pos":138,"end":146,"code":2728,"cat
egory":3,"messageKey":"_0_is_declared_here_2728","messageArgs":["children"]}]},{"pos":1082,"
end":1093,"code":2741,"category":1,"messageKey":"Property_0_is_missing_in_type_1_but_require
d_in_type_2_2741","messageArgs":["children","{ type: \"success\"; }","{ type: \"error\" |
\"success\"; children: React.ReactNode; }"],"relatedInformation":[{"file":153,"pos":849,"end
":857,"code":2728,"category":3,"messageKey":"_0_is_declared_here_2728","messageArgs":["child
ren"]}]},{"pos":1243,"end":1289,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":1311,"end":1322,"code":2741,"category":1,"messageKey":"Property_0_is_missing_in_type_
1_but_required_in_type_2_2741","messageArgs":["children","{ type: \"error\"; }","{ type:
\"error\" | \"success\"; children: React.ReactNode; }"],"relatedInformation":[{"file":153,"p
os":849,"end":857,"code":2728,"category":3,"messageKey":"_0_is_declared_here_2728","messageA
rgs":["children"]}]},{"pos":1369,"end":1374,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":1387,"end":1428,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":1461,"end":1469,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:1482,"end":1620,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1586,"en
d":1587,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","m
essageArgs":["e","any"]},{"pos":1631,"end":1637,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":1648,"end":1706,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":1803,"end":1812,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":1823,"end":1858,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2010
,"end":2014,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2023,"end":20
30,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[155,[{"pos":31,"end":42,"c
ode":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarat
ions_2307","messageArgs":["next/link"]},{"pos":72,"end":89,"code":2307,"category":1,"message
Key":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next
/navigation"]},{"pos":135,"end":142,"code":2307,"category":1,"messageKey":"Cannot_find_modul
e_0_or_its_corresponding_type_declarations_2307","messageArgs":["react"]},{"pos":226,"end":2
40,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_dec
larations_2307","messageArgs":["lucide-react"]},{"pos":932,"end":933,"code":7006,"category":
1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["o","any"]},{"pos"
:1332,"end":1393,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1400,"en
d":1470,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1479,"end":1574,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1585,"end":1591,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1604,"end":1611,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":1622,"end":1628,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":1634,"end":1641,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":1650,"end":1656,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":1665,"end":1756,"code":7026,"category":1,"messageKey":"JSX_element_impl
```

```
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":1767,"end":1876,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":1885,"end":1891,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1900,"
end":1975,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2049,"end":2053
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2060,"end":2066,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2370,"end":2388,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":2415,"end":2518,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":2527,"end":2531,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":2545,"end":2984,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":2591,"end":2592,"code":7006,"category":1,"messageKey":"Parameter_0_im
plicitly_has_an_1_type_7006","messageArgs":["o","any"]},{"pos":2999,"end":3137,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":3179,"end":3186,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":3201,"end":3239,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":3248,"end":3255,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":3382,"end":3439,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":3503,"end":3510,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":3648,"end":3657,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
3697,"end":3795,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4036,"end
":4053,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5000,"end":5031,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5040,"end":5047,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":5098,"end":5103,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":5200,"end":5204,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":5835,"end":5840,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":5874,"end":5879,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":5905,"end":5911,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":5937,"end":5943,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":5974,"end":6093,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6154,"e
nd":6163,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6170,"end":6343,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6364,"end":6372,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6404,"end":6450,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":6461,"end":6567,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":6578,"end":6716,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":6729,"end":6790,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":6805,"end":6837,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":6848,"end":6855,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
```

```
os":6870,"end":6963,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7020,
"end":7029,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7042,"end":704
8,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7077,"end":7083,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7092,"end":7098,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]}]],[156,[{"pos":372,"end":377,"code":2503,"catego
ry":1,"messageKey":"Cannot_find_namespace_0_2503","messageArgs":["React"]},{"pos":894,"end":
939,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1035,"end":1067,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1077,"end":1083,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":1088,"end":1094,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]}]],[157,[{"pos":25,"end":42,"code":2307,"category":1,"me
ssageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":[
"next/navigation"]}]],[158,[{"pos":35,"end":52,"code":2307,"category":1,"messageKey":"Cannot
_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/navigation"
]},{"pos":300,"end":303,"code":18047,"category":1,"messageKey":"_0_is_possibly_null_18047","
messageArgs":["mod"]},{"pos":312,"end":315,"code":18047,"category":1,"messageKey":"_0_is_pos
sibly_null_18047","messageArgs":["mod"]}]],[159,[{"pos":17,"end":28,"code":2307,"category":1
,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArg
s":["next/link"]},{"pos":59,"end":73,"code":2307,"category":1,"messageKey":"Cannot_find_modu
le_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":176
,"end":247,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":254,"end":361,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":368,"end":472,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":532,"end":538,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":545,"end":616,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":648,"end":653,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":660,"end":732,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":871,"end":875,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:882,"end":949,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1120,"end"
:1168,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1240,"end":1245,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1264,"end":1269,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":1276,"end":1345,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":1622,"end":1628,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":1635,"end":1678,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":1776,"end":1780,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":1785,"end":1791,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]}]],[160,[{"pos":40,"end":57,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or
_its_corresponding_type_declarations_2307","messageArgs":["next/navigation"]},{"pos":76,"end
":87,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_d
eclarations_2307","messageArgs":["next/link"]},{"pos":129,"end":136,"code":2307,"category":1
,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArg
s":["react"]},{"pos":184,"end":198,"code":2307,"category":1,"messageKey":"Cannot_find_module
_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":1336,
"end":1385,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1392,"end":155
0,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1749,"end":1758,"code":
```

```
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1775,"end":1814,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":1821,"end":1828,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":1834,"end":1840,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]}]],[161,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"
Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["next/link"
]},{"pos":55,"end":72,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_cor
responding_type_declarations_2307","messageArgs":["next/navigation"]},{"pos":104,"end":110,"
code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declara
tions_2307","messageArgs":["next"]},{"pos":168,"end":182,"code":2307,"category":1,"messageKe
y":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide
-react"]},{"pos":1520,"end":1523,"code":18048,"category":1,"messageKey":"_0_is_possibly_unde
fined_18048","messageArgs":["mod"]},{"pos":1543,"end":1549,"code":18048,"category":1,"messag
eKey":"_0_is_possibly_undefined_18048","messageArgs":["lesson"]},{"pos":1649,"end":1652,"cod
e":2345,"category":1,"messageKey":"Argument_of_type_0_is_not_assignable_to_parameter_of_type
_1_2345","messageArgs":["Module | undefined","Module"],"messageChain":[{"pos":1649,"end":165
2,"code":2322,"category":1,"messageKey":"Type_0_is_not_assignable_to_type_1_2322","messageAr
gs":["undefined","Module"]}]},{"pos":1795,"end":1798,"code":18048,"category":1,"messageKey":
"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":1805,"end":1811,"code":18048,
"category":1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["lesson"]},{"pos":
1868,"end":1871,"code":2345,"category":1,"messageKey":"Argument_of_type_0_is_not_assignable_
to_parameter_of_type_1_2345","messageArgs":["Module | undefined","Module"],"messageChain":[{
"pos":1868,"end":1871,"code":2322,"category":1,"messageKey":"Type_0_is_not_assignable_to_typ
e_1_2322","messageArgs":["undefined","Module"]}]},{"pos":1913,"end":1916,"code":18048,"categ
ory":1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":1968,"end
":1974,"code":18048,"category":1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs"
:["lesson"]},{"pos":1985,"end":1988,"code":18048,"category":1,"messageKey":"_0_is_possibly_u
ndefined_18048","messageArgs":["mod"]},{"pos":2050,"end":2053,"code":18048,"category":1,"mes
sageKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":2074,"end":2077,"cod
e":18048,"category":1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{
"pos":2102,"end":2174,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":221
7,"end":2289,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2298,"end":2
362,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2477,"end":2483,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2484,"end":2491,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":2502,"end":2567,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":2588,"end":2591,"code":18048,"category":1,"messa
geKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":2602,"end":2605,"code"
:18048,"category":1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"p
os":2623,"end":2630,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2639,
"end":2645,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becaus
e_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2654,"end":271
8,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2729,"end":2735,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2756,"end":2762,"code":18048,"ca
tegory":1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["lesson"]},{"pos":277
8,"end":2781,"code":18048,"category":1,"messageKey":"_0_is_possibly_undefined_18048","messag
eArgs":["mod"]},{"pos":2808,"end":2815,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":2826,"end":2914,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":2927,"end":3011,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3022
,"end":3028,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3037,"end":30
43,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3050,"end":3056,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3064,"end":3120,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":3130,"end":3133,"code":18048,"category":
```

1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":3141,"end":317
1,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inte
rface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3182,"end":3189,"code":
7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX
_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3192,"end":3222,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":3229,"end":3236,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":3246,"end":3276,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":3277,"end":3280,"code":18048,"category":1,"messageKey":"_0_
is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":3287,"end":3294,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":3301,"end":3307,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":3314,"end":3412,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":3413,"end":3419,"code":18048,"category":1,"messageKey":"_0_i
s_possibly_undefined_18048","messageArgs":["lesson"]},{"pos":3426,"end":3431,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":3586,"end":3592,"code":18048,"category":
1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["lesson"]},{"pos":3612,"end":
3780,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3793,"end":3798,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3813,"end":3873,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":3894,"end":3898,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":3913,"end":3951,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":4002,"end":4006,"code":7026,"category":1,"messageKey":"J
SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":4019,"end":4025,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":4038,"end":4076,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":4119,"end":4122,"code":18048,"category":1,"messageKey":"_0_is_possibly_undefined_18
048","messageArgs":["mod"]},{"pos":4141,"end":4147,"code":18048,"category":1,"messageKey":"_
0_is_possibly_undefined_18048","messageArgs":["lesson"]},{"pos":4254,"end":4328,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":4281,"end":4284,"code":18048,"categor
y":1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":4408,"end":
4412,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4442,"end":4448,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4459,"end":4465,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":4561,"end":4564,"code":18048,"category
":1,"messageKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":4825,"end":4
912,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4974,"end":4981,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4996,"end":5021,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":5038,"end":5107,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":5123,"end":5126,"code":18048,"category":1,"messa
geKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":5143,"end":5150,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5167,"end":5208,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":5285,"end":5292,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":5307,"end":5314,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":5457,"end":5484,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":5501,"end":5507,"code":18048,"category":1,"messageKey":"_0_is_possi
bly_undefined_18048","messageArgs":["lesson"]},{"pos":5519,"end":5523,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"

```
,"messageArgs":["IntrinsicElements"]},{"pos":5550,"end":5553,"code":18048,"category":1,"mess
ageKey":"_0_is_possibly_undefined_18048","messageArgs":["mod"]},{"pos":5617,"end":5640,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5692,"end":5698,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":5703,"end":5713,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":5960,"end":6009,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":6220,"end":6228,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":6441,"end":6447,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":6474,"end":6517,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":6686,"end":6763,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6
833,"end":6840,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6851,"end"
:6952,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6964,"end":6971,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7008,"end":7016,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":7206,"end":7295,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":7362,"end":7369,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":7380,"end":7481,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":7493,"end":7500,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":7530,"end":7536,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]}]],[162,[{"pos":31,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or
_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":78,"end":85,"
code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declara
tions_2307","messageArgs":["react"]},{"pos":153,"end":167,"code":2307,"category":1,"messageK
ey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucid
e-react"]},{"pos":1441,"end":1442,"code":18046,"category":1,"messageKey":"_0_is_of_type_unkn
own_18046","messageArgs":["f"]},{"pos":2151,"end":2152,"code":7006,"category":1,"messageKey"
:"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["f","any"]},{"pos":2731,"end":27
36,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2767,"end":2929,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2938,"end":3005,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":3016,"end":3065,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":3136,"end":3199,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":3267,"end":3274,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":3287,"end":3320,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":3346,"end":3353,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":3364,"end":3370,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":33
81,"end":3475,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3546,"end":
3830,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3865,"end":3874,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3901,"end":3907,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":3916,"end":3922,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":3931,"end":4019,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":4030,"end":4162,"code":7026,"category":1,"messageKey":"J
```

SX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["I
ntrinsicElements"]},{"pos":4171,"end":4177,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":4184,"end":4190,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":4198,"end":4224,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
4392,"end":4546,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_b
ecause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4561,"end
":4617,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no
_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4634,"end":4771,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4778,"end":4785,"code":7026
,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_e
xists_7026","messageArgs":["IntrinsicElements"]},{"pos":4802,"end":4882,"code":7026,"categor
y":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_702
6","messageArgs":["IntrinsicElements"]},{"pos":4901,"end":4908,"code":7026,"category":1,"mes
sageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messa
geArgs":["IntrinsicElements"]},{"pos":4925,"end":4963,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":4972,"end":4979,"code":7026,"category":1,"messageKey":"JSX_elem
ent_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsi
cElements"]},{"pos":4994,"end":5000,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":5015,"end":5083,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":5093,"end":5097,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any
_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5152,"e
nd":5185,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5341,"end":5711,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5736,"end":6311,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6014,"end":6015,"code":7006,"categ
ory":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["a","any"]},{
"pos":6083,"end":6084,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1
_type_7006","messageArgs":["f","any"]},{"pos":6336,"end":6386,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":6391,"end":6398,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":6421,"end":6429,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":6623,"end":6629,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":6702,"end":6724,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:6743,"end":6851,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6859,"en
d":6865,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6884,"end":6938,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":6959,"end":7672,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":7163,"end":7164,"code":7006,"catego
ry":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["e","any"]},{"
pos":7207,"end":7208,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_
type_7006","messageArgs":["a","any"]},{"pos":7284,"end":7285,"code":7006,"category":1,"messa
geKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["f","any"]},{"pos":7500,"e
nd":7501,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","
messageArgs":["e","any"]},{"pos":7833,"end":7839,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":7856,"end":7862,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":7935,"end":7957,"code":7026,"category":1,"messageKey":"JSX_element_implicitly
_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{
"pos":8009,"end":8078,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":810
1,"end":8164,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8291,"end":8
301,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8324,"end":8349,"code

```
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":8357,"end":8361,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":8382,"end":8392,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":8767,"end":8768,"code":7006,"category":1,"messag
eKey":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["a","any"]},{"pos":8893,"en
d":8894,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","m
essageArgs":["f","any"]},{"pos":9023,"end":9029,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":9087,"end":9418,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":9587,"end":9592,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":9613,"end":9642,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9682
,"end":9686,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9767,"end":97
87,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9828,"end":9907,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":9925,"end":9932,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":9955,"end":9959,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":10022,"end":10052,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":10068,"end":10072,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":10092,"end":10098,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":10115,"end":10121,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":10151,"end":10156,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":10188,"end":10193,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:10201,"end":10282,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10291,
"end":10296,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10307,"end":1
0367,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10450,"end":10454,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10465,"end":10503,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":10575,"end":10579,"code":7026,"cat
egory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists
_7026","messageArgs":["IntrinsicElements"]},{"pos":10605,"end":10711,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":10723,"end":10727,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":10737,"end":10743,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":10776,"end":10864,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":10988,"end":10997,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":11140,"end":11146,"code":7026,"category":1,"messageKey":"JSX_element_implici
tly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]
},{"pos":11151,"end":11157,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has
_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos
":11298,"end":11390,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":11471
,"end":11480,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[163,[{"pos":17,"
end":28,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_typ
e_declarations_2307","messageArgs":["next/link"]},{"pos":55,"end":72,"code":2307,"category":
1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageAr
gs":["next/navigation"]},{"pos":483,"end":497,"code":2307,"category":1,"messageKey":"Cannot_
find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{
```

```
"pos":1287,"end":1355,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type
_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":136
2,"end":1385,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_beca
use_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1416,"end":1
420,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_in
terface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1427,"end":1525,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1554,"end":1559,"code":7026,"c
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":1566,"end":1621,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":1661,"end":1664,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":1669,"end":1673,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":1819,"end":1823,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":1849,"end":1992,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":2103,"end":2107,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2
124,"end":2146,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2415,"end"
:2454,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2496,"end":2500,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2518,"end":2524,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":2718,"end":2724,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":2737,"end":2790,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":2801,"end":2808,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":2821,"end":2917,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":2972,"end":2979,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":2990,"end":2997,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:3087,"end":3093,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[164,[{"pos":
31,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding
_type_declarations_2307","messageArgs":["next/link"]},{"pos":87,"end":104,"code":2307,"categ
ory":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","mess
ageArgs":["next/navigation"]},{"pos":141,"end":148,"code":2307,"category":1,"messageKey":"Ca
nnot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["react"]},{"p
os":174,"end":188,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresp
onding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":885,"end":890,"code":2
503,"category":1,"messageKey":"Cannot_find_namespace_0_2503","messageArgs":["React"]},{"pos"
:1295,"end":1304,"code":2741,"category":1,"messageKey":"Property_0_is_missing_in_type_1_but_
required_in_type_2_2741","messageArgs":["children","{ title: string; subtitle: any; }","{
title: string; subtitle?: any; children: React.ReactNode; }"],"relatedInformation":[{"file":
153,"pos":138,"end":146,"code":2728,"category":3,"messageKey":"_0_is_declared_here_2728","me
ssageArgs":["children"]}]},{"pos":1675,"end":1721,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":1743,"end":1754,"code":2741,"category":1,"messageKey":"Property_0_i
s_missing_in_type_1_but_required_in_type_2_2741","messageArgs":["children","{ type:
\"error\"; }","{ type: \"error\" | \"success\"; children: React.ReactNode; }"],"relatedInfor
mation":[{"file":153,"pos":849,"end":857,"code":2728,"category":3,"messageKey":"_0_is_declar
ed_here_2728","messageArgs":["children"]}]},{"pos":1801,"end":1806,"code":7026,"category":1,
"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","m
essageArgs":["IntrinsicElements"]},{"pos":1819,"end":1860,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":1893,"end":1901,"code":7026,"category":1,"messageKey":"JSX_
element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intr
insicElements"]},{"pos":1914,"end":2052,"code":7026,"category":1,"messageKey":"JSX_element_i
mplicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElem
ents"]},{"pos":2018,"end":2019,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly
_has_an_1_type_7006","messageArgs":["e","any"]},{"pos":2063,"end":2069,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
```

```
","messageArgs":["IntrinsicElements"]},{"pos":2080,"end":2085,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":2098,"end":2149,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":2164,"end":2208,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":2248,"end":2256,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":2443,"end":2449,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:2462,"end":2733,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2684,"en
d":2685,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7006","m
essageArgs":["e","any"]},{"pos":2744,"end":2750,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":2761,"end":2819,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":2907,"end":2916,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":2925,"end":2932,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]],[165,[{"p
os":58,"end":65,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_correspon
ding_type_declarations_2307","messageArgs":["react"]},{"pos":768,"end":816,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":1168,"end":1211,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":1354,"end":1358,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]}]],[166,[{"pos":315,"end":348,"code":7026,"category":1,"messageKey":
"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":[
"IntrinsicElements"]},{"pos":355,"end":424,"code":7026,"category":1,"messageKey":"JSX_elemen
t_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicE
lements"]},{"pos":433,"end":438,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":449,"end":472,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":482,
"end":486,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":497,"end":583,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":603,"end":608,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":619,"end":674,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":815,"end":819,"code":7026,"category":1,"messageK
ey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArg
s":["IntrinsicElements"]},{"pos":828,"end":834,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":841,"end":847,"code":7026,"category":1,"messageKey":"JSX_element_impli
citly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements
"]},{"pos":923,"end":958,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_t
ype_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":
969,"end":1036,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1204,"end"
:1208,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1294,"end":1300,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1314,"end":1320,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]}]],[167,[{"pos":17,"end":28,"code":2307,"cate
gory":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","mes
sageArgs":["next/link"]},{"pos":119,"end":133,"code":2307,"category":1,"messageKey":"Cannot_
find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{
"pos":850,"end":873,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_a
ny_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":880,"
end":907,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":916,"end":969,"c
ode":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfac
e_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":980,"end":1003,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":1010,"end":1014,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
```

```
","messageArgs":["IntrinsicElements"]},{"pos":1025,"end":1128,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":1155,"end":1160,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":1171,"end":1198,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":1292,"end":1296,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":1305,"end":1311,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:1356,"end":1544,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1688,"en
d":1694,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":1767,"end":1953,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2029,"end":2035,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2110,"end":2253,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":2316,"end":2322,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":2380,"end":2519,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":2616,"end":2620,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":2778,"end":2819,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":2830,"end":2908,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":2933,"end":2938,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2949,"
end":2997,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4153,"end":4198
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4284,"end":4289,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4308,"end":4369,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":4372,"end":4377,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":4396,"end":4469,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":4472,"end":4476,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":4493,"end":4499,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":4514,"end":4520,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":4547,"end":4553,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4564
,"end":4619,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4973,"end":49
77,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4986,"end":4992,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5002,"end":5025,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":5036,"end":5119,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]},{"pos":5128,"end":5133,"code":7026,"category":1,"message
Key":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageAr
gs":["IntrinsicElements"]},{"pos":5160,"end":5166,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":5173,"end":5179,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":5184,"end":5190,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]
],[169,[{"pos":31,"end":42,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_it
s_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":87,"end":104,"co
de":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarati
ons_2307","messageArgs":["next/navigation"]},{"pos":141,"end":148,"code":2307,"category":1,"
```

```
messageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs"
:["react"]},{"pos":185,"end":199,"code":2307,"category":1,"messageKey":"Cannot_find_module_0
_or_its_corresponding_type_declarations_2307","messageArgs":["lucide-react"]},{"pos":945,"en
d":950,"code":2503,"category":1,"messageKey":"Cannot_find_namespace_0_2503","messageArgs":["
React"]},{"pos":1816,"end":1825,"code":2741,"category":1,"messageKey":"Property_0_is_missing
_in_type_1_but_required_in_type_2_2741","messageArgs":["children","{ title: string; }","{
title: string; subtitle?: any; children: React.ReactNode; }"],"relatedInformation":[{"file":
153,"pos":138,"end":146,"code":2728,"category":3,"messageKey":"_0_is_declared_here_2728","me
ssageArgs":["children"]}]},{"pos":1860,"end":1889,"code":7026,"category":1,"messageKey":"JSX
_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Int
rinsicElements"]},{"pos":1969,"end":2024,"code":7026,"category":1,"messageKey":"JSX_element_
implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEle
ments"]},{"pos":2068,"end":2071,"code":7026,"category":1,"messageKey":"JSX_element_implicitl
y_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},
{"pos":2078,"end":2082,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_typ
e_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":21
61,"end":2165,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_bec
ause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2176,"end":
2219,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2272,"end":2276,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2285,"end":2291,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":2339,"end":2348,"code":2741,"category"
:1,"messageKey":"Property_0_is_missing_in_type_1_but_required_in_type_2_2741","messageArgs":
["children","{ title: string; subtitle: any; }","{ title: string; subtitle?: any; children:
React.ReactNode; }"],"relatedInformation":[{"file":153,"pos":138,"end":146,"code":2728,"cate
gory":3,"messageKey":"_0_is_declared_here_2728","messageArgs":["children"]}]},{"pos":2716,"e
nd":2762,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_
no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2784,"end":2795,
"code":2741,"category":1,"messageKey":"Property_0_is_missing_in_type_1_but_required_in_type_
2_2741","messageArgs":["children","{ type: \"error\"; }","{ type: \"error\" | \"success\";
children: React.ReactNode; }"],"relatedInformation":[{"file":153,"pos":849,"end":857,"code":
2728,"category":3,"messageKey":"_0_is_declared_here_2728","messageArgs":["children"]}]},{"pos
":2842,"end":2847,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2860,"
end":2900,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2925,"end":2970
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2993,"end":3000,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3013,"end":3021,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":3034,"end":3155,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":3122,"end":3123,"code":7006,"category":1,"messageKe
y":"Parameter_0_implicitly_has_an_1_type_7006","messageArgs":["e","any"]},{"pos":3166,"end":
3172,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_i
nterface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3183,"end":3188,"cod
e":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_
JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3201,"end":3242,"code":7026,"
category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exi
sts_7026","messageArgs":["IntrinsicElements"]},{"pos":3275,"end":3283,"code":7026,"category"
:1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026"
,"messageArgs":["IntrinsicElements"]},{"pos":3296,"end":3434,"code":7026,"category":1,"messa
geKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","message
Args":["IntrinsicElements"]},{"pos":3400,"end":3401,"code":7006,"category":1,"messageKey":"P
arameter_0_implicitly_has_an_1_type_7006","messageArgs":["e","any"]},{"pos":3445,"end":3451,
"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interf
ace_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3462,"end":3467,"code":70
26,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0
_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3480,"end":3524,"code":7026,"categ
ory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7
026","messageArgs":["IntrinsicElements"]},{"pos":3560,"end":3568,"code":7026,"category":1,"m
essageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mes
sageArgs":["IntrinsicElements"]},{"pos":3581,"end":3876,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":3827,"end":3828,"code":7006,"category":1,"messageKey":"Parame
ter_0_implicitly_has_an_1_type_7006","messageArgs":["e","any"]},{"pos":3889,"end":3932,"code
":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_J
SX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3954,"end":3958,"code":7026,"c
```

```
ategory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exis
ts_7026","messageArgs":["IntrinsicElements"]},{"pos":3969,"end":3975,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":3986,"end":4073,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":4086,"end":4206,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":4170,"end":4171,"code":7006,"category":1,"messageKey":"Parameter_0
_implicitly_has_an_1_type_7006","messageArgs":["e","any"]},{"pos":4219,"end":4225,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4640,"end":4647,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":4658,"end":4666,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":4677,"end":4735,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":4831,"end":4840,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":4849,"end":4856,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]}]],[170,[{"pos":17,"end":28,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_
or_its_corresponding_type_declarations_2307","messageArgs":["next/link"]},{"pos":63,"end":77
,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_decla
rations_2307","messageArgs":["lucide-react"]},{"pos":1827,"end":1860,"code":7026,"category":
1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026",
"messageArgs":["IntrinsicElements"]},{"pos":1867,"end":1914,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":1923,"end":1946,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":1953,"end":1957,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":1966,"end":2069,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":2108,"end":2113,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2
122,"end":2149,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_be
cause_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2312,"end"
:2316,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_
interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2323,"end":2329,"co
de":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface
_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2337,"end":2577,"code":7026,
"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_ex
ists_7026","messageArgs":["IntrinsicElements"]},{"pos":2708,"end":2762,"code":7026,"category
":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026
","messageArgs":["IntrinsicElements"]},{"pos":2777,"end":2952,"code":7026,"category":1,"mess
ageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messag
eArgs":["IntrinsicElements"]},{"pos":2991,"end":2998,"code":7026,"category":1,"messageKey":"
JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["
IntrinsicElements"]},{"pos":3013,"end":3039,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":3056,"end":3128,"code":7026,"category":1,"messageKey":"JSX_element_implic
itly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"
]},{"pos":3137,"end":3141,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_
type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos"
:3158,"end":3229,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_
because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3238,"en
d":3243,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_n
o_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3260,"end":3315,"
code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interfa
ce_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3323,"end":3327,"code":702
6,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_
exists_7026","messageArgs":["IntrinsicElements"]},{"pos":3344,"end":3387,"code":7026,"catego
ry":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_70
26","messageArgs":["IntrinsicElements"]},{"pos":3952,"end":3958,"code":7026,"category":1,"me
ssageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","mess
ageArgs":["IntrinsicElements"]},{"pos":3975,"end":4096,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":4115,"end":4118,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":4152,"end":4156,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
```

```
s"]},{"pos":4185,"end":4189,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"po
s":4204,"end":4210,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_an
y_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4223,"
end":4228,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because
_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4262,"end":4302
,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_inter
face_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4313,"end":4478,"code":7
026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_
0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":4530,"end":4537,"code":7026,"cate
gory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_
7026","messageArgs":["IntrinsicElements"]},{"pos":4548,"end":4648,"code":7026,"category":1,"
messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","me
ssageArgs":["IntrinsicElements"]},{"pos":4661,"end":4727,"code":7026,"category":1,"messageKe
y":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs
":["IntrinsicElements"]},{"pos":4749,"end":4754,"code":7026,"category":1,"messageKey":"JSX_e
lement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intri
nsicElements"]},{"pos":4767,"end":4822,"code":7026,"category":1,"messageKey":"JSX_element_im
plicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEleme
nts"]},{"pos":5046,"end":5050,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_
has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"
pos":5061,"end":5067,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_
any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5076
,"end":5081,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_becau
se_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5088,"end":50
93,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_int
erface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5101,"end":5136,"code"
:7026,"category":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JS
X_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":5309,"end":5315,"code":7026,"ca
tegory":1,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exist
s_7026","messageArgs":["IntrinsicElements"]},{"pos":5320,"end":5326,"code":7026,"category":1
,"messageKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","
messageArgs":["IntrinsicElements"]}]],[172,[{"pos":40,"end":57,"code":2307,"category":1,"mes
sageKey":"Cannot_find_module_0_or_its_corresponding_type_declarations_2307","messageArgs":["
next/navigation"]},{"pos":84,"end":91,"code":2307,"category":1,"messageKey":"Cannot_find_mod
ule_0_or_its_corresponding_type_declarations_2307","messageArgs":["react"]},{"pos":117,"end"
:131,"code":2307,"category":1,"messageKey":"Cannot_find_module_0_or_its_corresponding_type_d
eclarations_2307","messageArgs":["lucide-react"]},{"pos":621,"end":626,"code":2503,"category
":1,"messageKey":"Cannot_find_namespace_0_2503","messageArgs":["React"]},{"pos":1189,"end":1
198,"code":2741,"category":1,"messageKey":"Property_0_is_missing_in_type_1_but_required_in_t
ype_2_2741","messageArgs":["children","{ title: string; }","{ title: string; subtitle?: any;
 children: React.ReactNode; }"],"relatedInformation":[{"file":153,"pos":138,"end":146,"code"
:2728,"category":3,"messageKey":"_0_is_declared_here_2728","messageArgs":["children"]}]},{"p
os":1315,"end":1326,"code":2741,"category":1,"messageKey":"Property_0_is_missing_in_type_1_b
ut_required_in_type_2_2741","messageArgs":["children","{ type: \"success\"; }","{ type:
\"error\" | \"success\"; children: React.ReactNode; }"],"relatedInformation":[{"file":153,"p
os":849,"end":857,"code":2728,"category":3,"messageKey":"_0_is_declared_here_2728","messageA
rgs":["children"]}]},{"pos":1426,"end":1472,"code":7026,"category":1,"messageKey":"JSX_eleme
nt_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrinsic
Elements"]},{"pos":1494,"end":1505,"code":2741,"category":1,"messageKey":"Property_0_is_miss
ing_in_type_1_but_required_in_type_2_2741","messageArgs":["children","{ type: \"error\";
}","{ type: \"error\" | \"success\"; children: React.ReactNode; }"],"relatedInformation":[{"
file":153,"pos":849,"end":857,"code":2728,"category":3,"messageKey":"_0_is_declared_here_272
8","messageArgs":["children"]}]},{"pos":1552,"end":1557,"code":7026,"category":1,"messageKey
":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs"
:["IntrinsicElements"]},{"pos":1570,"end":1608,"code":7026,"category":1,"messageKey":"JSX_el
ement_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrin
sicElements"]},{"pos":1648,"end":1656,"code":7026,"category":1,"messageKey":"JSX_element_imp
licitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElemen
ts"]},{"pos":1669,"end":1834,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_h
as_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"p
os":1797,"end":1798,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_t
ype_7006","messageArgs":["e","any"]},{"pos":1845,"end":1851,"code":7026,"category":1,"messag
eKey":"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageA
rgs":["IntrinsicElements"]},{"pos":1862,"end":1867,"code":7026,"category":1,"messageKey":"JS
X_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["In
trinsicElements"]},{"pos":1880,"end":1919,"code":7026,"category":1,"messageKey":"JSX_element
_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicEl
ements"]},{"pos":1967,"end":1975,"code":7026,"category":1,"messageKey":"JSX_element_implicit
ly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}
,{"pos":1988,"end":2138,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_has_ty
```

pe_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]},{"pos":2
102,"end":2103,"code":7006,"category":1,"messageKey":"Parameter_0_implicitly_has_an_1_type_7
006","messageArgs":["e","any"]},{"pos":2149,"end":2155,"code":7026,"category":1,"messageKey"
:"JSX_element_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":
["IntrinsicElements"]},{"pos":2166,"end":2224,"code":7026,"category":1,"messageKey":"JSX_ele
ment_implicitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["Intrins
icElements"]},{"pos":2321,"end":2330,"code":7026,"category":1,"messageKey":"JSX_element_impl
icitly_has_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElement
s"]},{"pos":2339,"end":2346,"code":7026,"category":1,"messageKey":"JSX_element_implicitly_ha
s_type_any_because_no_interface_JSX_0_exists_7026","messageArgs":["IntrinsicElements"]}]]],"
affectedFilesPendingEmit":[137,139,138,135,136,140,97,98,101,106,109,110,111,112,114,115,117
,118,119,142,146,147,151,149,150,152,154,128,161,163,158,156,157,164,129,134,166,167,168,169
,170,171,172,153,143,160,127,141,148,131,162,133,126,145,155,122,144,125,124,159,165,132,130
,123,99,104,107,94,113,100,102,116,93,103,108,105,120,95,96,121,92,90,91]}