

## XHTML / HTML 5

### Tag Reference

Tag	Description
<!--...-->	Determines a comment
<!DOCTYPE>	Determines the document type
<a>	Determines a hyperlink
<abbr>	Determines an abbreviation
<acronym>	Determines an acronym <b>(not supported in HTML5)</b>
<address>	Determines contact information for the author/owner of a document
<applet>	Determines an embedded applet <b>(not supported in HTML5. Deprecated in HTML 4.01)</b>
<area>	Determines an area inside an image-map
<article>	Determines an article
<aside>	Determines content aside from the page content
<audio>	Determines sound content
<b>	Determines bold text
<base>	Specifies the base URL/target for all relative URLs in a document
<basefont>	Specifies a default color, size, and font for all text in a document <b>(not supported in HTML5. Deprecated in HTML 4.01)</b>
<bdi>	Isolates a part of text that might be formatted in a different direction from other text outside it
<bdo>	Overrides the current text direction
<big>	Determines big text <b>(not supported in HTML5)</b>
<blockquote>	Determines a section that is quoted from another source
<body>	Determines the document's body
 	Determines a single line break
<button>	Determines a clickable button
<canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<caption>	Determines a table caption
<center>	Determines centered text <b>(not supported in HTML5. Deprecated in HTML 4.01)</b>
<cite>	Determines the title of a work
<code>	Determines a piece of computer code
<col>	Specifies column properties for each column within a <colgroup> element
<colgroup>	Specifies a group of one or more columns in a table for formatting
<command>	Determines a command button that a user can invoke
<datalist>	Specifies a list of pre-defined options for input controls
<dd>	Determines a description/value of a term in a description list
<del>	Determines text that has been deleted from a document
<details>	Determines additional details that the user can view or hide
<dfn>	Determines a definition term
<dialog>	Determines a dialog box or window
<dir>	Determines a directory list <b>(not supported in HTML5. Deprecated in HTML 4.01)</b>
<div>	Determines a section in a document
<dl>	Determines a description list
<dt>	Determines a term/name in a description list
<em>	Determines emphasized text
<embed>	Determines a container for an external (non-HTML) application
<fieldset>	Groups related elements in a form
<figcaption>	Determines a caption for a <figure> element
<figure>	Specifies self-contained content
<font>	Determines font, color, and size for text <b>(not supported in HTML5. Deprecated in HTML 4.01)</b>
<footer>	Determines a footer for a document or section
<form>	Determines an HTML form for user input
<frame>	Determines a window (a frame) in a frameset <b>(not supported in HTML5)</b>
<frameset>	Determines a set of frames <b>(not supported in HTML5)</b>
<h1> to <h6>	Determines HTML headings
<head>	Determines information about the document
<header>	Determines a header for a document or section
<hr>	Determines a thematic change in the content
<html>	Determines the root of an HTML document
<i>	Determines a part of text in an alternate voice or mood

## XHTML / HTML 5

### Tag Reference

Tag	Description
<iframe>	Determines an inline frame
<img>	Determines an image
<input>	Determines an input control
<ins>	Determines a text that has been inserted into a document
<kbd>	Determines keyboard input
<keygen>	Determines a key-pair generator field (for forms)
<label>	Determines a label for an <input> element
<legend>	Determines a caption for a <fieldset> element
<li>	Determines a list item
<link>	Determines the relationship between a document and an external resource (most used to link to style sheets)
<map>	Determines a client-side image-map
<mark>	Determines marked/highlighted text
<menu>	Determines a list/menu of commands
<meta>	Determines metadata about an HTML document
<meter>	Determines a scalar measurement within a known range (a gauge)
<nav>	Determines navigation links
<noframes>	Determines an alternate content for users that do not support frames ( <b>not supported in HTML5</b> )
<noscript>	Determines an alternate content for users that do not support client-side scripts
<object>	Determines an embedded object
<ol>	Determines an ordered list
<optgroup>	Determines a group of related options in a drop-down list
<option>	Determines an option in a drop-down list
<output>	Determines the result of a calculation
<p>	Determines a paragraph
<param>	Determines a parameter for an object
<pre>	Determines preformatted text
<progress>	Represents the progress of a task
<q>	Determines a short quotation
<rp>	Determines what to show in browsers that do not support ruby annotations
<rt>	Determines an explanation/pronunciation of characters (for East Asian typography)
<ruby>	Determines a ruby annotation (for East Asian typography)
<s>	Determines text that is no longer correct
<samp>	Determines sample output from a computer program
<script>	Determines a client-side script
<section>	Determines a section in a document
<select>	Determines a drop-down list
<small>	Determines smaller text
<source>	Determines multiple media resources for media elements (<video> and <audio>)
<span>	Determines a section in a document
<strike>	Determines strikethrough text ( <b>not supported in HTML5. Deprecated in HTML 4.01</b> )
<strong>	Determines important text
<style>	Determines style information for a document
<sub>	Determines subscripted text
<summary>	Determines a visible heading for a <details> element
<sup>	Determines superscripted text
<table>	Determines a table
<tbody>	Groups the body content in a table
<td>	Determines a cell in a table
<textarea>	Determines a multiline input control (text area)
<tfoot>	Groups the footer content in a table
<th>	Determines a header cell in a table
<thead>	Groups the header content in a table
<time>	Determines a date/time
<title>	Determines a title for the document
<tr>	Determines a row in a table

## XHTML / HTML 5

### *Tag Reference*

Tag	Description
<track>	Determines text tracks for media elements (<video> and <audio>)
<tt>	Determines teletype text ( <b>not supported in HTML5</b> )
<u>	Determines text that should be stylistically different from normal text
<ul>	Determines an unordered list
<var>	Determines a variable
<video>	Determines a video or movie
<wbr>	Determines a possible line-break