

1) INSPECTION INFORMATION

Client	XXXXXX	Report No.	
Supplier	XXXXXXXX		
Manufacturer	XXXXXX		
Product Description	XXXXXX	FNSKU / Item No.	XXXXXX
P.O.	N/A	P.O. Quantity	1100pcs
Shipment Quantity	1100pcs	Sample Size	80pcs
Quantity Ready for Inspection (Qty / %)	☐ 50% ☐ 80% ☒ 100% ☐ Others	Inspection Sequence	☒ 1 st Inspection ☐ 2 nd Inspection
Inspection Location	Dongguan, Guangdong, China	Inspection Type	Pre-Shipment Inspection
Inspection Date	Jan 02, 2022	Inspected by	Tom
Checked by	Steve H	Approved by	David G

Picture of Product Full Set



Picture of Product Packed with Bag



(2) INSPECTION RESULTS

**OVERALL
INSPECTION RESULT**

☐ **Passed** ☐ **Rejected** ☒ **Pending**
(Client has the final decision to Reject or Accept)

Inspector's Comment on the Result

*** Notes:**

1. **Passed** – Conform to Client Requirement; 2. **Rejected** – Not Conform to Client's Requirement; 3. **Pending** – Subject to Client's Evaluation.

A. Inspection Result Summary

Acceptable Quality Level (AQL)			Inspection Level			
Critical	Major	Minor	Visual / Workmanship	Special Inspection Level		
0	2.5	4.0	II	S-2		
			The Defective Types	Critical	Major	Minor
			Total Defective	0	0	6
			Max Allowed	0	5	7
			Judgement on AQL	☒ Within AQL		☐ Out of AQL

Inspection Category	Conform	Not Conform	Pending	Comment
1. Visual & Workmanship AQL (Part 1)	☒	☐	☐	
2. Special Checklist from Client (Part 2)	☒	☐	☐	
3. Quantity Checking (Part 3)	☒	☐	☐	
4. Barcode Scanning (Part 4)	☒	☐	☐	
5. Material, Color & Style (Part 5)	☒	☐	☐	
6. Product Documentation (Part 6)	☒	☐	☐	
7. Shipping Mark & Packaging (Part 7)	☐	☐	☒	Refer to remark: 1, 2
8. Weight and Measurement (Part 8)	☐	☐	☒	
9. Field Functionality Test (Part 9)	☐	☐	☒	Refer to remark: 3
Result	☐	☐	☒	

B. Remarks

(advising to attach photos for clear presentation / 如涉及到图片说明, 要求在对应问题点下面进行插图)

1. No found FBA label on the carton.



2. Found Chinese word on the carton.



3. The factory didn't allow to do carton drop test.

C. Quick Review for Regular Points

Listings	Yes	No	Comment
Client's approved master sample ready in factory?	☐	☒	No approval sample
FDA certificates (for foods related)	☐	☒	(if yes, please attach the certificates picture down)
CPC certificates (for children's products)	☐	☒	(if yes, please attach the certificates picture down)
Safety certificates (for electric appliances)	☐	☒	(if yes, please attach the certificates picture down)
USA EPA registration number (for UV sanitizer products)	☐	☒	(if yes, please attach the certificates picture down)
Suffocation hole on the poly bag	☐	☒	No found
Warning words on poly bag	☒	☐	
"Made in China" on product package	☐	☒	No found
"Made in China" on master carton	☐	☒	No found
FNSKU unit sticker's barcode scan-able	☒	☐	
FBA shipping sticker's barcode scan-able	☐	☒	No found

(3) INSPECTION DETAILS

Part 1. Visual & Workmanship AQL

☒ Conform ☐ Not Conform ☐ Pending

Item Name	Item No.	Defective Description	Critical	Major	Minor
Silicone Pop Bag	X0033OWUC7	Dirty mark	0	0	1
		Untrimmed thread	0	0	1
	X0033P5RS5	Dirty mark	0	0	1
		Untrimmed thread	0	0	1
	X0033P1LFN	Dirty mark	0	0	2


	Total Defective	0	0	6
	Max Allowed	0	5	7
	Sample Size	80	80	80
	Result	Pass	Pass	Pass
If the defective(s) was / were rectified when the inspector left?		☒ Yes	☐ Not Yet	

Defect Definition	
Critical	Defects which could in hazardous or unsafe conditions for individual using or maintaining. the defects contravening legal regulations.
Major	Functional defects reducing the usability or solidity of the product. obvious visual defects will result in a complaint from the consumer.
Minor	Defects that are unlikely to reduce the use of product, but nevertheless may influence the sale, likely to be results in a complaint from consumer.

Photo for Defectives



Dirty mark - Minor



Untrimmed thread - Minor



Dirty mark - Minor



Untrimmed thread - Minor



Dirty mark - Minor



Dirty mark - Minor

Part 2. Special Checklist from Client's Request

(Highlighting the points that client stated on the Booking)

☒ Conform ☐ Not Conform ☐ Pending

Descriptions		Sample	Result	Comment
1.	Check zip quality	80pcs	Pass	
2.	Check Bag quality	80pcs	Pass	
3.	Check Strap quality	80pcs	Pass	
4.	check colors	80pcs	Pass	
5.	how much amount of weight it can bear	6pcs	Pass	Can be load 1kg

Part 3. Quantity Check

☒ Conform ☐ Not Conform ☐ Pending

Item Name	Item No.	P.O. Qty	Shipment Qty		Packed Qty		Sample Size	
		(Piece)	(Piece)	(Carton)	(Piece)	(Carton)	(Piece)	(Carton)
Silicone Pop Bag	X0033OWUC7	300	300	2	300	2	20	0
	X0033P5RS5	300	300	2	300	2	20	0
	X0033P1LFN	500	500	5	500	5	40	0
Total		1100	1100	9	1100	9	80	0

If multi-unit (multi-model / FNSKU) are included, please separately list the quantity for each unit (model / FNSKU)

Part 4. Barcode Scanning Verification

☒ Conform ☐ Not Conform ☐ Pending

Item No. / Name	Type	Code on Specification	Reading	Sample	Result
X0033OWUC7	FNSKU	Polybag	X0033OWUC7	3pcs	Pass

X0033P5RS5	FNSKU	Polybag	X0033P5RS5	3pcs	Pass
X0033P1LFN	FNSKU	Polybag	X0033P1LFN	3pcs	Pass
/	FBA shipping label	N/A	N/A	N/A	N/A
For product with barcode printing, if the sample size per unit is less than 10pcs, all the sample size needs to do the barcode scanning check - if the sample size per item is more than 10pcs, only 10pcs need to do the scanning check.			All barcode should be readable and meet the client's specifications on booking / documentations, if different, please keep the supplier informed and make note on report.		

Photo for Barcode Scanning

	
Barcode Scanning - Pass	Barcode Scanning - Pass
	N/A
Barcode Scanning - Pass	N/A

Part 5. Material, Color & Style

☒ Conform ☐ Not Conform ☐ Pending

1.

Item Name.	Item No.	Specification (Customer DWG or Manual)	Color	Comment
------------	----------	---	-------	---------

Silicone Pop Bag	X0033P1LFN	Silicone	Pop it purse cloud	Pass
	X0033OWUC7	Silicone	Rectangular purse 5 color	Pass
	X0033P5RS5	Silicone	Rectangular purse 2 color	Pass

Summary of additional checking

Comparison with approval sample
(if yes, please insert the photo in below)

☐ Conform ☐ Not Conform ☒ no sample in place

/

/

Check the shape, style or color of the product against the approval sample.
The dimensions, forms and details shall be to that of the approval sample.

Photo for Product Overview and Details

(If various model, please categorizing on model / 如有多型号，图片请按照型号并命名归类)

1, X0033OWUC7



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Strap view



Strap view



Hook view



Hook view



Product view



Product view

2, X0033P5RS5



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Strap view




Strap view



Hook view



Hook view



Product view



Product view

N/A

N/A

3, X0033P1LFN



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Product view



Strap view



Strap view



Hook view



Hook view



Product view

Part 6. Product Documentation

☒ Conform ☐ Not Conform ☐ Pending

No.	Verification against Sample/Documents	Status	Result	Comment
1.	Product Specification (Appearance, Color, Style, Material, and Constructions) on Client's PO or Other Documents	☒ Available ☐ Not Available	☒ Passed ☐ Failed ☐ Pending	NIL
2.	Product Drawings& Image/Photo from the Client	☒ Available ☐ Not Available	☒ Passed ☐ Failed ☐ Pending	NIL
3.	Artworks for Product Logo, Marking and Labelling	☒ Available ☐ Not Available	☒ Passed ☐ Failed ☐ Pending	NIL

Part 7. Shipping Mark & Packing

☐ Conform ☐ Not Conform ☒ Pending

1.	No found shipping mark on the carton.
2.	No found FBA label on the carton.
3.	Found Chinese word on the carton.

Master Shipping Carton Details

Diagram: 1 Corrugated layer=3 ply



Master Carton Packing Material	New Export Carton	☒ Yes ☐ No	Sealed with	☒ Transparent gummed tape
	Ply# of Corrugated Paper	☐ Single Wall (3layes) ☒ Double Wall(5layes) ☐ Triple Wall(7layes)		☐ Opaque gummed tape
	Fasting by:	☐ Metal Staples ☒ Glue		☐ Customized tape)
	Secured by Nylon Strapping	☐ Yes ☒ No If yes:___ pcs		☐ Paper tape

Shipping Mark

Main marks on _____ / _____side(s)

Side marks on _____ 1 _____side(s)

Result:	Pending
Remark(s):	No found shipping mark on the carton.

Shipping Mark Photos



For X0033OWUC7



For X0033OWUC7



For X0033P5RS5



For X0033P5RS5



For X0033P1LFN



For X0033P1LFN

Packing

Piece per bag or box	1pc packed in a polybag
Bag or box per shipping carton	150 bags packed into carton, for X0033OWUC7 & X0033P5RS5, 100 bags packed into carton for X0033P1LFN.
Result:	Pending
Remark(s):	No packing method was provided from client.

Packing Photos

1, X0033OWUC7



Carton view



Opened carton view



5-Ply



Unit packing view



Unit packing view



Unit packing view



Polybag view



Label view



Label view



Label view

2, X0033P5RS5



Carton view



Opened carton view



5-Ply



Unit packing view



Unit packing view



Unit packing view



Polybag view



Label view



Label view



Label view

3, X0033P1LFN



Carton view



Opened carton view



5-Ply



Unit packing view



Unit packing view



Unit packing view



Polybag view



Label view



Label view



Label view

Part 8. Weight and Measurement

☐ Conform ☐ Not Conform ☒ Pending

Item	Specification		Results		Sample Size (pcs/set/ctn)	Result
Carton gross weight (kg, +/-10%)	/		X0033OWUC7	21.5kg	1 carton per item	Pending
			X0033P5RS5	21.05kg		
			X0033P1LFN	15.2kg		
Carton dimension (cm, +/-5%)	/		X0033OWUC7	53*41*50.5cm	1 carton per item	Pending
			X0033P5RS5	51.5*40.5*51cm		
			X0033P1LFN	59.5*36*37.5cm		
Weight for product with box / bag	/		X0033OWUC7	136.6g	1 bag per item	Pending
			X0033P5RS5	133.6g		
			X0033P1LFN	143g		
(Main) Product weight	/		X0033OWUC7	134.6g	1ps per item	Pending
			X0033P5RS5	128.8g		
			X0033P1LFN	139.2g		
(Main) Product dimension	X0033OWUC7	20*9*3cm	X0033OWUC7	20*9*3.6cm	1ps per item	Pending
	X0033P5RS5	20*9*3cm	X0033P5RS5	20*9*3.6cm		
	X0033P1LFN	21*15*4cm	X0033P1LFN	21*13.6*3.6cm		

Packing Measurement Instructions

Diagram:



Highlighted in **red** in below data were out of the specified tolerance
(General request of tolerance +/-5% if client no specify tolerance).

Photo for Weight and Measurement

1, X0033OWUC7



Carton weight



Carton weight



Carton size



Carton size



Carton size



Carton size



Carton size



Carton size



Polybag package weight



Product weight



Product dimension




Product dimension



Product dimension



Product dimension



Product dimension



Strap dimension



Strap dimension



Strap dimension

2, X0033P5RS5



Carton weight



Carton weight



Carton size



Carton size



Carton size



Carton size



Carton size



Carton size



Polybag package weight



Product weight




Product dimension



Product dimension



Product dimension



Product dimension



Product dimension



Strap dimension



Strap dimension

N/A

N/A

3, X0033P1LFN



Carton weight



Carton weight



Carton size



Carton size



Carton size



Carton size



Carton size



Carton size



Polybag package weight



Product weight



Product dimension



Product dimension



Product dimension



Product dimension



Product dimension



Strap dimension



Strap dimension

N/A

N/A

Part 9. Field Functionality Test

☐ Conform ☐ Not Conform ☒ Pending

1.

Item	Specification	Results	Sample Size (pcs/set/ctn)	Conform	Not Conform	Pending
1. Assembly check	/	Pass	2pcs per item	☒	☐	☐
2. Function test	/	Pass	2pcs per item	☒	☐	☐
3. Pull test	/	Pass	2pcs per item	☒	☐	☐
4. Loading test	/	Pass	2pcs per item	☒	☐	☐
5. Sewing stitches check	/	Pass	1pc per item	☒	☐	☐
6. Check colors	/	Pass	80pcs	☒	☐	☐
7. Smell check	/	Pass	3pcs	☒	☐	☐
8. Carton Drop Test	Test description / requirements 1 - ISTA-1A is widely adopted, its standard is below illustration: Scope: for all products with regular master cartons. ISTA-1A for packaged product weight 68kgs or less. Testing method: 1 corner (most weak corner), 3 edges for the corner, 6 faces.  Drop height: 0 - less than 10kgs: 760mm 10 - less than 19kgs: 610mm 19 - less than 28kgs: 460mm 28 - less than 45kgs: 310mm 45 - less than 68kgs: 200mm 2 - ISTA-1B for packaged product weight over 68kgs. Fixed drop height: 150mm					☒
				Results ☐ Product and package were OK ☐ Product OK but package damaged ☐ Product and package damaged ☒ Supplier didn't agree to do the test ☐ Others, please remark in below:		

Humidity test				☐ Conform ☐ Not Conform ☐ Pending ☒ Not Applicable						
Sample No.	1	2	3	4	5	6	7	8	9	10
Value (%)										
Sample No.	11	12	13	14	15	16	17	18	9	20
Value (%)										

For wood / plant included product, if the sample size per item is less than 20pcs, all the sample size needs to do the humidity test - if the sample size per item is more than 20pcs, only 20pcs need to do the humidity test	All points should be within the specified tolerance (7%~14%)
--	--

Photo for Tests




Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Assembly test - Pass



Pull test (About 80N) - Pass



Pull test (About 80N) - Pass



Pull test (About 80N) - Pass



Pull test (About 80N) - Pass



Pull test (About 80N) - Pass



Pull test (About 80N) - Pass



Pull test (About 80N) - Pass



Pull test (About 80N) - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Using test - Pass



Loading test (1kg) - Pass



Loading test (1kg) - Pass



Loading test (1kg) - Pass



Loading test (1kg) - Pass



Smell test - Pass



Smell test - Pass



Smell test - Pass



Sewing Stitches check - Pass



Sewing Stitches check - Pass



Sewing Stitches check - Pass



Check colors - Pass



Check colors - Pass



Check colors - Pass



Zipper test - Pass



Zipper test - Pass



Zipper test - Pass



Zipper test - Pass



Zipper test - Pass



Zipper test - Pass

N/A

N/A

(4) Working Circumstance

Warehouse and Storage:

1.	Number. of warehouses	1 Warehouse place(s) in 1 factory building(s)		
2.	Conditions of warehouse	☒ Clean	☒ Dry	☒ Orderly ☒ Indoor ☒ Secured
3.	Cartons are stored	☒ in Pallets	☐ On the floor	☐ Other:
4.	Max height of stored cartons	☒ <2m	☐ >2m	☐ Other:
5.	Cartons are stored orderly	☒ Yes	☐ No	☐ Other:
6.	Stored with clear identical markings	☒ Yes	☐ No	☐ Other:
7.	Easily selected by the inspector	☒ Yes	☐ No	☐ Other:

Inspection Environment:

1.	Weather Condition	☐ Rainy	☐ Humid	☒ Dry	☐ Other:
2.	Inspection place:	☐ Insp room	☒ Warehouse	☐ Prod. Line	☐ Other:
3.	Lighting:	☐ Daylight	☒ Room light	☐ Sufficient	☐ Insufficient
4.	Inspection done on:	☐ Table	☒ Top of Cartons	☐ Other:	
5.	Cleanliness:	☒ Clean	☒ Dirty	☐ Other:	
6.	Support from manufacturer (sample collection, open carton, re-pack samples):	☒ Sufficient	☐ Insufficient	☐ Other:	
7.	Presence of importer:	☐ Yes	☒ No	☐ Other:	

Photo for Factory and Others



Factory name



Goods storage



Inspection site



Inspection site

Annex Information

Inspection Standard Reference

			INSPECTION STANDARD: ANSI/ASQCZ2.5							
Insp. On	Order Qty (PCS)	Sample Size (PCS)	AQL - 1.0		AQL - 1.5		AQL - 2.5		AQL - 4.0	
			Acc	Rej	Acc	Rej	Acc	Rej	Acc	Rej
☐	50-280	32	0	1	1	2	2	3	4	5
☐	281-500	50	1	2	2	3	3	4	5	6
☒	501-1200	80	2	3	3	4	5	6	7	8
☐	1201-3200	125	3	4	5	6	7	8	10	11
☐	3201-10000	200	5	6	7	8	10	11	14	15
☐	10001 - 35000	315	7	8	10	11	14	15	21	22
☐	35001 +	500	10	11	14	15	21	22	21	22

NOTES

The above result reflects our findings during the inspection activity.

This report does not relieve suppliers from their contractual liabilities or prejudice buyers' right for compensation for any apparent And / or hidden defects not detected during our random inspection or occurring thereafter.

**** End****