






A



B

B


C

C

D

D

Title		
Size	Number	Revision
A3		
Date:	4/23/2022	Sheet of
File:	C:\Users\j\lather_front_panel.SchDoc	Drawn By:



Comment	Description	Designator	Footprint	LibRef	Quantity
RGB LED	RGB LED	D1	INDRD500W70D900H 1220	RGB LED	1
4 Pin Molex KK Hdr	CONN HEADER 4POS 2.54mm VERT_Thru Hole	H1	MOLEX_KK_4_HDR	JA_MOLEX_KK_4POS	1
52610-1272	1.0 mm Pitch Easy- On(TM) Type FPC Connector, 5.75 mm Mated Height, Vertical, ZIF, SMT, 12 Circuits, -40 to 85 degC, ELV and RoHS Compliant, Tape and Reel	J1	MOLX-52610-1272	CMP-1241-00323-1	1
P0915N-FC15BR100K	100k Ohm 1 Gang Linear Panel Mount Potentiometer None 1 Kierros Conductive Plastic 0.05W, 1/20W PC Pins, Board Locks	R1	TRIM_P0915N- FC15BR100K	P0915N-FC15BR100K	1
DPDT Switch		S1, S2, S3	TL2230EEF100	TL2230EEF100	3