

```

WITH
account_metrics AS (
SELECT
date,
country,
send_interval,
is_verified,
is_unsubscribed,
COUNT(DISTINCT account_id) AS account_cnt
FROM DA.account ac
JOIN DA.account_session acs
ON ac.id = acs.account_id
JOIN DA.session s
ON acs.ga_session_id = s.ga_session_id
JOIN DA.session_params sp
ON s.ga_session_id = sp.ga_session_id
GROUP BY date, country, send_interval, is_verified, is_unsubscribed
),
email_metrics AS (
SELECT
sp.country,
ac.send_interval,
ac.is_verified,
ac.is_unsubscribed,
DATE_ADD(s.date, INTERVAL es.sent_date day) AS date,
COUNT(DISTINCT es.id_message) AS sent_msg,
COUNT(DISTINCT eo.id_message) AS open_msg,
COUNT(DISTINCT ev.id_message) AS visit_msg
FROM DA.email_sent es
LEFT JOIN DA.email_open eo
ON es.id_message = eo.id_message
LEFT JOIN DA.email_visit ev
ON es.id_message = ev.id_message
JOIN DA.account_session acs
ON acs.account_id = es.id_account
JOIN DA.session s
ON acs.ga_session_id = s.ga_session_id
JOIN DA.session_params sp
ON acs.ga_session_id = sp.ga_session_id
JOIN DA.account ac
ON acs.account_id = ac.id
GROUP BY
date, sp.country, ac.send_interval, ac.is_verified,
ac.is_unsubscribed

```

```

),
unioned AS (
SELECT
account_metrics.date,
country,
send_interval,
is_verified,
is_unsubscribed,
account_cnt,
0 AS sent_msg,
0 AS open_msg,
0 AS visit_msg
FROM account_metrics
UNION ALL
SELECT
email_metrics.date,
country,
send_interval,
is_verified,
is_unsubscribed,
0 AS account_cnt,
sent_msg,
open_msg,
visit_msg
FROM email_metrics
),
grouped_metrics AS (
SELECT
date,
country,
send_interval,
is_verified,
is_unsubscribed,
SUM(account_cnt) AS account_cnt,
SUM(sent_msg) AS sent_msg,
SUM(open_msg) AS open_msg,
SUM(visit_msg) AS visit_msg
FROM unioned
GROUP BY date, country, send_interval, is_verified, is_unsubscribed
),
sum_metrics AS (
SELECT
date,
country,

```

```

send_interval,
is_verified,
is_unsubscribed,
account_cnt,
sent_msg,
open_msg,
visit_msg,
sum(account_cnt) OVER (PARTITION BY country) AS total_country_account_cnt,
sum(sent_msg) OVER (PARTITION BY country) AS total_country_sent_cnt
FROM grouped_metrics
),
final_rank AS (
SELECT
date,
country,
send_interval,
is_verified,
is_unsubscribed,
account_cnt,
sent_msg,
open_msg,
visit_msg,
total_country_account_cnt,
total_country_sent_cnt,
dense_rank()
OVER (ORDER BY total_country_account_cnt DESC)
AS rank_total_country_account_cnt,
dense_rank()
OVER (ORDER BY total_country_sent_cnt DESC)
AS rank_total_country_sent_cnt
FROM sum_metrics
)
SELECT
date,
country,
send_interval,
is_verified,
is_unsubscribed,
account_cnt,
sent_msg,
open_msg,
visit_msg,
total_country_account_cnt,
total_country_sent_cnt,

```

```
rank_total_country_account_cnt,
rank_total_country_sent_cnt
FROM final_rank
WHERE rank_total_country_account_cnt <= 10 OR rank_total_country_sent_cnt <= 10
```

<https://datastudio.google.com/reporting/24934f4e-576c-4597-bd7f-dccbef1c867d>

