

Diseases of Lymph nodes and spleen

ILOs By the end of this lesson you will be able


To identify & Describe the gross features of:

1. Tuberculous Lymphadenitis.
2. Primary Glandular Complex
3. Tables Mesenterica.
4. Tables Mesenterica& dystrophic calcification .
5. Hodgkin's Lymphoma.
6. Recent Infarction Spleen
7. Congestive splenomegaly
8. Hydatid cyst of spleen.
9. Miliary Tuberculosis of spleen
10. Multiple Tuberculomata of spleen
11. Chronic Myeloid Leukaemia

Tuberculous Lymphadenitis







Yellow white (caseation)

Tuberculous Lymphadenitis




Group of LNs


- Enlarged
- 0.5- 3 cm
- Matted
- Yellow white (caseation)


Primary Glandular Complex





Primary Glandular Complex






Primary Glandular complex

Cervical, hilar & mesenteric LNs


- Enlarged
- 0.5-3 cm
- Matted
- Yellow white (caseation)



Tables Mesenterica




Tables Mesenterica




Tabes Mesenterica & dystrophic calcification.

- Large
- Matted
- Caseation

+ Chalky White Calcification




Hodgkin's Lymphoma




- Enlarged (1-5cm)
- Oval
- Discrete (i.e. separate)
- Cut surface:
  - Homogenous
  - Pink
  - Rubbery

Hodgkin's Lymphoma



- Enlarged (1-5cm)
- Oval
- Discrete (i.e. separate)
- Cut surface:
  - Homogenous
  - *Pink*
  - Rubbery





Recent Infarction of the Spleen.


Area of infarction
Triangular
Apex –hilum
Base--capsule
Pale yellow
Solid
Zone of hyperemia



Recent Infarction of the Spleen.



Recent Infarction of the Spleen.




Chronic Venous Congestion of the Spleen:






- Markedly enlarged spleen
- Preserved notches
- Greyish brown cut surface

Congestive Splenomegaly



Congestive Splenomegaly






Congestive Splenomegaly

- Thickened opaque fibrosed capsule
- Translucent cartilaginous metaplasia




Hydatid Cyst Of Spleen



Hydatid Cyst Of Spleen

Cyst

- Single
- Oval
- 9x6cm
- One pole
- Wall: thin & translucent




Tuberculosis of the Spleen

- **Miliary Tuberculosis**
- **Multiple Tuberculomata**

Miliary Tuberculosis of spleen







Multiple Tuberculomata of the Spleen



Cut Surface


Patches of Tuberculous reaction

- On outer & cut surface
- Variable size (0.5-2 cm)
- Variable shape




Outer surface

Multiple Tuberculomata of the Spleen



Cut Surface

Chronic Myeloid Leukaemia



Stretched congested blood vessels


Chronic Myeloid Leukaemia

- Enlarged
- Lost splenic notch
- Sharp borders
- Outer surface:
  Smooth, Stretched congested blood vessels
- Cut surface :
  Greyish, Areas of infarction (as before)



Demonstration


Tuberculous Lymphadenitis



•Enlarged ,0.5- 3 cm , Matted
•Yellow white (caseation)




Enlarged Non caseating LN




•Enlarged, 0.5- 3 cm ,Matted
•Yellow white (caseation)

Hodgkin's Lymphoma



Enlarged ,Oval, Discrete (i.e. separate)




Homogenous , Pink , Rubbery Cut surface

Miliary TB of Spleen



• **Tubercles ;** Small , Rounded , Greyish white

Multiple tuberculomata of Spleen




Patches of Tuberculous reaction
Variable size (0.5-2 cm) with
Yellow cheesy cut surface

Infarction Spleen



Infarction Spleen























































Thank you