

Oracle EBS R12.2.4

Employee Assessment Solution & Evidence Guide

QUESTION 1 - PL/SQL Procedure + Concurrent Program

Goal: create a simple PL/SQL procedure that accepts a department ID, prints employee details, and prints employee count, total salary, and average salary. Then register it as an EBS Concurrent Program and execute it from the assigned responsibility.

1.1 Procedure design

For a Concurrent Program, the procedure uses ERRBUF and RETCODE as the first two parameters and writes the visible result with FND_FILE. The logic is intentionally simple: validate the department ID, fetch the summary, loop through matching employees, then print the totals.

```
CREATE OR REPLACE PROCEDURE ABDUL_EMP_SALARY_SUMMARY (
  ERRBUF          OUT VARCHAR2,
  RETCODE          OUT VARCHAR2,
  P_DEPARTMENT_ID IN  NUMBER
)
IS
  L_COUNT NUMBER := 0;
  L_TOTAL NUMBER := 0;
BEGIN
  ERRBUF := NULL;
  RETCODE := '0';

  IF P_DEPARTMENT_ID IS NULL THEN
    ERRBUF := 'Department ID is required.';
    RETCODE := '2';
    RETURN;
  END IF;

  SELECT COUNT(*), NVL(SUM(SAL), 0)
    INTO L_COUNT, L_TOTAL
    FROM EMP
   WHERE DEPTNO = P_DEPARTMENT_ID;

  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'EMPLOYEE SALARY SUMMARY');
  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'Department ID: ' || P_DEPARTMENT_ID);
  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, '-----');

  FOR R_EMP IN (
    SELECT E.EMPNO, E.ENAME, D.DNAME, E.JOB, E.SAL
      FROM EMP E
     JOIN DEPT D ON D.DEPTNO = E.DEPTNO
    WHERE E.DEPTNO = P_DEPARTMENT_ID
    ORDER BY E.EMPNO
  )
  LOOP
    FND_FILE.PUT_LINE(
      FND_FILE.OUTPUT,
      R_EMP.EMPNO || ' | ' || R_EMP.ENAME || ' | ' ||
      R_EMP.DNAME || ' | ' || R_EMP.JOB || ' | ' ||
      R_EMP.SAL
    );
  END LOOP;

  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, '-----');
  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'Employee Count: ' || L_COUNT);
  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'Total Salary: ' || L_TOTAL);

  IF L_COUNT > 0 THEN
    FND_FILE.PUT_LINE(
```

```

        FND_FILE.OUTPUT,
        'Average Salary: ' || L_TOTAL / L_COUNT
    );
ELS
    FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'Average Salary: 0.00');
    RETCODE := '1';
    ERRBUF := 'No employees found for the selected department.';
END IF;

EXCEPTION
    WHEN OTHERS THEN
        RETCODE := '2';
        ERRBUF := SUBSTR(SQLERRM, 1, 240);
        FND_FILE.PUT_LINE(FND_FILE.LOG, 'Error: ' || SQLERRM);
END ABDUL_EMP_SALARY_SUMMARY;
/

SHOW ERRORS;

```

SCREENSHOT PLACEHOLDER - Q1-01 - Procedure source and compilation

```

SQL> CREATE OR REPLACE PROCEDURE ABDUL_EMP_SALARY_SUMMARY (
  2  ERRBUF  OUT VARCHAR2,
  3  RETCODE  OUT VARCHAR2,
  4  P_DEPARTMENT_ID IN NUMBER
  5  )
  6  IS
  7  L_COUNT NUMBER := 0;
  8  L_TOTAL NUMBER := 0;
  9  BEGIN
 10  ERRBUF := NULL;
 11  RETCODE := '0';
 12
 13  IF P_DEPARTMENT_ID IS NULL THEN
 14  ERRBUF := 'Department ID is required.';
 15  RETCODE := '2';
 16  RETURN;
 17  END IF;
 18
 19  SELECT COUNT(*), SUM(SAL) INTO L_COUNT, L_TOTAL
 20  FROM EMP
 21  WHERE DEPTNO = P_DEPARTMENT_ID;
 22
 23  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'EMPLOYEE SALARY SUMMARY');
 24  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'Department ID: ' || P_DEPARTMENT_ID);
 25  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, '-----');
 26
 27  FOR R_EMP IN (
 28  SELECT E.EMPNO, E.ENAME, D.DNAME, E.JOB, E.SAL
 29  FROM EMP E
 30  JOIN DEPT D ON D.DEPTNO = E.DEPTNO
 31  WHERE E.DEPTNO = P_DEPARTMENT_ID
 32  ORDER BY E.EMPNO
 33  )
 34  LOOP
 35
 36  FND_FILE.PUT_LINE(
 37  FND_FILE.OUTPUT,
 38  R_EMP.EMPNO || ' ' || R_EMP.ENAME || ' ' ||
 39  R_EMP.DNAME || ' ' || R_EMP.JOB || ' ' ||
 40  R_EMP.SAL
 41  );
 42  END LOOP;
 43
 44  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, '-----');
 45  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'Employee Count: ' || L_COUNT);
 46  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'Total Salary: ' || L_TOTAL);
 47
 48  IF L_COUNT > 0 THEN
 49  FND_FILE.PUT_LINE(
 50  FND_FILE.OUTPUT,
 51  'Average Salary: ' || L_TOTAL / L_COUNT
 52  );
 53  ELSE
 54  FND_FILE.PUT_LINE(FND_FILE.OUTPUT, 'Average Salary: 0.00');
 55  RETCODE := '1';
 56  ERRBUF := 'No employees found for the selected department.';
 57  END IF;
 58
 59  EXCEPTION
 60  WHEN OTHERS THEN
 61  RETCODE := '2';
 62  ERRBUF := SUBSTR(SQLERRM, 1, 240);
 63  FND_FILE.PUT_LINE(FND_FILE.LOG, 'Error: ' || SQLERRM);
 64  END ABDUL_EMP_SALARY_SUMMARY;
 65  /

```

Procedure created.

**SQL> SHOW ERRORS;
No errors.**

3.2 Value Set

1. Log in with the responsibility that has access to Application Developer / AOL setup.
2. Navigate to APPLICATION -> Validation -> Set.
3. Create value set ABDUL_EMP_DEPT_VS.
4. Use a Table validation so the user can choose a valid department from DEPT.
5. Use DEPTNO as the ID/value returned and DNAME as the displayed description, according to the validation fields available in your EBS form.

dField	Value
--------	-------

Value Set Name	ABDUL_EMP_DEPT_VS
Validation Type	Table
Data Type	Number
Maximum Size	10
Table	DEPT
ID / return column	DEPTNO
Display column	DNAME

SCREENSHOT- Q1-02 - Department Value Set

The screenshot shows the 'Value Sets' window in Oracle Applications. The 'Value Set Name' is 'ABDUL_EMP_DEPT_VS'. The 'Description' field is empty. The 'List Type' is set to 'List of Values'. The 'Security Type' is 'No Security'. Under 'Format Validation', the 'Format Type' is 'Number', 'Maximum Size' is '4', and 'Precision' is '0'. The 'Numbers Only (0-9)' checkbox is checked. The 'Uppercase Only (A-Z)' and 'Right-justify and Zero-fill Numbers (0001)' checkboxes are unchecked. The 'Min Value' and 'Max Value' fields are empty. Under 'Value Validation', the 'Validation Type' is 'Table'. The 'Edit Information' button is visible. The 'Open' button is at the bottom right.

3.3 Register the Executable

Navigation: Application developer -> Concurrent -> Executable.

SCREENSHOT PLACEHOLDER - Q1-03 - Executable registration

Oracle Applications - EBSDB

File Edit View Folder Tools Window Help

Concurrent Program Executable

Executable: ABDUL_EMP_SALARY_SUMMARY

Short Name: ABDUL_EMP_SALARY_SUMMARY

Application: Application Object Library

Description:

Execution Method: PL/SQL Stored Procedure

Execution File Name: ABDUL_EMP_SALARY_SUMMARY

Subroutine Name:

Execution File Path:

Stage Function Parameters


3.4 Register the Concurrent Program

Navigation: Application developer -> Concurrent -> Program

Open the Parameters region and add the department parameter:

Sequence	Prompt	Value Set	Token	Required
10	Department	ABDUL_EMP_DEPT_ VS	P_DEPARTMENT_ID	Yes

SCREENSHOT PLACEHOLDER - Q1-04 - Concurrent Program and parameter



Oracle Applications - EBSDB

File Edit View Folder Tools Window Help

Concurrent Programs

Program: ☒ Enabled

Short Name:

Application:

Description:

Executable

Name: Options:

Method:

Request

Type:

Incrementor:

MLS Function:

☒ Use in SRS ☐ Allow Disabled Values

☐ Run Alone ☒ Restart on System Failure

☐ Enable Trace ☒ NLS Compliant

☐ Recalculate Default Parameters

Output

Format:

☒ Save (S) ☒ Print

Columns:

Rows:

Style:

☐ Style Required

Printer:

Business Events

☐ Request Submitted (Y) ☐ Request Running ☐ Post Processing Ended

☐ Request On Hold ☐ Program Completed ☐ Request Completed (Z)

☐ Request Resumed ☐ Post Processing Started

Copy to... Session Control Incompatibilities Parameters (G)

3.5 Request Group and Responsibility


Create the custom Request Group ABDUL_EMP_REQUEST_GROUP. Add the Concurrent Program ABDUL EMP Salary Summary to the group. Then assign that Request Group to the custom responsibility ABDUL_EMP_ASSESSMENT.

Object	Value
Request Group	ABDUL_EMP_REQUEST_GROUP
Program added	ABDUL EMP Salary Summary
Responsibility	ABDUL_EMP_ASSESSMENT
Assigned Request Group	ABDUL_EMP_REQUEST_GROUP

SCREENSHOT PLACEHOLDER - Q1-05 - Request Group and Responsibility

Oracle Applications - EBSDB

File Edit View Folder Tools Window Help



Request Groups

Group

ABDUL_EMP_REQUEST_GROUP

Application

Application Object Library

Code

Description

Requests

Type	Name	Application
Program	ABDUL_EMP_SALARY_SUMMARY	Application Object Library

Description

Oracle Applications - EBSDB

File Edit View Folder Tools Window Help

Responsibilities

Responsibility Name: ABDUL_ASSESSMENT_RESP

Application: Application Object Library

Responsibility Key: ABDUL_ASSESSMENT_RESP

Description:

Effective Dates: From 30-SEP-2026 To

Available From:

- ☒ Oracle Applications
- ☐ Oracle Self Service Web Applications
- ☐ Oracle Mobile Applications

Data Group:

Name: Standard

Application: Application Object Library

Menu: Position Control, Vision University

Web Host Name:

Web Agent Name:

Request Group:

Name: ABDUL_EMP_REQUEST_GROUP

Application: Application Object Library

Menu Exclusions Excluded Items Securing Attributes

Type	Name	Description
Function		

3.6 Submit and verify

- Switch to ABDUL_EMP_ASSESSMENT.
- Open view -> Requests -> submit a new request.
- Select ABDUL EMP Salary Summary.
- Choose a valid department, for example 20.
- Submit the request.
- Verify the request completes with Normal status.
- Open View Output.

SCREENSHOT PLACEHOLDER - Q1-06 - Request submission

[illegible]

4. QUESTION 2 - Oracle Forms Development + Form Registration

Goal: build a simple maintenance form on the existing EMP table with Query, Insert, Update, Delete, Save/Commit, Exit, a Department LOV, salary validation, and required fields.

4.1 Create the Form Module


Create the form module named ABDUL_EMP_FORM.fmb. Build a database data block using EMP. Include the required fields mapped as follows:

Assessment field	Existing EMP column	Suggested Form item
Employee ID	EMPNO	EMPLOYEE_ID_ITEM
Employee Name	ENAME	EMPLOYEE_NAME_ITEM
Department	DEPTNO	DEPARTMENT_ID_ITEM
Job	JOB	JOB_ITEM
Salary	SAL	SALARY_ITEM
Hire Date	HIREDATE	HIRE_DATE_ITEM

4.2 Canvas and Window

- Create a content canvas named ABDUL_EMP_CANVAS.
- Create a window named ABDUL_EMP_WINDOW.
- Set ABDUL_EMP_CANVAS as the primary canvas for the window.
- Place labels and text items in a clear two-column layout.

SCREENSHOT PLACEHOLDER - Q2-01 - Form, block, canvas and window




4.3 Department LOV

Create a record group using DEPT and an LOV that displays the department name while returning DEPTNO to the Department item.

```
SELECT DEPTNO FROM EMP
```

- Record Group: ABDUL_EMP_DEPT_RG
- LOV: ABDUL_EMP_DEPT_LOV
- Display: DNAME
- Return value: DEPTNO
- Attach the LOV to DEPARTMENT_ID_ITEM.

SCREENSHOT PLACEHOLDER - Q2-02 - Department LOV



4.4 Salary validation

Create a WHEN-VALIDATE-ITEM trigger on the Salary item.

```
IF :EMP.SAL IS NULL THEN
    MESSAGE('Salary is required.');
```

```
    RAISE FORM_TRIGGER_FAILURE;
END IF;
```

```
IF :EMP.SAL <= 0 THEN
    MESSAGE('Salary must be greater than zero.');
```

```
    RAISE FORM_TRIGGER_FAILURE;
END IF;
```

4.5 Required fields

Set Required = Yes for Employee ID, Employee Name, Department, Job, Salary, and Hire Date. This provides a simple required-field validation without unnecessary trigger code.

4.6 Build and place the FMX and move to EBS


Compile the form so that ABDUL_EMP_FORM.fmx is available in the correct custom application forms directory for your environment. Move it through winSCP to /u01/install/VISION/fs1/EBSapps/appl/fnd/12.0.0/forms/US.

4.7 Register the Form

Navigation: Application Developer -> Application -> Form.

Field	Value
Form	ABDUL_EMP_FORM
User Form Name	Abdul Employee Data
Application	Application Object Library


SCREENSHOT PLACEHOLDER - Q2-06 - Form registration



4.8 Form Function

Field	Value
Function	ABDUL_EMP_FORM
User Function Name	ABDUL_EMP_FORM
Type	Form
Form	ABDUL_EMP_FORM

SCREENSHOT PLACEHOLDER - Q2-07 - Form Function



4.10 Menu and Responsibility

Create custom menu ABDUL_EMP_MENU and add the function ABDUL_EMP_FORM EMP as a menu entry. Assign ABDUL_EMP_MENU to ABDUL_EMP_ASSESSMENT. Use the same custom Request Group where appropriate.

Menu entry	Function
Employee Data	ABDUL_EMP_DATA_FN

SCREENSHOT PLACEHOLDER - Q2-08 - Menu registration

Oracle Applications - EBSDB

File Edit View Folder Tools Window Help

Menus

Menu: ABDUL_EMP_MENU View Tree...

User Menu Name: ABDUL_EMP_MENU

Menu Type:

Description:

Seq	Prompt	Submenu	Function	Description	Grant
1	ABDUL_EMP_FC		ABDUL_EMP_FORM		☒
					☐
					☐
					☐
					☐
					☐
					☐
					☐
					☐
					☐
					☐

SCREENSHOT PLACEHOLDER - Q2-09 - Responsibility with custom menu

Oracle Applications - EBSDB

File Edit View Folder Tools Window Help

Responsibilities

Responsibility Name: ABDUL_ASSESSMENT_RESP

Application: Application Object Library

Responsibility Key: ABDUL_ASSESSMENT_RESP

Description:

Effective Dates: From 30-SEP-2026 To

Available From:

- ☒ Oracle Applications
- ☐ Oracle Self Service Web Applications
- ☐ Oracle Mobile Applications

Menu: ABDUL_EMP_MENU

Web Host Name:

Web Agent Name:

Data Group:

Name: Standard

Application: Application Object Library

Request Group:

Name: ABDUL_EMP_REQUEST_GROUP


Application: Application Object Library

Menu Exclusions: Excluded Items Securing Attributes

Type	Name	Description
Function		

4.11 Demonstrate the complete Form flow

SCREENSHOT PLACEHOLDER - Q2-10 - Form launched from Responsibility -> Menu



5. QUESTION 3 - Oracle Reports + Registration


Goal: create the Employee Department Salary Report in Oracle Reports using EMP and DEPT, accept Department ID as a parameter, show employee details, and display count, total salary, and average salary at the end.

5.1 Report data model / query

```
SELECT
  E.EMPNO,
  E.ENAME,
  D.DNAME,
  E.JOB,
  E.SAL
FROM EMP E
JOIN DEPT D ON D.DEPTNO = E.DEPTNO
WHERE E.DEPTNO = :P_DEPARTMENT_ID
ORDER BY E.EMPNO;
```

- Report file:
- .rdf
- Main query parameter: P_DEPARTMENT_ID
- Department filter: E.DEPTNO = :P_DEPARTMENT_ID

SCREENSHOT PLACEHOLDER - Q3-01 - Report Data Model and SQL query



5.2 Report parameter

Field	Value
Parameter name	P DEPARTMENT ID
Datatype	Number
Purpose	Filter employees by department

5.4 Summary calculations

Summary	Function	Source
Employee Count	COUNT	EMPNO
Total Salary	SUM	SAL
Average Salary	AVERAGE	SAL

5.5 Register the Oracle Reports executable

Navigation: Application developer -> Concurrent -> Executable.

Field	Value
Executable	ABDUL_EMP_SALARY_REP
Short Name	ABDUL_EMP_SALARY_REP
Application	Application Object Library
Execution Method	Oracle Reports
Execution File Name	ABDUL_EMP_SALARY_REP

SCREENSHOT PLACEHOLDER - Q3-04 - Oracle Reports executable registration

Oracle Applications - EBSDB

File Edit View Folder Tools Window Help

Concurrent Program Executable

Executable: ABDUL_EMP_SALARY_REP

Short Name: ABDUL_EMP_SALARY_REP

Application: Application Object Library

Description:

Execution Method: Oracle Reports

Execution File Name: ABDUL_EMP_SALARY_REP

Subroutine Name:

Execution File Path:

Stage Function Parameters

5.6 Register the Concurrent Program

Navigation: Application developer -> Concurrent -> Program

Parameter: sequence 10, prompt Department, value set ABDUL_EMP_DEPT_VS, token P_DEPARTMENT_ID, required Yes.

SCREENSHOT PLACEHOLDER - Q3-05 - Concurrent Program and parameter

The screenshot shows the 'Concurrent Programs' window in Oracle Applications. The program 'ABDUL_EMP_SALARY_REP' is selected and its configuration is displayed. The 'Program' field is 'ABDUL_EMP_SALARY_REP' and it is 'Enabled'. The 'Short Name' is 'ABDUL_EMP_SALARY_REP' and the 'Application' is 'Application Object Library'. The 'Description' field is empty. Under the 'Executable' section, the 'Name' is 'ABDUL_EMP_SALARY_REP' and the 'Method' is 'Oracle Reports'. The 'Options' field is empty. In the 'Request' section, the 'Type' is empty, 'Incrementor' is empty, and 'MLS Function' is empty. There are several checkboxes: 'Use in SRS' (checked), 'Run Alone' (unchecked), 'Enable Trace' (unchecked), 'Recalculate Default Parameters' (unchecked), 'Allow Disabled Values' (unchecked), 'Restart on System Failure' (checked), and 'NLS Compliant' (checked). The 'Output' section shows 'Format' as 'HTML', 'Save' (checked), 'Print' (checked), 'Columns' (empty), 'Rows' (empty), 'Style' as 'A4', 'Style Required' (unchecked), and 'Printer' (empty). The 'Business Events' section has several checkboxes: 'Request Submitted (Y)' (unchecked), 'Request Running' (unchecked), 'Post Processing Ended' (unchecked), 'Request On Hold' (unchecked), 'Program Completed' (unchecked), 'Request Completed (Z)' (unchecked), 'Request Resumed' (unchecked), and 'Post Processing Started' (unchecked). At the bottom, there are buttons for 'Copy to...', 'Session Control', 'Incompatibilities', and 'Parameters (G)'.

5.7 Request Group, Responsibility, and execution

- Add ABDUL_EMP_SALARY_REP to ABDUL_EMP_REQUEST_GROUP.
- Confirm ABDUL_EMP_REQUEST_GROUP is attached to ABDUL_EMP_ASSESSMENT.
- Submit the report for a valid department such as 20.
- Verify Normal completion and open the report output.

SCREENSHOT PLACEHOLDER - Q3-06 - Request Group / Responsibility

Oracle Applications - EBSDB

File Edit View Folder Tools Window Help

Request Groups

Group: ABDUL_EMP_REQUEST_GROUP

Application: Application Object Library

Code:

Description:

Requests

Type	Name	Application
Program	ABDUL_EMP_SALARY_SUMMARY	Application Object Library
Program	ABDUL_EMP_SALARY_REP	Application Object Library

Description:

SCREENSHOT PLACEHOLDER - Q3-08 - Final Oracle Reports output

Home http://ebs.exam..._id=3020150053 http://ebs.exam..._id=2735969228 http://ebs.exam..._96443464679E38 Oracle E-Business Suite R12 ebs.example.com:3000/OA_CGI/FNDWRP.exe?temp_id=2735969228				
Empno	Ename	Dname	Job	Sal
22	ALI	RESEARCH	SALES	1000
106	TIBYAN	RESEARCH	CLERK	200
121	mariya	RESEARCH	developer	9000
188	MM	RESEARCH	SE	1000
1234	MAJEED	RESEARCH		1000
1235	Ibrahim	RESEARCH	IT	1000
5555	TIBYAN	RESEARCH	CLERK	1000
5673	AHMED	RESEARCH	IT	1000
5674	SALIM	RESEARCH	SALESMAN	1000
7369	SMITH	RESEARCH	CLERK	800
7566	JONES	RESEARCH	MANAGER	2975
7777	Al-Jolanda	RESEARCH	MANAGER	10000
7788	SCOTT	RESEARCH	ANALYST	3000
7876	ADAMS	RESEARCH	CLERK	10000
7902	FORD	RESEARCH	ANALYST	3000
9001	RIMA	RESEARCH	IT	2000
Total:				47975
Average:				2998.4375
16				

6. QUESTION 4 - BI Publisher

Goal: create a professional BI Publisher Employee Salary Report with Department ID as input. The report must show Employee ID, Employee Name, Department, Job, Salary, Hire Date, plus Total Employees, Total Salary, Average Salary, and a horizontal bar graph for Employees and Average Salary.

Report Wizard

Select the data that you will use in your report.

Data Source definition:

```

SELECT
  E.EMPNO    AS EMPLOYEE_ID,
  E.ENAME    AS EMPLOYEE_NAME,
  E.JOB      AS JOB,
  E.SAL      AS SALARY,
  E.HIREDATE AS HIRE_DATE
FROM EMP
WHERE E.DEPTNO = :P_DEPARTMENT_ID
ORDER BY E.EMPNO;

```

Query Builder... Import Query... Connect...

Cancel Help < Back Next > Finish

Reports Builder

File Edit View Insert Format Layout Program Tools Window Help

Object Explorer: MODULE4: Report Editor - Web Source

```

<%@ taglib uri="/WEB-INF/lib/reports.tld.jar" prefix="rw" %>
<%@ page language="java" import="java.io.*" errorPage="/rerror.jsp" session="false" %>
<!--
<rw:report id="report">
<rw:objects id="objects">
</rw:objects>
-->

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">

<HTML>

<HEAD>
<TITLE> Your Title </TITLE>
<rw:style id="rwbeige176">
<link rel="StyleSheet" type="text/css" href="css/rwbeige.css">
</rw:style>

<META http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
</HEAD>

<BODY bgColor="#ffffff" link="#000000" vLink="#000000">

<TABLE border=0 cellPadding=0 cellSpacing=0 width="100%">
<TBODY>
<TR>
<TD bgColor="#ffffff" rowSpan=2 vAlign=middle width=188><IMG alt="" s



```

MODULE4: Runtime Parameter Form

Report Parameters

Enter values for the parameters

P Department Id



Concurrent Program Parameters

Program: ABDULMAJEED_EMP_BIP
 Application: Application Object Library

Conflicts Domain: Security Group:

Seq	Parameter	Description	Enabled
1	dept		☒
			☐
			☐
			☐

Validation

Value Set: NUMBER_15 Description:
 Default Type: Default Value:
☐ Required ☐ Enable Security Range:

☒ Display

Display Size: 15 Description Size: 50
 Concatenated Description Size: 25 Prompt: dept

Token: P_DEPARTMENT_ID

Request Groups

Group: ABDUL_EMP_REQUEST_GROUP
 Application: Application Object Library
 Code:
 Description:

Requests

Type	Name	Application
Program	ABDUL_EMP_SALARY_SUMMARY	Application Object Library
Program	ABDUL_EMP_SALARY_REP	Application Object Library
Program	ABDULMAJEED_EMP_BIP	Application Object Library

Description:

Concurrent Programs

Program
ABDULMAJEED_EMP_BIP
☒ Enabled

Short Name
ABDULMAJEED_EMP_BIP

Application
Application Object Library

Description

Executable

Name
ABDULMAJEED_EMP_BIP

Method
Oracle Reports

Options

Request

Type

Incrementor

MLS Function

☒ Use in SRS
☐ Run Alone
☐ Enable Trace
☐ Recalculate Default Parameters

☐ Allow Disabled Values
☒ Restart on System Failure
☒ NLS Compliant

Output

Format
XML

☒ Save (C)
☒ Print

Columns

Rows

Style
A4

☐ Style Required

Printer

Business Events

☐ Request Submitted (Y)
☐ Request Running
☐ Post Processing Ended

☐ Request On Hold
☐ Program Completed
☐ Request Completed (Z)


☐ Request Resumed
☐ Post Processing Started

Copy to...

Session Control

Incompatibilities


Parameters (G)



```
<!-- Generated by Oracle Reports version 10.1.2.3.0 -->
- <MODULE4>
  - <LIST_G_EMPLOYEE_ID>
    - <G_EMPLOYEE_ID>
      <EMPLOYEE_ID>1</EMPLOYEE_ID>
      <EMPLOYEE_NAME>ANIL</EMPLOYEE_NAME>
      <JOB>IT</JOB>
      <SALARY/>
      <HIRE_DATE/>
    </G_EMPLOYEE_ID>
    - <G_EMPLOYEE_ID>
      <EMPLOYEE_ID>11</EMPLOYEE_ID>
      <EMPLOYEE_NAME>SUNIL</EMPLOYEE_NAME>
      <JOB>SALES</JOB>
      <SALARY/>
      <HIRE_DATE/>
    </G_EMPLOYEE_ID>
    - <G_EMPLOYEE_ID>
      <EMPLOYEE_ID>12</EMPLOYEE_ID>
      <EMPLOYEE_NAME>AHED</EMPLOYEE_NAME>
      <JOB>IT</JOB>
      <SALARY/>
      <HIRE_DATE/>
    </G_EMPLOYEE_ID>
  - <G_EMPLOYEE_ID>
    <EMPLOYEE_ID>
    <EMPLOYEE_NAME>
    <JOB>
    <SALARY/>
    <HIRE_DATE/>
  </G_EMPLOYEE_ID>
- <G_EMPLOYEE_ID>
```

end G_EMPLOYEE_ID by EMPLOYEE_ID

Employee Id	Employee Name	Job	Salary	Hire Date
F_EMPLOYEE_ID	EMPLOYEE_NAME	JOB	SALARY	HIRE_DATE E



File name:

Save as type:

PDF output

Employee Id	Employee Name	Job	Salary	Hire Date
9101	SULAIMAN	ANALYST	25000	01-OCT-26
9999	KAWTHER	IT	1500	23-SEP-26

