WordPress Theme Development

- ✓ WordPress Theme Customization simply basic part
- ✓ WordPress Theme Customization full part

If you want to full height in anyone tag, you use css properties height:100vh;

WordPress Theme Customization simply basic part:-

1. Xampp Software open → Apache & MySql (start)
2. Explorer → htdocs → WordPress file → wp-content → themes
3. Create a new theme folder → index.php & style.css file create
4. Now, style.css open for create the theme details above below:

```
/*
Theme Name: Twenty Thirteen
Theme URI: http://wordpress.org/themes/twentythirteen
Author: the WordPress team
Author URI: http://wordpress.org/
Description: The 2013 theme for WordPress takes us back to the blog, featuring a full range of post
formats, each displayed beautifully in their own unique way. Design details abound, starting with a
vibrant color scheme and matching header images, beautiful typography and icons, and a flexible layout
that looks great on any device, big or small.
Version: 1.0
License: GNU General Public License v2 or later
License URI: http://www.gnu.org/licenses/gpl-2.0.html
Tags: black, brown, orange, tan, white, yellow, light, one-column, two-columns, right-sidebar, flexible-
width, custom-header, custom-menu, editor-style, featured-images, microformats, post-formats, rtl-
language-support, sticky-post, translation-ready
Text Domain: twentythirteen

This theme, like WordPress, is licensed under the GPL.
Use it to make something cool, have fun, and share what you've learned with others.
*/
```

5. Then save and load your location in a browser. You will look that your brower have no content.
6. So, you open index.php and write something. Save and refresh and look change.
7. Now, you open index.php file and write HTML5 basic code.

index.php

```
<!DOCTYPE html>
<html lang="en-US">
<head>
    <meta charset="utf-8">
    <title>My first wordpress theme</title>
</head>
<body>

</body>
</html>
```

8. Then you write some code like as below:-

```
<!DOCTYPE html>
<html <?php language_attributes(); ?>>
<head>
    <meta charset="<?php bloginfo('charset'); ?>">
    <title><?php bloginfo('name'); ?> | <?php
bloginfo('description'); ?></title>
</head>
<body <?php body_class(); ?>>

    <h1><a href="<?php echo home_url(); ?>"><?php
bloginfo('name'); ?></a></h1>
    <h3><?php bloginfo('description'); ?></h3>

</body>
</html>
```

index.php

```
<!DOCTYPE html>
<html <?php language_attributes(); ?>>
<head>
    <meta charset="<?php bloginfo('charset'); ?>">
    <title><?php bloginfo('name'); ?> | <?php bloginfo('description'
    ); ?></title>
</head>
<body <?php body_class(); ?>>

    <h1><a href="<?php echo home_url(); ?>"><?php bloginfo('name');
    ?></a></h1>
    <h3><?php bloginfo('description'); ?></h3>

</body>
</html>
```



9. Now, write a code index.php for publish you dynamic post

```
<!--Post section-->

<?php

    if(have_posts()){
        while(have_posts()){
            the_post(); ?>
            <h2><a href="<?php the_permalink(); ?>"><?php the_title(); ?></a></h2>
            <p><?php the_content(); ?></p>
        <?php }
    }else{
        echo "Sorry, there is no posts.";
    }

?>
```

Or

```
<!--Post section-->

<?php

    if(have_posts()) :
        while(have_posts()) : the_post(); ?>
            <h2><a href="<?php the_permalink(); ?>"><?php the_title(); ?></a></h2>
            <p><?php the_content(); ?></p>
        <?php endwhile;
    else :
        echo "Sorry, there is no posts.";
    endif;

?>
```



10. img src call a php code `<img src="<?php echo get_template_directory_uri(); ?>/img/up.jpg" />`

WordPress Theme Customization full part:-

1. Include your project file in a theme folder and main stylesheet link with index.php. So, write a code in index.php at head section under title tag. `<link rel="stylesheet" href="<?php bloginfo('stylesheet_url'); ?>" />`

```
index.php
1  <!DOCTYPE HTML>
2  <html <?php language_attributes(); ?>>
3  <head>
4
5      <meta charset="<?php bloginfo('charset'); ?>">
6      <meta name="viewport" content="width=device-width,
       initial-scale=1">
7      <title><?php bloginfo('name'); ?></title>
8      <link rel="stylesheet" href="<?php bloginfo('stylesheet_url');
       ?>" />
9  </head>
```

2. Create a file functions.php and delete your link tag in head section under title tag.
3. Link any stylesheet or script file

functions.php

```php
<?php

function calling_resources(){
    wp_enqueue_style('style' , get_stylesheet_uri());
}

add_action('wp_enqueue_scripts' , 'calling_resources');
```

```php
<?php
function calling_resources(){
    wp_enqueue_style('style' ,
get_stylesheet_uri());

wp_enqueue_style('comments_style' ,
get_template_directory_uri().'/css/something.css',
'', '1.0.0');
}
add_action('wp_enqueue_scripts' ,
'calling_resources');
```

index.php file:
end of head tag write a code `<?php wp_head(); ?>`
end of body tag write a code `<?php wp_footer(); ?>`

Reference link: wp_enqueue_script

wp_enqueue_style(string $handle, string $src = '', array $deps = array(), string|bool|null $ver = false, string $media = 'all')

Some example:

```php
/**
 * Proper way to enqueue scripts and styles
 */
function wpdocs_theme_name_scripts() {
    wp_enqueue_style( 'style-name', get_stylesheet_uri() );
    wp_enqueue_script( 'script-name',
get_template_directory_uri() . '/js/example.js', array(),
'1.0.0', true );
}
add_action( 'wp_enqueue_scripts', 'wpdocs_theme_name_scripts'
);
```

4. If you want to control your script version, you write a code in functions.php below:

```
<?php
function calling_resources(){
wp_enqueue_style('style' , get_stylesheet_uri(),
'', '1.0.0');
}
add_action('wp_enqueue_scripts' ,
'calling_resources');
```

5. If you want to separate your index.php file in a header.php & footer.php file, you just call two code index.php. In start position in index.php you write `<?php get_header(); ?>` and end position write `<?php get_footer(); ?>` .
6. Now, you want to custom file added in any page like as index.php, so you write a code `<?php get_template_part('mytext'); ?>` . 'mytext' is a custom file name suppose you create a file mytext.php in root folder.
7. Dynamic title in head tag and SEO usable.

```
<title><?php if (is_single() || is_page()) {
wp_title('',true); } elseif(is_front_page()) {
bloginfo('description'); } else {
bloginfo('description'); } ?> | <?php
bloginfo('name');?></title>
```

8. And your website heading, sub heading can set you. As reason you see 2 no page.
9. Dynamic menus:

header.php → menu section → write a code:

```
<?php wp_nav_menu(); ?>
```

functions.php → `register_nav_menus();`

10. Dynamic and customize menu: header.php (Primary Menu)

header.php functions.php

```php
<nav class="main-menu">
    <div class="menu">
        <?php
        $args = array(
            'theme_location' => 'primary'
        );
        wp_nav_menu($agrs);
        ?>
    </div>
</nav>
</header>
```

functions.php:

header.php functions.php

```php
<?php


function calling_resources(){
    wp_enqueue_style('style' , get_stylesheet_uri(), '', '1.0.0');
}
add_action('wp_enqueue_scripts' , 'calling_resources');


register_nav_menus(array(
    'primary' => __('Primary Menu')
));

```

Dynamic menu: footer.php (footer menu)

```php
<footer class="site-footer clearfix">
            <p>All Rights Reserved, <a href="http://itbari.com">
            IT-Bari Tutorials</a> &copy; 2016</p>
            <nav id="footer_nav">
                <?php
                $args = array(
                    'theme_location' => 'footer'
                );
                wp_nav_menu($args);
                ?>
            </nav>
        </footer>
    </div>

    <?php wp_footer(); ?>
</body>
</html>
```

functions.php:

```php
<?php


function calling_resources(){
    wp_enqueue_style('style' , get_stylesheet_uri(), '', '1.0.0');
}
add_action('wp_enqueue_scripts' , 'calling_resources');


register_nav_menus(array(
    'primary' => __('Primary Menu'),
    'footer' => __('Footer Menu'),
));

```

11. If you want to publish your dynamic post in your webpage, you can see 3no page.

12. Post meta:

```php
index.php
<?php
    if (have_posts()) :
        while(have_posts()) :
            the_post(); ?>
            <article>
                <h2><a href="<?php the_permalink();
                ?>"><?php the_title(); ?></a></h2>
<div class="post_meta">
    Posted By: <?php the_author_posts_link(); ?> | Posted On: <?php
        the_time('M d, Y'); ?> | Posted In: <?php the_category(', ');
        ?>
</div>

                <p><?php the_content(); ?></p>
            </article>
        <?php endwhile;
    else :
        echo "No post found";
    endif;
?>
```

13. Featured Image or Post thumbnails:
functions.php register featured image:

```php
index.php    functions.php
register_nav_menus(array(
    'primary' => __('Primary Menu'),
    'footer' => __('Footer Menu'),
));


add_theme_support('post-thumbnails');

```

index.php:

```php
while(have_posts()) :
    the_post(); ?>
    <article class="home_ar_wrap">
        <h2><a href="<?php the_permalink();
        ?>"><?php the_title(); ?></a></h2>

        <div class="featured_image">
            <?php the_post_thumbnail(); ?>
        </div>

        <div class="post_meta">
            Posted By: <?php
                the_author_posts_link(); ?>
            | Posted On: <?php the_time('M
                d, Y'); ?> | Posted In: <?php
                 the_category(', '); ?>
        </div>
        <p><?php the_content(); ?></p>
    </article>
<?php endwhile;
```

Set your img size in your stylesheet as your wish and link to img use permalink.

```
<a href="<?php the_permalink(); ?>"><?php
the_post_thumbnail(); ?></a>
```

functions.php :standard method:

```php
function our_theme_setup(){

    // Register Nav
    register_nav_menus(array(
        'primary' => __( 'Primary Menu' ),
        'footer' => __( 'Footer Menu' ),
    ));

    // Thumbnail Image
    add_theme_support('post-thumbnails');
}
add_action('after_setup_theme' , 'our_theme_setup');
```

14. Sidebar or Widget register.

Cut the part of sidebar to index.php and write a code in index.php `<?php get_sidebar(); ?>`

Create a new file sidebar.php and paste the code that you were cutting.
Dynamic sidebar or widget:
sidebar.php:

```
<?php dynamic_sidebar('sidebar'); ?>
```

```
sidebar.php    functions.php
1   <div class="sidebar">
2       <?php dynamic_sidebar('sidebar1'); ?>
3   </div>
4
```

functions.php

```
sidebar.php    functions.php
28  // Sidebar Register
29  function ourWidgetInit(){
30      register_sidebar(array(
31          'name' => 'Primary Sidebar',
32          'id' => 'sidebar1'
33      ));
34  }
35  add_action('widgets_init' , 'ourWidgetInit');
36
```

Or

```
//sidebar
function ourWidgetInit(){
    register_sidebar(array(
            'name' => 'Primary Sidebar',
            'id' => 'sidebar1',
            'before_widget' => '<aside
id="main_sidebar">',
            'after_widget' => '</aside>',
            'before_title' => '<h2>',
            'after_title' => '</h2>',
        ));
}

add_action('widgets_init', 'ourWidgetInit');
```

```php
// Sidebar Register
function ourWidgetInit(){
    register_sidebar(array(
        'name' => 'Primary Sidebar',
        'id' => 'sidebar1',
        'before_widget' => '<div class="sidebar_single_area clear">',
        'after_widget' => '</div>',
        'before_title' => '<h2 class="wid_heading">',
        'after_title' => '</h2>',
    ));
}
add_action('widgets_init', 'ourWidgetInit');
```

If you create multiple widget, Follow again upper picture. Just separate your widget part in a another page like as multiple_widget.php and this page call index.php widget location as your wish use a code `<?php get_template_part('multiple_widget'); ?>`

15. If you control your post in a custom page, you create a file `single.php` and include elements like index.php elements.
16. If you control your page, create a file `page.php` and copy index.php and paste in page.php.
17. If you want to create individual page, you can create this page two way. Use page slug and page id number. Page slug:
    http://localhost/wordpress/sample-page/
    If your page name sample page, your page slug is sample-page.
    When you edit sample page, you look URL:
    http://localhost/wordpress/wp-admin/post.php?post=2&action=edit
    post=2 and your sample page's id number = 2.
    And you can create a page like page-2.php, when you should use page id. But if you can create page use slug, create a page page-sample-page.php

18. If you want to create custom page template, just page.php copy and paste and rename this page like fullwidth-template.php

And you follow under the picture write the code like picture.

fullwidth-template.php

```
<?php

/*

    Template Name: Full Widthe Template

*/

?>


<?php get_header(); ?>

        <div class="content_wrapper">
            <div class="left_content">
                <?php
```

Now, You go edit page and select page attributes and select a template name.

19. Excerpt:

functions.php:

Code:

```
// Excerpt Function
function excerpt($num) {
    $limit = $num+1;
    $excerpt = explode(' ', get_the_excerpt(),
$limit);
    array_pop($excerpt);
    $excerpt = implode(" ",$excerpt)." <a href='"
.get_permalink($post->ID) ." '
class='readmore'>Continue Reading &raquo;</a>";
    echo $excerpt;
}
```

```php
// Excerpt Function
function excerpt($num) {
    $limit = $num+1;
    $excerpt = explode(' ', get_the_excerpt(), $limit);
    array_pop($excerpt);
    $excerpt = implode(" ",$excerpt)." <a href='" .get_permalink($
        post->ID) ." ' class='readmore'>Continue Reading &raquo;</a>"
        ;
    echo $excerpt;
}
```

index.php

```php
d, Y'); ?> | Posted In: <?php
the_category(', '); ?>
</div>
<p><?php echo excerpt('30'); ?></p>
</article>

<?php endwhile;
else:
echo 'No Posts Found';
endif;
```

Excerpt('write a value');

20. Archive page: copy a page and rename the page "archive.php". Write some code for show a archive name.

```php
if(have_posts()) : ?>

<h2><?php
if (is_category()) {
echo "Category: ";
echo single_cat_title();
}elseif (is_author()) {
echo "This is Author archive";
}
?></h2>

<?php while(have_posts()) : the_post(); ?>
```

```
if (is_category()) {
    echo "Category: ";
    echo single_cat_title();
}elseif (is_author()) {
    echo "This is Author archive";
}
```

Or

```
<?php $post = $posts[0]; // Hack. Set $post so that
the_date() works. ?>

<?php /* If this is a category archive */ if
(is_category()) { ?>

<?php _e('Archive For'); ?> '<?php echo
single_cat_title(); ?>' <?php _e('Category'); ?>

<?php /* If this is a tag archive */  } elseif(
is_tag() ) { ?>

<?php _e('Archive For'); ?> <?php single_tag_title();
?> <?php _e('Tag'); ?>

<?php /* If this is a daily archive */ } elseif
(is_day()) { ?>

<?php _e(' Archive For '); ?> <?php the_time('F jS,
Y'); ?>

<?php /* If this is a monthly archive */ } elseif
(is_month()) { ?>

<?php _e('Archive For'); ?> <?php the_time('F, Y'); ?>

<?php /* If this is a yearly archive */ } elseif
(is_year()) { ?>

<?php _e('Archive For'); ?> <?php the_time('Y'); ?>
```

```
<?php /* If this is a search */ } elseif (is_search()) { ?>

<?php _e('Search Results'); ?>

<?php /* If this is an author archive */ } elseif (is_author()) { ?>

<?php _e('Author Archive For'); ?> '<?php echo get_the_author(); ?>'
<?php /* If this is a paged archive */ } elseif (isset($_GET['paged']) && !empty($_GET['paged'])) { ?>

<?php _e('Blog Archives'); ?>

    <?php } ?>
```

20. Comments:

```
<?php comments_popup_link( $zero, $one, $more , $css_class, $none ); ?>

<?php comments_popup_link( 'No Comment', '1 Comment', '% Comments', 'my_comment_class', 'Comment Off' ); ?>
```

```
index.php
17          <div class="post_meta">
18              Posted By: <?php the_author_posts_link() ; ?> | Posted On: <?php the_time('M d, Y'); ?> | Posted In: <?php the_category(', '); ?> | <?php comments_popup_link("No Comment", "1 Comment", "% Comments", "my_comment_class", "Comment Off"); ?>
19          </div>
```

If you want to style comments template, you download a css file from internet and link this stylesheet on functions.php

21. pagination:

```
<?php next_posts_link("Older Posts &raquo;"); ?>
<?php previous_posts_link("&laquo; Newer Posts"); ?>
```

custom pagination:
include some code in functions.php for custom pagination.
functions.php code:

```
/* Custom Pagination */
function pagination($pages = '', $range = 4){
    $showitems = ($range * 2)+1;
    global $paged;
    if(empty($paged)) $paged = 1;
    if($pages == ''){
        global $wp_query;
        $pages = $wp_query->max_num_pages;
        if(!$pages){$pages = 1;}
    }
    if(1 != $pages){
        echo "<div class=\"pagination\"><span>Page No-
".$paged." of ".$pages."</span>";

        if($paged > 2 && $paged > $range+1 &&
$showitems < $pages)
            echo "<a
href='".get_pagenum_link(1)."'>&laquo; First</a>";

        if($paged > 1 && $showitems < $pages) echo "<a
href='".get_pagenum_link($paged - 1)."'>&lsaquo;
Previous</a>";

        for ($i=1; $i <= $pages; $i++){
            if (1 != $pages &&( !($i >= $paged+$range+1
|| $i <= $paged-$range-1) || $pages <= $showitems )){
                echo ($paged == $i)? "<span
class=\"current\">".$i."</span>":"<a
href='".get_pagenum_link($i)."'
class=\"inactive\">".$i."</a>";
                }
        }
        if ($paged < $pages && $showitems < $pages)
```

```
            echo "<a href=\"".get_pagenum_link($paged +
1)."\">Next Page &rsaquo;</a>";           if ($paged <
$pages-1 &&  $paged+$range-1 < $pages && $showitems <
$pages) echo "<a
href='".get_pagenum_link($pages)."'>Last Page
&raquo;</a>";
        echo "</div>\n";
    }}
```

include some code in index.php for custom pagination.

index.php code:

```
<?php if (function_exists("pagination")) {
pagination($additional_loop->max_num_pages);} ?>
```

include some style in style.css for custom pagination style.

style.css code:

```
.pagination {
    clear: both;
    padding: 5px 0;
    position: relative;
    font-size: 96%;
    line-height: 13px;
    margin: 0.5em 0;
    overflow: hidden;
}
.pagination span{padding:0 13px;}
.pagination span, .pagination a {
    display:block;
    float:left;
    margin: 2px 2px 2px 0;
    padding:11px;
    text-decoration:none;
    width:auto;
    color:#fff;
    background: #555;
}

.pagination a:hover{
    color:#fff;
    background: #6B710E;
}
```

```
.pagination .current{
    padding:11px;
    background: #6B710E;
    color:#fff;
}
```

22. custom searh form:

```
<?php get_search_form(); ?>
```

```
searchform.php   style.css   functions.php   header.php   index.php
<form role="search" method="get" id="searchform" class="searchform"
action="http://localhost/blog/">
    <div>
        <label class="screen-reader-text" for="s">Search Here:</
        label>
        <input type="text" value="" name="s" id="s" placeholder="
        <?php the_search_query(); ?>">
        <input type="submit" id="searchsubmit" value="Search">
    </div>
</form>
```

23. If you want to custom search page, you copy and paste index.php file in a search.php file.

```
search.php   searchform.php   index.php
        <div class="left_content">
            <?php

            if(have_posts()) : ?>
                <h2>Search Resutls For "<?php the_search_query()
                ; ?>"</h2>
                <?php while(have_posts()) : the_post(); ?>

                <article class="home_ar_wrap">
                    <h2><a href="<?php the_permalink(); ?>">
                    <?php the_title(); ?></a></h2>
```

```
<h2>Search Resutls For "<?php the_search_query();
?>"</h2>
```

24. If you want to separate all same code in a file just like content.php, you copy and paste this code and follow the 6 no part in this document.

content.php index.php archive.php search.php

```php
<article class="home_ar_wrap">
                    <h2><a href="<?php the_permalink(); ?>">
                    <?php the_title(); ?></a></h2>

                    <div class="featured_image">
                        <a href="<?php the_permalink(); ?>">
                        <?php the_post_thumbnail(); ?></a>
                    </div>

                    <div class="post_meta">
                        Posted By: <?php the_author_posts_link()
                            ; ?> | Posted On: <?php the_time('M
                            d, Y'); ?> | Posted In: <?php
                            the_category(', '); ?> | <?php
                            comments_popup_link("No Comment", "
                            1 Comment", "% Comments", "
                            my_comment_class", "Comment Off");
                        ?>
                    </div>
                    <p><?php echo excerpt('50'); ?></p>
                </article>
```

content.php index.php archive.php search.php

```php
<?php get_header(); ?>

        <div class="content_wrapper">
            <div class="left_content">
                <?php

                if(have_posts()) :
                    while(have_posts()) : the_post(); ?>

                    <?php get_template_part('content'); ?>

                <?php   endwhile;
                else:
                echo 'No Posts Found';
                endif;

```

archive.php | search.php | content.php | index.php

```php
                <?php _e('Blog Archives'); ?>


    <?php } ?>
                    </h2>

                <?php   while(have_posts()) : the_post(); ?>

                    <?php get_template_part('content'); ?>

                <?php   endwhile;
                else:
                echo 'No Posts Found';
                endif;

                ?>

                <?php next_posts_link("Older Posts &raquo;"); ?>
                <?php previous_posts_link("&laquo; Newer Posts"); ?>
            </div>
<?php get_sidebar(); ?>

            <br class="clear" />
```

archive.php | search.php | content.php | index.php

```php
<?php get_header(); ?>

        <div class="content_wrapper">
            <div class="left_content">
                <?php

                if(have_posts()) : ?>
                    <h2>Search Resutls For "<?php the_search_query()
                        ; ?>"</h2>
                    <?php while(have_posts()) : the_post(); ?>

                    <?php get_template_part('content'); ?>

                <?php   endwhile;
                else:
                echo 'No Posts Found';
                endif;

                ?>

                <?php next_posts_link("Older Posts &raquo;"); ?>
                <?php previous_posts_link("&laquo; Newer Posts"); ?>
```

25. If you want to active menu in your navbar, you use devtools in your browser and use a class in stylesheet and you also see youtube video. Just like bellow.

26. 404 page: You create a 404.php file in root folder.
27. Theme Screenshot: take a screenshot you wordpress site and save the image with screenshot.png or screenshot.jpg any format in your root folder and resize it by 1200px × 900px and go to theme.

28. slider:
include some code in funcstion.php for custom slider.

```
    register_post_type('customslider', array(
        'labels' => array(
            'name' => 'Slider',
            'add_new_item' => 'Add new slider'
        ),
        'public' => true,
        'supports' => array(
            'title', 'thumbnail'
        )
    ));
```

```php
function our_theme_setup(){
    register_nav_menus(array(
        'mainmenu' => __( 'Primary Menu' ),
    ));

    add_theme_support('post-thumbnails');

    register_post_type('customslider', array(
        'labels' => array(
            'name' => 'Slider',
            'add_new_item' => 'Add new slider'
        ),
        'public' => true,
        'supports' => array(
            'title', 'thumbnail'
        )
    ));
}
add_action('after_setup_theme' , 'our_theme_setup');
```

and include another code in slider.php:

```php
<?php
    $custom_slider = new WP_Query(
        array(
            'post_type' => 'customslider',
        )
    );
    while ($custom_slider->have_posts()) :
$custom_slider->the_post();?>
    <?php the_post_thumbnail(); ?>
    <?php endwhile;
?>
```

```
slider.php    functions.php    style.css
4                <div id="slider_wrapper">
5
6                    <div class="slider-wrapper theme-dark">
7                        <div id="slider" class="nivoSlider">
8                            <?php
9
10                               $custom_slider = new WP_Query(
11                                   array(
12                                       'post_type' => 'customslider',
13                                   )
14                               );
15                               while ($custom_slider->have_posts()) : $custom_slider->the_post();?>
16                                   <?php the_post_thumbnail(); ?>
17                               <?php endwhile;
18                           ?>
19
20                       </div>
21                   </div>
22               </div>
```

and go to dashboard and look at left site include a new option ‘slider’. Add some slider and visit your website.