



Raw Material · Canonical Shape Directory

Reference · v1.0

Every dimension · every value · every combination — with real examples drawn from the live editor.

SECTION 1

Source-of-truth catalog

This is the source-of-truth catalog of every canonical code shape used by the RM entity ring. Read top-down to understand any code; reference any segment when in doubt. Live RMs are listed in [Section 9](#); the editor at </ops/rm-sourcing-editor/> is where mutations happen.

TOTAL RMS

55

live in editor

BY BRAND

NCH 41 · HN 14

cross-brand vs outlet-specific

BY TYPE

AM 23 · DM 11 · DS 11 · AS 10

approx/definitive x multi/single

BY USAGE

P 32 · R 20 · Pr 2 · O 1

production / retail / operational

BY SOURCING

B 30 · Lb 14 · Bl 4 · L 3 · Li 3 · Lbi 1

loose / branded / in-house

[↗ Foundation Sheet](#) [↗ RM Editor](#) [↗ COA Doctrine](#) [↓ Live Census](#)

SECTION 2

Code Anatomy — 5 segments, left to right

{BRAND} - {TYPE} - {USAGE} -
{SOURCING} - {ITEM}

BRAND

POSITION 1 · 2-3 CHARS

Which outlet this RM belongs to, or whether it crosses brands under the HN parent.

3 values · NCH · HE · HN

TYPE

POSITION 2 · 2 CHARS

Approximation × Use-scope. How the item is measured, and how many products consume it.

4 values · AM · AS · DM · DS

USAGE

POSITION 3 · 1-3 CHARS

Where this RM gets consumed — production recipes, retail resale, or operational fuel.

15 valid profiles · primary uppercase

SOURCING

POSITION 4 · 1-3 CHARS

How the RM enters the outlet — loose vendor, branded SKU, or in-house production.

15 valid profiles · primary uppercase

ITEM

POSITION 5 · EXACTLY 3 CHARS

3-letter abbreviation derived from the RM name. Owner-overridable. Unique within (BRAND, TYPE).

e.g. SUG · MLK · LPG · OSB

Reading order: Brand owns the outlet. Type owns the math. Usage owns the consumption flow. Sourcing owns the supply flow. Item owns identity. Every code is a coordinate, never a description.

SECTION 3

BRAND prefix directory Position 1

Which entity owns this raw material — an operating outlet, or the HN parent declaring cross-brand ownership.

CODE	MEANING	REAL EXAMPLE
NCH	Nawabi Chai House — outlet-specific RM, only consumed at NCH.	NCH-AM-P-Lb-MLK Buffalo Milk
HE	Hamza Express — outlet-specific RM, only consumed at HE.	(none in editor yet — reserved for HE rollout)
HN	Cross-brand — used at both NCH AND HE under the HN parent umbrella.	HN-AM-P-Lb-SUG Sugar

Important: HN itself has no consumption — it's the parent declaring "this RM is shared across the operating brands beneath it." A purchase booked under HN-... is allocated to NCH and HE at the action layer.

SECTION 4

TYPE directory Position 2 · 2 chars

A 2-character code: `{Approximation}{Use-scope}` . Tells the system how the item is measured AND how many products consume it.

1st char — Approximation

LETTER	MEANING	USE WHEN
A	— portioned by weight/volume, not 1=1.	Items measured in g, kg, ml, L (sugar, milk, oil, tea powder).
D	— counted exactly, 1 unit = 1 unit.	Items in discrete pieces, packets, cylinders (biscuit pack, LPG cylinder, coffee pouch).

2nd char — Use scope

LETTER	MEANING	USE WHEN
M	— consumed by 2+ POS products.	Most ingredients (sugar, milk, butter, biscuit consumed across many recipes).
S	— consumed by exactly 1 POS product.	Specific patties, single-recipe items (chicken cutlet raw → chicken cutlet only).

Combined permutations (4 total)

CODE	READING	REAL RMS
AM	Approximate Multi-use	NCH-AM-P-Lb-MLK Buffalo Milk · HN-AM-P-Lb-SUG Sugar · NCH-AM-Pr-BL-TEA Tea Powder
AS	Approximate Single-use	NCH-AS-P-Li-CCT Chicken Cutlet Raw · NCH-AS-P-Li-SMS Samosa Raw
DM	Definitive Multi-use	NCH-DM-Pr-BL-OSB Osmania Biscuit · NCH-DM-R-B-FRB Niloufer Fruit Biscuit
DS	Definitive Single-use	NCH-DS-R-B-CHK Cherry Khopra · NCH-DS-P-B-CPP Coffee Pouch · NCH-DS-R-B-AST Almond Sticks

USAGE directory **Position 3 · 1-3 chars**

Letters

Case convention: UPPERCASE = currently primary, lowercase = alternate possible, absent = forbidden. Exactly one uppercase letter, in position 1.

PROFILE	READS AS	REAL EXAMPLE
P	Production only — no retail or operational alt	NCH-AM-P-Lb-MLK Buffalo Milk
R	Retail only — no production or operational alt	NCH-DM-R-B-FRB Niloufer Fruit Biscuit
O	Operational only — no production or retail alt	HN-AM-O-B-LPG LPG

PROFILE	READS AS	EXAMPLE
Pr	Production primary, retail alternate	NCH-DM-Pr-BL-0SB Osmania Biscuit • NCH-AM-Pr-BL-TEA Tea Powder
Po	Production primary, operational alternate	
Rp	Retail primary, production alternate	
Ro	Retail primary, operational alternate	

PROFILE	READS AS	EXAMPLE
Op	Operational primary, production alternate	
Or	Operational primary, retail alternate	

Three-letter profiles (6) — primary uppercase + 2 alternates lowercase

PROFILE	READS AS	EXAMPLE
Pro	Production primary; retail + operational alts	
Por	Production primary; operational + retail alts	
Rpo	Retail primary; production + operational alts	
Rop	Retail primary; operational + production alts	
Opr	Operational primary; production + retail alts	
Orp	Operational primary; retail + production alts	

No real examples today — reserved for future flexibility when an RM sees all three flows simultaneously.

Forbidden USAGE shapes

- Empty — at least one of P/R/O required
- Multiple uppercase — PR , RP , PRO rejected (use Pr etc.)
- Duplicate letters — Pp , Rr , Oo rejected
- Lowercase-first — pR , oP rejected

SECTION 6

SOURCING directory Position 4 · 1-3 chars

How the RM enters the outlet. Letters: **L** Loose · **B** Branded · **I** In-house.

Letters

LETTER	MEANING	USE WHEN
L	— vendor-direct purchase, no defined SKU.	Buffalo milk from Prabhu, loose tea, loose sugar, charcoal, ginger.
B	— defined SKU, brand × pack-size.	Amul 500g butter, Niloufer 100g biscuit, Milkmaid tin, Coffee Pouch.
I	— produced internally from upstream RMs.	Bun if baked in-house. <i>Always alternate, never primary alone.</i>

Case convention: Same as USAGE — UPPERCASE = primary, lowercase = alternate, absent = forbidden.

I

Valid combinations

PROFILE	READS AS	REAL EXAMPLE
L	Loose only	HN-AM-P-L-CHL Charcoal · HN-AM-P-L-GIN Ginger
B	Branded only	HN-AM-0-B-LPG LPG · NCH-AM-P-B-MMD Milkmaid
Lb	Loose primary, branded alternate	HN-AM-P-Lb-SUG Sugar · NCH-AM-P-Lb-MLK Buffalo Milk
BL	Branded primary, loose alternate	HN-AM-P-BL-BTR Butter · NCH-AM-Pr-BL-TEA Tea Powder
Li	Loose primary, in-house alternate	NCH-AS-P-Li-CCT Chicken Cutlet Raw · NCH-AS-P-Li-SMS Samosa Raw
Lbi	Loose primary, branded + in-house alts	NCH-AS-P-Lbi-BUN Bun
Bi	Branded primary, in-house alternate	
Bli	Branded primary, loose + in-house alts	
Ib	In-house primary, branded alternate	

PROFILE	READS AS	REAL EXAMPLE
Iℓ	In-house primary, loose alternate	
Iℓb	In-house primary, loose + branded alts	

Forbidden SOURCING shapes

- I alone** — that's a state of production, not an RM
- Empty** — at least one of L/B/I required
- Duplicate letters** — ℓℓ , Bb , Ii rejected
- Lowercase-first** — ℓB , bL rejected

SECTION 7

ITEM abbreviation directory Position 5 · exactly 3 chars

A 3-letter, all-uppercase abbreviation that gives the RM its identity within the (BRAND, TYPE) tuple.

Length

Exactly 3 characters, uppercase A-Z. Always 3 — never 2, never 4.

Source

Auto-derived from RM name (first 3 unique consonants, vowels as fallback). Owner override allowed in editor.

Uniqueness

Must be unique within (BRAND, TYPE) tuple. Two NCH-AM RMs cannot both be **MLK** ; one across NCH-AM and HN-AM is allowed.

Case

Always uppercase. The editor normalises lowercase to uppercase on save.

Sample derivations

RM NAME	AUTO-DERIVED ITEM	NOTES
Sugar	SUG	S-U-G (3 unique chars)
Milkmaid	MMD	M-M-D (consonants of "Milkmaid")
Almonds	LMN or ALM	Owner override possible — both used in real data
Coffee Pouch	CPP	C-P-P (Coffee Pouch Pack)
Cherry Khopra	CHK	C-H-K (consonants)
Buffalo Milk	MLK	M-L-K (Milk dominates the name)
Skimmed Milk Powder	SMP	S-M-P (initials of each word)
Chicken Cutlet Raw	CCT	C-C-T (Chicken-Cutlet)

SECTION 8

Forbidden Combinations · Master Reference

Every anomaly the system rejects, in one place. The math literally cannot represent these.

FORBIDDEN	WHY CAUGHT	RESULT
I alone	State of production, not an RM. I can only be an alternate.	
SOURCING empty	At least one of L/B/I required.	
USAGE empty	At least one of P/R/O required.	
USAGE multi-uppercase (PR)	Only one primary allowed.	Pr
SOURCING multi-uppercase (LB)	Only one primary allowed.	Lb
Duplicate letters (Pp, Bb)	Each letter at most once.	
Lowercase-first (pR)	Position 1 must be uppercase (the primary).	
TYPE not 2 chars	Must be exactly A/D + M/S.	
ITEM not 3 chars	Always 3 chars.	
Code collision	Two RMs cannot share rm_code in the same tuple.	
L + V3 (action layer)	Quick-commerce only sells defined SKUs — Loose can't ride V3.	
B without BRAND-SKU (action layer)	Branded purchases must carry SKU.	

SECTION 9**Live RM Census — All RMs Today**

Fetches live from `/api/rm-sourcing` . Click any code to open the editor and search for it.

Could not load live census from `/api/rm-sourcing` — Failed to fetch. Falling back to static stats above.

SECTION 10

Worked Examples — Reading codes left to right

Six real codes, walked through one segment at a time.

1 · HN-AM-P-Lb-SUG Sugar

HN-AM-P-Lb-SUG | | | | L Sugar (item identity) | | | L Loose primary, branded alternate (loose sugar dominant; Madhur 1kg also stocked) | | L Production only (consumed by recipes; not sold as retail) | L Approximate Multi-use (weighed in kg; used by tea, snacks, biscuits) L HN – cross-brand, used at both NCH AND HE

Reads as: "An HN-shared Sugar RM, approximate-multi-use, production-only, primarily sourced loose with a branded alternate available."

2 · NCH-AM-Pr-BL-TEA Tea Powder

NCH-AM-Pr-BL-TEA | | | | L Tea Powder (item identity) | | | L Branded primary, loose alternate (Wagh Bakri / Society as primary; loose tea fallback) | | L Production primary, retail alternate (mostly brewed; occasionally sold as packs) | L Approximate Multi-use (weighed; used across all chai variants) L NCH – Nawabi Chai House outlet only

Reads as: "An NCH Tea Powder RM, approximate-multi-use, primarily a production input but with a retail-resale path, primarily branded with loose as fallback. The single most consumed AM-RM at NCH."

3 · HN-AM-O-B-LPG LPG

HN-AM-O-B-LPG | | | | L LPG (item identity – cooking gas) | | | L Branded only (Indane / HP cylinder, no loose sourcing path) | | L Operational only (fuels the kitchen – not in any recipe, not sold) | L Approximate Multi-use (consumed by every burner, measured by cylinder weight) L HN – cross-brand, both outlets cook on LPG

Reads as: "A cross-brand LPG RM, approximate-multi-use, operational consumable (no recipe, no resale), branded-only sourcing — the canonical example of the USAGE=O profile."

4 · NCH-DM-R-B-FRB Fruit Biscuit (Niloufer)

NCH-DM-R-B-FRB | | | | L Fruit Biscuit (item identity – Niloufer brand) | | | L Branded only (Niloufer SKU pack – no loose path, no in-house

production) | | _____ Retail only (sold as-is to customers; not used in any NCH recipe) | _____ Definitive Multi-use (counted in packs; multiple SKU sizes 100g/250g/500g/1kg) _____ NCH – sold only at NCH counter

Reads as: "An NCH Fruit Biscuit RM, definitive-multi-use, retail only, branded only — a pure resale SKU. Multiple pack-sizes give it the M (multi-use) attribute via SKU multiplicity, not recipe multiplicity."

5 · NCH-AS-P-Li-CCT Chicken Cutlet Raw

NCH-AS-P-Li-CCT | | | | _____ **Chicken Cutlet Raw** (item identity) | | | _____ Loose primary, in-house alternate (vendor-supplied raw cutlet primary; in-house batch fallback) | | _____ Production only (only goes into Chicken Cutlet POS item) | _____ Approximate Single-use (weighed; consumed by exactly 1 POS product) _____ NCH – NCH outlet only

Reads as: "An NCH Chicken Cutlet Raw RM, approximate-single-use, production-only, primarily loose-sourced with an in-house production fallback. The textbook example of an Li sourcing profile."

6 · NCH-DS-P-B-CPP Coffee Pouch

NCH-DS-P-B-CPP | | | | _____ **Coffee Pouch** (item identity – single-serve sachet) | | | _____ Branded only (Bru / Nescafe pouch SKU) | | _____ Production only (goes into Nawabi Coffee preparation) | _____ Definitive Single-use (counted in pouches; consumed by exactly 1 POS product) _____ NCH – NCH outlet only

Reads as: "An NCH Coffee Pouch RM, definitive-single-use, production only, branded only — 1 pouch = 1 cup of Nawabi Coffee, no other use."

SECTION 11

Connection to other layers

Action layer

Purchases, productions, transfers — built on top of these RM codes, adding V-shape (payment behaviour) and supplier dimensions.

Event layer

Reads RM codes + Actions to compose business events (sales, COGS, expenses) deterministically.

Doctrine

All three rings — Entity (this page), Action, Event — are formalised at </ops/visual/coa-doctrine/>.

The RM canonical code is the foundation. Every Action references one RM. Every Event aggregates Actions. Get the shape right here, and the rest of the system is dumb-proof.

[Editor](#) [COA Doctrine](#)