FOOTING DESIGN SUMMARY

Project Name	:	G+2 RB FOOTING DESIGN
Client Name	:	Unassigned
Engineer Name	:	Unassigned
Design File	:	E:\MY PROJECT 4-1\STAAD\RCDC FILES\G+2 Project Plan-Footing-1.rcdx
Analysis File	:	E:\MY PROJECT 4-1\STAAD\G+2 Project Plan.std
Analysis Last Modified	:	06-10-2026 03:00:45

Design Code : IS 456 : 2000 + IS 13920 : 2016

Footing No: **FC1**
Column No: C1 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1450x1250x350	6-T12 @ 300	6-T12 @ 290	-	-	-	-	-

Footing No: **FC2**
Column No: C2 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1500x1300x350	6-T12 @ 300	6-T12 @ 300	-	-	-	-	-

Footing No: **FC3**
Column No: C3 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1700x1500x425	7-T12 @ 250	8-T12 @ 245	-	-	-	-	-

Footing No: **FC4**
Column No: C4 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1600x1400x375	6-T12 @ 280	7-T12 @ 270	-	-	-	-	-

Footing No: **FC5**
Column No: C5 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1600x1400x375	6-T12 @ 280	7-T12 @ 270	-	-	-	-	-

Footing No: **FC6**
Column No: C6 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1900x1700x450	9-T12 @ 215	10-T12 @ 215	-	-	-	-	-

Footing No: **FC7**
Column No: C7 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1550x1350x375	6-T12 @ 270	7-T12 @ 260	-	-	-	-	-

Footing No: **FC8**
Column No: C8 (230 mm X 530 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1700x1400x375	6-T12 @ 280	7-T12 @ 285	-	-	-	-	-

Footing No: **FC9**
Column No: C9 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1800x1600x425	8-T12 @ 230	9-T12 @ 225	-	-	-	-	-

Footing No: **FC10**
Column No: C10 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1700x1500x425	7-T12 @ 250	8-T12 @ 245	-	-	-	-	-

Footing No: **FC11**
Column No: C11 (230 mm X 530 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1950x1650x425	8-T12 @ 240	9-T12 @ 245	-	-	-	-	-

Footing No: **FC12**
Column No: C12 (230 mm X 450 mm)
Footing Type: Pad
Concrete Grade: M25
Steel Grade: Fe550

Size (LxBxD)	Bot @ L	Bot @ B	Top @ L	Top @ B	Shear @ L	Shear @ B	SFR
1900x1700x450	9-T12 @ 215	10-T12 @ 215	-	-	-	-	-