```cpp
double Point::Distance(int a, int b)
{
	return sqrt((x-a)* (x - a) +(y-b)* (y - b));
}
```

```cpp
#include <iostream>
#include "Point.h"
using namespace std;

void main()
{
	Point p1,p2;
	p1.setX(10);
	p1.setY(20);

	p2.setX(15);
	p2.setY(25);

	cout << "The Distance is: "
		<< p1.Distance(p2.getX(), p2.getY())
		<< endl;
}
```

صف يمثل التاريخ فيه الشهر اليوم السنة

```cpp
#pragma once
class cDate
{
	int d, m, y;
public:
	cDate() {};
	cDate(int, int, int);
int getY() { return y; }
	void print();
};
```

```cpp
#include "cDate.h"
#include <iostream>
using namespace std;
cDate::cDate(int d, int m, int y)
{
	this->d = d;
	this->m = m;
	this->y = y;
}
void cDate::print()
{
	cout << d << "/" << m << "/" << "/"<<y << endl;
}
```

صف يمثل الموظف له الرقم الراتب تاريخ التعين تاريخ الميلاد؟

```
#pragma once
#include "cDate.h"
class Employee
{
	int ID;
	float Salary;
	cDate Birth;
	cDate Hire;
public:
	Employee(int,float,cDate,cDate);
	int countOfSservices();
	int EmpAge();
	void print();
};
```

```
#include "Employee.h"
#include <iostream>
using namespace std;

Employee::Employee(int id, float salary, cDate birth, cDate hire)
{
	ID = id;
	Salary = salary;
	Birth = birth;
	Hire = hire;
}
int Employee::countOfSservices()
{
	return 2024 - Hire.getY();
}
int Employee::EmpAge()
{
	return 2024 - Birth.getY();
}
void Employee::print()
{
	cout << "ID= " << ID << endl;
	cout << "Salary= " << Salary << endl;
	cout << "BirthDate= "; Birth.print();
	cout << "HireDate= "; Hire.print();
}
```

```
#include <iostream>
#include "Employee.h"
using namespace std;
void main()
{
```

```
    cDate b_abd(1, 1, 2000);
    cDate h_abd(1, 1, 2010);
    Employee em(101, 5000, b_abd, h_abd);
    em.print();

    cout << "count of years: " << em.countOfSservices() << endl;
    cout << "Age: " << em.EmpAge() << endl;
}
```