

```

#pragma once
#include<iostream>
using namespace std;
class Test
{
    //overload
public:
    void show() { cout << "Null" << endl; }
    void show(int x) { cout << "int x" << endl; }
    void show(int x,int y) { cout << "x - y" << endl; }
    void show(double x) { cout << "double" << endl; }
    void show(double x,double y) { cout << "double x y" << endl; }
};

```

```

#include<iostream>
#include "Test.h"
using namespace std;

void main()
{
    Test tt;
    tt.show();           //Null
    tt.show(3);          //int x
    tt.show(4,5);        //x -y
    tt.show(2.2);        //double
    tt.show(1.1,5.5);    //double x - y
}

```

```

#include<iostream>
#include "Test.h"
using namespace std;
class A
{
public:
    A() { cout << "Constructor A:" << endl; }
};
class B:public A
{
public:
    B() { cout << "Constructor B:" << endl; }
};
class C :public B
{
public:
    C() { cout << "Constructor C:" << endl; }
};
void main()
{
    C obj;
    cout << endl;
    C obj2;
}

#pragma once
class Point

```

```

{
protected:
    int x, y;
public:
    Point() {}
    Point(int, int);
    void Print();
};

```

```

#include "Point.h"
#include <iostream>
using namespace std;

```

```

Point::Point(int a, int b)
{
    x = a; y = b;
}

```

```

void Point::Print()
{
    cout <<"[ "<<x<<" ; "<<y<<" ]"<< endl;
}
#pragma once
#include "Point.h"

```

```

class Circle:public Point
{
protected: double r;
public:
    Circle();
    Circle(int ,int ,double );
    void Print();
};

```

```

#include "Circle.h"
#include <iostream>
using namespace std;

```

```

Circle::Circle()
{
    r = 0;
}

```

```

Circle::Circle(int a, int b, double c)
{
    x = a; y = b; r = c;
}

```

```

void Circle::Print()
{
    Point::Print();
    cout << "Radius is: " << r << endl;
}
#pragma once
#include "Circle.h"

```

```

class Cylinder:public Circle
{
    double h;
public:
    Cylinder(int,int,double,double);
    void Print();
};

#include "Cylinder.h"
#include <iostream>
using namespace std;

Cylinder::Cylinder(int a,int b,double c,double d) {
    x = a; y = b; r = c;
    h = d;
}
void Cylinder::Print()
{
    Circle::Print();
    cout << "Height " << h << endl;
}

```

```

#include<iostream>
using namespace std;

void main()
{
}

```