

Linear step forms: before and after

Activepieces take-home · Linear piece 0.6.1 → 0.7.0 · branch `assessment/abduļrahmanshishany`

What changed

- **The fields people need come first.** Each form opens with the object's own fields in Linear's order. Rarely used fields (Template, Icon, Color, and Create Comment's unused Author field) sit in the collapsed Advanced section. Required fields never go there.
- **Help text says what a field does**, in one short sentence under the builder's 70-character fold. Examples moved into placeholders.
- **Update forms say that empty fields keep their current value**, and Update Issue warns that Labels replaces the issue's labels.
- **New form components where they fit**: a color picker for project Color, and a Timeline card with Start Date and Target Date side by side.
- **The connection screen** explains how to create a key, links straight to Linear's settings, and gives a clear error for a mistyped key.
- **Bugs found while testing were fixed**, each in its own commit. Update Project reset a project's teams, required retyping the name, and silently ignored a status the workspace does not have. An untouched color picker, introduced on this branch, made project steps fail; it was caught before pushing.

How the screenshots were taken

Local builder, default 400 px step panel, a fresh step with only the connection and team set, Advanced collapsed unless noted. **Before** is `main` (0.6.1) and **after** is the branch (0.7.0), on the same workspace and account. Form screenshots are printed at the same scale, so their heights compare directly.

Piece version	0.6.1 → 0.7.0 (minor)
minimumSupportedRelease	0.30.0 → 0.88.2, the first release with Advanced
Files changed	10, all in <code>packages/pieces/community/linear</code>
Prop keys	none renamed or removed
Prop types	one: Color on both project actions, <code>SHORT_TEXT</code> → <code>COLOR</code>
Checks	TypeScript build passes · ESLint 0 errors · 12/12 unit tests

Commits, oldest first

1. put the fields people need first on the five action forms
2. step-by-step API key help on the connection screen
3. color picker and a Timeline card on the project forms
4. stop requiring the project name on Update Project
5. an untouched color picker no longer fails the project steps
6. stop Update Project from resetting the project's teams
7. the Team field narrows the Project picker on Update Project
8. fail clearly when the chosen project status does not exist
9. say what the project Icon field accepts
10. drop dropdown option descriptions the builder does not show
11. bump to 0.7.0
12. regenerate translation.json

Connection screen

Where the user pastes their API key. Both screenshots show the result of saving a key that is not a Linear key.

BEFORE

Connect to Linear

❏

To obtain your API key, follow these steps:

1. Go to settings by clicking your profile-pic (top-left)

2. Go to Security & Access section

3. On Personal API keys, give label and press create key.

Connection Name *

Linear key format check

API Key *

.....

Connection failed with error Invalid API Key

Cancel

Save

AFTER

Connect to Linear

❏

1. In Linear, open [Settings > Account > Security & access](#).

2. Under **Personal API keys**, create a new key and name it.

3. Choose **Full access**. Actions alone only need **Read** and **Write**.

4. Copy the key (it starts with `lin_api_`) and paste it below.

Triggers create a webhook in Linear, so they need a key from a workspace admin.

Connection Name *

Linear key format check

API Key *

.....

Connection failed with error Linear personal API keys start with lin_api_. Check that you copied the whole key.

Cancel

Save

- The steps match Linear's current settings and link straight to **Settings > Account > Security & access**, replacing "click your profile-pic (top-left)".
- They say which permissions to choose: **Full access**, or **Read** and **Write** if the user only needs actions. Triggers create a webhook, which Linear only allows for a workspace admin, so the text says that too.
- A value that does not start with `lin_api_` now gets "Linear personal API keys start with lin_api_. Check that you copied the whole key." instead of "Invalid API Key". Linear is still not called for such values, and the unit test for the message was updated.

Create Issue

Fields in the order of Linear's own new-issue form. Template moves to Advanced.

BEFORE

2. Create Issue

Linear-3apt

Connected

Abdulrahman shishani

The team for which the issue, project or comment will be created

Title *

Description

Select an option

Status of the Issue

Select an option

Labels for the Issue

Select an option

Assignee of the Issue / Comment

Select an option

Priority of the Issue

Select an option

ID of Template

AFTER

2. Create Issue

Linear-3apt

Connected

Abdulrahman shishani

The issue is created in this team.

Title *

Checkout fails on Safari

Description

Markdown is supported.

Select an option

Leave empty to use the team's default.

Select an option

Select an option

Select an option

Advanced

1 option

FIELD	CHANGE	WHY
Team	"The team for which the issue, project or comment will be created" → "The issue is created in this team."	The shared text described three actions at once.
Title	Placeholder "Checkout fails on Safari"	Shows what a title looks like.
Description	"Markdown is supported."	Linear renders it as Markdown.
Status	"Status of the Issue" → "Leave empty to use the team's default."	Says what an empty value does. Checked: an issue created without a status landed in the team's default, Backlog.
Priority, Assignee, Labels	Moved after Status; descriptions that repeated the label removed	Same order as Linear's new-issue form.
Template	Moved to Advanced; "ID of Template" → "Pre-fills the issue; fields you set above override it."	Rarely used. The wording follows Linear's API docs; the test workspace has no issue templates to try it on.

Form height, Advanced collapsed: 999 px → 893 px.

Update Issue

Same order as Create Issue, plus a line saying that empty fields are left alone.

BEFORE

3. Update Issue

v0.6.1

⌵

⏪

⏩

✕

Connection *

Linear-3apt

✓ Connected

🗑️

⏵

Team *

Abdulrahman shishani

🔄

⏵

The team for which the issue, project or comment will be created

Issue *

Select an option

🔄

⏵

ID of Linear Issue

Title

Description

Status

Select an option

🔄

⏵

Status of the Issue

Labels

Select an option

🔄

⏵

Labels for the Issue

Assignee

Select an option

🔄

⏵

Assignee of the Issue / Comment

Priority

Select an option

🔄

⏵

Priority of the Issue

AFTER

3. Update Issue

v0.7.0

⌵

⏪

⏩

✕

Connection *

Linear-3apt

✓ Connected

🗑️

⏵

Team *

Abdulrahman shishani

🔄

⏵

The team the issue belongs to.

Issue *

Select an option

🔄

⏵

Pick a recent issue, or map an issue ID from an earlier step.

🕒 Empty fields keep their current value.

Title

Description

Markdown is supported.

Status

Select an option

🔄

⏵

Priority

Select an option

🔄

⏵

Assignee

Select an option

🔄

⏵

Labels

Select an option

🔄

⏵

Replaces the issue's current labels.

FIELD	CHANGE	WHY
Team	"The team the issue belongs to."	It picks whose issues, statuses and labels are listed.
Issue	"ID of Linear Issue" → "Pick a recent issue, or map an issue ID from an earlier step."	The picker lists recent issues; an ID from a trigger can be mapped instead.
New info line	"Empty fields keep their current value."	Checked: an update that set only status and labels left title, description, priority and assignee unchanged.
Title ... Assignee	Reordered like Create Issue; Description says Markdown is supported	The two issue forms read the same way.
Labels	"Labels for the Issue" → "Replaces the issue's current labels."	Easy to assume it adds a label. Checked: setting Feature removed Bug.

No Advanced section: every field on an update form is something the user came to change.

Form height: 999 px → 1015 px (the info line adds a row).

Create Comment

Three fields. The field that never did anything moves to Advanced and says so.

BEFORE

4. Create Com...

v0.6.1

↕

<

>

×

Connection *

Linear-3apt

✓ Connected

Team *

Abdulrahman shishani

The team for which the issue, project or comment will be created

Assignee

Select an option

Assignee of the Issue / Comment

Issue *

Select an option

ID of Linear Issue

Comment Body *

The content of the comment

AFTER

4. Create Com...

v0.7.0

↕

<

>

×

Connection *

Linear-3apt

✓ Connected

Team *

Abdulrahman shishani

The team the issue belongs to.

Issue *

Select an option

Pick a recent issue, or map an issue ID from an earlier step.

Comment *

Markdown is supported.

Advanced

1 option >

FIELD	CHANGE	WHY
Team	"The team the issue belongs to."	Same wording as Update Issue.
Issue	"Pick a recent issue, or map an issue ID from an earlier step."	Same picker and wording as Update Issue.
Comment	"Comment Body" / "The content of the comment" → "Comment" / "Markdown is supported."	The old description repeated the label.
Author user_id	Was a second field labelled "Assignee"; now in Advanced as "Author": "Not used: comments post as the API key's owner."	run() never sends it. Checked: with Author set to another user, the comment was still posted as the key's owner. Kept rather than removed, because removing a prop is a breaking change.

Form height, Advanced collapsed: 629 px → 563 px.

Create Project

A Project card and a Timeline card. Icon and Color move to Advanced, and Color becomes a picker.

BEFORE

5. Create Project

Linear-3apt

Abdulrahman shishani

Project Name

Description

Icon

Color

Start Date

Target Date

Project Status

AFTER

5. Create Project

Linear-3apt

Project

Abdulrahman shishani

Name

Description

Status

Timeline

2026-10-01

2026-12-15

Advanced

2 options

FIELD	CHANGE	WHY
Team	"The team for which the issue, project or comment will be created" → "The project is created in this team."	Says what it means for this action.
Name	"Project Name" → "Name", placeholder "Website Redesign"	The card already says Project.
Description	"Short summary shown under the name, up to 255 characters."	Checked: Linear rejects 300 characters ("must be shorter than or equal to 255").
Status	"Project Status" → "Status"; "Leave empty to use the default status."	A status the workspace lacks now fails with a clear message (see Fixes).
Start, Target Date	Side by side in a Timeline card, placeholders 2026-10-01 , 2026-12-15	Dates fit a half-width field. Checked: saved exactly as typed, no day shift.
Icon	Advanced; "An emoji shortcode.", placeholder :rocket:	Checked: :rocket: is stored, a raw emoji is rejected.
Color	Advanced; text box → color picker (SHORT_TEXT → COLOR)	No need to know the hex format. Checked: #5e6ad2 saved.

Color

#FFFFFF

The color field in Advanced, with the picker open. It stores a #rrggbb value and still accepts a mapped value.

Form height, Advanced collapsed: 927 px → 895 px.

Update Project

Cards like Create Project. Name is no longer required, and Team now narrows the Project picker.

BEFORE

6. Update Project

Linear-3apt

Abdulrahman shishani

Select an option

Description

Icon

Color

Start Date

Target Date

Project Status

Select an option

AFTER

6. Update Project

Linear-3apt

Project to update

Abdulrahman shishani

Select an option

Changes

Empty fields keep their current value.

Name

Description

Status

Select an option

Timeline

Start Date

2026-10-01

Target Date

2026-12-15

Advanced2 options

FIELD	CHANGE	WHY
Team, Project	In a "Project to update" card. "ID of Linear Project" → "Pick a project, or map a project ID from an earlier step." The list shows only the chosen team's projects.	Team used to reset the project's teams (see Fixes); now it narrows the picker. Checked: a team with no projects shows "This team has no projects".
New info line	"Empty fields keep their current value."	Checked: name, description, color and dates were unchanged by a status-only update.
Name	Required → optional	Changing only the status no longer means retyping the name. Checked: an empty Name kept the project's name.
Description, Status, dates	As on Create Project	
Icon, Color	Advanced; Color: "Leave empty to keep the current color."	Checked: an untouched picker leaves the color as it was.

Form height, Advanced collapsed: 1029 px → 1123 px. The three card headers add height; this is the one form that got taller by more than a row.

Inside Advanced

Advanced starts collapsed. These are the same after-forms with it opened.

CREATE ISSUE

2. Create Issue

Linear-3apt

Abdulrahman shishani

Checkout fails on Safari

Select an option

Select an option

Select an option

Advanced

Select an option

Template

CREATE COMMENT

4. Create Com...

Linear-3apt

Abdulrahman shishani

Select an option

Advanced

Select an option

Author, the unused field, labelled as such

CREATE PROJECT

5. Create Project

Linear-3apt

Project

Abdulrahman shishani

Website Redesign

Select an option

Timeline

2026-10-01

2026-12-15

Advanced

Icon

:rocket:

Color

Icon and Color

UPDATE PROJECT

6. Update Project

Linear-3apt

Project to update

Abdulrahman shishani

Select an option

Changes

Empty fields keep their current value.

Name

Description

Status

Timeline

2026-10-01

2026-12-15

Advanced

Icon

:rocket:

Color

Icon and Color

Bugs found while testing, and fixed

Each fix is its own commit. Only the last one was introduced by this branch.

PROBLEM	BEFORE THIS BRANCH?	FIX	CHECKED AGAINST LINEAR
Update Project sent the one team picked in the form as the project's full team list. A project in two teams lost one on any update, and picking a different team moved the project.	Yes	The team list is no longer sent. Team now narrows the Project picker instead.	A project in two teams kept both after an update that set only Team. Before the fix it lost one.
The Status list offers six kinds of status, but a workspace only has the ones it created; new Linear workspaces have no Paused. A missing one was silently skipped: Create made a project without it, and Update reported success while changing nothing.	Yes	The step fails with "No "paused" project status exists in this Linear workspace. Available statuses: ..."	Paused fails with that message. In Progress still updates the project.
Update Project required the name, so changing only the status meant retyping it, and a typo renamed the project. It also contradicted the form's own "empty fields keep their value".	Yes	Name is optional. An empty Name is left out of the request.	An update with Name empty kept "Activepieces test" and changed only the status.
The builder saves an untouched color picker as an empty value, which Linear rejects ("color must be a hexadecimal color"), failing the whole project step.	No: came with this branch's color picker and was caught in testing before the push	An empty color is left out of the request.	An update with an empty color succeeds and keeps the color.

Verification

Test step runs against a real Linear workspace (a personal test workspace), each checked by reading the result back from Linear.

ACTION	INPUT	RESULT
Create Issue	Title, Markdown description, Status empty, Priority High, Assignee, label Bug	Issue ABD-13 created in Backlog (the team default), High, assignee and label set
Update Issue	Status In Progress, Labels Feature, other fields empty	Status In Progress; labels now only Feature; title, description, priority and assignee unchanged
Create Comment	Comment text, Author set to a different user	Comment posted, as the API key's owner
Create Project	Name, description, Planned, 2026-10-01 to 2026-12-15, color #5e6ad2	Project created with exactly those values
Update Project	Name empty, Status In Progress	Name kept, status changed
Update Project	Team only, on a project in two teams	Both teams kept
Update Project	Color left empty (what an untouched picker saves)	Succeeds, color unchanged
Update Project	Status Paused, which the workspace does not have	Fails with the message naming the available statuses
Update Project	300-character description · Icon :rocket: · Icon 🚀	Rejected by Linear (limit 255) · stored · rejected ("icon is not a valid icon")
Connection	A value that does not start with lin_api_	New error shown in the dialog; no connection created

Code checks

- TypeScript build passes. ESLint reports 0 errors and 3 warnings, all of which also exist on `main`. The piece's 12 unit tests pass, including the updated connection-error test.
- The step-form checker (`check-step-form.mjs`) finds nothing new that is real. Its one error and one warning are on the Updated Issue trigger and predate this branch; triggers are out of scope. Its six new warnings were checked in the builder and are false positives: `DATE_TIME` placeholders do render, and Icon and Color sit in Advanced rather than below the cards.

Left as is, and known issues

Left as is, on purpose

- **Triggers and Raw GraphQL query** are out of scope. The Team dropdown is shared with three triggers, which only pick up its new placeholder text.
- **Description and Comment stay plain text** (`LongText`), not `RichText` . The builder's Markdown mode is the same plain box, so the type change would add nothing.
- **Team stays required** on Update Issue and Create Comment, where it picks the issues, statuses and labels listed.
- **No section cards on the issue forms.** Half-width Status and Priority would cut off longer status names, since about 20 characters fit.
- **Priority stays a dropdown loaded from Linear.** It has five options, more than the cards layout allows.
- **The unused Author field (`user_id`) is kept.** Removing a prop is breaking under the piece-versioning rules.

Not tested

- Template, because the test workspace has no issue templates.
- "Leave empty to use the default status" on Create Project.

Known issues, not fixed here

- **Outside the Linear folder:** the builder drops option descriptions on dropdowns loaded from an API (`dynamic-dropdown-piece-property.tsx`), so a second line under each option, such as a user's email, never shows. This branch added such lines and removed them again.
- **Outside the Linear folder:** the translation generator's type check fails on `packages/core/utils/src/lib/deno.ts` , so `translation.json` was generated with type checking off. Section card titles are not extracted for translation.
- **Outside the Linear folder:** `bun.lock` still lists 0.6.1 for this workspace.
- **Already in the piece:** label chips carry a "[Workspace]" prefix, the Assignee list includes Linear's bot user, and the Issue picker lists only the 50 most recently updated issues.
- **Already in the piece:** the Updated Issue trigger's 102-character description folds behind "show more" (triggers are out of scope).
- **Translations:** renamed strings fall back to English until Crowdin catches up. No locale files were edited.