

① To insert the string "snake" to the third position in zoo which of the following statement is used?
answer → **(b)** → `Zoo.insert(2, "snake")`

② Consider `laptops = [3, 4, 5, 20, 5, 25, 1, 3]` what will be the output of `laptops.reverse()`?
answer → **(d)** `[3, 1, 25, 5, 20, 5, 4, 3]` ← برعکس

③ Assume `quantity = [3, 4, 5, 20, 5, 25, 1, 3]` that then what will be the items of quantity list after `quantity.pop()`?
Answer → **(c)** `[3, 4, 5, 20, 5, 25, 1, 3]`

④ what is the output of the following code snippet?
`letters = ['a', 'b', 'c', 'd', 'e']`
`letters[1:-2]` Answer → **(d)** → `['b', 'c', 'd']`

⑤ Suppose `list_items` is `[3, 4, 5, 20, 5, 25, 1, 3]` then what is the result of `list_items.remove(4)`?

Answer → **(b)** `[3, 5, 20, 5, 25, 1, 3]` ← عدد 4 حذف می شود از لیست

Q12. Find the output of the following code.

```
matrix = [[1, 2, 3], [4, 5, 6]]
```

```
v = matrix[0][0]
```

```
for row in range(0, len(matrix)):
```

```
    for column in range(0, len(matrix[row])):
```

```
        if v < matrix[row][column]:
```

```
            v = matrix[row][column]
```

```
Print(v)
```

Ans → Answer → ⑥ → 6

Q13. Range the output of the following.

```
matrix = [[1, 2, 3, 4], [4, 5, 6, 7], [8, 9, 10, 11], [12, 13, 14, 15]]
```

```
for i in range(0, 4):
```

```
    Print(matrix[i][i])
```

Answer → ① 2 5 9 13

Q14. What will be the output of the following?

```
data = [[[1, 2], [3, 4]], [[5, 6], [7, 8]]]
```

```
Print(data[1][0][0])
```

Answer → ④ → 5

Q15. The list function that inserts the item at the given index after shifting the items to the right is.

answer → ③ insert()

Q16. The method that is used to count the number of times an item has occurred in the list is.

answer → ② count()

⑫ Find the output of the following code.

```
matrix = [[1, 2, 3], [4, 5, 6]]
```

```
v = matrix[0][0]
```

```
for row in range(0, len(matrix)):
```

```
    for column in range(0, len(matrix[row])):
```

```
        if v < matrix[row][column]:
```

```
            v = matrix[row][column]
```

```
Print(v)
```

Ans → Answer → (C) → 6

⑬ Range the output of the following.

```
matrix = [[1, 2, 3, 4], [2, 5, 6, 7], [8, 9, 10, 11], [12, 13, 14, 15]]
```

```
for i in range(0, 4):
```

```
    Print(matrix[i][1])
```

Answer → (d) 2 5 9 13

⑭ What will be the output of the following?

```
data = [[1, 2], [3, 4]], [[5, 6], [7, 8]]
```

```
Print(data[1][0][0])
```

Answer → (d) → 5

⑮ The list function that inserts the item at the given index after shifting the items to the right is.

answer → (C) → insert()

⑯ The method that is used to count the number of times an item has occurred in the list is.

answer → (a) count()

① The statement that creates the list is

② Suppose `continents = [1, 2, 3, 4, 5]`, what is the output of `len(continents)`? answer → ② → 5

③ What is the output of the following code snippet?
`islands = [11, 22, 300, 411, 545]`
`max(islands)` → answer → ⑤ 545

④ Assume the list `superstore` is `[1, 2, 3, 4, 5]`, which of the following is correct syntax for slicing operation?

a) `Print(superstore[0:3])`

b) `Print(m[1:2])`

c) `Print(m[1:-2])`

d) All of these

⑤ If `zoo = ["lion", "tiger"]`, what will be `zoo * 2`?

answer → ③ → `['lion', 'tiger', 'lion', 'tiger']`

⑥ To add a new element to a list the statement used is?

answer → ① → `zoo.append("snake")`

✗ → `zoo.append(['lion', 'tiger', 'snake'])`