Fixify - Service Marketplace Use Cases

Identifier
UC-01

Name
Register/Login (Customer)

Summary
Customer registers a new account or logs in.

Priority
High

Actors
Customer

Pre-condition(s)
Customer must not already have an account (for registration).

Post-condition(s)
Customer is logged in or account is created.

Typical Course of Action

S#	Actor Action	System Response
1	Customer selects Register/Login.	
2		System displays form.
3	Customer enters details.	
4		System validates.
5		Account created or logged in.

Alternate Course of Action

S#	Actor Action	System Response
6		Invalid credentials, error shown.

7	Customer re-enters details.	System validates again.

Identifier
UC-02

Name
Browse Services

Summary
Customer browses list of services.

Priority
Medium

Actors
Customer

Pre-condition(s)
Customer must be logged in.

Post-condition(s)
Customer views services list.

Typical Course of Action

S#	Actor Action	System Response
1	Customer selects Browse Services.	
2		System displays list.

Alternate Course of Action

S#	Actor Action	System Response
3		If no services, system shows message.

Identifier
UC-03

Name
Search Provider

Summary
Customer searches for providers.

Priority
High

Actors
Customer

Pre-condition(s)
Customer logged in.

Post-condition(s)
Search results displayed.

Typical Course of Action

S#	Actor Action	System Response
1	Customer enters search criteria.	
2		System returns providers.

Alternate Course of Action

S#	Actor Action	System Response
3		If no provider matches, system shows no results.

Identifier
UC-04

Name
View Provider Profile

Summary
Customer views provider profile.

Priority
Medium

Actors
Customer

Pre-condition(s)
Customer logged in.

Post-condition(s)
Profile displayed.

Typical Course of Action

S#	Actor Action	System Response
1	Customer selects provider profile.	
2		System displays provider info.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-05

Name
Book Service

Summary
Customer books a service.

Priority
High

Actors
Customer

Pre-condition(s)
Customer logged in and has selected service.

Post-condition(s)
Service booked.

Typical Course of Action

S#	Actor Action	System Response
1	Customer clicks Book Service.	
2		System displays booking form.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-06

Name
Select Date and Time

Summary
Customer selects date/time for service.

Priority
High

Actors
Customer

Pre-condition(s)
Service selected.

Post-condition(s)
Preferred schedule saved.

Typical Course of Action

S#	Actor Action	System Response
1	Customer selects date and time.	
2		System saves schedule.

Alternate Course of Action

S#	Actor Action	System Response
3		If unavailable, system shows error.

Identifier
UC-07

Name
Confirm Booking

Summary
Customer confirms booking.

Priority
High

Actors
Customer

Pre-condition(s)
Service, date, and time chosen.

Post-condition(s)
Booking confirmed.

Typical Course of Action

S#	Actor Action	System Response
1	Customer clicks Confirm Booking.	
2		System confirms booking.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-08

Name
Make Payment

Summary
Customer makes payment.

Priority
High

Actors
Customer, Payment System

Pre-condition(s)
Booking confirmed.

Post-condition(s)
Payment processed.

Typical Course of Action

S#	Actor Action	System Response
1	Customer chooses payment method.	
2		System processes payment.

Alternate Course of Action

S#	Actor Action	System Response
3		If payment fails, system shows error.

Identifier
UC-09

Name
Cancel Booking

Summary
Customer cancels booking.

Priority
Medium

Actors
Customer

Pre-condition(s)
Customer must have an existing booking.

Post-condition(s)
Booking cancelled.

Typical Course of Action

S#	Actor Action	System Response
1	Customer selects Cancel Booking.	
2		System cancels booking.

Alternate Course of Action

S#	Actor Action	System Response
3		If cancellation window expired, system shows error.

Identifier
UC-10

Name
Reschedule Booking

Summary
Customer reschedules booking.

Priority
Medium

Actors
Customer

Pre-condition(s)
Customer has an existing booking.

Post-condition(s)
Booking rescheduled.

Typical Course of Action

S#	Actor Action	System Response
1	Customer selects Reschedule.	
2		System shows available slots.
3	Customer selects new slot.	
4		System updates booking.

Alternate Course of Action

S#	Actor Action	System Response
5		If slot not available, system shows error.

Identifier
UC-11

Name
Rate and Review System

Summary
Customer rates/reviews.

Priority
Low

Actors
Customer

Pre-condition(s)
Customer completed a booking.

Post-condition(s)
Feedback stored.

Typical Course of Action

S#	Actor Action	System Response
1	Customer submits rating and review.	
2		System stores feedback.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-12

Name
Manage Profile (Customer)

Summary
Customer manages profile.

Priority
Medium

Actors
Customer

Pre-condition(s)
Customer logged in.

Post-condition(s)
Profile managed.

Typical Course of Action

S#	Actor Action	System Response
1	Customer selects Manage Profile.	
2		System shows profile options.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-13

Name
Update Profile (Customer)

Summary
Customer updates profile details.

Priority
Medium

Actors
Customer

Pre-condition(s)
Customer logged in.

Post-condition(s)
Profile updated.

Typical Course of Action

S#	Actor Action	System Response
1	Customer edits profile details.	
2		System saves changes.

Alternate Course of Action

S#	Actor Action	System Response
3		If invalid info, system shows error.

Identifier
UC-14

Name
View Booking History

Summary
Customer views booking history.

Priority
Low

Actors
Customer

Pre-condition(s)
Customer logged in.

Post-condition(s)
Booking history displayed.

Typical Course of Action

S#	Actor Action	System Response
1	Customer selects Booking History.	
2		System shows booking history.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-15

Name
Register/Login (Provider)

Summary
Provider registers or logs in.

Priority
High

Actors
Service Provider

Pre-condition(s)
No existing account (for registration).

Post-condition(s)
Provider account created or logged in.

Typical Course of Action

S#	Actor Action	System Response
1	Provider selects Register/Login.	
2		System shows form.
3	Provider enters details.	
4		System validates.
5		Account created or logged in.

Alternate Course of Action

S#	Actor Action	System Response
6		Invalid credentials, error shown.

Identifier
UC-16

Name
Create/Manage Profile

Summary
Provider manages profile.

Priority
High

Actors
Service Provider

Pre-condition(s)
Provider logged in.

Post-condition(s)
Profile created/managed.

Typical Course of Action

S#	Actor Action	System Response
1	Provider selects Create/Manage Profile.	
2		System displays profile page.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-17

Name
View Job Requests

Summary
Provider views customer requests.

Priority
High

Actors
Service Provider

Pre-condition(s)
Provider logged in.

Post-condition(s)
Job requests displayed.

Typical Course of Action

S#	Actor Action	System Response
1	Provider selects Job Requests.	
2		System displays requests.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-18

Name
Track Earnings

Summary
Provider tracks earnings.

Priority
Medium

Actors
Service Provider

Pre-condition(s)
Provider logged in.

Post-condition(s)
Earnings summary displayed.

Typical Course of Action

S#	Actor Action	System Response
1	Provider selects Earnings option.	
2		System shows earnings.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-19

Name
Respond to Customer Messages

Summary
Provider responds to messages.

Priority
Medium

Actors
Service Provider

Pre-condition(s)
Provider logged in.

Post-condition(s)
Message sent.

Typical Course of Action

S#	Actor Action	System Response
1	Provider opens customer messages.	
2		System shows messages.
3	Provider sends reply.	
4		System delivers message.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-20

Name
Set Hourly Rate

Summary
Provider sets hourly rate.

Priority
Medium

Actors
Service Provider

Pre-condition(s)
Provider logged in.

Post-condition(s)
Hourly rate updated.

Typical Course of Action

S#	Actor Action	System Response
1	Provider enters hourly rate.	
2		System saves new rate.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-21

Name
Update Availability

Summary
Provider updates availability.

Priority
Medium

Actors
Service Provider

Pre-condition(s)
Provider logged in.

Post-condition(s)
Availability updated.

Typical Course of Action

S#	Actor Action	System Response
1	Provider edits schedule.	
2		System saves availability.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-22

Name
Accept Job

Summary
Provider accepts job.

Priority
High

Actors
Service Provider

Pre-condition(s)
Provider has pending job request.

Post-condition(s)
Job accepted.

Typical Course of Action

S#	Actor Action	System Response
1	Provider selects Accept Job.	
2		System updates status.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-23

Name
Reject Job

Summary
Provider rejects job.

Priority
Medium

Actors
Service Provider

Pre-condition(s)
Provider has pending job request.

Post-condition(s)
Job rejected.

Typical Course of Action

S#	Actor Action	System Response
1	Provider selects Reject Job.	
2		System updates status.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-24

Name
Manage User Accounts

Summary
Admin manages user accounts.

Priority
High

Actors
Admin

Pre-condition(s)
Admin logged in.

Post-condition(s)
Accounts managed.

Typical Course of Action

S#	Actor Action	System Response
1	Admin selects Manage Accounts.	
2		System shows accounts list.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-25

Name
Resolve Complaints

Summary
Admin resolves customer/provider complaints.

Priority
High

Actors
Admin

Pre-condition(s)
Complaint exists.

Post-condition(s)
Complaint resolved.

Typical Course of Action

S#	Actor Action	System Response
1	Admin selects complaint.	
2		System displays complaint details.
3	Admin resolves complaint.	
4		System marks complaint resolved.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-26

Name
Manage Service Categories

Summary
Admin manages categories.

Priority
Medium

Actors
Admin

Pre-condition(s)
Admin logged in.

Post-condition(s)
Categories updated.

Typical Course of Action

S#	Actor Action	System Response
1	Admin edits service categories.	
2		System updates categories.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-27

Name
Monitor System Reports

Summary
Admin monitors system reports.

Priority
Low

Actors
Admin

Pre-condition(s)
Admin logged in.

Post-condition(s)
Reports displayed.

Typical Course of Action

S#	Actor Action	System Response
1	Admin selects reports option.	
2		System shows reports.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-28

Name
Verify Service Providers

Summary
Admin verifies providers.

Priority
High

Actors
Admin

Pre-condition(s)
Provider registration pending verification.

Post-condition(s)
Provider verified.

Typical Course of Action

S#	Actor Action	System Response
1	Admin reviews provider documents.	
2		System marks provider as verified.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-29

Name
Suspend/Remove Accounts

Summary
Admin suspends or removes account.

Priority
High

Actors
Admin

Pre-condition(s)
User account exists.

Post-condition(s)
Account suspended or removed.

Typical Course of Action

S#	Actor Action	System Response
1	Admin selects account.	
2		System suspends or removes account.

Alternate Course of Action

S#	Actor Action	System Response

Identifier
UC-30

Name
Validate Transaction

Summary
System validates transaction.

Priority
High

Actors
Payment System

Pre-condition(s)
Payment initiated.

Post-condition(s)
Transaction validated.

Typical Course of Action

S#	Actor Action	System Response
1	System validates payment details.	
2		Transaction marked valid.

Alternate Course of Action

S#	Actor Action	System Response
3		If invalid, system rejects transaction.

Identifier
UC-31

Name
Process Payment

Summary
System processes payment.

Priority
High

Actors
Payment System

Pre-condition(s)
Transaction validated.

Post-condition(s)
Payment processed.

Typical Course of Action

S#	Actor Action	System Response
1	System processes payment.	
2		Funds transferred.

Alternate Course of Action

S#	Actor Action	System Response
3		If processing fails, system notifies failure.

Identifier
UC-32

Name
Issue Refund

Summary
System issues refund.

Priority
Medium

Actors
Payment System

Pre-condition(s)
Refund requested.

Post-condition(s)
Refund issued.

Typical Course of Action

S#	Actor Action	System Response
1	System initiates refund.	
2		Refund completed.

Alternate Course of Action

S#	Actor Action	System Response
3		If refund fails, system notifies error.