



GCUF

Government College University Faisalabad

FINAL REPORT

Digital Lawyer Street

Submitted by

Anas Makki (2018-GCUF-058102)
Abdul Rahman (2018-GCUF-058166)



**Department of Computer Science Govt.
Graduate College Samanabad Faisalabad
2022**

CERTIFICATE

This is to certify that *Anas Makki & Abdul Rehman* bearing Registration No. **2018-GCUF-058102 & 2018-GCUF-058166** has completed the final project titled as *“Digital Lawyer Street”* at the **Department of Computer Science, Govt. Graduate College Samanabad Faisalabad**, to fulfill the partial requirement for the degree of **BS - CS**.

Supervisor

Sir Ghulam Mustafa

Signature: _____

Co-Supervisors

Member 1: Mam Sania

Signature: _____

Member 2: Mam Qoseen

Signature: _____

Member 3: Mam Ambreen

Signature: _____

External Supervisor

Supervisor Name:

Signature: _____

Project Coordinator

Head of Department

Principal

DECLARATION

The work reported in this project was carried by me under the supervision of **Project Supervisor, Sir Ghulam Mustafa, at Government Graduate College Samanabad Faisalabad.**

I hereby declare that this project and the contents of project are the product of my own research and no part has been copied from any other written or published source (accept the references, standard mathematical or genetics models / equation / formulas / protocol etc.).

I further declare that this work has not been submitted for award of any other degree / diploma.

The institution may take action if the provided information is found inaccurate at any stage.

Name : Anas Makki

Registration No. : 2018-GCUF-058102

Name : Abdul Rahman

Registration No. : 2018-GCUF-058166

ACKNOWLEDGEMENT

I thank all who in one way or another contributed in the completion of this report. First, I thank to ALLAH ALMIGHTY, most magnificent and most merciful, for all his blessings. Then I am so grateful to the Department of Computer Science of Govt. Graduate College Samanabad Faisalabad for making it possible for me to study here. My special and heartily thanks to my supervisor, Sir. Ghulam Mustafa who encouraged and directed me. His challenges brought this work towards a completion. It is with his supervision that this work came into existence. For any faults I take full responsibility. I am also deeply thankful to my informants. I want to acknowledge and appreciate their help and transparency during my research. I am also so thankful to my fellow students whose challenges and productive critics have provided new ideas to the work. Furthermore, I also thank my family who encouraged me and prayed for me throughout the time of my research. May ALLAH Almighty richly bless all of you [Ameen]

ABSTRACT

As the world increasingly progresses towards a technology driven environment, the legal sector is not to be left behind. In the past years, clients got to know about lawyers through recommendation and at the same time lawyers had a challenge reaching out to their clients. Work was slow and tedious as research was conducted on dusty and old textbooks.

The basis of this project is to bridge the technology gap between the lawyers and advocates in Pakistan. Lawyers that deal with legal services will most likely handle huge quantum of inventory and have to make sure that these files are readily available when it is required. It has therefore become necessary for these firms to employ a method that will securely handle this large data and readily avail it to more than one person at a time even though they are in different locations. The goal of this project is to develop an application that will aid lawyers to handle cases from wherever they are, and quickly generate reports.

Table of Contents

Chapter 1	12
1.1 Purpose	12
1.2 How it works	12
1.2.1 Register Lawyer	12
1.2.2 Evaluate Lawyers	12
1.2.3 Feedbacks	12
1.2.4 Queries	12
1.2.5 Register Client	13
1.2.6 Case Information	13
1.2.7 Appointment	13
1.2.8 Hire Staff	13
1.3 Project Scope	13
1.4 Project Planning	13
1.5 Project Modules	15
1.5.1 Admin Module:	15
1.5.2 Lawyer Module:	15
1.5.3 User (Client) Module:	15
1.5.4 Team Member Module:	15
Chapter 2 <i>Background</i>	16
2.1 Background Research	16
2.2 Existing Technology	16
2.3 Area of Study	17
2.4 Reason of the Project	17
2.4.1 Accuracy of Information	17
2.4.2 Efficiency	18
2.4.3 Easy to Use	19
2.4.4 Security	19
2.4.5 User Friendly	20
2.4.6 Time Saving	20
2.5 Objective of the project	20
2.6 Methodology	21
Chapter 3 <i>System Requirement Analysis</i>	22
3.1 System Functional Requirements	22
3.1.1 Project Interactivity Plan	22
3.1.2 Signup Information	22
3.1.3 Login Information	22
3.1.4 Lawyer Record	22
3.1.5 SRS Document (System Requirements Specification)	24

3.2 Non-Functional Requirements of the system	24
3.3 Hardware & Software Requirements	25
3.3.1 Software Requirements	25
3.3.2 Hardware Requirements	25
3.4 Introduction of Tools	26
3.4.1 VS Code	26
3.4.2 HTML (Hyper Text Markup Language)	26
3.4.3 CSS (Cascading Style Sheet)	27
3.4.4 Bootstrap	27
3.4.5 JavaScript	28
3.4.6 JQuery	28
3.4.7 PHP	29
3.4.8 AJAX	29
3.4.9 MySQL	30
Chapter 4 System Design	31
4.1 Use case – fully dressed	31
4.1.1 Importance of Use Case Diagrams	31
4.1.2 Use Case Diagram objects	31
4.1.3 Use Case Diagram	33
4.2 WBS fully dressed	35
4.3 System Sequence diagram	35
4.4 Class diagram	36
4.5 ER (Entity Relationship Model) Model	38
4.6 Data Flow Diagram	38
4.6.1 Symbols and Notations Used in DFDs	39
4.6.2 Data Flow Diagram of Digital Lawyer Street (DLS)	39
Chapter 5 Testing & Implementation	42
5.1 Testing Methods	42
5.2 Functional vs. non-functional testing	42
5.2.1 Functional Testing	43
5.2.2 Non- functional Testing	46
5.3 Test Cases	49
5.3.2 Function testing	51
5.3.4 Performance Testing	53
Chapter 6 User Manual	54
6.1 Main/Home view	54
6.2 Our Lawyers Page	54
6.3 Services Page	55
6.4 Testimonial Page	55

6.5 About Us Page	56
6.6 Contact Us Page	56
6.7 Footer	56
6.8 DLS Statistics	57
6.9 Forget Password	57
6.10 Lawyer Registration Page	58
6.11 User Login	59
6.12 User Dashboard	59
6.13 Lawyer Dashboard	60
6.14 Lawyer Requests	60
6.15 List of Lawyers	61
6.16 Database Connection	61
6.17 Front End Coding	62
6.18 Backend Coding	63
6.19 Database	63
6.20 Database Table Structure	64

List of Tables

Table 1: Software Requirement Specification----- 24

Table 2: Software Requirements ----- 25

Table 3: Hardware Requirements ----- 25

Table 4: Data Integrity ----- 50

Table 5: Function Testing----- 51

Table 6: User Interface Testing ----- 52

List of Figures

Figure 1: SLDC Waterfall Model	14
Figure 2: Accuracy	18
Figure 3: Efficiency	18
Figure 4: Easy to Use	19
Figure 5: Security	19
Figure 6: User Friendly	20
Figure 7: Time Saving	20
Figure 8: Visual Studio Code	26
Figure 9: HTML (Hyper Text Markup Language)	26
Figure 10: CSS (Cascading Style Sheet)	27
Figure 11: Bootstrap	27
Figure 12: JavaScript	28
Figure 13: jQuery	28
Figure 14: PHP	29
Figure 15: AJAX	30
Figure 16: MySQL	30
Figure 17: Actor	32
Figure 18: Use Case	32
Figure 19: System	32
Figure 20: Package	33
Figure 21: Relationships	33
Figure 22: Use Case Diagram	34
Figure 23: WBS (Work Breakdown Structure)	35
Figure 24: Sequence Diagram	36
Figure 25: Class Diagram	37
Figure 26: ER (Entity Relationship Diagram)	38
Figure 27: DFD Types	39
Figure 28: Context Level DFD	39
Figure 29: Level 1 DFD	40
Figure 30: Level 2 DFD	41
Figure 31: Functional Testing	43
Figure 32: Unit Testing	44
Figure 33: Integration Testing	45
Figure 34: System Testing	45
Figure 35: Acceptance Testing	46
Figure 36: Load Testing	47
Figure 37: Stress Testing	47
Figure 38: Compatibility Testing	49
Figure 39: Home Screen	54
Figure 40: Lawyers Page	54
Figure 41: Services	55
Figure 42: Testimonials	55
Figure 43: About Us	56
Figure 44: Contact Us	56
Figure 45: Footer	56
Figure 46: DLS Statistics	57
Figure 47: Forget Password	57
Figure 48: Lawyer Registration	58
Figure 49: Login Area	59
Figure 50: User Dashboard	59
Figure 51: Lawyer Dashboard	60
Figure 52: Lawyer List	61
Figure 53: Database Connection	61

<i>Figure 54: Front End</i>	62
<i>Figure 55: Back End</i>	63
<i>Figure 56: Database</i>	63
<i>Figure 57: Table Structure</i>	64

Chapter 1

Introduction

1.1 Purpose

The current scenario used by the lawyers in maintaining heavy file works for keeping the records of their cases. **Digital Lawyer Street** is a new website for people to find lawyers via use of internet and also for the lawyers to maintain records of the cases they are dealing with. A lot of people need to contact their lawyers regularly or find appropriate lawyers for their cases. The goal of the project is to provide a flexible way to the people to fulfill their requirements. The admin of the website can register/approve different Lawyers and each lawyer can in turn register his/clients and even his/her staff members. The lawyers and clients can work out with their cases. This site provides a flexible way for lawyers and clients to handle their cases in a well-formatted way online through any part of the Pakistan.

1.2 How it works

1.2.1 Register Lawyer

Digital Lawyer Street application hires from lawyers of different practice areas. Admin verify requested lawyers on this system. On DLS registered lawyers receive the cases which clients apply or request and manage the case for whom client hire.

1.2.2 Evaluate Lawyers

Admin is responsible to evaluate the lawyers by checking and verifying their **License Number** or any other evaluation method.

1.2.3 Feedbacks

Clients on DLS can give feedbacks about our system. Visitors of DLS can get help using these feedbacks.

1.2.4 Queries

New visitors can ask any query about DLS. The admin will provide answer about any query on whatsapp or email.

1.2.5 Register Client

The user can send hiring request to any lawyer. The lawyer can contact on Whatsapp or Email with client. After approval from lawyer DLS stores the hired client's information. The lawyer can manage client information.

1.2.6 Case Information

Lawyer can manage information about case of hired client.

1.2.7 Appointment

Lawyers can make the schedules for handling appointments with their clients, and notify them on whatsapp.

1.2.8 Hire Staff

Hire the staff to support the respective lawyer.

1.3 Project Scope

Scope of this application is limited in a way that DLS have not its own chatting system. And moreover, only the admin can approve lawyers by giving approval after the registration of the lawyer for this website. The admin will give permission after scrutiny or evaluation of details of the lawyer. Only lawyers can save technical details of their clients and staff after their registration. Further, the lawyer can maintain details of his client's cases. Clients who are registered by the lawyer can view their case details as entered and managed by the lawyer. Using this website, non-member users can also find profiles of different lawyers registered with this website.

1.4 Project Planning

The purpose of this project is to hire lawyers online from anywhere in Pakistan. The goal of this section is to provide a set of recommendations that will help you plan appropriately successful project. In this section, we used the life cycle model employed broadly at Microsoft. This model is a combination of iterative and waterfall life cycle models. In this model there are five boundaries defining a sequential set of milestones for the project. The phases, in order of execution are as follows

- **Feasibility Study:** The proposed system is technically possible moreover there is no need of consideration over economically scrutiny because it is final year project to get degree.

- **Requirement analysis and specifications:** To make a user-friendly Online/Digital Lawyer System through which user can find lawyer easily.
- **Design:** Based on the functional requirements, physical design specifications are created and prototyping is conducted to verify design ideas and investigate the capabilities.
- **Coding and Unit Testing:** Using the design and functional specifications, the coding is done. Moreover, unit testing also done by testing each module.
- **Integration and System Testing:** This is the process of testing the product to verify that it performs according to the specifications. Moreover, System is installed on the system to function.

Maintenance: The proposed system is ready to handle and adopt new changes and complexities according to changing environment of the world, such as policies, which changes over the time.

Over the time, customer may ask for new features or functions in the software, which will be fulfilled.

If any of the hardware and/or platform (such as operating system) of the target host changes, software changes are needed to keep adaptability.




Figure 1: SLDC Waterfall Model

1.5 Project Modules

The entire project consists of 3 main modules, which are

- ☞ Admin Module
- ☞ Lawyer Module
- ☞ Client Module
- ☞ Team Member Module

1.5.1 Admin Module:

- Admin manages all lawyers.
- Admin verify the lawyer whether he or she is legal or not.
- Admin can manage clients' feedbacks.
- Admin can manage user queries.

1.5.2 Lawyer Module:

- Lawyer can accept or reject client hiring request.
- Lawyer can also register clients.
- Lawyer can manage cases details.
- Lawyer can manage all appointments.
- Lawyer can manage clients information
- Lawyer can add team member and assign them task.

1.5.3 User (Client) Module:

- Client can hire lawyer according to his/her choice.
- Client can see details of hired lawyer.
- User can contact hired lawyer.

1.5.4 Team Member Module:

- Team member can work on their assigned task and submit it.
- Team member can only see limited information provided by lawyer.

Chapter 2

Background

2.1 Background Research

Remember those times when you had to make phone calls to relatives or friends to find out the lawyers. When you had to hail a taxi by hand and rely on ads on walls to explore a better lawyer. When every single information has to be found physically. And also lawyer has to be hired physically by visiting the buildings or courts. That time was not a long time ago. Now a day the life style of the people is different. People feel uncomfortable and time consuming for going to court for hiring lawyer. So, online hiring saves a lot of time. Online hiring are usually available 24 hours a day and 7 days in a week. So it is very convenient for them to hire lawyer online. Technology has changed the law firm industry at an exponential rate in the last two decades.

An increasing amount of research has been conducted to understand the impacts of online finding lawyer development from the resident's perspective. The driving force behind these phenomena can be attributed to the fact that the DLS has additionally played a vital role in social, cultural, and environmental impacts on people, destinations and Pakistan.

The main purpose of this Web App is to facilitate the clients to find lawyers online because customer cannot spend their precious time in markets trying to find out the best deal.

2.2 Existing Technology

Currently, several applications have been developed to address the issue of low technology consumption in law firms but some of the lawyers still shy away from using technology in their practice even though these applications have been tested and endorsed by the body of lawyers to improve the work efficiency and the profitability of the firm.

However, the attempts to incorporate technology in the legal sector have failed because of a few factors. Firstly, lawyers have been tagged pragmatists. This refers to

them being able to see the positive effect of incorporating technology into their business as soon as possible. This is evident because word processing systems were quickly adapted to the law firms as compared to management applications because these lawyers saw immediate value in changing their current style. This is also very practical because lawyers have cut their cost through the use of technology by eradicating a lot of their employees.

2.3 Area of Study

Technology nowadays plays a significant role in our lives. From simple machines to complex one's technology is used. This system is used by many lawyers in many cities to facilitate the users for online hiring them.

Law firm is one of the areas that can provide easiness in the community. For the purpose of promoting the DLS, the website must be accessible everywhere. A DLS website usually is a Lawyer to client, whose main target is the general public. Websites can support all the core activities of a law firm. Like manage appointments, adding cases, print clients' data etc.

2.4 Reason of the Project

A Digital Lawyer Street website is a website that is dedicated to lawyers or advocates. The site may be focused on to provide easiness to user to find lawyers or advocates easily using internet. Hundreds of new cases are registered in different courts of Pakistan, our aim that people get appointment online. My main motive is to promote the use of technology in Pakistan. The purpose of this project is to provide the complete information about lawyer or advocate in single click. Our priority will be our user and their legal requirements. If the online lawyer finding industry emerge then the problem of rush in courts resolved too. Users will be able to find appropriate lawyer with affordable fees and related skill.

2.4.1 Accuracy of Information

The accuracy of information or measurements is their quality of being true or correct, even in small details. The information of data organization in information system can affect the speed, cost and of desired processing activities. Since all the calculation is

done automatically, so the chances of error are very rare, which results in accuracy of system. The developed system provides powerful searching mechanism. This can even search a minor record in less than a second because the stored data in database is in accurate form due to validation checks. A computerized system's accuracy is 100% while in manual it is on 40%.



Figure 2: Accuracy

2.4.2 Efficiency

The developed system is greater efficient than the older one. Wrong data entry is impossible as there are different checks that do not allowed to enter wrong data because of validations. The classification efficiency of the single-cycled classification model is intuitively worse than the multi-cycled model, as it requires more effort in collecting relatively comprehensive software measurement data to classify each unseen case. It is extremely important that software project managers determine which type of classification model is best suited to their specific objectives, since such a choice will significantly affect the accuracy and efficiency of the classification results.



Figure 3: Efficiency

2.4.3 Easy to Use

The source data input, review and modification can be repeated any number of times on computer graphics. The power system graphics generation should be easy and efficient. The web app is very easy to use and operate.



Figure 4: Easy to Use

2.4.4 Security

Application security means many different things to many different people. Security should be explicitly at the requirement level. Security methods are under the high level class and are considered to be an addition in to the original software. The habits formed from initial programming can be for a long time. Security is considered as a very critical issue for software systems. Software is itself a resource and thus must be afforded appropriate security. Software that is developed with security in mind is typically more resistant to both intentional attack and unintentional failures.



Figure 5: Security

2.4.5 User Friendly

Term user friendly refers to anything that makes it easier for novices to use a computer. Menu-driven programs, for example, are considered more user-friendly than command-driven systems. Online help systems are another feature of user-friendly programs.



Figure 6: User Friendly

2.4.6 Time Saving

Due to high speed of processing, the proposed system takes less time to access information from database and as it is online system so it is definitely time saving then going physically to office for lawyer hiring.



Figure 7: Time Saving

2.5 Objective of the project

In the attempt to appeal to lawyers to apply technology in their practice, the

Digital Lawyer Street Software aims to increase the usage of cloud computing decreasing the need for staff to sit in a physical office, this also allows the access of files from anywhere in the world. The software also aims to improve the system such that it provides availability of online legal resources, the ability to consult documents while using the application. This Web based software allows the users to access the information wherever they are and this can be through different platforms like the phone, tablet and personal computers. The software also supports unlimited users as different law firms have a varied number of employees and clients. Finally, the system is suitable for the Pakistani environment in terms of the database values and the interfaces. Such a system is more responsive to clients as it does not only ease the law firms' work but also that of the client. It also has a greater flexibility bearing in mind that it performs a range of tasks that would otherwise be done by a number of applications.

2.6 Methodology

The project consisted of the following components:

- This system provides the facility to customer to hire a lawyer according to his/her choice.
- This system is also providing the facility of viewing lawyers' profiles.
- User may hire lawyer accordance to relative court.
- After hiring client can get appointment from lawyer.
- Admin can approve and disapprove lawyers after scrutiny.
- Admin can also control full website through admin panel like practice areas, services and testimonial.
- Admin can also give response on the queries of users.

Chapter 3

System Requirement Analysis

3.1 System Functional Requirements

The requirement of system must be fulfilled for proper working of the system. Such requirements describe system behavior under specific conditions and include the product features and functions which web & app developers must add to the solution. Such requirements should be precise both for the development team and stakeholders.

3.1.1 Project Interactivity Plan

Website is user friendly due to third party control. User can save record and system is easy to use by user through user friendly GUI's.

3.1.2 Signup Information

User must provide information in the form of First name, Last name, Email, Password and Confirm password then click on signup button to register him/her.

3.1.3 Login Information

User must provide username and password to login into the system. If admin want to delete the user, he/she can do it by clicking delete button in the user list visible.

3.1.4 Lawyer Record

Admin can delete and approve or view information of lawyer through admin panel.

3.1.4.1 Add Lawyer

Lawyer can be added by entering complete description data from keyboard into fields and clicking on register button. The following fields are required:

- First Name
- Last Name
- Education
- Specialization

- Experience
- License Number
- Law Firm Name
- Email
- Password
- Phone Number
- Address
- Description
- Upload Picture

3.1.4.2 Update Record

If the lawyer is going to update himself/herself following fields required:

- First Name
- Last Name
- Education
- Experience
- Law Firm
- Password
- Phone Number
- Twitter
- Facebook
- instagram

3.1.4.3 Delete Record

If Admin wants to delete the user record, Admin can do it by clicking delete button.

- Lawyer ID

3.1.5 SRS Document (System Requirements Specification)

Table 1: Software Requirement Specification

Sr. No.	Description
SRS-01	System should be able to provide login facility
SRS-02	System should be able to provide Sign Up facility
SRS-03	System should be able to Register New Lawyer
SRS-04	System should be able to Update Lawyer details
SRS-05	System should be able to Delete Lawyer details
SRS-06	System should be able to hire a client for lawyer
SRS-07	System should be able to categorize lawyer based on specialization.
SRS-08	System should be able to provide testimonial facility to users.

3.2 Non-Functional Requirements of the system

The non-functional requirements elaborate a performance characteristic of a system. Non-functional requirements specify the quality of a system, is mostly related the satisfiability of the user.

- Ensure the privacy of customers.
- Exclude unauthorized access.
- Reliability
- Flexibility

- User Safety
- User Friendly
- Satisfiability of the user

3.3 Hardware & Software Requirements

3.3.1 Software Requirements

Table 2: Software Requirements

Operating system	window 7/8/8.1/10/11
Database	MySQLi
Web Browser	Google Chrome / Firefox / Opera Browser
Web page style sheet	HTML, CSS, Bootstrap, JavaScript, Ajax and JQuery
Program code	PHP, MySQLi

3.3.2 Hardware Requirements

Table 3: Hardware Requirements

Internet Require	Yes
Main Memory	Minimum 1GB
CPU speed	2.6GHz
Monitor	EGA/SVGA (display),800X600 24 bits true color
Keyboard	Standard keyboard
Mouse	Standard Mouse / Touchpad

3.4 Introduction of Tools

3.4.1 VS Code

Visual Studio Code is a shareware cross-platform source code editor with a Python application programming interface (API). It natively supports many programming languages and markup languages, and functions can be added by users with plugins, typically community-built and maintained under free-software licenses. Visual Studio Code can be downloaded and evaluated for free. There is no enforced time limit for the evaluation.




Figure 8: Visual Studio Code

3.4.2 HTML (Hyper Text Markup Language)

HTML is short for Hyper-Text Markup Language and is a language used to create electronic documents, especially pages on the World Wide Web that contains connections called hyperlinks to other pages.

HTML (Hypertext Markup Language) is the code that is used to structure a web page and its content. For example, content could be structured within a set of paragraphs, a list of bulleted points, or using images and data tables.



Figure 9: HTML (Hyper Text Markup Language)

3.4.3 CSS (Cascading Style Sheet)

CSS stands for Cascading Style Sheets. It describes how HTML elements are to be displayed on screen, paper, or in other media. CSS saves a lot of work. It can control the layout of multiple web pages all at once. External stylesheets are stored in CSS files. CSS is the language for describing the presentation of Web pages, including colors, layout, fonts and it allows one to adapt the presentation to different types of devices, such as large screens, small screens, or printers. CSS is independent of HTML and can be used with any XML-based markup language.



Figure 10: CSS (Cascading Style Sheet)

3.4.4 Bootstrap

Bootstrap is the most popular HTML, CSS, and JavaScript framework for developing responsive and mobile-first website. Bootstrap is a free collection of tools for creating websites and web applications. It contains HTML and CSS-based design templates for typography, forms, buttons, navigation and other interface components, as well as optional JavaScript extensions. Bootstrap is a framework to help you design websites faster and easier. It includes HTML and CSS based design templates for typography, forms, Buttons, tables, navigation, modals, image carousels, etc. Here are some additional reasons to use Bootstrap: Bootstrap's responsive CSS adjusts to phones, tablets, and desktops.



Figure 11: Bootstrap

3.4.5 JavaScript

JavaScript is a text-based programming language used both on the client-side and server-side that allows you to make web pages interactive. Where HTML and CSS are languages that give structure and style to web pages, JavaScript gives web pages interactive elements that engage a user. JavaScript can calculate, manipulate and validate data.



Figure 12: JavaScript

3.4.6 JQuery

JQuery is a JavaScript Library. It greatly simplifies JavaScript programming. JQuery is a fast, small, and feature-rich JavaScript library. It makes things like HTML document traversal and manipulation, event handling, animation, and Ajax much simpler with an easy-to-use API that works across a multitude of browsers. (jquery.com). The purpose of jQuery is to make it much easier to use JavaScript on your website. JQuery takes a lot of common tasks that require many lines of JavaScript code to accomplish, and wraps them into methods that you can call with a single line of code.



Figure 13: jQuery

3.4.7 PHP

PHP is a server scripting language, and a powerful tool for making dynamic and interactive Web pages. PHP is a widely-used, free, and efficient alternative to competitors such as Microsoft's ASP. PHP is a server-side scripting language that is used to develop Static websites or Dynamic websites or Web applications. PHP stands for Hypertext Pre-processor, that earlier stood for Personal Home Pages. PHP scripts can only be interpreted on a server that has PHP installed.



Figure 14: PHP

3.4.8 AJAX

Update a web page without reloading the page. Ajax Request data from a server - after the page has loaded. It receives data from a server - after the page has loaded. It sends data to a server - in the background.



Figure 15: AJAX

3.4.9 MySQL

- MySQL is a freely available open-source Relational Database Management System (RDBMS) that uses Structured Query Language (SQL). SQL is the most popular language for adding, accessing and managing content in a database. It is most noted for its quick processing, proven reliability, ease and flexibility of use.
- 1.15.10 Server-Side Programming: PHP will be used as server side programming. The 'i' in **MySQLi** stands for Improved. Therefore, this is also known as the improved version of MySQL.
- MySQLi is an open-source relational database management system (RDBMS) in July 2013, it was the world's second most widely used RDBMS, and the most widely used open-source client–server RDBMS.
- Basically, MySQL is the old database driver, and MySQLi is the improved driver. MySQLi can be done procedural and object-oriented whereas MySQL can only be used procedurally. MySQLi, also supports prepared statements which protect from SQL Injection.



Figure 16: MySQL

4.1 Use case – fully dressed

A use case is a description of a system's behavior from a user's standpoint. For system developers, this is a valuable tool: requirements from a user's point of view. Use case diagrams are used to gather the requirements of a system including internal and external influences. These requirements are mostly design requirements. Hence, when a system is analyzed to gather its functionalities, use cases are prepared and actors are identified.

4.1.1 Importance of Use Case Diagrams

As mentioned before use case diagrams are used to gather a usage requirement of a system. Depending on your requirement you can use that data in different ways. Below are few ways to use them.

- **To identify functions and how roles interact with them** – The primary purpose of use case diagrams.
- **For a high-level view of the system** – Especially useful when presenting to managers or stakeholders. You can highlight the roles that interact with the system and the functionality provided by the system without going deep into inner workings of the system.
- **To identify internal and external factors** – This might sound simple but in large complex projects a system can be identified as an external role in another use case.

4.1.2 Use Case Diagram objects

Use case diagrams consist of 4 objects.

- Actor
- Use case
- System
- Package

4.1.2.1 Actor

Actor in a UML Use Case Diagram is any entity (person, organization or external system) that performs a role in one given system. In a use case diagram, an actor interacts with a use case.



Figure 17: Actor

4.1.2.2 Use case

A use case in a UML Use Case Diagram gives a visual representation of distinct business functionalities in a system.




Figure 18: Use Case

4.1.2.3 System

A system in a UML Use Case Diagram is a rectangle spanning all the use cases in the system that defines the scope of your system. Anything within the box represents functionality that is in scope and anything outside is not. Note that the actors in the system are outside the system.



Figure 19: System

4.1.2.4 Package

A package object in a UML Class and Use Case Diagram provides the ability to group together classes and/or interfaces that are either similar in nature or related.

Grouping these design elements in a package element provides for better readability of UML diagrams, especially complex diagrams.




Figure 20: Package

4.1.2.5 Relationship

Relationship is an association between use case and actor.

There are several Use Case relationships:

- Association
- Extend
- Generalization
- Include




Figure 21: Relationships

4.1.3 Use Case Diagram

In the rare case you are performing the use case analysis of some authentication or user management software, such as an SSO solution, in which the business value for

the user is really to get logged into some protected systems and perform activities.




Figure 22: Use Case Diagram

Pre-Conditions

- User must be logged in in order to hire lawyer.
- However, any user can find lawyer even without login.

Primary Scenario

- User will open the lawyer menu item from the main Menu.
- User will click on the desired lawyer profile or view profile button to view lawyer details.
- The information about the specific lawyer is loaded.
- User can check different lawyers' details as same process.
- User can hire lawyer.
- User can contact with hired lawyer on any media platform

Secondary Scenario

- User can cancel the hiring request at any time.

Post Condition

- The user can fix appointment with lawyer now.

4.2 WBS fully dressed

- Work breakdown structure allows you to decompose project into small manageable sections, also known as deliverables. Clearly defined deliverables are easy to assign, allow you to accurately estimate needed time and resources and track their completion.
- Work breakdown structure (WBS) in project management is a method for completing a complex, multi-step **project**. It's a way to divide and conquer large projects to get things done faster and more efficiently. The goal of a WBS is to make a large project more manageable.




Figure 23: WBS (Work Breakdown Structure)

4.3 System Sequence diagram

- Sequence Diagrams are interaction diagrams that detail how operations are carried out. They capture the interaction between objects in the context of collaboration.

- Sequence Diagrams are time focus and they show the order of the interaction visually by using the vertical axis of the diagram to represent time what messages are sent and when.
- A sequence diagram simply depicts interaction between objects in a sequential order i.e. the order in which these interactions take place. We can also use the terms event diagrams or event scenarios to refer to a sequence diagram.
- Sequence diagrams describe how and in what order the objects in a system function.




Figure 24: Sequence Diagram

4.4 Class diagram

- A class diagram in the Unified Modeling Language (UML) is a type of static structure diagram that describes the structure of a system by showing the system's classes, their attributes, operations (or methods), and the relationships among

objects.

- The class diagrams are widely used in the modeling of object oriented systems because they are the only UML diagrams, which can be mapped directly with object-oriented languages. Class diagram shows a collection of classes, interfaces, associations, collaborations, and constraints.
- Class diagrams are the best way to illustrate a system's structure in a detailed way, showing its attributes, operations as well as its inter-relationships.




Figure 25: Class Diagram

4.5 ER (Entity Relationship Model) Model

- **Entity Relationship Model (ER Modeling)** is a graphical approach to database design. It is a high-level data model that defines data elements and their relationship for a specified software system. An ER model is used to represent real-world objects. An Entity is a thing or object in real world that is distinguishable from surrounding environment.
- The three main components of the ER Model are entities, attribute and relationship. In ERM terms, an entity is a "thing" within the organization that we want to keep information about, such as a customer, employee or course.




Figure 26: ER (Entity Relationship Diagram)

4.6 Data Flow Diagram

- Data flow diagrams are used to graphically represent the flow of data in a business information system. DFD describes the processes that are involved in a system to transfer data from the input to the file storage and reports generation. Data flow diagrams can be divided into logical and physical.

- There are two types of DFD:




Figure 27: DFD Types

4.6.1 Symbols and Notations Used in DFDs

Two common systems of symbols are named after their creators:

- Yourdon and Coad
- Yourdon and DeMarco
- Gane and Sarson

4.6.2 Data Flow Diagram of Digital Lawyer Street (DLS)

Context level DFD – 0 Level DFD




Figure 28: Context Level DFD

LEVEL 1 DFD

Level 1 DFD contains more details than level 0 DFD but less information than Level 2 DFD. It describes the flow in deeper manner.




Figure 29: Level 1 DFD

LEVEL 2 DFD




Figure 30: Level 2 DFD

Chapter 5

Testing & Implementation

5.1 Testing Methods

System Testing methods are the various strategies or approaches used to test an application to ensure that it behave and looks as expected. These encompass everything from front to backend testing, including unit and system testing.

5.2 Functional vs. non-functional testing

The goal of utilizing numerous testing methodologies in your development process is to make sure your software can successfully operate in multiple environments and across different platforms. These can typically be broken down between functional and non- functional testing. Functional testing involves testing the application against the business requirements. It incorporates all test types designed to guarantee each part of a piece of software behaves as expected by using uses cases provided by the design team or businessanalyst. These testing methods are usually conducted in order and include:

- Unit testing
- Integration testing
- System testing
- Acceptance testing

Non-functional testing methods incorporate all test types focused on the operational aspectsof a piece of software. These include:

- Performance testing
- Security testing
- Usability testing

- Compatibility testing

The key to releasing high quality software that can be easily adopted by your end users is to build a robust testing framework that implements both functional and non-functional software testing methodologies.

5.2.1 Functional Testing

Functional Testing consists of following testing techniques.




Figure 31: Functional Testing

Unit Testing

Unit testing is the first level of testing and is often performed by the developers themselves. It is the process of ensuring individual components of a piece of software at the code level are functional and work as they were designed to. Unit testing can be conducted manually, but automating the process will speed up delivery cycles and expand test coverage.

Developers in a test-driven environment will typically write and run the tests prior to the software or feature being passed over to the test team. Unit testing can be

conducted manually, but automating the process will speed up delivery cycles and expand test coverage.

Unit testing will also make debugging easier because finding issues earlier means they take less time to fix than if they were discovered later in the testing process. Test Left is a tool that allows advanced testers and developers to shift left with the fastest test automation tool embedded in any IDE.




Figure 32: Unit Testing

Integration Testing

After each unit is thoroughly tested, it is integrated with other units to create modules or components that are designed to perform specific tasks or activities. These are then tested as a group through integration testing to ensure whole segments of an application behave as expected (the interactions between units are seamless). These tests are often framed by user Scenarios, such as logging into an application or opening files. Integrated tests can be conducted by either developers or independent testers and are usually comprised of a combination of automated functional and manual tests.



Figure 33: Integration Testing

System Testing

System testing is a black box testing method used to evaluate the completed and integrated system, as a whole, to ensure it meets specified requirements. The functionality of the software is tested from end-to-end and is typically conducted by a separate testing team than the development team before the product is pushed into production.




Figure 34: System Testing

Acceptance Testing

Acceptance testing is the last phase of functional testing and is used to assess whether or final piece of software is ready for delivery. This requires the product be tested both internally and externally, meaning you'll need to get it into the hands of your end

users for beta testing along with those of your QA team. **Acceptance tests** are carried out upon reception of new devices or equipment. The **purpose of acceptance testing** is to verify that the correct devices have been delivered according to the contract conditions and technical specifications, and in some cases, whether the equipment is properly installed. This requires the product be tested both internally and externally, meaning you'll need to get it into the hands of your end users for beta testing along with those of your QA team.




Figure 35: Acceptance Testing

5.2.2 Non- functional Testing

Performance testing is a non-functional testing technique used to determine how an application will behave under various conditions. The goal is to test its responsiveness and stability in real user situations. It is designed to test the readiness of a system as per non- functional parameters which are never addressed by functional testing. An excellent example of non-functional test would be to check how many people can simultaneously login into software. The goal is to test its responsiveness and stability in real user situations. Performance testing can be broken down into four types:

Load testing

Load testing is the process of putting increasing amounts of simulated demand on your software, application, or website to verify whether or not it can

handle what it's designed to handle. When the load is increased beyond normal usage patterns, in order to **test** the system's performance at exceptionally high or peak loads, it is known as stress testing. Load testing is performed to find out the upper limit of the system or application.



Figure 36: Load Testing

Stress testing

Stress testing takes this a step further and is used to gauge how your software will respond at or beyond its peak load. The goal of stress testing is to overload the application on purpose until it breaks by applying both realistic and unrealistic load scenarios. With stress testing, you'll be able to find the failure point of your piece of software. **Stress testing** refers to a type of **testing** that is so harsh, it is expected to push the program to failure.




Figure 37: Stress Testing

Endurance testing

Endurance testing, also known as soak testing, is used to analyze the behavior of an application under a specific amount of simulated load over longer amounts of time. The goal is to understand how your system will behave under sustained use, making it a longer process than load or stress testing (which are designed to end after a few hours). A critical piece of endurance testing is that it helps uncover memory leaks.

Spike testing

Spike testing is a type of load test used to determine how your software will respond to substantially larger bursts of concurrent user or system activity over varying amounts of time. The goal is to purposefully find loopholes and security risks in the system that could result in unauthorized access to or the loss of information by probing the application for weaknesses. There are multiple types of this testing method, each of which aimed at verifying six basic principles of security:

- Integrity
- Confidentiality
- Authentication
- Authorization
- Availability
- Non-repudiation

Usability testing

Usability testing is a testing method that measures an application's ease-of-use from the end-user perspective and is often performed during the system or acceptance testing stages. The goal is to determine whether or not the visible design and aesthetics of an application meet the intended workflow for various processes, such as logging into an application.

Compatibility testing

Compatibility testing is used to gauge how an application or piece of software will work in different environments. It is used to check that your product is compatible with multiple operating systems, platforms, browsers, or resolution configurations. The goal is to ensure that your software's functionality is consistently supported across any environment you expect your end users to be using.



Figure 38: Compatibility Testing

5.3 Test Cases

A test case is the set of steps that need to be done in order to test a specific function of the software. They are developed for various scenarios so that testers can determine whether the software is working the way it should and producing the expected results.

5.3.1 Data and Database Integrity Testing

Table 4: Data Integrity

Test Objectives	Our main objective of this is to ensure that the tables we created rightly Objective accessed from the user interfaces and rightly updated, modified and deleted data from the tables	
Test Cases	Test Case Description	Result
	Provide login information	Data entered Successfully
	Select aspecific	Task has been completed
	Add all queries related to lawyers, cancellation and confirmation of lawyer	All data has successfully entered
Completion Criteria	All tables that created are successfully accessed from the userinterfaces and successfully updated, modified and deleted.	
Special	MYSQL server is uses as DBMS	

5.3.2 Function testing

Table 5: Function Testing

Test Objectives	Our main objective of this is to test functions that are on a services provider/user/admin interface that fulfilling their functionality data entry, and retrieval.	
Test Cases	Test Case Description	Result
	Check all buttons that helps userto navigate from one their functions. Page to another.	All the buttons successfully performed their functions.
	Check login	Valid person successfully loggedin.
	All data entry operations can bechecked by entering data.	All data entry operations successfully performed their functionalities.
	Check another function.	All other functions performed theirfunctionalities.
Completion	All functions successfully performed their functionalities.	

5.3.3 User interface Testing

Table 6: User Interface Testing

Test Objective	Our main objective of this to do check navigation including window to window, field to field, and use of access methods e.g. focus on other characteristics like size, position, state, colors and any other characteristics	
Test Cases	Test Case Description	Result
	Every service provider like admin and user. Interface can be checked one by one.	All characteristics that
Completion Criteria	Tab key, esc key work properly. Mouse movement is ok. Colors are professional and text color is ok. Text is easily readable and navigation among pages is ok.	
Special Consideration	Attractive interface	

5.3.4 Performance Testing

Table 5.4: Performance Testing

Test Objectives	<p>Main goal of this is that when admin add, modify and delete data and place a new data the response showed in a proper time or not.</p> <p>What happened when a lot of data entered at the same time to server?</p>	
Test Cases	Test case Description	Result
	When a lot number of request come from Application.	This application has its own servers so all these requests should be fulfilled in proper time.
	When admin enter, delete	Database server respond quickly
Criteria	There is no restriction for data. Data can be easily modified.	
Special	The database server should have capability to respond at proper time duration.	

Chapter 6

User Manual

6.1 Main/Home view

A home page is the main web page of a website. The term also refers to one or more pages always shown in a web browser, when the application starts up. In this way it is also known as start page.




Figure 39: Home Screen

6.2 Our Lawyers Page




Figure 40: Lawyers Page

6.3 Services Page




Figure 41: Services

6.4 Testimonial Page




Figure 42: Testimonials

6.5 About Us Page




Figure 43: About Us

6.6 Contact Us Page




Figure 44: Contact Us

6.7 Footer




Figure 45: Footer

6.8 DLS Statistics



Figure 46: DLS Statistics

6.9 Forget Password

The form is titled "Forgot Password?" and includes the following elements:

- A large black padlock icon.
- The title "Forgot Password?" in bold.
- The instruction "Enter your registered email ID to reset the password".
- A label "Email id" above a text input field.
- The input field containing the placeholder text "example@user.com".
- A dark blue "Send" button.
- A light gray "← Back to Login" button.

Figure 47: Forget Password

6.10 Lawyer Registration Page

Lawyer Sign Up

Already have an account? [Sign in here](#)

SIGN UP WITH EMAIL

First Name *

Abdul

Last Name *

Rehman

Education *

LLB , LLM or any other

Specialization *

Select Specialization ▼

Experience(in years) *

5-Years


Law Firm Name

Firm name

Email Address *

example@user.com

Password *

..... 

Phone No. *

+9230265680

License No. *

65667

Description *

10 - 20 words about yourself that attract client to You..

Address *

Upload Image *

Choose File

No file chosen



 Sign up

Figure 48: Lawyer Registration

6.11 User Login




The login form is centered on a light blue background with abstract white lines. It has a white border and contains the following elements:

- User Login Here**: Main heading.
- Don't have an account yet? Create Account**: Link for new users.
- SIGN IN WITH EMAIL**: Section header.
- Email**: Label for the email field.
- Email Address**: Input field for email.
- Password**: Label for the password field.
- Enter Password**: Input field for password.
- Forgot Password ?**: Link for password recovery.
- Sign in**: Button with a lock icon.

Figure 49: Login Area

6.12 User Dashboard



The dashboard is titled "DLS" and features a sidebar with navigation links: Profile, My Lawyer, Feedback, Change Password, and Logout. The main content area displays the user's profile information:

- Profile Card**: Includes a profile picture of Ziaullah Amin, his name, and his address: "Chak No. 521 Toba Tek Singh".
- Form Fields**: Fields for Full Name, Email, Mobile, Address, and Description, all containing the same information as the profile card.
- Upload Image**: A section with a "Choose File" button and a "No file chosen" message.
- Update**: A button to save the changes.

Figure 50: User Dashboard

6.13 Lawyer Dashboard






Figure 51: Lawyer Dashboard

6.14 Lawyer Requests




6.15 List of Lawyers



Lawyer ID	Lawyer Name	Mobile	Specialization	Experience	Status	Action
25	Abdul Rehman	03434567866	Business Lawyer	5	Approved	***
26	Hina Anjum	03030034554	Constitutional lawyer	5	Approved	***
27	Sufyan Salfi	03330344985	Constitutional lawyer	1	Disapproved	***
36	Luqman Yahya	03095331305	Intellectual property lawyer	2	Disapproved	***

Figure 52: Lawyer List

6.16 Database Connection



```
dbConnection.php
includes > dbConnection.php
1  <?php
2
3  $serverName = "localhost";
4  $userName = "root";
5  $password = "";
6  $database = "dls";
7
8  $conn = mysqli_connect($serverName, $userName, $password, $database);
9
10 ?>
```

Figure 53: Database Connection

6.17 Front End Coding

```
<!-- Banner Start -->
<div class="banner-image w-100 vh-100 d-flex bg-secondary">

  <div class="img-overly"></div>

  <div class="banner-content" style="width: 300px; margin-top:120px; margin-left:
  100px">
    <h1 class="text-white">We <span class="text-third">Fight </span> For Your
    <span class="text-third">Right</span> </h1>
    <p class="text-white shadow-sm my-3" style="text-align:justify">DLS Experts
    adhere to high standards of professionalism and conduct. Each of our Expert is
    a lawyer verified by Bar Council and expert in his/her respective field. That
    Helps Deal With diffferent Matters</p>

    <a href="user/register.php" class="btn btn-outline-warning">Register</a>
    <a href="user/login.php" class="btn btn-dark">Login</a>

    <br><br>
    <a href="tel:+923020006566" class="btn btn-gold rounded-pill">FREE
    CONSULTATION</a>

  </div>
</div>
<!-- Banner End -->
```

Figure 54: Front End

6.18 Backend Coding




Figure 55: Back End

6.19 Database

admin	★	Browse	Structure	Search	Insert	Empty	Drop	1	InnoDB	utf8_bin	16.0 K	B	-
appointment	★	Browse	Structure	Search	Insert	Empty	Drop	7	InnoDB	utf8_bin	32.0 K	B	-
casetype	★	Browse	Structure	Search	Insert	Empty	Drop	3	InnoDB	utf8_bin	16.0 K	B	-
client	★	Browse	Structure	Search	Insert	Empty	Drop	7	InnoDB	utf8_bin	16.0 K	B	-
court	★	Browse	Structure	Search	Insert	Empty	Drop	1	InnoDB	utf8_bin	16.0 K	B	-
courttype	★	Browse	Structure	Search	Insert	Empty	Drop	2	InnoDB	utf8_bin	16.0 K	B	-
events	★	Browse	Structure	Search	Insert	Empty	Drop	1	InnoDB	utf8_bin	16.0 K	B	-
feedback	★	Browse	Structure	Search	Insert	Empty	Drop	4	InnoDB	utf8_bin	32.0 K	B	-
judges	★	Browse	Structure	Search	Insert	Empty	Drop	1	InnoDB	utf8_bin	16.0 K	B	-
lawyer	★	Browse	Structure	Search	Insert	Empty	Drop	4	InnoDB	utf8mb4_general_ci	16.0 K	B	-
member	★	Browse	Structure	Search	Insert	Empty	Drop	3	InnoDB	utf8_bin	16.0 K	B	-
query	★	Browse	Structure	Search	Insert	Empty	Drop	2	InnoDB	utf8_bin	16.0 K	B	-
role	★	Browse	Structure	Search	Insert	Empty	Drop	4	InnoDB	utf8_bin	16.0 K	B	-
task	★	Browse	Structure	Search	Insert	Empty	Drop	2	InnoDB	utf8_bin	16.0 K	B	-
user	★	Browse	Structure	Search	Insert	Empty	Drop	4	InnoDB	utf8_bin	16.0 K	B	-
15 tables	Sum							46	InnoDB	utf8_bin	272.0 K	B	8

Figure 56: Database

6.20 Database Table Structure

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1 appointment_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2 lawyer_id	int(11)			No	None			Change Drop More
<input type="checkbox"/>	3 client_name	varchar(50)	utf8_bin		No	None			Change Drop More
<input type="checkbox"/>	4 client_email	varchar(50)	utf8_bin		No	None			Change Drop More
<input type="checkbox"/>	5 client_mobile_no	varchar(20)	utf8_bin		No	None			Change Drop More
<input type="checkbox"/>	6 appointment_date	date			No	None			Change Drop More
<input type="checkbox"/>	7 appointment_time	time			No	None			Change Drop More
<input type="checkbox"/>	8 appointment_note	text	utf8_bin		No	None			Change Drop More
<input type="checkbox"/>	9 appointment_status	int(11)			No	0			Change Drop More

Figure 57: Table Structure