


SECURITY ANALYSIS REPORT (24H)

Analysis Period: 26/4/2026, 5:37:46 pm - 27/4/2026, 5:37:46 pm

TOTAL FLOWS 17,318	MALICIOUS FLOWS 8,471	IPS BLOCKED 0	PRIMARY VECTOR Anomaly
--	---	-------------------------------------	--

24-HOUR THREAT TREND



ARTIFICIAL INTELLIGENCE ANALYSIS

EXECUTIVE SUMMARY:

The Intrusion Detection System (IDS) has analyzed 17318 network flows over the last 24 hours, detecting 8471 malicious attacks. The primary attack vector was anomaly-based, indicating that the attacks were identified through behavioral analysis rather than signature matching. Notably, no systems were automatically blocked, suggesting that the IDS is configured for detection only, and not prevention. The presence of malicious source IPs, including 34.54.84.110 and 172.67.70.74, highlights the need for further investigation and potential blocking.

THREAT LANDSCAPE:

The threat landscape over the last 24 hours is characterized by a high volume of anomaly-based attacks. This suggests that attackers are using tactics, techniques, and procedures (TTPs) that are not easily detectable through traditional signature-based methods. The fact that all detected attacks were classified as anomalies implies that the attackers are attempting to evade detection through the use of unknown or customized exploit code. The source IPs identified, 34.54.84.110 and 172.67.70.74, may be indicative of a larger campaign or a single attacker using multiple IPs to launch attacks.

PATTERN RECOGNITION:

The high volume of anomaly-based attacks suggests that the attackers may be engaged in a reconnaissance or probing campaign, attempting to identify vulnerabilities in the network. The use of multiple source IPs may

indicate a distributed attack, where multiple systems are being used to launch attacks against the target network. Further analysis is needed to determine if these attacks are part of a larger campaign or a series of unrelated events. The fact that no systems were automatically blocked suggests that the IDS is not integrated with a prevention system, such as a firewall or IPS, which could be used to block traffic from known malicious IPs.

ACTIONABLE RECOMMENDATIONS:

To improve the security posture of the network, the following steps are recommended:

1. Integrate the IDS with a prevention system, such as a firewall or IPS, to enable automatic blocking of traffic from known malicious IPs.
2. Conduct further analysis of the detected attacks to determine if they are part of a larger campaign or a series of unrelated events. This may involve analyzing network logs, system logs, and other security-related data.
3. Block traffic from the identified malicious source IPs, 34.54.84.110 and 172.67.70.74, at the network perimeter to prevent further attacks.
4. Consider implementing a threat intelligence feed to provide the IDS with real-time information on known malicious IPs and attack patterns.
5. Review the IDS configuration to ensure that it is optimized for detection and prevention, and that it is integrated with other security systems to provide a comprehensive security posture.

