

Module Logic and Developer Flows

1. Account Onboarding and Workspace

Purpose

Create the official account workspace from uploaded project charters/SOWs or manual account setup. This becomes the central workspace for KYC, stakeholders, engagements, scores, signals, plans, opportunities, escalations, governance, attachments, and timeline.

Primary actors

- KAM Head / Admin: starts onboarding, assigns AM, approves draft workspace. (Account should have a status “draft” and there should be a status based filter on the listing page so user can approve or request for changes in account details. By default, every account will be in draft status)
- Account Manager / KAM: reviews extracted context and owns execution.
- Platform AI: extracts draft values from charters/SOWs (File Types: Docx, PDF, CSV, Excel)

Entry conditions

- KAM Head/Admin uploads one or more project charters/SOWs, or manually creates accounts.

Required data

- Account name
- Industry / segment / region
- Website / HQ location, where available
- Relationship start date
- Primary Account Manager (Assigned Account Managers History)
- Supporting owners: Ops Lead, Delivery Lead, Finance Partner, Executive Sponsor, supporting AMs where enabled
- Source documents: project charter, SOW, attachments, links (website, linkedin etc)
- Initial lifecycle status: usually *Onboarding*

Flow

1. KAM Head/Admin starts onboarding.
2. User uploads one or more charters/SOWs or enters account details manually in the form fields.
3. AI parses documents and groups extracted data by account and engagement.
4. System checks whether the client already exists.

- If match found: suggest linking new engagement/SOW to existing account. (Confirmation popup to ask for create new or update existing account)
 - If no match is found: create a draft account.
5. The system creates draft account fields and draft engagement/SOW records.
 6. KAM Head/Admin assigns primary AM (Account Manager) and supporting account team (All the roles list will be there and KAM Head/Admin will assign users on each role under this account).
 7. System records assignment rationale, source document, actor, timestamp, previous owner if any, and new owner. (Timeline Logs and display in account timelines)
 8. KAM/authorized (KAM HEAD) reviewer reviews extracted fields, confidence, source citations, conflicts, and missing fields.
 9. Reviewer approves, edits, or rejects draft. (With Notes / Comments)
 10. On approval, the account workspace becomes official and appears in dashboards. (Active Account)
 11. KYC checklist is activated and assigned to AM. (A configurable checklist to be fulfilled)
 12. Timeline and audit entries are created for account setup, document upload, extraction, assignment, approval, and KYC activation.

Full onboarding flow

- 1 **KAM Head uploads charter / SOW (or enters manually)**
One or more source documents attached to a nominated client.
- 2 **AI parses & groups extracted data by account and engagement**
System checks for duplicate accounts. If match found → suggest linking to existing. If no match → create draft workspace.
- 3 **Draft account + draft engagement records created**
All fields marked draft. No metrics, signals, or dashboards affected yet.
- 4 **KAM Head assigns primary AM + supporting team**
Ops Lead, Delivery Lead, Finance Partner, Exec Sponsor optionally added.
Assignment logged with actor, rationale, timestamp.
- 5 **AM reviews extracted fields — confidence, citations, conflicts, gaps**
Edits can be made before approval.
- 6 **KAM Head approves or rejects**
Reject → returns to draft with reason. Approve → account becomes official.
- 7 **Official workspace goes live: KYC activated, renewal tasks created, timeline written**
Account appears in dashboards. KYC checklist assigned to AM.

Draft data **MUST NOT** affect health scores, signals, renewal posture, or stage until KAM Head approves



Status logic

- **Draft:** AI/manual workspace not yet approved.
- **Onboarding:** approved workspace but KYC/engagement setup still incomplete.
- **Active:** account has approved KYC and active engagement context.
- **At Risk:** active critical risk, red health, major escalation, or configured risk rule.
- **Renewal Focus:** renewal/notice window approaching or renewal plan required.
- **Expansion Focus:** growth play/opportunity focus selected.
- **Dormant:** inactive or low/no current engagement but retained for tracking.
- **Archived:** closed account record retained for audit/history.

Key validations

- Official accounts cannot be created without required fields and primary AM.
 - Draft data must not affect health, signals, renewal posture, or stage until approved.
 - All source-generated fields need source reference and confidence.
 - Duplicate account detection should run before official creation.
-

2. Engagement / SOW Management

Purpose

Track one account with multiple engagements, each with its own SOWs, commercial terms, delivery context, renewal posture, risks, health contribution, and timeline.

Primary actors

- KAM: creates or reviews engagement records.
- KAM Head: approves critical draft context where configured.

Required data

- Engagement name
- Parent account
- Source charter/SOW links
- Start date, end date, renewal date
- Notice period / notice deadline (it will be no of days)
- Auto-renewal terms, where available (Auto renew for the n number of days)
- Owner
- Service lines (It will be a constant list in a config file and store as a text in each module as-is)
- Value / ARR / commercial exposure, if available
- Delivery status
- Activities / Timelines, attachments

Flow

13. Engagement is created from approved onboarding as draft, SOW upload, or manual entry.
14. AI extracts SOW terms: start date, end date, renewal date, notice period, auto-renewal, value, service lines, scope, owners.
15. Extracted terms stay in draft until reviewed.
16. On approval, engagement becomes official.

17. The system generates renewal-related tasks and calendar items using approved SOW terms.
(System will suggest tasks to create run time and user will accept or reject the task. Accepted tasks will be created and rejected will be removed from suggestions)
18. Engagement-level health is calculated using configured metrics. (Ref. Health Section)
19. Engagement health rolls up into Account Health according to the configured rule. (Ref. Health Section)
20. Engagement timeline events also appear in Account Timeline.

Engagement creation flow

- 1 Engagement created from onboarding draft, won opportunity, SOW upload, or manual entry
- 2 AI extracts SOW terms → draft until AM reviews and approves
Extracts: start date, end date, renewal date, notice period, auto-renewal clause, value, service lines, scope, owners.
- 3 On approval → engagement health calculated; rolls up to Account Health
- 4 Renewal tasks and calendar items auto-created from approved SOW terms
- 5 Engagement timeline events also appear in Account Timeline

Renewal logic

- $\text{Days to Expiry} = \text{SOW End Date} - \text{Today}$
- $\text{Notice Deadline} = \text{Renewal Date or SOW End Date} - \text{Notice Period}$
- Generate renewal signal/task at configured windows, e.g. 120/90/60 days. (Configurable at admin for default value. Configurable for each account i.e. generate notification 3 days before the renewal date. By default, it will be a value from admin settings)
- If notice deadline is passed without renewal plan: create high/critical renewal risk signal. (Set status at risk on account level and on engagement level. Assuming to send an email and notifications too)

3. Account Overview

ARR / COMMERCIAL VALUE

Links to SOW + KYC data

ACCOUNT HEALTH + RAG

Green / Amber / Red

OPEN SIGNALS

Severity-sorted

NEXT GOVERNANCE

QBR / SteerCo date

RENEWAL WINDOW

Days to notice deadline

OVERDUE TASKS

Count + link

OPEN OPPORTUNITIES

Pipeline count + value

ACTIVE ESCALATIONS

Severity + age

Page sections

Account profile

Engagements

KYC brief

Stakeholders

Health scores

Signals

Activities

Opportunities

Content

Escalations

Governance

Attachments

Timeline

AI brief panel

RBAC rules on overview

Leadership viewer	Read-only — no edit controls shown
Sensitive fields	Commercial, legal, exec, escalation gated at data layer
All cards	Link to source section — no dead displays

Purpose

The main working page for an account. It must show current account state and history without forcing users to jump across disconnected modules.

Main sections

- Account profile and lifecycle status

KAM Tool – Module Logic and Developer Flows

- Engagements/SOWs
- KYC and Account Brief
- Stakeholders
- Health scores and score drivers
- Signals and Attention Center items
- Activities and playbooks
- Opportunities and whitespace
- Education/content actions
- Escalations
- Governance events
- Attachments
- Timeline
- AI brief / KAM AI panel

Summary cards

- ARR / commercial value
- Stage / lifecycle status
- Health score and RAG
- Open signals
- Overdue activities
- Next governance event
- Open opportunities
- Active escalations
- Renewal / notice window

Behavior

- Cards always link to source sections.
- Leadership users see read-only account overview.
- Sensitive commercial, escalation, executive, and attachment fields respect RBAC.

4. KYC and AI-Assisted KYC

Purpose

Capture structured customer intelligence and convert it into an approved, versioned Account Brief.

KYC workstreams

21. **Market Research:** industry, market position, competitive landscape. (website, linkedin, web search, zoom info, crunch base, rocket reach)
22. **Client Research:** company background, strategic priorities, recent news. (Go through news, blogs, posts, social media etc)
23. **Stakeholder Details:** key contacts, roles, reporting structure (Stakeholders Linkedin, Stack, Industry, Designation etc)
24. **Tkxel Engagement with Client:** engagement history, delivery performance, relationship quality (With company or any stakeholders)
25. **Financial Landscape:** commercial exposure, funding context, financial health signals (website, linkedin, web search, zoom info, crunch base, rocket reach and social media etc)

Flow

26. KYC is activated after onboarding approval or manually triggered from Account Overview.
27. System creates KYC checklist assigned to AM.
28. AI workstreams run against approved documents, uploaded attachments, account context, prior KYC snapshots (Periodic KYC / Versioning with timestamps), notes, and configured research sources.
29. Each workstream returns:
 - extracted fields
 - confidence level
 - source citations
 - conflicts
 - missing fields
 - workstream status: pending/draft/in progress/complete/failed
30. AM reviews, edits, enriches, and fills missing fields.
31. Internal interviews are logged and linked to KYC sections, e.g. Delivery Lead, PM, AE, Tech Lead. (Online call with DL / PM and fetch details using Fathom and (in future integrate KNACK to fetch such details))
32. KAM submits for review.
33. KAM Head/authorized owner approves or rejects.
34. Approved KYC becomes an immutable snapshot version, e.g. v1.0, v1.1.
35. Only approved KYC can affect metrics, signals, renewal posture, AI briefs, and stage prediction.
36. Quarterly review reminders are created as tasks. (Configurable at admin panel universal)

KYC flow

- 1 KYC activated after onboarding approval (or manually triggered)**
Checklist assigned to AM. System creates KYC record in draft state.
- 2 5 AI workstreams run against approved docs, attachments, prior snapshots, notes, and configured research sources**
Each workstream has its own status: pending → running → complete / failed.
- 3 Draft output: extracted fields + confidence + source citations + conflicts + missing fields**
- 4 AM reviews, edits, enriches, logs internal interviews**
Interviews (DL, PM, AE, Tech Lead) logged and linked to KYC sections.
- 5 AM submits for review → KAM Head approves or rejects**
- 6 Approved snapshot becomes immutable version (e.g. v1.0) — metrics and signals now active**
Quarterly review reminders created. Timeline entries written for every step.

Draft AI suggestions do NOT count as completion until the AM accepts and the KAM Head approves.

5 KYC workstreams

Workstream	AI populates	Status tracked
1. Market research	Industry, competitors, market size, regulatory	per-workstream
2. Client research	Company background, strategy, news, M&A	per-workstream
3. Stakeholder details	Contacts, roles, reporting structure, org chart	per-workstream
4. Txxel engagement	Delivery history, relationship quality	per-workstream
5. Financial landscape	Commercial exposure, funding, payment patterns	per-workstream

Completion logic

$\text{KYC Completion \%} = \frac{\text{populated required KYC fields}}{\text{total required KYC fields}} \times 100$

KAM Tool – Module Logic and Developer Flows

Only approved or user-confirmed populated fields count. Draft AI suggestions should not count as official completion until accepted.

Freshness logic

- KYC becomes stale when the last approved snapshot age exceeds the configured threshold, e.g. quarterly.
- Stale KYC creates a signal and dashboard indicator.
- Refresh AI Data reruns all five workstreams but preserves previous output until the new run completes.

5. Stakeholder and Relationship Management

Purpose

Maintain decision-maker coverage, relationship strength, influence, sentiment, and interaction history.

 Recalculation triggers

Event-driven	Any approved KYC, CSAT, Ops, or stakeholder change
Scheduled daily	Stale data, overdue actions, SOW renewal proximity
Manual refresh	AM / KAM Head — before QBRs or SteerCos
Snapshot rule	Formula changes do NOT overwrite historical snapshots
Draft block	Unapproved KYC / SOW NEVER enters scoring pipeline

 Score freshness & explainability

Stored per score	Raw score, weight, weighted score, final score, RAG status, calculation date, scoring-version ID
Explainability	Every score shows contributing criteria, selected option, weight, weighted result
Freshness display	Last calculated timestamp, stale indicator, trend arrow

 Universal RAG thresholds

Green ≥ 2.0

Yellow 1.5 – 1.9

Red < 1.5

Applies to: Relationship Score, Resource Health, Contract Health, CSAT, Account Risk (with slight variance — see section 9.6).

Core fields

- Name
- Role
- Seniority level: C-level, VP, Director, Operational
- Stakeholder type: economic buyer, executive sponsor, technical decision maker, operational POC, commercial owner, influencer
- Influence level
- Decision authority
- Last interaction date
- Engagement/account linkage

Category status		
Category	Framework available	Weight behavior
Relationship Score	Yes	Configurable in Admin
Resource Health	Yes	Configurable in Admin
Service Line Score	Yes	Configurable in Admin
Contract Health	Yes	Configurable in Admin
Account Risk Score	Yes	Configurable in Admin
CSAT Score	Yes	Configurable in Admin
Delivery Score	No framework yet	Keep inactive until business provides criteria

Do NOT hardcode final Account Health category weights. Store all weights in Admin configuration and preserve snapshot history when weights change.

Logic

- Relationship data can feed Relationship Score.
- Missing executive sponsor, missing commercial owner, or single-threaded relationship can create coverage gap signal.
- Stakeholder changes emit timeline events.
- Sensitive contacts or executive notes respect RBAC.

Example signals

- No executive sponsor assigned.
- Only one active stakeholder exists.
- No C-level interaction in the configured period.
- Relationship strength dropped from strong to weak.

6. Account Planning, Whitespace, and Service Catalog

Purpose

Convert account intelligence into growth or retention execution.

Inputs

- Approved KYC
- Engagement/SOW service lines
- Service catalog
- Whitespace checklist
- Health score and weak metrics
- Opportunities
- Renewal posture
- Risks and escalations

Service mapping logic

Each service can be marked:

- Currently Provided
- Applicable but Not Used
- Not Applicable
- optionally Unknown / Needs Validation

Suggested formulas:

- $\text{Service Adoption \%} = \text{Currently Provided} / \text{Applicable Services} \times 100$
- $\text{Whitespace \%} = \text{Applicable but Not Used} / \text{Applicable Services} \times 100$
- Whitespace Opportunity Score = weighted value of applicable unused services based on strategic fit, estimated ARR, client priority, relationship access, and delivery readiness

Planning route

- If health is Green/Amber and whitespace is high: route to Growth Play.
- If health is Red or renewal risk is high: route to Retention/Stabilization Play.
- If both expansion and risk exist: route to Hybrid Plan.

Output

- Account plan with goals, initiatives, owners, due dates, service gaps, opportunities, risks, commitments, and next actions.

7. Growth and Opportunity Management

Purpose

Track expansion, cross-sell, upsell, renewal, and recovery opportunities at account or engagement level.

Core fields

- Opportunity type
- Service line
- Estimated value / ARR
- Probability
- Stage
- Owner
- Target close date
- Decision maker
- Next step
- Source context: whitespace gap, AI recommendation, governance action, KAM-created

Stage flow

Identified → Qualified → Proposed → Negotiation → Won / Lost

Logic

- AI can recommend opportunities but cannot create official opportunity records without user action.
- Opportunity stage changes create timeline events with stage flow history.
- Stalled opportunity signal triggers if no stage movement for configured threshold, e.g. 90 days (Configurable at admin settings and impact universal)

Weighted pipeline

Weighted Forecast = Estimated Value × Probability %

8. Retention and Account Stability

Purpose

Protect revenue by tracking renewal readiness, stabilization plans, SOW expiry, notice deadlines, risk posture, and weak metrics.

Inputs

- SOW expiry and notice terms
- Renewal date
- Renewal risk
- Commercial exposure
- Health score and trend
- CSAT trend
- Open escalations
- Stakeholder coverage
- Governance compliance

Flow

37. Approved SOW terms generate renewal timeline.
38. System creates renewal tasks and calendar reminders.
39. If health weakens near renewal, system creates renewal-risk signal.
40. KAM creates retention/stabilization plan (Retention Notes)
41. Plan contains actions, owners, due dates, success criteria, governance cadence, and milestones.
42. Activity outcomes are tracked in timeline.

Important rule

Completing a task should not directly improve health. Health improves only when underlying data improves, e.g. escalation resolved, CSAT improved, governance completed, stakeholder coverage restored.

9. Configurable Scoring and Metric Engine

Purpose

Calculate explainable account and engagement health using the scoring logic from the consolidated KAM framework sheet. Account Identification, Account Segmentation, and sample project/account scores are intentionally excluded from this section.

The sheet contains explicit scoring logic for the following scoring categories:

43. Relationship Score
44. Resource Health Score
45. Service Line Score

46. Contract Health Score

47. Account Risk Score

48. CSAT Score

The Summary sheet also references Delivery Score, but the uploaded framework file does not include a separate Delivery Score worksheet or detailed Delivery Score rules. Delivery Score should remain a placeholder until the Delivery Score criteria, weights, and scoring matrix are provided.

9.1 Global Scoring Rules

Item	Rule
Scoring type	Weighted score, average score, or percentage depending on category
Sample project columns	Ignored for product logic
Configurability	Weights should be configurable in Admin where the framework uses weights
Score storage	Store raw metric score, metric weight, weighted score, final category score, RAG status, calculation date, and scoring-version ID
Score explainability	Every score must show contributing criteria, selected option, weight, and weighted result
Official impact	Scores should use approved account, KYC, engagement, stakeholder, contract, risk, and CSAT data only

9.2 Relationship Score Framework

Formula

Relationship Score = SUM(each metric score × metric weight)

Total weight in the source framework equals 100%.

Criteria Table

Metric / Role	Weight	Scoring Logic
CEO	20%	3 = Txxel CEO meets client sponsor every 2 quarters; 2 = Txxel CEO meets client sponsor once a year; 0 = Txxel CEO has no connection with sponsor
KAM	30%	3 = KAM meets client leadership/decision maker every quarter; 2 = KAM meets client leadership/decision maker every 2 quarters; 0 = KAM meets client leadership/decision maker once a year
Delivery Leadership / PMO / Director	25%	3 = PMO meets client PO/Technical POC every month; 2 = PMO meets client PO/Technical POC every 2 months; 0 = PMO meets client PO/Technical POC once every quarter
Finance	5%	3 = Txxel finance team meets client finance team on a need basis; 0 = Txxel finance team is not connected with client finance team
In-Person Meeting	20%	3 = There was an in-person meeting this year; 0 = There was no in-person meeting this year

Interpretation Matrix

Score Range	Status	Meaning
>= 2	Green	Stable relationship
> 1.5 and < 2	Yellow	Need to strengthen relationship
< 1.5	Red	Relationship at risk

Product Logic

Trigger	Product Behavior
Relationship score becomes Yellow	Create relationship-strengthening signal; recommend relationship recovery playbook
Relationship score becomes Red	Create high-priority relationship risk signal; notify AM and show in Attention Center
CEO score = 0	Create executive-sponsor coverage gap signal
KAM score = 0	Create commercial relationship gap signal
Delivery Leadership score = 0	Create delivery relationship gap signal
In-Person Meeting score = 0	Mark relationship depth gap; recommend executive/client visit action where applicable

9.3 Resource Health Score Framework

Formula

Resource Health Score = SUM(each metric score × metric weight)

Total weight in the source framework equals 100%.

Criteria Table

Metric	Weight	Scoring Logic
Number of Key Resources on Account	50%	3 = Project has 1 key resource; 2 = Project has 2 key resources; 0 = No key resource or more than 2 key resources
Key Resource Alignment with Tkel	25%	3 = More than 1 year; 2 = 1 year; 1 = 6 months
Backup	25%	1 = Yes; 0 = No

Interpretation Matrix

Score Range	Status	Meaning
>= 2	Green	Stable resource health
> 1.5 and < 2	Yellow	Need to strengthen resource health
< 1.5	Red	Resource health at risk

Product Logic

Trigger	Product Behavior
Resource Health becomes Yellow	Create resource health signal; recommend backup/continuity actions
Resource Health becomes Red	Create high-priority resource risk signal; notify AM and KAM Head per SLA rules
Number of Key Resources score = 0	Create key-resource dependency/coverage signal
Backup score = 0	Create backup coverage gap signal and task to identify backup resource
Alignment score = 1	Create continuity risk indicator

9.4 Service Line Score Framework

Formula

$$\text{Service Line Score} = \text{COUNT(Yes)} / (\text{COUNT(Yes)} + \text{COUNT(No)}) \times 100$$

N/A values are excluded from the denominator.

Service Status Logic

Status	Meaning	Calculation Treatment
Yes	Service is adopted/currently provided	Counted in numerator and denominator
No	Service is applicable but not currently provided	Counted in denominator only
N/A	Service is not applicable	Excluded from numerator and denominator

Service Catalog / Competency Table

#	Competency
1	Assessment & Strategy
2	Business Analysis
3	UX Design
4	Solution Architecture & Design
5	Development
6	DevOps Service
7	Functional Testing Service
8	Performance Testing Service
9	Security Testing Service
10	Test Automation
11	SRE Services

12	L1 Support
13	L2 Support
14	L3 Support
15	Salesforce Tech Support
16	MS Dynamics Tech Support
17	PeopleSoft Tech Support
18	Hubspot Tech Support
19	Monday.com Tech Support
20	Jira Tech Support
21	Data Engineering Services
22	Data Analysis Services
23	Data Science Services
24	GenAI Services
25	Architecture & Design Audit
26	Security Audit
27	Infrastructure Audit
28	Code Audit
29	Wordpress Tech Support
30	Moodle Tech Support
31	Discovery Workshop Service
32	Mobile Development
33	Web Development
34	Digital Transformation
35	AI Transformation
36	Application Modernization
37	Call Center Service
38	NOC
39	SOC
40	Cyber Security Services
41	GRC Services
42	Cloud Optimization
43	Cloud Migration Service
44	Technology Upgradation
45	Business Intelligence Service
46	Staff Augmentation
47	Handover Process (HOP)
48	Automation Testing
49	Mulesoft

Product Logic

Trigger	Product Behavior
Service Line Score is low	Create whitespace/growth opportunity signal
Many `No` services exist	Recommend service-adjacency review
Strategic service is marked `No`	Recommend opportunity creation
Service status changes from `Yes` to `No`	Create adoption decline signal and timeline event

9.5 Contract Health Score Framework

Formula

Contract Health Score = AVERAGE(Contract Length score, Notice Period score, Renewal Terms score)

The source framework does not assign metric weights for Contract Health. If weights are needed later, Admin should be allowed to convert this from simple average to weighted average.

Criteria Table

Metric	Scoring Logic
Contract Length	3 = 1 year or more; 2 = 6 months; 1 = 3 months
Notice Period	3 = Non-terminable; 2 = 2 months; 1 = 1 month
Renewal Terms	3 = 5% pre-agreed hike + auto renewal; 2 = auto renewal; 0 = no renewal

Interpretation Matrix

Score Range	Status	Meaning
>= 2	Green	Secure contract
> 1.5 and < 2	Yellow	Contract health stable
< 1.5	Red	Contract health at risk

Product Logic

Trigger	Product Behavior
Contract Health becomes Yellow	Create contract review signal
Contract Health becomes Red	Create contract risk signal; notify AM and KAM Head where configured
Notice Period score = 1	Create notice-period risk signal
Renewal Terms score = 0	Create renewal-risk signal
Contract Length score = 1	Create short-contract risk indicator

9.6 Account Risk Score Framework

Formula

Account Risk Score = SUM(each metric score × metric weight)

Total weight in the source framework equals 100%.

Important: This score behaves as a health/stability score, where a higher score means lower account risk.

Criteria Table

Metric	Weight	Scoring Logic
Competitors	30%	3 = Txxel has no competitors on this account; 0 = Txxel has 1 or more competitors on this account
Current Leadership Tenure	15%	3 = Client leadership is aligned for the next 1 year and above; 0 = Client leadership is aligned for less than 6 months
Funding and Revenue Changes	15%	3 = Client has a stable revenue stream for 1+ years; 0 = Unaware of revenue information
Payment Behavior	15%	3 = Client invoices are paid regularly; 2 = Client invoices have irregular schedule; 0 = Client invoices are pending for the past 2 months
Roadmap Alignment	20%	3 = Txxel is aligned with client roadmap for next 1+ years; 2 = Txxel is aligned with client roadmap for 6+ months; 0 = Txxel is vaguely aligned or not aligned with client roadmap
Geopolitical Situation	5%	3 = Client geopolitical situation is stable; 0 = Client geopolitical situation is unstable

Interpretation Matrix

Score Range	Status	Meaning
>= 2	Green	Low risk account
> 1.6 and < 1.9	Yellow	Medium risk; needs some effort
< 1.5	Red	High-risk account; needs dedicated attention

Note: The source sheet has threshold gaps around 1.5–1.6 and 1.9–2.0. Product configuration should either preserve the sheet as-is or finalize clean non-overlapping ranges before implementation.

Risk Reasons Captured in Sheet

Risk Reason / Example
Contraction risk
Client's unreasonable expectations
Not our sweet spot
Change in management / no delivery control
Resource turnaround
Budget constraint

Delivery issues

Product Logic

Trigger	Product Behavior
Account Risk Score becomes Yellow	Create medium account-risk signal
Account Risk Score becomes Red	Create high account-risk signal and show in Attention Center
Competitors score = 0	Create competitor-risk signal
Leadership Tenure score = 0	Create leadership-change risk signal
Funding/Revenue score = 0	Create financial-visibility risk signal
Payment Behavior score = 0	Create payment-risk signal
Roadmap Alignment score = 0	Create strategic-misalignment signal
Geopolitical Situation score = 0	Create geopolitical-risk signal

9.7 CSAT Score Framework

Purpose

Keep CSAT scoring simple and consistent across all accounts using five standard categories. Each category is scored from 1 to 5, where 1 means Very Poor and 5 means Excellent.

Formula

$\text{CSAT Score} = \text{SUM}(\text{category score} \times \text{category weight})$

Total category weight equals 100%.

CSAT Categories

Category	Weight	Description
Delivery Excellence	30%	Quality of delivery, technical execution, timeliness, and output reliability
Communication	20%	Responsiveness, clarity, transparency, and update quality
Proactiveness	15%	Initiative, problem-solving, risk anticipation, and improvement suggestions
Trust	20%	Reliability, partnership strength, credibility, and confidence in Txxel
Value for Money	15%	Perceived value, efficiency, ROI, and commercial fairness

Rating Matrix

The same 1–5 matrix applies to all five CSAT categories.

Score	Rating	Meaning
1	Very Poor	Serious dissatisfaction or major concern
2	Poor	Below expectation and needs improvement
3	Average	Acceptable but needs attention
4	Good	Meets expectation with minor improvement areas
5	Excellent	Strong satisfaction and positive client perception

Product Logic

Trigger	Product Behavior
Overall CSAT score drops below configured threshold	Create CSAT risk signal
Any category score is 1 or 2	Create category-specific improvement task recommendation
Delivery Excellence score is 1 or 2	Recommend delivery recovery action
Communication score is 1 or 2	Recommend communication cadence action
Proactiveness score is 1 or 2	Recommend proactive improvement plan
Trust score is 1 or 2	Recommend executive relationship action
Value for Money score is 1 or 2	Recommend value realization or commercial review
CSAT improves from prior survey	Add positive CSAT trend event to timeline

Example Calculation

Category	Score	Weight	Weighted Score
Delivery Excellence	4	30%	1.20
Communication	3	20%	0.60
Proactiveness	3	15%	0.45
Trust	4	20%	0.80
Value for Money	3	15%	0.45
Final CSAT Score		**100%**	**3.50 / 5.00**

9.8 Delivery Score Placeholder

The Summary sheet references Delivery Score as one of the account score categories, but the uploaded framework does not provide a Delivery Score worksheet, formula, criteria, weights, or interpretation matrix.

Until the Delivery Score framework is provided, developers should not infer delivery scoring from other sheets.

Required Inputs Before Implementation

Required Item
Delivery score criteria
Metric weights
Scoring options
Formula
RAG thresholds
Signal triggers
Source data ownership

9.9 Composite Account Health Recommendation

The uploaded framework defines category-level scores but does not provide a final composite Account Health formula across all categories. For product implementation, use a configurable composite model.

Recommended Formula

$$\text{Account Health} = \frac{\text{SUM}(\text{category score} \times \text{category weight})}{\text{SUM}(\text{category weights})}$$

Recommended Category Table

Category	Source Logic Available?	Recommended Weight Behavior
Delivery Score	No	Keep inactive until framework is provided
Contract Health	Yes	Configurable
Relationship Score	Yes	Configurable
Service Line Score	Yes	Configurable
Resource Health	Yes	Configurable
Account Risk Score	Yes	Configurable
CSAT Score	Yes	Configurable

Developer Rule

Do not hardcode final Account Health category weights unless the business provides them. Store category weights in Admin configuration and preserve scoring snapshot history when weights change.

10. Rule-Based Signals and Attention Center

Purpose

Turn deterministic rules into actionable alerts. Signals are not AI-created in MVP; they are generated by configured business rules.

Signal examples

- SOW expiry approaching
- Notice deadline approaching or missed
- Stale KYC
- Health score drop
- Any health dimension drops by configured threshold, e.g. ≥ 0.5
- Red account health
- CSAT decline
- Opportunity stalled > configured days
- Governance overdue
- Escalation inactive beyond SLA
- Stakeholder coverage gap
- Payment overdue / commercial risk where data exists

Signal object fields

- Signal type
- Account / engagement
- Severity
- Reason code
- Evidence/source records
- Created date
- Owner
- Age
- Confidence level if derived from document extraction
- Recommended playbook
- Status

Lifecycle

New → Reviewed → Accepted → Converted → Resolved

Alternative path:

New → Reviewed → Dismissed

Attention Center behavior

- Default view answers: “What needs attention today?”
 - Sort by severity, SLA age, renewal proximity, and due date.
 - AM can accept, dismiss, convert to task/playbook, resolve, or request AI explanation.
 - AI explanation can explain the deterministic signal but cannot change the signal status.
-

11. Playbooks, Activities, Tasks, and Calendar

Purpose

Convert signals and weak scores into structured actions without forcing automatic execution.

Playbook template fields

- Objective
- Triggering signal types
- Weak metric conditions
- Default activities
- Default owners
- Due-date logic
- Success criteria
- Skip rules
- Evidence requirements
- Version and active/inactive status

Flow

49. Signal or weak score appears.
50. System recommends one or more playbooks.
51. AM reviews recommendation.
52. AM selects, customizes, skips with reason, or dismisses.
53. Selected playbook creates account-specific tasks.
54. Tasks have owners, due dates, priority, status, notes, evidence, and source link.
55. Updates flow to timeline and dashboard.
56. Completion influences metrics only through underlying data changes.

Task status

Open → In Progress → Blocked → Done → Cancelled

Calendar items

Show governance events, SOW end dates, renewal dates, notice deadlines, score-linked tasks, due dates, and personal “my items.”

12. Client Education and Content

Purpose

Support education actions tied to account stage, opportunities, weak metrics, service gaps, and renewal/growth motions.

Flow

- 57. Content is added manually, uploaded, or linked.
- 58. Content is tagged by service, industry, stage, use case, persona, and maturity level.
- 59. System recommends content based on account stage, opportunity, service gap, weak metric, or signal.
- 60. KAM chooses whether to share.
- 61. Shared content history is logged with date, sender, recipient, account/engagement, follow-up status, and timeline link.

Rule

Recommendation does not equal sharing. KAM must manually confirm shared content.

13. Escalation Management

Purpose

Track formal, human-created escalations with severity, SLA, mitigation, RCA, and closure governance.

Flow

- 62. KAM/KAM Head or authorized user manually creates escalation.
- 63. Escalation captures account/engagement, severity, owner, impact, SLA, summary, and supporting evidence.
- 64. System may recommend severity but user owns final severity.
- 65. Ops Lead adds delivery context, blockers, mitigation, and status notes.

- 66. System tracks SLA and inactivity.
- 67. If inactive beyond configured window, notify KAM Head.
- 68. Major escalation requires RCA before closure.
- 69. Closure requires resolution summary and evidence unless authorized override.
- 70. Timeline records creation, status changes, severity changes, Watchlist, notes, RCA, and closure.

Status flow

Open → In Progress → Resolved → Closed

Severity example

- Low: 5 days response
- Medium: 2 days response
- High: 4 hours response
- Critical: 1 hour response

PRD V3 allows these to be configurable.

14. Governance and Reviews

Purpose

Manage QBRs, SteerCos, monthly reviews, executive reviews, agendas, notes, decisions, and action items.

Flow

- 71. Governance event is scheduled manually or via Google Calendar.
- 72. Account tagging/mapping links event to account/engagement.
- 73. System generates editable agenda draft from health, signals, opportunities, activities, escalations, and timeline.
- 74. Fathom meeting notes can enrich the record after review.
- 75. KAM captures meeting notes, decisions, action items, owners, due dates, and statuses.
- 76. Action items become tasks.
- 77. Decisions and completed governance events are written to timeline.
- 78. Missed governance cadence creates signal/notification.

Governance types

- QBR
- SteerCo

- Monthly review
 - Delivery review
 - Financial review
 - Executive review
-

15. Account History and Timeline

Purpose

Provide immutable account memory across ownership changes, reviews, escalations, and decisions.

Auto-created timeline events

- Account setup
- Charter/SOW upload
- AI extraction
- KYC draft/approval/version
- Score changes
- Stage/status changes
- Signals
- Tasks and activities
- Opportunities
- Content shared
- Escalations
- Governance events
- Approvals and executive decisions
- Integration events
- AI usage

Manual timeline events

Authorized users can add notes with event type, date, owner, description, mentions, attachments, and sensitivity.

Requirements

- Chronological order.
- Filters by event type, date range, owner, module, stage, risk, opportunity, escalation, governance, signal, and sensitivity.

- Source records are linked.
 - Before/after values are stored for important changes.
 - Sensitive entries are filtered at data layer, not just hidden in UI.
 - Deletion of critical entries uses audit-preserving tombstones.
-

16. Handover Summary

Purpose

Help a new AM or leader quickly understand an account using current state plus timeline history.

Flow

79. User opens handover summary.
80. System pulls account profile, engagements, KYC, stage, health, score history, risks, signals, escalations, opportunities, governance, stakeholders, content, decisions, and recent timeline.
81. AI can generate source-backed summary where enabled.
82. Output cites linked source records.
83. Handover is stored or exported according to permission.

Trigger events

- AM ownership change
 - Leadership review
 - Escalation handoff
 - Account archival / reactivation
-

17. Notifications, SLA Escalation, and Executive Digests

Purpose

Notify the right users at the right time and escalate inactivity.

Notification triggers

- New account assigned
- KYC due / overdue
- Stale KYC
- Health score moves to Red

- Dimension drop by configured threshold
- New critical signal
- Renewal window approaching
- Notice deadline approaching/missed
- Escalation created or inactive
- Governance missed
- Opportunity stalled
- CSAT received
- Mention/comment
- Executive digest scheduled

SLA logic

- Each item type has configurable inactivity window.
- SLA timer resets when qualifying activity occurs.
- Escalation to KAM Head occurs when inactivity threshold is breached.
- Duplicate notifications are suppressed within same SLA window.

Channels

- In-app
- Email
- Optional SMS/Slack only if enabled by integration scope/configuration

18. Dashboards and Reporting

Purpose

Give each role an attention-first view.

AM Home

Shows assigned accounts, signals, overdue activities, stale KYC, renewals, open escalations, opportunities, tasks, and AI task summary.

KAM Head Portfolio

Shows health distribution, high-risk accounts, stale KYC, escalations, renewal focus, AM workload, overdue actions, governance cadence, and proactive account-change alerts.

Leadership Dashboard

Shows strategic health, retention outlook, growth pipeline, revenue risk, major escalations, executive summaries, and decision queue.

Report builder

Allows authorized users to choose fields, filters, date ranges, grouping, output layout, and export format within their permissions.

Core principle

Dashboards should first answer: **what needs attention today?**

19. AI Assistance, AI Search, and Semantic Search

Purpose

Provide source-backed assistance across KYC, summaries, explanations, forecasts, timeline search, and account intelligence.

AI surfaces

- KYC draft extraction/enrichment
- Charter/SOW extraction
- Signal explanation
- Timeline summaries
- Account briefs
- Governance briefs
- Executive summaries
- AI Search / natural language query
- Semantic document search
- Stage prediction
- Forecast charts
- Task summary card

Global AI rules

- AI output is clearly labeled.
- AI shows confidence and limitations.
- AI cites source records or states that data is insufficient.

- AI respects RBAC before retrieval.
- AI cannot write official business records without human approval.
- AI failures must not block core workflows.
- All AI outputs include non-dismissible disclaimer.

KAM AI panel behavior

- Persistent launcher across screens.
 - Account context selector.
 - Scope toggles: Timeline, Opportunities, Governance, Notes, KYC, Documents.
 - Suggested prompts by account context.
 - Query history per account.
 - Structured answer cards with intent, confidence, disclaimer, citations.
-

20. Integrations

Approved MVP integrations from PRD V3

- Google Calendar
- Fathom
- CSAT
- AI/LLM Gateway

Integration controls

- Test connection
- Sync status
- Last synced timestamp
- Retry
- Deduplication
- Error logging
- Admin notification on repeated failures
- Source-linked timeline events
- RBAC enforcement before display or AI retrieval

Key integration flows

- Google Calendar: governance events, reminders, account-tagged meetings, timeline entries.
- Fathom: tagged meeting summaries/transcripts, reviewed before official enrichment where configured.

- CSAT: satisfaction scores, trends, score input, timeline events.
 - AI/LLM Gateway: KYC, extraction, summaries, semantic retrieval, explanations, forecasts, search.
-

21. Admin, Audit, Security, and RBAC

Purpose

Control configuration, permissions, auditability, retention, and sensitive data.

Admin configuration areas

- Users and roles
- Account and engagement access
- Matrix ownership
- Reference data: stages, segments, industries, regions, opportunity types, stakeholder roles, signal types, escalation severities, governance types, content tags
- Scoring rules
- Signal rules
- Playbook templates
- Timeline event types
- Retention policies
- Notification and SLA rules
- Dashboard rules
- Integration settings
- AI vocabulary and searchable fields

Audit log fields

- Actor
- Timestamp
- Entity
- Previous value
- New value
- Source
- Reason / rationale where required

Security rules

- Least privilege access.

- Field-level security for commercial, legal, executive, stakeholder, escalation, and attachment data.
 - AI retrieval must never include unauthorized records.
 - Sensitive timeline entries are filtered at backend/data layer.
-

22. Analytics, Benchmarking, and Portfolio Intelligence

Purpose

Give KAM Head and leadership trend visibility across portfolio, segments, industries, engagement types, and AM ownership.

Capabilities

- Health trend analytics
- Score driver analytics
- Escalation intelligence
- Opportunity intelligence
- Content effectiveness
- KAM performance
- Benchmarking across comparable cohorts
- Proactive account-change alerts

Example alerts

- Score drop
 - Stale KYC
 - Opportunity stagnation
 - Escalation aging
 - Renewal risk
 - Stakeholder gap
 - Governance overdue
-

23. Stage Prediction

Purpose

Predict likely next lifecycle stage directionally, without changing official stage automatically.

Inputs

- KYC confidence and completeness
- Approved SOW documents and renewal terms
- Recent timeline changes within 90 days
- Open pipeline and opportunity stage distribution
- Current Account Health and RAG status
- Funding/commercial context from KYC
- Active risk and signal status

Output

- Predicted next stage
- Confidence percentage
- Basis in plain language
- Contributing factors with evidence
- Positive/neutral/negative influence indicators
- Prediction gaps
- Recommended next actions

Rule

Prediction can only initiate a standard stage-change workflow. It cannot directly change stage.

24. Forecast Charts

Purpose

Return directional forecast charts inside the KAM AI panel for projection-style queries.

Supported forecasts

- Six-month ARR projection
- Health score trend
- Remaining modeled pipeline

Inputs

- Approved KYC and SOW commercial context
- Open pipeline value and stage distribution
- Current Account Health and score trajectory

- Active risk/signal status
- Recent 90-day timeline events

Rule

Forecasts are directional and do not auto-populate official records, dashboards, exports, or executive reports unless user explicitly confirms.

25. Recommended Developer Data Model

Core entities

- Account
- AccountOwnerAssignment
- Engagement
- SOW / Charter / Attachment
- KYCWorkstreamRun
- KYCFieldDraft
- KYCSnapshot
- Stakeholder
- StakeholderInteraction
- MetricDefinition
- MetricSnapshot
- Signal
- PlaybookTemplate
- PlaybookInstance
- Task / Activity
- Opportunity
- Escalation
- GovernanceEvent
- TimelineEvent
- Notification
- AIRequestLog
- Report / Digest
- AuditLog

Cross-cutting fields

Most business entities should include:

- id
 - tenant_id / organization_id if multi-tenant ready
 - account_id
 - engagement_id where applicable
 - status
 - owner_id
 - source_type
 - source_id
 - confidence where AI/extraction-based
 - created_by
 - created_at
 - updated_by
 - updated_at
 - approved_by / approved_at where applicable
 - archived_at where applicable
-

26. MVP Implementation Priority

Recommended build order:

84. RBAC, account, engagement, attachment, and audit foundation.
 85. Account onboarding and draft approval.
 86. KYC workstreams, KYC snapshot approval, and completion/freshness logic.
 87. Account Overview shell with summary cards.
 88. Metric definitions and scoring engine.
 89. Signal engine and Attention Center.
 90. Playbooks, tasks, calendar, and notifications.
 91. Renewal/SOW intelligence.
 92. Governance events and timeline.
 93. Opportunities and whitespace.
 94. Escalations.
 95. Dashboards and reporting.
 96. AI panel, AI briefs, search, stage prediction, and forecast charts.
-

27. Developer Acceptance Checklist

A module is dev-ready when it has:

- Inputs and source records defined.
- Status lifecycle defined.
- Role permissions defined.
- Create/update/delete rules defined.
- Approval rules defined where AI or drafts are involved.
- Timeline events defined.
- Audit log events defined.
- Notification triggers defined.
- Score/signal impact defined.
- Error and missing-data states defined.
- Configuration dependencies defined.
- Read-only leadership behavior defined where applicable.