
Name: Abdul Wahab

Roll No: FA24-BCS-004


Lab 2 — Responsive Navbar and Grid Drill


A focused, smaller-scale rehearsal for Assignment 2: build **just** a responsive navbar (logo left, links center, cart icon right, collapsing into a hamburger menu below 768px) and a 4-column-desktop / 2-column-tablet / 1-column-phone product grid, using Flexbox or Grid plus Bootstrap or Tailwind. Content can be placeholder text/images — the point is the responsive mechanics, not the final design.

Output:




Phone Width & Hamburger Menu:






Tablet Width:



Desktop Width:



Code:

HTML:

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <title>Lab 2 - Responsive Navbar and Grid</title>
    <link
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.cs
s"
      rel="stylesheet"
    />
    <link rel="stylesheet" href="style.css" />
  </head>
  <body>
    <nav class="navbar navbar-expand-md bg-warning">
      <div class="container">
        <a class="navbar-brand fw-bold" href="#">Shophive</a>

        <button
          class="navbar-toggler"
          type="button"
          data-bs-toggle="collapse"
          data-bs-target="#menu"
        >
          <span class="navbar-toggler-icon"></span>
        </button>
```

```
    <div class="collapse navbar-collapse" id="menu">
      <ul class="navbar-nav mx-auto">
        <li class="nav-item"><a class="nav-link" href="#">Home</a></li>
        <li class="nav-item"><a class="nav-link" href="#">Laptops</a></li>
        <li class="nav-item"><a class="nav-link" href="#">Mobiles</a></li>
      </ul>

      <a href="#" class="btn btn-dark">🛒 Cart</a>
    </div>
  </div>
</nav>

<div class="container my-4">
  <div class="row g-3">
    <div class="col-12 col-md-6 col-lg-3">
      <div class="card h-100">
        <img src="images/p1.jpg" class="card-img-top" alt="Product 1" />
        <div class="card-body">
          <h5 class="card-title">Product 1</h5>
          <p class="card-text">Rs. 1000</p>
          <button class="btn btn-warning">Add to Cart</button>
        </div>
      </div>
    </div>

    <div class="col-12 col-md-6 col-lg-3">
```

```
  <div class="card h-100">
    <img src="images/p2.jpg" class="card-img-top" alt="Product 2" />
    <div class="card-body">
      <h5 class="card-title">Product 2</h5>
      <p class="card-text">Rs. 2000</p>
      <button class="btn btn-warning">Add to Cart</button>
    </div>
  </div>
</div>

<div class="col-12 col-md-6 col-lg-3">
  <div class="card h-100">
    <img src="images/p3.jpg" class="card-img-top" alt="Product 3" />
    <div class="card-body">
      <h5 class="card-title">Product 3</h5>
      <p class="card-text">Rs. 3000</p>
      <button class="btn btn-warning">Add to Cart</button>
    </div>
  </div>
</div>

<div class="col-12 col-md-6 col-lg-3">
  <div class="card h-100">
    <img src="images/p4.jpg" class="card-img-top" alt="Product 4" />
    <div class="card-body">
      <h5 class="card-title">Product 4</h5>
      <p class="card-text">Rs. 4000</p>
```

```
      <button class="btn btn-warning">Add to Cart</button>
    </div>
  </div>
</div>

<div class="col-12 col-md-6 col-lg-3">
  <div class="card h-100">
    <img src="images/p5.jpg" class="card-img-top" alt="Product 5" />
    <div class="card-body">
      <h5 class="card-title">Product 5</h5>
      <p class="card-text">Rs. 5000</p>
      <button class="btn btn-warning">Add to Cart</button>
    </div>
  </div>
</div>

<div class="col-12 col-md-6 col-lg-3">
  <div class="card h-100">
    <img src="images/p6.jpg" class="card-img-top" alt="Product 6" />
    <div class="card-body">
      <h5 class="card-title">Product 6</h5>
      <p class="card-text">Rs. 6000</p>
      <button class="btn btn-warning">Add to Cart</button>
    </div>
  </div>
</div>
```

```
        <div class="col-12 col-md-6 col-lg-3">
          <div class="card h-100">
            <img src="images/p7.jpg" class="card-img-top" alt="Product 7" />
            <div class="card-body">
              <h5 class="card-title">Product 7</h5>
              <p class="card-text">Rs. 7000</p>
              <button class="btn btn-warning">Add to Cart</button>
            </div>
          </div>
        </div>

        <div class="col-12 col-md-6 col-lg-3">
          <div class="card h-100">
            <img src="images/p8.jpg" class="card-img-top" alt="Product 8" />
            <div class="card-body">
              <h5 class="card-title">Product 8</h5>
              <p class="card-text">Rs. 8000</p>
              <button class="btn btn-warning">Add to Cart</button>
            </div>
          </div>
        </div>
      </div>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.j
s"></script>
  </body>
</html>
```

CSS:

```
/* Same image height in every card */
.card-img-top {
  height: 180px;
  object-fit: cover;
}

.navbar-nav .nav-link {
  color: #000000;
  font-weight: 500;
}

.navbar-nav .nav-link:hover {
  text-decoration: underline;
}
```