

# Attendance API — external access

## Getting access

1. Sign in at `https://shehryar.me/keys` and click **Generate key**. The key is shown **once**, copy it then. You can regenerate (which invalidates the old one) or revoke any time from the same page.
2. Send the key on every request (below). Anyone with it can read this data. If it leaks, regenerate.

## Auth

```
Authorization: Bearer att_XXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

**Server-to-server only.** Do not embed the key in a browser app. It would be visible to end users. Call this from your backend and proxy to your frontend.

## Base URL

```
https://api.shehryar.me/api/public/attendance
```

## Endpoints

### GET /workers

Everyone enrolled on the device.

```
[
  {
    "id": "6a5b7fd13e7469f650ccb6eb",
    "deviceId": "1",
    "name": "Ali",
    "nameSource": "manual",
    "lastMethod": "face"
  }
]
```

- `deviceId` — the UserID on the device, stable per person. This is the key you filter `/logs` by.
- `name` — may be a placeholder like `User 1 (nameSource: "placeholder" )` until someone names them on the device. Fall back to `deviceId` for a stable label.
- `lastMethod` — `face` | `fingerprint` | `password` | `card` | `unknown` .

### GET /logs

Punches, newest first, paginated.

| Query                 | Meaning                                                               |
|-----------------------|-----------------------------------------------------------------------|
| <code>from</code>     | ISO datetime (UTC), inclusive lower bound on <code>punchedAt</code> . |
| <code>to</code>       | ISO datetime (UTC), exclusive upper bound.                            |
| <code>deviceId</code> | Only this worker's punches.                                           |
| <code>limit</code>    | 1–1000, default 100.                                                  |
| <code>cursor</code>   | <code>nextCursor</code> from the previous page.                       |

```
{
  "logs": [
    {
      "id": "6a5b7fceec7594906382751c",
      "worker": { "id": "6a5b7fd13e7469f650ccb6eb", "deviceId": "1", "name": "Shehryar" },
      "punchedAt": "2026-07-18T13:19:36.000Z",
      "method": "face",
      "rawVerify": "15",
      "sn": "TTQ5251000193"
    }
  ],
  "nextCursor": "6a5b7fceec7594906382751c"
}
```

Paginate by passing `nextCursor` back as `cursor` until it comes back `null`:

```
GET /logs?limit=500
GET /logs?limit=500&cursor=6a5b7fceec7594906382751c
...
```

- `punchedAt` — when the punch happened, in **UTC**.
- `method` — decoded identification method; `rawVerify` is the device's raw code ( `1` =fingerprint, `3` =password, `4` =card, `15` =face) in case you want to re-map.

## GET /device

Device health, for an online indicator.

```
{
  "sn": "TTQ5251000193",
  "online": true,
  "lastHandshakeAt": "2026-07-18T13:10:02.000Z",
  "lastSeenAt": "2026-07-18T13:34:05.000Z",
  "lastAttlogAt": "2026-07-18T13:19:36.000Z"
}
```

- `online` is derived: it's considered online if it was seen within the last ~45s.
- `lastHandshakeAt` — when the device last completed the handshake (without a handshake the data won't arrive properly). `null` until it happens. Unlike `lastSeenAt` (which every poll bumps), this only moves when the device **boots**, so it's how you confirm the device took the current config, check it's later than the last reboot.
- **Device needs to be rebooted if `lastHandshakeAt` isn't after the last reboot.**
- `lastSeenAt` — last contact of any kind.
- `lastAttlogAt` — time of the most recent punch.

## Errors

JSON, with an `error` string:

| Status | Means                                                                                            |
|--------|--------------------------------------------------------------------------------------------------|
| 400    | Bad query (e.g. malformed <code>cursor</code> or date). <code>detail</code> may list the issues. |
| 401    | Missing or invalid API key.                                                                      |
| 403    | Valid key, but your account lacks the scope.                                                     |