banking.proto

```proto
syntax = "proto3";

package banking;

// Service for managing account balances.
service AccountManagementService {
  rpc getBalance(BalanceRequest) returns (BalanceResponse);
  rpc updateBalance(UpdateBalanceRequest) returns (UpdateBalanceResponse);
}

// Service for money transfers and transaction history.
service TransactionService {
  rpc initiateTransfer(TransferRequest) returns (TransferResponse);
  rpc getTransactionHistory(TransactionHistoryRequest) returns (TransactionHistoryResponse);
}

// Request to retrieve an account balance.
message BalanceRequest {
  string user_id = 1;
}

// Response containing the account balance in paise.
message BalanceResponse {
  string user_id = 1;
  int64 balance_paise = 2;
}

// Request to update an account balance.
message UpdateBalanceRequest {
  string user_id = 1;
  int64 new_balance_paise = 2;
}
```

```
33
34  // Response after updating an account balance.
35  message UpdateBalanceResponse {
36    bool success = 1;
37    string message = 2;
38    int64 updated_balance_paise = 3;
39  }
40
41  // Request to transfer money between accounts.
42  message TransferRequest {
43    string from_user_id = 1;
44    string to_user_id = 2;
45    int64 amount_paise = 3;
46  }
47
48  // Response after a transfer attempt.
49  message TransferResponse {
50    bool success = 1;
51    string message = 2;
52    string transaction_id = 3;
53  }
54
55  // Request to retrieve a user's transaction history.
56  message TransactionHistoryRequest {
57    string user_id = 1;
58  }
59
60  // Details of an individual transaction.
61  message Transaction {
62    string transaction_id = 1;
63    string from_user_id = 2;
64    string to_user_id = 3;
65    int64 amount_paise = 4;
66    string timestamp = 5;
67  }
```

```
68
69  // Response containing a list of transactions.
70  message TransactionHistoryResponse {
71    repeated Transaction transactions = 1;
72  }
73
```