# Chapter Six Data Communications and Computer Networks


**CS211 ICT Fundamentals** 

### Agenda

- Data Communications
- Data transmission
  - Communication channels
  - Types of transmission mode
  - Components of Data communications
  - Applications of Data Comm.
- Computer Networks
  - Classification of networks
  - Networking components (devices, software, ...)
  - Distributed systems

### **Data Communications**


Communications, also called telecommunications, refers to the transfer of data from a transmitter (sender or source) to a receiver across a distance. The term telecommunication means communication at a distance. The data transferred can be voice, sound, images, graphics, video, text, or a combination thereof (multimedia).




### **Telecommunications**

Α		J	 S	•••	1	
В		K	 Т	-	2	
С		L	 U		3	
D		M	 V		4	
Е		N	 W		5	
F	••	0	 X		6	
G		Р	 Υ		7	
Н	••••	Q	 Z		8	
- 1		R	 0		9	

- Tele (Far) + Communications
- Early telecommunications
  - smoke signals and drums
  - visual telegraphy(or semaphore in 1792)
- Telegram and telephone
  - Telegraph (1839)
  - Telephone (1876)
- Radio and television
- Telephony (VoIP)
  - Voice and Data






What is the medium here?

### **Data Communications**

- The word data refers to information presented (encoded) in whatever form is agreed upon by the parties creating and using the data.
- Data communications are the exchange of data between two devices via some form of transmission medium such as a wire cable.



### **Communications Cont...**

- Data Communications
  - Transmission of signals
    - Encoding (conversion, encrypting, modulating...), interfacing (modulating,...), signal integrity, multiplexing, compression, etc.
- To be transmitted data must be converted to electrical or electromagnetic signals.
- The methods include electrical signals carried along a conductor, optical signals along an optical fiber, and electromagnetic signals (waves) through space
- The two measure approaches to greater efficiency in using a shared medium for data communication are multiplexing and compression.


### Data communication four basic terms

- ➤ Data: A collection of facts in raw forms that become information after processing.
- ➤ Signals: Electric or electromagnetic (radio and light waves) encoding of data.
- ➤ **Signaling**: Propagation of signals across a communication medium.
- > Transmission: Communication of data achieved by the processing of signals.


# **Analogue & Digital Signals**

- Telephones, radios, and televisions The older forms of communications technology were designed to work with an analog signal.
- An analog signal is a continuous electrical signal in the form of a wave. The wave is called a carrier wave.
- Two characteristics of analog carrier waves that can be altered are frequency and amplitude.
- Examples of analog values: Sound, Temperature, Pressure, Light, Video


# Analogue & Digital Signals Cont.



Amplitude-modulated wave



## **Analogue & Digital Signals**




The principal advantages of digital signaling are that it is generally cheaper than analog signaling and is less susceptible to noise interference.

### Bandwidth of transmission

- 1. telecommunications: range of radio frequencies: a range of radio frequencies (hertz) used in radio or telecommunications transmission and reception.
- 2. computing: communications capacity: the capacity of a communications channel, for example, a connection to the Internet, often measured in bits per second (bps).
- 3. a data **transmission rate**; the maximum amount of information (bits/second) that can be transmitted along a channel. Higher frequency and/or wider bandwidth results in transmission of more data per unit time. (bus speed, serial & parallel ports)

# Digital-to-Analog Conversion

- Required to send digital data over a public telephone channel
  - Also known as modulation




What are telecommuting and virtual offices? "Move the work instead of the workers"

### **Devices of Data Communication**

- Video Display Terminals and printing terminals
  - I/O devices (microphones, speakers, cameras, etc.)
- Modem transmission of data over telephone lines
- Interface units (modems, multiplexers, codecs) Coordinates various types (aspects) of data
  transmission and receptions. Thereby greatly
  increasing the efficiency of data communication.
- ☐ An analog communication device always distorts the input and adds noise.
- □ Digital information doesn't become distorted while being stored, copied, or communicated.

#### **Data transmission**

A basic communication system consists of :




### **Example - consider a radio broadcast.**

- In this case
  - the broadcast tower (antenna) is the transmitter,
  - the radio is the receiver and
  - the transmission medium is free space.

### **A Communications Model**

- Source
  - —generates data to be transmitted
- Transmitter (some encoding is done here)
  - —Converts data into transmittable signals
- Transmission System
  - —Carries data
- Receiver (decoding...)
  - —Converts received signal into data
- Destination
  - —Takes incoming data


# Simplified Communications Model - Diagram



(a) General block diagram



### Five Components of Data Communication



- 1. Message
- 2. Sender
- 3. Receiver
- 4. Medium
- 5. Protocol

### **Communication Protocols**

- The procedure of data transmission in the form of software is commonly called *protocol*.
- Data communication software is the software that enables us to communicate with other systems.
- The data communication software instructs computer systems and devices as to how exactly data is to be transferred from one place to another.

# Data transmission software or protocols (functions)

- The data transmission software or protocols performs the following functions for the efficient and error free transmission of data
  - Data sequencing: A long message to be transmitted is broken into smaller packets of fixed size and a unique sequence number is given for every packet.
  - Data Routing: It is the process of finding the most efficient route between source and destination before sending the data.

A protocol is synonymous with rule. It consists of a set of rules that govern data communications. **It determines what is communicated, how it is communicated and when it is communicated.** The key elements of a protocol are syntax, semantics and timing.

### Cont...

- Flow control: enables a receiver to regulate the flow of data from a sender so that the receiver's buffers do not overflow. Regulates the process of sending data between fast sender and slow receiver.
- Error Control: Error detecting and recovering is one of the main function of communication software. It ensures that data is transmitted without any error and loss. (retransmit if not ack.)
- Opening/closing comm. Lines, message switching, circuit switching, multiple use of comm. lines, ...

Transmission upon agreed encoding rules and protocols. Example is TCP/IP; TCP/IP means Transmission Control Protocol/Internet Protocol

### Elements of a Protocol (Communications Software)

### • Syntax

- Structure or format of the data blocks
- Indicates how to read the bits field delineation

#### Semantics

- Interprets the meaning of the bits
- Knows which fields define what action
- Control information for coordination and error handling

### Timing


- When data should be sent and what
- Speed at which data should be sent or speed at which it is being received.


A protocol is synonymous with rule. It consists of a set of rules that govern data communications. It determines what is communicated, how it is communicated and when it is communicated. The key elements of a protocol are syntax, semantics and timing.

# We can group protocol functions into the following categories:

- Encapsulation (data + control information)
- Fragmentation and reassembly
- Connection control
- Ordered delivery
- Flow control
- Error control
- Addressing
- Multiplexing
- Transmission services (encryption, compression,...)

# A human protocol and a computer network protocol





The Parts of a Connection-Oriented Data Transfer Connection control function of a protocol

### **Data Transmission Modes**

#### Simplex System

You can only send data from one location to another but you cannot receive. It is one way communication.

Ex. Telemetry, Broadcast radio


#### Half Duplex

You can send/receive but not simultaneously.
 Ex. Marine Radio, Walky-talky (Police Radio)

#### Full Duplex

- A system that allows communication in both directions simultaneously and synchronously. Use of full-duplex line improves efficiency.
- The medium is carrying signals in both directions at the same time.
   Ex. Telephone

### Direction of data flow



### **Communication Channels**

- A channel is a path between two communication devices
- Channel capacity: How much data can be passed through the channel (bits/sec or hz(frequency-range))
  - Also called channel bandwidth (range of frequencies)
  - The smaller the pipe the slower the data transfer!
  - Analog bandwidth of a medium is expressed in hertz;
  - Digital bandwidth of a medium is expressed in bits per second.
- Consists of one or more transmission media
  - Materials carrying the signal
  - Two types:
    - Physical: wire or cable (Guided)
    - Wireless: air (or space) (Unguided)

## Transmission Channel (Media)

Two main categories:

### 1.Guided (Physical)

- Twisted-Pair cables:
  - Unshielded Twisted-Pair (UTP) cables
  - ➤ Shielded Twisted-Pair (STP) cables
- Coaxial cables
- Fiber-optic cables

### 2. Unguided (Wireless)

 Wireless transmission, e.g. radio, microwave, infrared, sound, sonar (echolocation finding in air and water)

TP) cables Guided (wired) Unguided (wireless)


Twisted-pair cable Fiber-optic cable Free space


Transmission


Unguided transmission is propagation through air, vacuum, and seawater.

# Physical Media (Guided Channel)

- A tangible media
- Twisted-pair cable:
  - One or more twisted wires bundled together (why twist?)
  - Made of copper
- Coax-Cable:
  - Consists of single copper wire surrounded by three layers of insulating and metal materials
  - Typically used for cable TV
- Fiber-optics:
  - Strands of glass or plastic used to transmit light
  - Very high capacity, low noise, small size, less suitable to natural disturbances







### Information channel Cont'd ...

### Guided

- Cable transmission (Attenuation, Distortion & noise) (reduce the strength & change the form during transmission
  - Fibre-optics
    - 10GBPS and greater, long distance



- 10MBPS, 200M 1KM
- Twisted pair (Shielded Twisted Pair STP Cable)
  - 10 to 1000MBPS, 100M
- Twisted pair (unshielded twisted pair-UTP)
  - less interference protection and lower data rate than STP
  - Cross talk problem



tiber opiic caples






### Information channel or media Cont'd ...

### **Coaxial Cable**



A thinnet coaxial cable.

Twisted pair



## Fiber-Optic Cable

- Fiber-optic cables use light signals for data transmission.
- Either laser or other light producing mechanism, such as light emitting diodes (LEDs), are used as the source of light.
- Using a laser is more dependable, but more costly, so most fiber-optic networks use LEDs as the source of light.

# Physical Transmission Media and wireless Infrared Characteristics Comparison

Twisted-Pair	Coaxial	Fiber-Optic	Infrared Light	
-			Wireless	
Low Cost	Moderate Cost	High Cost	Moderate Cost	
Best for short distances (330 ft.)	Moderate Distance (3300 ft. – thin) (8250 ft. – thick)	Long Distances (14,256 ft.)	Short distance (75 ft.)	
Easy to Install	Professional Installation	Professional Installation	Easy to Install	
Low Security	Average Security	High Security	Low Security	
Low resistance to interference	Moderate resistance to interference	Very high resistance to interference	Very high resistance to interference	

# Transmission Media Data Transmission Rate

Type of Cable and LAN	Transfer Rates		
Twisted Pair			
10Base-T (Ethernet)	10 Mbps		
100Base-T (Fast Ethernet)	100 Mbps		
1000Base-T (Gigabit Ethernet)	1000 Mbps		
Token ring	4 - 16 Mbps		
Coaxial Cable			
10Base2 (ThinWire Ethernet)	10 Mbps		
10Base5 (ThickWire Ethernet)	10 Mbps		
Fiber-Optic Cable			
10Base-F (Ethernet)	10 Mbps	ı	
100Base-FX (Fast Ethernet)	100 Mbps		
FDDL (Fiber Distributed-Data Interface) token ring	100 Mbps	ı	

#### Wireless channel capacity:


Channel	Transfer Rates		
Broadcast radio	Up to 2 Mbps		
Microwave radio	45 Mbps		
Communications satellite	50 Mbps		
Cellular radio	9,600 bps to 14.4 Kbps		
Infrared	1 to 4 Mbps		

### **Communication Satellite**

- A communication satellite is a microwave relay station placed in outer space.
- In satellite communication, microwave signal is transmitted from a transmitter on earth to the satellite at space.
- The satellite amplifies the weak signal and transmits it back to the receiver.
- The main advantage of satellite communication is that it is a single microwave relay station visible from any point of a very large area.

### **Microwave Communications**

**Example:** For Telephone Networks



## Communication Satellite Cont.

- Unguided or Wireless
  - Microwave
  - Satellite (Example; GEO or Geostationary)
  - A man made spacecraft, about 23,000 miles (37,030 km) above the earth (speed about 10,000 km/hr?); GEO (geosynchronous earth orbiting); 3 of them are enough to cover the whole world.
  - 500 MHZ bandwidth (analog);
  - The data transmission rate is 16 Giga bits per second. They are mostly used to link big metropolitan cities;
  - Receives analog and digital signals, amplifies the signal and retransmits back to earth.
  - ☐ How are satellites put into orbit?


## Microwave (Unguided)

 Microwave system uses very high frequency radio signals (10Ghz-1000Ghz) to transmit data through space.

What is the speed of a radio signal?

- The transmitter and receiver of a microwave system should be in line-of-sight because the radio signal cannot bend.
- With microwave very long distance transmission is not possible without using repeaters (due to line of sight).
- In order to overcome the problem of line of sight and power amplification of weak signals (due to attenuation), repeaters are used at intervals of 25 to 30 kilometers between the transmitting and receiving end.

### **Electromagnetic Spectrum for Telecommunications**





LF = Low frequency

## Wireless Transmission Technologies

Mobile TV Phone


- Broadcast Radio (Example SW and AM)
  - Distribute signals through the air over long distance
  - Uses an antenna
  - Typically for stationary locations
  - Can be short range
- Cellular Radio
  - A form of broadcast radio used for mobile communication
  - High frequency radio waves to transmit voice or data
  - Utilizes frequency-reuses
  - Mobile TV phone





## Wireless Transmission Cont'd...


- Microwaves
  - Radio waves providing high speed transmission
  - They are point-to-point (can't be obstructed)
  - Used for satellite communication
- Infrared (IR)
  - Wireless transmission media that sends signals using infrared light- waves; 16Mbps; point-topoint
  - Example, electronic device remote controllers
- Bluetooth: envisioned for a cable-free world
  - Radio frequency technology; 2Mbps
  - Can pass over obstacles
  - Can detect other nearby Bluetooth devices
  - The recent Apple wireless earphones
  - Bluetooth operates over a short range, at low power, and at low cost.



# Asynchronous Versus Synchronous Transmission

- ☐ Asynchronous Transmission: This method, used with most microcomputers, is also called start-stop transmission.
  - Data is sent one byte (or character) at a time.
  - Not used when very large amount of data must be sent rapidly.
  - Its advantage is that the data can be transmitted whenever and wherever it is convenient for the sender (store and forward delivery) (uses some form of message switching and packet switching)
- ☐ Synchronous Transmission: This method, sends data in blocks.
  - Start and stop bit patterns, called sync bytes, are transmitted at the beginning and end of the blocks.
  - This method is rarely used with microcomputers because it is more complicated and more expensive than asynchronous transmission.
  - Appropriate for computer systems that need to transmit very large amount of data. (live transmission) (uses some form of circuit switching)

## Asynchronous Versus Synchronous Cont...



## **Applications of Data Communications**

- E-mail
- Searchable Data (Web Sites)
- E-Commerce
- News Groups
- Internet Telephony (VoIP)
- Video Conferencing
- Chat Groups
- Instant Messengers
- Internet Radio
- Global Positioning System (GPS)
- Groupware
- Discussion Forums




Electronic Fund Transfer, Internet banking; Online education, Telemedicine; Online Employment or job/vacancy; Internet browsing/search engines and so on.

#### **More on Data Communications**

- Requirements of Data comm.
  - At least two devices ready to communicate
  - A transmission medium
  - A set of rules and procedures for proper communication (protocol)
- Data communications refers to the study of lowlevel mechanisms and technologies used to send information across a physical communication medium
- Data communications provides a foundation of concepts on which the rest of networking is built

## Layered Tasks in Communications

#### An example from the everyday life



# Why layered communication?

- To reduce complexity of communication task by splitting it into several layered small tasks
- Functionality of the layers can be changed as long as the service provided to the layer above stays unchanged
  - makes easier maintenance & updating

- Each layer has its own task
- Each layer has its own <u>protocol</u>

## **Physical Layer**

- What we call low level previously
- Specifies
  - the characteristics of the transmission medium
  - Nature of the signals
  - -Data rate

Groups of Layers	OSI Model	Early Internet Model	
Application Layers	7. Application Layer	4. Application Layer	
	6. Presentation Layer		
	5. Session Layer		
Internetwork Layers	4. Transport Layer	3. Transport Layer	
	3. Network Layer	2. Network Layer	
Hardware Layers	2. Data Link Layer	4 Hardinas Laves	
	Physical Layer	1. Hardware Layer	

Network Models: OSI is Developed by ISO

# Each layer has its own <u>protocol</u>


OSI model			
Layer	Name	Example protocols	
7	Application Layer	HTTP, FTP, DNS, SNMP, Telnet	
6	Presentation Layer	SSL, TLS	
5	Session Layer	NetBIOS, PPTP	
4	Transport Layer	TCP, UDP	
3	Network Layer	IP, ARP, ICMP, IPSec	
2	Data Link Layer	PPP, ATM, Ethernet	
1	Physical Layer	Ethernet, USB, Bluetooth, IEEE802.11	

# Ethernet (example network protocol) (Hardware Layer)

- ◆CSMA/CD: Carrier Sense, Multiple Access, Collision Detect. Simple rules!
- ◆Since Ethernet was designed to be on shared media, with 2 or more users, and the "more" part can be very big (that's the "Multiple Access" part) you have to listen to see if anyone else is talking before you talk (Carrier Sense) and if you and someone else start talking at the same time, notice it (Collision Detect), say "excuse me" stop and try again later. A polite free for all with rules.

## **Ethernet Protocol Main procedure**

- When one computer wanted to send some information, it followed the following algorithm
  - Make data ready for transmission.
  - Is medium idle? If not, wait for a period until it becomes ready.
  - Start transmitting.
  - Does a collision occur? If so, go to collision detected procedure (wait a couple of periods before retransmitting)
  - End successful transmission.



Some Protocols in the TCP/IP Protocol Suite