
PHONE RECOMMERCE · AI USE CASE PROTOTYPE

Dispute Copilot: how a partner dispute becomes a checked decision and a Jira ticket

Partners dispute grades, payouts, locked and missing devices by email. The copilot reads the email with Claude, checks it against the device record, recommends a decision with the exact credit, drafts the reply and routes the case to the owning team. A person approves every reply before it is sent.

INFORMATION FLOW

From partner email to ticket in eight steps



Automated logic (built) · External platform via API or webhook · Human decision point · Data store

STEP BY STEP

What moves where, and over which connection

STEP	FROM → TO	WHAT MOVES	PLATFORM & CONNECTION	PROTOTYPE TODAY	IN PRODUCTION (PROPOSED)
1	Partner → Copilot	Dispute email (subject, text, sender)	`Email` `Webhook`	39 synthetic emails in the inbox	Shared mailbox via Microsoft Graph or Gmail API push
2	Copilot ↔ Claude	Email text in; category, language, summary and draft reply out	`Anthropic API` `HTTPS REST`	Claude via API key; falls back to rules if unavailable	Same API under the company's AI governance; no consumer personal data in prompts
3	Copilot ↔ Device data	IMEI / order lookup; grade, defects, tests, locks, price table	`Read-only query`	SQLite with ~300 synthetic devices	Read-only API to grading, WMS and pricing systems
4	Copilot → Person	Recommendation, credit, confidence, every check, editable draft	`Web app`	Local web app, no login	Hosted app with company sign-in, or a Jira / Slack panel
5	Person → Partner	Approved reply	`Email API`	Written to an outbox file	Sent from the shared mailbox
6	Person → Jira	Task with team component, priority, labels, checks and reply	`Jira REST v3` `API token`	Live on the DISP board	Jira project per team, service account token
7	Copilot / Person → Slack	Escalation and decision alerts with a link to the case	`Incoming webhook`	Written to a local file (webhook not set)	Team channel per business area
8	All → Audit log	Every run, decision, edit, review time, cost and error	`Database`	SQLite; dashboard and evaluation screens	Feeds BI (e.g. Snowflake) for reporting

CONTROLS

Why it is safe to pilot

A person approves every reply

Nothing reaches a partner without approval; drafts can be edited or handed to the team.

The model never sets a credit

Claude reads and writes text. Grades, credits and routing come from fixed checks against the data.

Partner data stays separated

The copilot refuses to act on a device that belongs to another partner.

Failures are visible

API or Jira problems show on screen and in the audit log; the case falls back to rules or a local copy.

Tested before every change

A labelled test set scores category, decision, credit, team, escalation and language.

Secrets stay out of code

API keys and tokens live in a local config file excluded from the GitHub repository.

Prototype by Abel Louis on synthetic data (fictional partners, devices and prices). Code: github.com/abellouisr/recommerce-dispute-copilot · Jira: DISP board on the demo Atlassian site.