

**ROUTINE TEST RECORD FOR LOAD INDICATOR / DIGITAL INDICATOR / TANK /  
HOPPER / SILO WEIGHING SYSTEM/CRANE WEIGHING SYSTEM**

**SYSTEM :**

**JOB No. :** CUSTOMER: Chemical Process Corp

**CAPACITY:** Kg/Tonnes

**TAG. NO.:**

| Load/Digital Indicator.                                                          | SENSOR                                                                             | REMOTE (IF ANY)                                        | JUNCTION BOX                                           |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|
| Model No. {{di_model}}<br>Serial No. {{di_serial}}<br>SW version: {{sw_version}} | Model No. {{lc_model}}<br>Serial No. {{s1}}<br>1) {{s2}}<br>2) {{s3}}<br>3) {{s4}} | Model No. {{jbox_model}}<br>Serial No. {{jbox_serial}} | Model No.<br>Serial No.<br><br>Model No.<br>Serial No. |

Check for short between Line & Neutral ,  
Neutral & Earth , Line & Earth :

| SL No. | Test Performed                                            | Specified Values | Actual Values |
|--------|-----------------------------------------------------------|------------------|---------------|
| 1.     | Input Supply Voltage (+/-10%)                             | {{spec 1}}       | {{act 1}}     |
| 2.     | Derived DC Voltages (+/-5%)                               | {{spec 2}}       | {{act 2}}     |
| 3.     | Check for the power on display and the Keyboard function. | {{spec 3}}       | {{act 3}}     |
| 4.     | Load on the Load cell as specified in G.A. or MPL         | {{spec 4}}       | {{act 4}}     |
| 5.     | Tare weight as specified in G.A. or MPL                   | {{spec 5}}       | {{act 5}}     |

**Resolution: L:** kg/T

**Measurement to be done from 0 to 110% of the System capacity.**

| Load on Load cell Kg/T or mV | Measured Load kg/T (1 to 4 Load cell system) |          |          |          | Current output mA | Measured Load kg/T (5 to 8 Load cell system) |          |          |          |
|------------------------------|----------------------------------------------|----------|----------|----------|-------------------|----------------------------------------------|----------|----------|----------|
|                              | 1                                            | 2        | 3        | 4        |                   | 5                                            | 6        | 7        | 8        |
| {{g1_0}}                     | {{g1_1}}                                     | {{g1_2}} | {{g1_3}} | {{g1_4}} | {{g1_5}}          | {{g1_6}}                                     | {{g1_7}} | {{g1_8}} | {{g1_9}} |
| {{g2_0}}                     | {{g2_1}}                                     | {{g2_2}} | {{g2_3}} | {{g2_4}} | {{g2_5}}          | {{g2_6}}                                     | {{g2_7}} | {{g2_8}} | {{g2_9}} |
| {{g3_0}}                     | {{g3_1}}                                     | {{g3_2}} | {{g3_3}} | {{g3_4}} | {{g3_5}}          | {{g3_6}}                                     | {{g3_7}} | {{g3_8}} | {{g3_9}} |
| {{g4_0}}                     | {{g4_1}}                                     | {{g4_2}} | {{g4_3}} | {{g4_4}} | {{g4_5}}          | {{g4_6}}                                     | {{g4_7}} | {{g4_8}} | {{g4_9}} |
| {{g5_0}}                     | {{g5_1}}                                     | {{g5_2}} | {{g5_3}} | {{g5_4}} | {{g5_5}}          | {{g5_6}}                                     | {{g5_7}} | {{g5_8}} | {{g5_9}} |
| {{g6_0}}                     | {{g6_1}}                                     | {{g6_2}} | {{g6_3}} | {{g6_4}} | {{g6_5}}          | {{g6_6}}                                     | {{g6_7}} | {{g6_8}} | {{g6_9}} |
| {{g7_0}}                     | {{g7_1}}                                     | {{g7_2}} | {{g7_3}} | {{g7_4}} | {{g7_5}}          | {{g7_6}}                                     | {{g7_7}} | {{g7_8}} | {{g7_9}} |

|           |           |           |           |           |           |           |           |           |           |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| {{g8_0}}  | {{g8_1}}  | {{g8_2}}  | {{g8_3}}  | {{g8_4}}  | {{g8_5}}  | {{g8_6}}  | {{g8_7}}  | {{g8_8}}  | {{g8_9}}  |
| {{g9_0}}  | {{g9_1}}  | {{g9_2}}  | {{g9_3}}  | {{g9_4}}  | {{g9_5}}  | {{g9_6}}  | {{g9_7}}  | {{g9_8}}  | {{g9_9}}  |
| {{g10_0}} | {{g10_1}} | {{g10_2}} | {{g10_3}} | {{g10_4}} | {{g10_5}} | {{g10_6}} | {{g10_7}} | {{g10_8}} | {{g10_9}} |
| {{g11_0}} | {{g11_1}} | {{g11_2}} | {{g11_3}} | {{g11_4}} | {{g11_5}} | {{g11_6}} | {{g11_7}} | {{g11_8}} | {{g11_9}} |
| {{g12_0}} | {{g12_1}} | {{g12_2}} | {{g12_3}} | {{g12_4}} | {{g12_5}} | {{g12_6}} | {{g12_7}} | {{g12_8}} | {{g12_9}} |

**ROUTINE TEST RECORD FOR LOAD / DIGITAL INDICATOR / TANK / HOPPER / SILO  
WEIGHING SYSTEM**

| SL<br>No | Test Performed                                                                                                                                                                                                                  | Checked:<br>YES/NO |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 6.       | PF/ Relay Contacts: Check for the relay change over for the set points.                                                                                                                                                         | Checked: YES       |
| 7.       | Display Annunciation: (As per the software Details)                                                                                                                                                                             | Checked: YES       |
| 8.       | <b>Communication:</b> RS 232 / RS 485 / BCD / Other Communication Protocols (If any specify)<br>The RS232 / RS485 to be checked with interfacing to PC<br>{Attach a printout along with the test report for the Printer option} | Checked: YES       |
| 9.       | Any other parameters (If Any)                                                                                                                                                                                                   | N/A                |
| 10.      | Rating of the fuse used in the system:                                                                                                                                                                                          | 2A Fast Blow       |

**REMARKS (If ANY): -**

Instrument Used: {{instrument\_used}}

Tested by: Test Engineer

Date: 2026-08-22(HOD – PDN)

Approved by: