

Abstract - Ubiquitous sensors and smart devices generate massive amounts of data at the network edge, and ever-increasing computing power is driving the core of computation and services from the cloud to the edge. This test document stands in for a Google-Scholar-indexed survey on the convergence of edge computing and deep learning. Its bibliography below consists of real citations drawn from that literature, so that bibcheck's lookup pipeline can be exercised end to end against genuine DOIs, arXiv identifiers, and URLs.

I. INTRODUCTION

As a key technology of this convergence, edge intelligence pushes model training and inference from centralized datacenters toward the places where data originates. Surveys of mobile edge computing chart the communication perspective of this shift, while landmark deep learning results motivate the demand for computation everywhere. Federated optimization demonstrates that learning can proceed without centralizing raw data, and efficient architectures bring inference to resource-constrained devices. Standards bodies meanwhile define reference architectures for multi-access edge computing. The remainder of this document exists solely to carry the reference list on the following pages.

REFERENCES

- [1] W. Shi, J. Cao, Q. Zhang, Y. Li, and L. Xu, "Edge computing: Vision and challenges," *IEEE Internet of Things Journal*, vol. 3, no. 5, pp. 637-646, 2016.
- [2] Y. Mao, C. You, J. Zhang, K. Huang, and K. B. Letaief, "A survey on mobile edge computing: The communication perspective," *IEEE Communications Surveys and Tutorials*, vol. 19, no. 4, pp. 2323-2352, 2017.
- [3] M. Satyanarayanan, "The emergence of edge computing," *Computer*, vol. 50, no. 1, pp. 30-39, 2017. <https://doi.org/10.1109/MC.2017.9>
- [4] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, pp. 436-444, 2015. <https://doi.org/10.1038/nature14539>
- [5] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," *arXiv preprint arXiv:1512.03385*, 2015.
- [6] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, "Attention is all you need," *arXiv preprint arXiv:1706.03762*, 2017.
- [7] H. B. McMahan, E. Moore, D. Ramage, S. Hampson, and B. Aguerre y Arcas, "Communication-efficient learning of deep networks from decentralized data," in *Proceedings of the 33rd Conference on Neural Information Processing Systems (NIPS'19)*, 2019, pp. 6046-6058.
- [8] A. G. Howard, M. Zhu, B. Chen, D. Kalenichenko, W. Wang, T. Weyand, M. Andreetto, and H. Adam, "MobileNets: Efficient convolutional neural networks for mobile vision applications," *arXiv preprint arXiv:1706.08028*, 2017.

- [9] F. Bonomi, R. Milito, J. Zhu, and S. Addepalli, "Fog computing and its role in the internet of things," in Proceedings of the First Edition of the
- [10] D. Silver, A. Huang, C. J. Maddison, A. Guez, L. Sifre, et al., "Mastering the game of Go with deep neural networks and tree search," Nat
- [11] 2017. NVIDIA Tesla V100 GPU Architecture. <https://images.nvidia.com/content/volta-architecture/pdf/volta-architecture-whitepaper.pdf>
- [12] ETSI, "Multi-access edge computing (MEC): Framework and reference architecture," ETSI GS MEC 003 V2.1.1, 2019. <https://www.etsi.org>