



vps · agent-
stack



Sessions

4 running · 1 needs you

api- refactor

NEEDS
APPROVAL

claude · edit src/auth/session.ts

3 windows · waiting 2m

hermes

● WORKING

hermes · indexing corpus



screener

DONE ·
14m

claude · tests passing, committed

logs

htop · no
agent



+ New session





hermes

● working

LIVE

1

agent

2 logs

3 shell

```
$ hermes run ingest --source tibetan/
Loading 1,284 documents
Chunking ██████████░░░░░░░░░░ 62%
batch 41/66 · 812 chunks embedded

> Summarize progress when done
Queued. I'll report after the final batch.
```



/compact

run tests

status?

RAW

Also export the chunk stats to C\$



[Android keyboard – Gboard, SwiftKey, voice]

< api-refactor · window
1

CLAUDE WANTS

Edit session.ts

src/auth/session.ts · +6 -2

@@ -41,8 +41,12 @@

```
export function refresh(token) {  
- const exp = decode(token).exp;  
- if (exp < now()) throw err;  
+ const claims = verify(token, KEY);  
+ if (!claims) return null;  
+ if (claims.exp < now()) {  
+ return rotate(claims.sub);  
+ }  
return issue(claims.sub);
```

WHILE YOU WERE AWAY

Replaced manual expiry checks with signature verification; 2 of 3 auth tests now pass.

Deny

Approve

Reply with
note

Open
terminal

New session

TEMPLATES

Cancel

Claude in repo

```
cd ~/code/$repo &&  
claude
```

Hermes TUI

```
hermes
```

Log tail

```
journalctl -f
```

Plain shell

```
$SHELL
```

NAME

payments-api

DIRECTORY

~/code/payments-api

Start and attach



api-refactor

● claude · working

Chat

Terminal

Fix the token refresh bug and run the auth tests

The expiry check decodes the token without verifying it, so a forged token passes. I'll verify the signature first.

 Read session.ts · 84 lines >

```
+ const claims = verify(token, KEY);  
+ if (!claims) return null;  
const exp = decode(token).exp;
```

Run npm test -- auth?

Deny

Always

Allow

Message Claude...



[Android keyboard — Gboard, SwiftKey, voice]