# Package 'forestControl'

March 7, 2017

Type Package

<b>Title</b> Approximate False Positive Rate Control in Selection Frequency for Random Forest
Version 0.1.0
Author Tom Wilson <tpw2@aber.ac.uk>,     Jasen Finch <jsf9@aer.ac.uk></jsf9@aer.ac.uk></tpw2@aber.ac.uk>
Maintainer Tom Wilson <tpw2@aber.ac.uk></tpw2@aber.ac.uk>
Description Approximate False Positive Rate Control in Selection Frequecy for Random Forest using the methods described by Ender Konukoglu and Melanie Ganz. Methods for calculating the selection frequency threshold at false positive rate and selection frequency false positive rate feature selection.
Depends ggplot2
Imports ggrepel
Suggests testthat, randomForest, ranger
License MIT + file LICENSE
Encoding UTF-8
LazyData true
<pre>URL https://github.com/wilsontom/forestControl</pre>
BugReports https://github.com/wilsontom/forestControl/issues
RoxygenNote 5.0.0
NeedsCompilation no
R topics documented:
forestControl-package
extract_params
selecFreqs
sft
sftPlot
Index

2 extract\_params

forestControl-package False Positive Rate Control in Selection Frequency for Random Forest

### **Description**

This package is an implementation of the methods described by Ender Konukoglu and Melanie Ganz in *Konukoglu, E. and Ganz, M., 2014. Approximate false positive rate control in selection frequency for random forest. arXiv preprint arXiv:1410.2838* https://arxiv.org/abs/1410.2838.

extract\_params

Extract forest parameters

### **Description**

For a forest model (randomForest or ranger) extract the parameters needed to calculate an approximate selection frequency threshold

#### Usage

```
extract_params(x)
```

# Arguments

Χ

a randomForest or ranger object

#### Value

a list of four elements

Fn The number of features considered at each internal node (mtry)

Ft The total number of features in the data set

K The average number of binary tests/internal nodes across the enitre forest

**Tr** The total number of trees in the forest

#### Author(s)

fpr\_fs 3

fpr\_fs

False Postivie Rate Feature Selection

#### **Description**

Calculate the False Positive Rate (FPR) for each feature using it's selection frequency

## Usage

```
fpr_fs(x)
```

#### **Arguments**

Х

a randomForest or ranger object

#### Value

a data.frame of selection frequencies and their false positive rate

## Author(s)

```
Jasen Finch <jsf9@aber.ac.uk>
```

selecFreqs

Variable Selection Frequencies

## Description

Extract variable selection frequencies from forest objects

## Usage

```
selecFreqs(x)
```

## Arguments

Χ

a randomForest or ranger object

#### Value

data.frame of variable selection frequencies

4 sftPlot

sft

Selection Frequency Threshold

## Description

Selection Frequency Threshold

## Usage

```
sft(x, alpha)
```

## Arguments

x a randomForest or ranger object alpha a false positive rate (ie, 0.01)

#### Value

```
a list of two elements
```

```
sft the selection frequency threshold
probs_atsft the esimated false positive rate
```

#### Author(s)

sftPlot

Plot Selection Frequency Threshold

## Description

Plot Selection Frequency Threshold

## Usage

```
sftPlot(x)
```

#### **Arguments**

x a randomForest of ranger forest object

#### Value

a plot

sftPlot 5

# Author(s)

Tom Wilson <tpw2@aber.ac.uk>

# **Index**

```
extract_params, 2
forestControl-package, 2
fpr_fs, 3
selecFreqs, 3
sft, 4
sftPlot, 4
```