# Package 'forestControl'

December 4, 2017

Type Package

<b>Title</b> Approximate False Positive Rate Control in Selection Frequency for Random Forest
Version 0.1.0
Author Tom Wilson <tpw2@aber.ac.uk>,     Jasen Finch <jsf9@aer.ac.uk></jsf9@aer.ac.uk></tpw2@aber.ac.uk>
Maintainer Tom Wilson <tpw2@aber.ac.uk></tpw2@aber.ac.uk>
<b>Description</b> Approximate False Positive Rate Control in Selection Frequecy for Random Forest using the methods described by Ender Konukoglu and Melanie Ganz. Methods for calculating the selection frequency threshold at false positive rate and selection frequency false positive rate feature selection.
Depends ggplot2
Imports ggrepel
Suggests testthat, randomForest, ranger, dplyr, knitr, rmarkdown
License MIT + file LICENSE
Encoding UTF-8
LazyData true
<pre>URL https://github.com/wilsontom/forestControl</pre>
<pre>BugReports https://github.com/wilsontom/forestControl/issues</pre>
RoxygenNote 6.0.1
VignetteBuilder knitr
NeedsCompilation no
R topics documented:
forestControl-package extract_params fpr_fs splot_sft selecFreqs sft

2 extract\_params

Index 5

forestControl-package False Positive Rate Control in Selection Frequency for Random Forest

### **Description**

This package is an implementation of the methods described by Ender Konukoglu and Melanie Ganz in *Konukoglu, E. and Ganz, M., 2014. Approximate false positive rate control in selection frequency for random forest. arXiv preprint arXiv:1410.2838* https://arxiv.org/abs/1410.2838.

extract\_params

Extract forest parameters

#### **Description**

For a forest model (randomForest or ranger) extract the parameters needed to calculate an approximate selection frequency threshold

#### **Usage**

```
extract_params(x)
```

#### **Arguments**

Х

a randomForest or ranger object

#### Value

a list of four elements

**Fn** The number of features considered at each internal node (mtry)

Ft The total number of features in the data set

K The average number of binary tests/internal nodes across the enitre forest

**Tr** The total number of trees in the forest

#### Author(s)

fpr\_fs 3

fpr\_fs

False Postivie Rate Feature Selection

## Description

Calculate the False Positive Rate (FPR) for each feature using it's selection frequency

## Usage

```
fpr_fs(x)
```

## Arguments

Х

a randomForest or ranger object

#### Value

a data. frame of selection frequencies and their false positive rate

#### Author(s)

Jasen Finch <jsf9@aber.ac.uk>

plot\_sft

Plot Selection Frequency Threshold

## Description

Plot Selection Frequency Threshold

## Usage

```
plot_sft(x)
```

#### **Arguments**

Χ

a randomForest of ranger forest object

#### Value

a plot

## Author(s)

4 sft

selecFreqs

Variable Selection Frequencies

## Description

Extract variable selection frequencies from forest objects

## Usage

```
selecFreqs(x)
```

## Arguments

Χ

a randomForest or ranger object

#### Value

data.frame of variable selection frequencies

sft

Selection Frequency Threshold

## Description

Selection Frequency Threshold

## Usage

```
sft(x, alpha)
```

#### **Arguments**

x a randomForest or ranger object alpha a false positive rate (ie, 0.01)

## Value

```
a list of two elements
```

```
sft the selection frequency threshold
probs_atsft the esimated false positive rate
```

#### Author(s)

## **Index**

```
extract_params, 2
forestControl-package, 2
fpr_fs, 3
plot_sft, 3
selecFreqs, 4
sft, 4
```