

```

<!DOCTYPE html>
<html lang="en" class="scroll-smooth">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>YouTube Alog | Learn, Create, and Grow Online</title>
  <script src="https://cdn.tailwindcss.com"></script>
  <script>
    tailwind.config = {
      darkMode: 'class',
      theme: {
        extend: {
          colors: {
            brand: {
              50: '#fff1f2',
              100: '#ffe4e6',
              500: '#f43f5e',
              600: '#e11d48',
              700: '#be123c',
              900: '#881337',
              accent: '#ff2d55',
            },
            dark: {
              bg: '#0b0f17',
              card: '#151c28',
              border: '#232d3f'
            }
          },
          fontFamily: {
            sans: ['Inter', 'sans-serif'],
          }
        }
      }
    }
  </script>
  <link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700;800&display=
swap" rel="stylesheet">
  <!-- Lucide Icons -->
  <script src="https://unpkg.com/lucide@latest"></script>
  <style>
    body { font-family: 'Inter', sans-serif; }
    .glow-effect {
      box-shadow: 0 0 25px -5px rgba(225, 29, 72, 0.3);

```

```

    }
    .glow-effect-lg {
        box-shadow: 0 0 50px -10px rgba(225, 29, 72, 0.25);
    }
    /* Custom scrollbar */
    ::-webkit-scrollbar { width: 8px; }
    ::-webkit-scrollbar-track { background: #0b0f17; }
    ::-webkit-scrollbar-thumb { background: #232d3f; border-radius: 4px; }
    ::-webkit-scrollbar-thumb:hover { background: #e11d48; }
</style>
</head>
<body class="bg-slate-50 text-slate-900 dark:bg-dark-bg dark:text-slate-100 transition-colors
duration-300 min-h-screen flex flex-col selection:bg-brand-600 selection:text-white">

    <header class="sticky top-0 z-50 backdrop-blur-md bg-white/80 dark:bg-dark-bg/80 border-b
border-slate-200 dark:border-dark-border transition-colors duration-300">
        <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 h-20 flex items-center
justify-between">
            <!-- Brand Logo -->
            <a href="#" class="flex items-center gap-3 group">
                <div class="w-10 h-10 rounded-xl bg-gradient-to-tr from-brand-600 to-rose-500 flex
items-center justify-center text-white shadow-md group-hover:scale-105 transition-transform">
                    <i data-lucide="play" class="w-5 h-5 fill-white"></i>
                </div>
                <div class="flex flex-col">
                    <span class="text-xl font-extrabold tracking-tight bg-clip-text text-transparent
bg-gradient-to-r from-slate-900 via-brand-600 to-rose-500 dark:from-white dark:via-rose-400
dark:to-brand-500">
                        YouTube Alog
                    </span>
                    <span class="text-[10px] tracking-widest font-semibold text-slate-500
dark:text-slate-400 uppercase -mt-1">Creator Hub</span>
                </div>
            </a>

            <!-- Desktop Navigation -->
            <nav class="hidden md:flex items-center gap-8 text-sm font-medium">
                <a href="#topics" class="hover:text-brand-600 dark:hover:text-brand-500
transition-colors">Categories</a>
                <a href="#tutorials" class="hover:text-brand-600 dark:hover:text-brand-500
transition-colors">Tutorials</a>
                <a href="#reviews" class="hover:text-brand-600 dark:hover:text-brand-500
transition-colors">Tool Reviews</a>

```

```

        <a href="#tools" class="hover:text-brand-600 dark: hover:text-brand-500
transition-colors flex items-center gap-1.5">
            <span class="inline-block w-2 h-2 rounded-full bg-brand-500
animate-ping"></span>
            Interactive Suite
        </a>
    </nav>

    <!-- Right Controls -->
    <div class="flex items-center gap-4">
        <!-- Dark Mode Toggle -->
        <button id="theme-toggle" class="p-2.5 rounded-xl bg-slate-100 dark: bg-dark-card
border border-slate-200 dark: border-dark-border text-slate-600 dark: text-slate-300
hover: text-brand-600 dark: hover: text-brand-500 transition-all">
            <i data-lucide="sun" class="w-5 h-5 hidden dark: block"></i>
            <i data-lucide="moon" class="w-5 h-5 block dark: hidden"></i>
        </button>

        <!-- Newsletter Call Action -->
        <a href="#newsletter" class="hidden sm: inline-flex items-center justify-center px-4
py-2.5 rounded-xl bg-gradient-to-r from-brand-600 to-rose-600 hover: from-brand-700
hover: to-rose-700 text-white font-semibold text-sm shadow-md hover: shadow-lg transition-all
transform hover: -translate-y-0.5">
            Join Community
        </a>

        <!-- Mobile Menu Button -->
        <button id="mobile-menu-btn" class="md: hidden p-2 rounded-lg text-slate-600
dark: text-slate-300 hover: bg-slate-100 dark: hover: bg-dark-card">
            <i data-lucide="menu" class="w-6 h-6"></i>
        </button>
    </div>
</div>

<!-- Mobile Menu -->
<div id="mobile-menu" class="hidden md: hidden border-b border-slate-200
dark: border-dark-border bg-white dark: bg-dark-bg px-4 pt-2 pb-6 space-y-3">
    <a href="#topics" class="block py-2 text-base font-medium text-slate-700
dark: text-slate-200 hover: text-brand-600">Categories</a>
    <a href="#tutorials" class="block py-2 text-base font-medium text-slate-700
dark: text-slate-200 hover: text-brand-600">Tutorials & Guides</a>
    <a href="#reviews" class="block py-2 text-base font-medium text-slate-700
dark: text-slate-200 hover: text-brand-600">Tool Reviews</a>

```

```

        <a href="#tools" class="block py-2 text-base font-medium text-slate-700
dark:text-slate-200 hover:text-brand-600">Creator Tools Suite</a>
        <a href="#newsletter" class="block w-full text-center py-3 mt-4 rounded-xl bg-brand-600
text-white font-semibold">Join Newsletter</a>
    </div>
</header>

<main class="flex-grow">
    <section class="relative overflow-hidden pt-12 pb-20 lg:pt-20 lg:pb-28">
        <!-- Background Glow Decoration -->
        <div class="absolute top-1/4 left-1/2 -translate-x-1/2 -translate-y-1/2 w-[600px] h-[400px]
bg-brand-600/15 dark:bg-brand-600/20 rounded-full blur-[120px] -z-10
pointer-events-none"></div>

        <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
            <div class="text-center max-w-3xl mx-auto">
                <!-- Badge -->
                <div class="inline-flex items-center gap-2 px-3.5 py-1.5 rounded-full
bg-brand-500/10 border border-brand-500/20 text-brand-600 dark:text-rose-400 text-xs
font-bold uppercase tracking-wider mb-6">
                    <i data-lucide="sparkles" class="w-4 h-4"></i>
                    Digital Creator Knowledge Hub
                </div>

                <!-- Main Heading -->
                <h1 class="text-4xl sm:text-5xl lg:text-6xl font-extrabold tracking-tight leading-tight
mb-6">
                    Learn, Create, and <span class="bg-clip-text text-transparent bg-gradient-to-r
from-brand-600 via-rose-500 to-amber-500">Grow Online</span>
                </h1>

                <!-- Description -->
                <p class="text-lg sm:text-xl text-slate-600 dark:text-slate-300 font-normal
leading-relaxed mb-8">
                    Our goal is simple: make technology easier to understand and help creators,
                    entrepreneurs, and tech enthusiasts turn their ideas into real results.
                </p>

                <!-- CTAs -->
                <div class="flex flex-col sm:flex-row items-center justify-center gap-4 mb-14">
                    <a href="#tutorials" class="w-full sm:w-auto px-8 py-4 rounded-xl bg-gradient-to-r
from-brand-600 to-rose-600 hover:from-brand-700 hover:to-rose-700 text-white font-bold
shadow-lg glow-effect flex items-center justify-center gap-2 transition-all transform
hover:-translate-y-0.5">

```

```

        <i data-lucide="compass" class="w-5 h-5"></i>
        Explore Guides & Tutorials
    </a>
    <a href="#tools" class="w-full sm:w-auto px-8 py-4 rounded-xl bg-white
dark:bg-dark-card border border-slate-200 dark:border-dark-border hover:border-brand-500/50
text-slate-800 dark:text-slate-100 font-semibold flex items-center justify-center gap-2
transition-all">
        <i data-lucide="wrench" class="w-5 h-5 text-brand-600"></i>
        Start Creating Today
    </a>
</div>


<!-- Stats Badges -->
<div class="grid grid-cols-2 md:grid-cols-4 gap-4 p-6 rounded-2xl bg-white/60
dark:bg-dark-card/60 border border-slate-200/80 dark:border-dark-border/80 backdrop-blur-md
shadow-xl">
    <div class="p-3">
        <div class="text-2xl sm:text-3xl font-extrabold text-slate-900
dark:text-white">500+</div>
        <div class="text-xs sm:text-sm text-slate-500 dark:text-slate-400
font-medium">Creator Guides</div>
    </div>
    <div class="p-3">
        <div class="text-2xl sm:text-3xl font-extrabold text-slate-900
dark:text-white">100+</div>
        <div class="text-xs sm:text-sm text-slate-500 dark:text-slate-400
font-medium">Honest Reviews</div>
    </div>
    <div class="p-3">
        <div class="text-2xl sm:text-3xl font-extrabold text-slate-900
dark:text-white">100K+</div>
        <div class="text-xs sm:text-sm text-slate-500 dark:text-slate-400
font-medium">Creator Community</div>
    </div>
    <div class="p-3">
        <div class="text-2xl sm:text-3xl font-extrabold text-slate-900
dark:text-white">100%</div>
        <div class="text-xs sm:text-sm text-slate-500 dark:text-slate-400
font-medium">Practical & Free</div>
    </div>
</div>
</div>
</div>
</section>

```

```

<section id="topics" class="py-16 bg-slate-100/50 dark:bg-dark-card/30 border-y
border-slate-200/80 dark:border-dark-border/80">
  <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div class="flex flex-col md:flex-row md:items-end justify-between mb-12">
      <div>
        <h2 class="text-3xl font-bold tracking-tight">Core Content Tracks</h2>
        <p class="text-slate-600 dark:text-slate-400 mt-2">Everything you need to
master digital creation and technology.</p>
      </div>
    </div>
  </div>

  <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
    <!-- Category 1 -->
    <div class="group p-6 rounded-2xl bg-white dark:bg-dark-card border
border-slate-200 dark:border-dark-border hover:border-brand-500/50 transition-all duration-300
hover:shadow-xl hover:-translate-y-1">
      <div class="w-12 h-12 rounded-xl bg-rose-500/10 text-rose-600
dark:text-rose-400 flex items-center justify-center mb-5 group-hover:bg-rose-600
group-hover:text-white transition-colors">
        <i data-lucide="youtube" class="w-6 h-6"></i>
      </div>
      <h3 class="text-xl font-bold mb-2">YouTube & Channel Growth</h3>
      <p class="text-slate-600 dark:text-slate-400 text-sm leading-relaxed mb-4">
        Master YouTube SEO, high CTR thumbnail strategy, channel analytics, and
monetization algorithms to double your reach.
      </p>
      <ul class="space-y-2 text-xs font-semibold text-slate-500 dark:text-slate-400
mb-6">
        <li class="flex items-center gap-2"><i data-lucide="check" class="w-3.5 h-3.5
text-brand-500"></i> Algorithm Decoding</li>
        <li class="flex items-center gap-2"><i data-lucide="check" class="w-3.5 h-3.5
text-brand-500"></i> Title & Tag Strategy</li>
      </ul>
      <button onclick="filterCategory('YouTube')" class="text-sm font-bold
text-brand-600 dark:text-rose-400 flex items-center gap-1 group-hover:gap-2 transition-all">
        Browse YouTube Guides <i data-lucide="arrow-right" class="w-4 h-4"></i>
      </button>
    </div>

    <!-- Category 2 -->
    <div class="group p-6 rounded-2xl bg-white dark:bg-dark-card border
border-slate-200 dark:border-dark-border hover:border-brand-500/50 transition-all duration-300
hover:shadow-xl hover:-translate-y-1">

```



```

        <button onclick="filterCategory('Tools')" class="text-sm font-bold text-sky-600
dark:text-sky-400 flex items-center gap-1 group-hover:gap-2 transition-all">
        Explore AI Tools <i data-lucide="arrow-right" class="w-4 h-4"></i>
    </button>
</div>

<!-- Category 4 -->
<div class="group p-6 rounded-2xl bg-white dark:bg-dark-card border
border-slate-200 dark:border-dark-border hover:border-brand-500/50 transition-all duration-300
hover:shadow-xl hover:-translate-y-1">
    <div class="w-12 h-12 rounded-xl bg-emerald-500/10 text-emerald-600
dark:text-emerald-400 flex items-center justify-center mb-5 group-hover:bg-emerald-600
group-hover:text-white transition-colors">
        <i data-lucide="dollar-sign" class="w-6 h-6"></i>
    </div>
    <h3 class="text-xl font-bold mb-2">Digital Business & Revenue</h3>
    <p class="text-slate-600 dark:text-slate-400 text-sm leading-relaxed mb-4">
        Turn views into income through affiliate marketing, brand sponsorship deals,
digital product launches, and membership models.
    </p>
    <ul class="space-y-2 text-xs font-semibold text-slate-500 dark:text-slate-400
mb-6">
        <li class="flex items-center gap-2"><i data-lucide="check" class="w-3.5 h-3.5
text-emerald-500"></i> Sponsorship Pitching</li>
        <li class="flex items-center gap-2"><i data-lucide="check" class="w-3.5 h-3.5
text-emerald-500"></i> Digital Products</li>
    </ul>
    <button onclick="filterCategory('Business')" class="text-sm font-bold
text-emerald-600 dark:text-emerald-400 flex items-center gap-1 group-hover:gap-2
transition-all">
        Explore Business <i data-lucide="arrow-right" class="w-4 h-4"></i>
    </button>
</div>

<!-- Category 5 -->
<div class="group p-6 rounded-2xl bg-white dark:bg-dark-card border
border-slate-200 dark:border-dark-border hover:border-brand-500/50 transition-all duration-300
hover:shadow-xl hover:-translate-y-1 md:col-span-2 lg:col-span-2">
    <div class="flex items-start justify-between">
        <div class="w-12 h-12 rounded-xl bg-amber-500/10 text-amber-600
dark:text-amber-400 flex items-center justify-center mb-5 group-hover:bg-amber-600
group-hover:text-white transition-colors">
            <i data-lucide="wrench" class="w-6 h-6"></i>
        </div>

```

```

        <span class="px-3 py-1 rounded-full text-xs font-bold bg-amber-500/10
text-amber-600 dark:text-amber-400">Step-by-Step Fixes</span>
    </div>
    <h3 class="text-xl font-bold mb-2">Tech Guides & Problem Solving</h3>
    <p class="text-slate-600 dark:text-slate-400 text-sm leading-relaxed mb-4">
        Straight-to-the-point technical troubleshooting, audio sync issues resolution,
render crashes fixes, streaming OBS configurations, and hardware setup guides.
    </p>
    <button onclick="filterCategory('Tech')" class="text-sm font-bold text-amber-600
dark:text-amber-400 flex items-center gap-1 group-hover:gap-2 transition-all">
        View Tech Solutions <i data-lucide="arrow-right" class="w-4 h-4"></i>
    </button>
</div>
</div>
</div>
</div>
</section>

<section id="tutorials" class="py-20">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div class="flex flex-col lg:flex-row lg:items-center justify-between gap-6 mb-10">
            <div>
                <h2 class="text-3xl font-bold tracking-tight">Step-by-Step Guides & Articles</h2>
                <p class="text-slate-600 dark:text-slate-400 mt-1">Actionable insights tested by
real content creators.</p>
            </div>

            <!-- Search & Filter Controls -->
            <div class="flex flex-col sm:flex-row items-center gap-3">
                <div class="relative w-full sm:w-64">
                    <i data-lucide="search" class="w-4 h-4 absolute left-3.5 top-1/2
-translate-y-1/2 text-slate-400"></i>
                    <input type="text" id="article-search" placeholder="Search guides..."
oninput="filterArticles()" class="w-full pl-10 pr-4 py-2.5 rounded-xl border border-slate-200
dark:border-dark-border bg-white dark:bg-dark-card text-sm focus:outline-none focus:ring-2
focus:ring-brand-500">
                </div>
            </div>

            <!-- Filter Pills -->
            <div class="flex flex-wrap gap-2 mb-10 border-b border-slate-200
dark:border-dark-border pb-4" id="category-pills">
                <button onclick="filterCategory('All')" class="pill-btn active px-4 py-2 rounded-xl
text-xs font-bold transition-all bg-brand-600 text-white shadow-md">All Articles</button>

```

```

        <button onclick="filterCategory('YouTube')" class="pill-btn px-4 py-2 rounded-xl
text-xs font-bold transition-all bg-slate-100 dark:bg-dark-card text-slate-600 dark:text-slate-400
hover:text-slate-900 dark:hover:text-white">YouTube Growth</button>
        <button onclick="filterCategory('Video')" class="pill-btn px-4 py-2 rounded-xl text-xs
font-bold transition-all bg-slate-100 dark:bg-dark-card text-slate-600 dark:text-slate-400
hover:text-slate-900 dark:hover:text-white">Video Editing</button>
        <button onclick="filterCategory('Tools')" class="pill-btn px-4 py-2 rounded-xl text-xs
font-bold transition-all bg-slate-100 dark:bg-dark-card text-slate-600 dark:text-slate-400
hover:text-slate-900 dark:hover:text-white">Digital Tools</button>
        <button onclick="filterCategory('Business')" class="pill-btn px-4 py-2 rounded-xl
text-xs font-bold transition-all bg-slate-100 dark:bg-dark-card text-slate-600 dark:text-slate-400
hover:text-slate-900 dark:hover:text-white">Business</button>
    </div>

```

```

    <!-- Articles Grid Container -->
    <div id="articles-grid" class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
        <!-- Dynamic Articles populated via JavaScript -->
    </div>
</div>
</section>

```

```

<section id="reviews" class="py-20 bg-slate-100/50 dark:bg-dark-card/30 border-y
border-slate-200/80 dark:border-dark-border/80">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div class="text-center max-w-2xl mx-auto mb-14">
            <span class="px-3.5 py-1.5 rounded-full bg-emerald-500/10 text-emerald-600
dark:text-emerald-400 text-xs font-bold tracking-wide uppercase">
                Unbiased Testing
            </span>
            <h2 class="text-3xl font-bold tracking-tight mt-3">Honest Software & Gear
Reviews</h2>
            <p class="text-slate-600 dark:text-slate-400 mt-2">We test tools thoroughly so you
don't waste time or money.</p>
        </div>
    </div>

```

```

    <!-- Review Cards Showcase Grid -->
    <div class="grid grid-cols-1 md:grid-cols-3 gap-8">
        <!-- Review 1 -->
        <div class="bg-white dark:bg-dark-card rounded-2xl border border-slate-200
dark:border-dark-border p-6 shadow-sm hover:shadow-xl transition-all flex flex-col
justify-between">
            <div>
                <div class="flex items-center justify-between mb-4">

```

</div>

</div>

###

</div>

</div>

</div>

</div>

Full Review

</button>

</div>

</div>

<!-- Review 2 -->

<div>

```

        <div class="flex items-center text-amber-400 text-sm font-bold">
            <i data-lucide="star" class="w-4 h-4 fill-amber-400 mr-1"></i> 4.6 / 5
        </div>
    </div>
    <h3 class="text-xl font-bold mb-2">VidIQ vs TubeBuddy</h3>
    <p class="text-xs text-slate-500 dark:text-slate-400 mb-4">Detailed
side-by-side comparison of AI keyword tools in 2026.</p>

```

```

    <div class="space-y-2 mb-6 text-xs">
        <div class="p-2.5 rounded-lg bg-emerald-500/10 text-emerald-700
dark:text-emerald-400 font-medium flex items-start gap-2">
            <i data-lucide="thumbs-up" class="w-4 h-4 shrink-0 mt-0.5"></i>
            <span>Pro: VidIQ Daily Ideas AI model is super accurate.</span>
        </div>
        <div class="p-2.5 rounded-lg bg-rose-500/10 text-rose-700
dark:text-rose-400 font-medium flex items-start gap-2">
            <i data-lucide="thumbs-down" class="w-4 h-4 shrink-0 mt-0.5"></i>
            <span>Con: Price increases on tier jumps.</span>
        </div>
    </div>
</div>

```

```

    <div class="pt-4 border-t border-slate-100 dark:border-dark-border flex
items-center justify-between">
        <span class="text-xs font-bold text-slate-500">Winner: <strong
class="text-slate-900 dark:text-white">VidIQ AI Plan</strong></span>
        <button onclick="openReviewModal('VidIQ vs TubeBuddy')" class="px-3.5
py-2 rounded-lg bg-slate-900 dark:bg-white text-white dark:text-slate-900 font-bold text-xs
hover:opacity-90 transition-opacity">
            Full Review
        </button>
    </div>
</div>

```

```

<!-- Review 3 -->
<div class="bg-white dark:bg-dark-card rounded-2xl border border-slate-200
dark:border-dark-border p-6 shadow-sm hover:shadow-xl transition-all flex flex-col
justify-between">
    <div>
        <div class="flex items-center justify-between mb-4">
            <span class="px-3 py-1 rounded-lg bg-slate-100 dark:bg-dark-border text-xs
font-bold">Hardware & Mic</span>
            <div class="flex items-center text-amber-400 text-sm font-bold">
                <i data-lucide="star" class="w-4 h-4 fill-amber-400 mr-1"></i> 4.9 / 5
            </div>
        </div>
    </div>

```

```

    </div>
  </div>
  <h3 class="text-xl font-bold mb-2">Shure MV7+ Podcast Mic</h3>
  <p class="text-xs text-slate-500 dark:text-slate-400 mb-4">Is this USB/XLR
hybrid still the king for voiceovers?</p>

```

```

    <div class="space-y-2 mb-6 text-xs">
      <div class="p-2.5 rounded-lg bg-emerald-500/10 text-emerald-700
dark:text-emerald-400 font-medium flex items-start gap-2">
        <i data-lucide="thumbs-up" class="w-4 h-4 shrink-0 mt-0.5"></i>
        <span>Pro: Built-in DSP noise suppression works miracles.</span>
      </div>
      <div class="p-2.5 rounded-lg bg-rose-500/10 text-rose-700
dark:text-rose-400 font-medium flex items-start gap-2">
        <i data-lucide="thumbs-down" class="w-4 h-4 shrink-0 mt-0.5"></i>
        <span>Con: Touch strip menu takes time to adjust.</span>
      </div>
    </div>
  </div>
</div>

```

```

    <div class="pt-4 border-t border-slate-100 dark:border-dark-border flex
items-center justify-between">
      <span class="text-xs font-bold text-slate-500">Verdict: <strong
class="text-slate-900 dark:text-white">Gold Standard</strong></span>
      <button onclick="openReviewModal('Shure MV7+')" class="px-3.5 py-2
rounded-lg bg-slate-900 dark:bg-white text-white dark:text-slate-900 font-bold text-xs
hover:opacity-90 transition-opacity">
        Full Review
      </button>
    </div>
  </div>
</div>
</div>
</section>

```

```

<section id="tools" class="py-20">
  <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div class="text-center max-w-2xl mx-auto mb-12">
      <span class="px-3.5 py-1.5 rounded-full bg-brand-500/10 text-brand-600
dark:text-rose-400 text-xs font-bold uppercase tracking-wider">
        Free Creator Toolbox
      </span>
    <h2 class="text-3xl sm:text-4xl font-extrabold tracking-tight mt-3">Interactive
Growth Tools</h2>

```

```
<p class="text-slate-600 dark:text-slate-400 mt-2">Use these free built-in tools to
optimize your videos and streamline your strategy.</p>
</div>
```

```
<!-- Tool Tabs Navigation -->
<div class="flex justify-center mb-8">
  <div class="p-1.5 bg-slate-200/80 dark:bg-dark-card rounded-2xl flex flex-wrap
justify-center gap-2 max-w-xl w-full">
    <button onclick="switchToolTab('title-gen')" id="tab-title-gen" class="flex-1 py-2.5
px-4 rounded-xl text-xs sm:text-sm font-bold transition-all bg-white dark:bg-dark-border
text-slate-900 dark:text-white shadow-sm">
      Title & Tag Generator
    </button>
    <button onclick="switchToolTab('growth-checklist')" id="tab-growth-checklist"
class="flex-1 py-2.5 px-4 rounded-xl text-xs sm:text-sm font-bold transition-all text-slate-600
dark:text-slate-400 hover:text-slate-900">
      Channel Checklist
    </button>
    <button onclick="switchToolTab('gear-finder')" id="tab-gear-finder" class="flex-1
py-2.5 px-4 rounded-xl text-xs sm:text-sm font-bold transition-all text-slate-600
dark:text-slate-400 hover:text-slate-900">
      Gear Finder
    </button>
  </div>
</div>
```

```
<!-- Tool Panel Container -->
<div class="bg-white dark:bg-dark-card rounded-3xl border border-slate-200
dark:border-dark-border p-6 sm:p-10 shadow-xl min-h-[420px]">
  <!-- TOOL 1: Title & Tag Generator Simulator -->
  <div id="tool-title-gen" class="block">
    <div class="max-w-2xl mx-auto">
      <h3 class="text-xl font-bold mb-2 flex items-center gap-2">
        <i data-lucide="sparkles" class="w-5 h-5 text-brand-600"></i> YouTube Title
& Tag Generator Simulator
      </h3>
      <p class="text-sm text-slate-500 dark:text-slate-400 mb-6">Enter your video
topic to simulate high-CTR click-worthy titles and relevant SEO tags.</p>

      <div class="flex flex-col sm:flex-row gap-3 mb-6">
        <input type="text" id="topic-input" placeholder="e.g. CapCut video editing
tutorial, iPhone setup..." class="flex-1 px-4 py-3 rounded-xl border border-slate-200
dark:border-dark-border bg-slate-50 dark:bg-dark-bg text-sm focus:outline-none focus:ring-2
focus:ring-brand-500">
```

```
        <button onclick="generateTitlesAndTags()" class="px-6 py-3 rounded-xl
bg-brand-600 hover:bg-brand-700 text-white font-bold text-sm shadow-md transition-all">
        Generate Ideas
    </button>
</div>
```

```
    <!-- Generated Results Container -->
    <div id="generator-output" class="hidden space-y-6">
        <div>
            <h4 class="text-xs font-bold uppercase tracking-wider text-slate-500
dark:text-slate-400 mb-3">Suggested Catchy Titles:</h4>
            <div id="title-results" class="space-y-2"></div>
        </div>

        <div>
            <div class="flex items-center justify-between mb-2">
                <h4 class="text-xs font-bold uppercase tracking-wider text-slate-500
dark:text-slate-400">Recommended Tags:</h4>
                <button onclick="copyTags()" class="text-xs font-semibold
text-brand-600 dark:text-rose-400 flex items-center gap-1">
                    <i data-lucide="copy" class="w-3.5 h-3.5"></i> Copy All
                </button>
            </div>
            <div id="tag-results" class="flex flex-wrap gap-2"></div>
        </div>
    </div>
</div>
```

```
    <!-- TOOL 2: Growth Checklist -->
    <div id="tool-growth-checklist" class="hidden">
        <div class="max-w-2xl mx-auto">
            <div class="flex items-center justify-between mb-6">
                <div>
                    <h3 class="text-xl font-bold flex items-center gap-2">
                        <i data-lucide="check-circle-2" class="w-5 h-5 text-emerald-500"></i>
Creator Channel Checklist
                    </h3>
                    <p class="text-sm text-slate-500 dark:text-slate-400">Save progress as
you optimize your channel setup.</p>
                </div>
                <span id="checklist-progress" class="text-xs font-bold px-3 py-1.5
rounded-full bg-emerald-500/10 text-emerald-600 dark:text-emerald-400">
                    0% Completed
            </div>
        </div>
    </div>
```

```
</span>
</div>
```

```
<div class="space-y-3" id="checklist-items">
  <!-- Checkbox Item -->
  <label class="flex items-start gap-3 p-3.5 rounded-xl border
border-slate-200 dark:border-dark-border hover:bg-slate-50 dark:hover:bg-dark-bg
cursor-pointer transition-colors">
    <input type="checkbox" onchange="updateChecklistProgress()"
class="mt-1 w-4 h-4 text-brand-600 rounded border-slate-300 focus:ring-brand-500">
    <div>
      <div class="text-sm font-semibold">Custom Channel Banner & Clean
Avatar</div>
      <div class="text-xs text-slate-500">Ensure text is legible on both
mobile screens and desktop TVs.</div>
    </div>
  </label>
  <label class="flex items-start gap-3 p-3.5 rounded-xl border
border-slate-200 dark:border-dark-border hover:bg-slate-50 dark:hover:bg-dark-bg
cursor-pointer transition-colors">
    <input type="checkbox" onchange="updateChecklistProgress()"
class="mt-1 w-4 h-4 text-brand-600 rounded border-slate-300 focus:ring-brand-500">
    <div>
      <div class="text-sm font-semibold">SEO Optimized Channel About
Section</div>
      <div class="text-xs text-slate-500">Include target keywords within the
first 3 lines of your description.</div>
    </div>
  </label>
  <label class="flex items-start gap-3 p-3.5 rounded-xl border
border-slate-200 dark:border-dark-border hover:bg-slate-50 dark:hover:bg-dark-bg
cursor-pointer transition-colors">
    <input type="checkbox" onchange="updateChecklistProgress()"
class="mt-1 w-4 h-4 text-brand-600 rounded border-slate-300 focus:ring-brand-500">
    <div>
      <div class="text-sm font-semibold">High CTR Thumbnail Template
Grid</div>
      <div class="text-xs text-slate-500">Maintain distinct branding colors,
bold fonts, and tight face crops.</div>
    </div>
  </label>
  <label class="flex items-start gap-3 p-3.5 rounded-xl border
border-slate-200 dark:border-dark-border hover:bg-slate-50 dark:hover:bg-dark-bg
cursor-pointer transition-colors">
```

```

        <input type="checkbox" onchange="updateChecklistProgress()"
class="mt-1 w-4 h-4 text-brand-600 rounded border-slate-300 focus:ring-brand-500">
        <div>
            <div class="text-sm font-semibold">Default Upload Description &
Affiliate Links</div>
            <div class="text-xs text-slate-500">Configure YouTube Studio upload
defaults to save 15 minutes per upload.</div>
        </div>
        </label>
    </div>
</div>
</div>
</div>

<!-- TOOL 3: Equipment & Tech Recommendation Finder -->
<div id="tool-gear-finder" class="hidden">
    <div class="max-w-2xl mx-auto">
        <h3 class="text-xl font-bold mb-2 flex items-center gap-2">
            <i data-lucide="sliders" class="w-5 h-5 text-sky-500"></i> Setup Gear
Recommender
        </h3>
        <p class="text-sm text-slate-500 dark:text-slate-400 mb-6">Select your budget
and channel format to view optimal tech setups.</p>

        <div class="grid grid-cols-1 sm:grid-cols-2 gap-4 mb-6">
            <div>
                <label class="block text-xs font-bold uppercase tracking-wider
text-slate-500 mb-2">Budget Level</label>
                <select id="budget-select" onchange="filterGear()" class="w-full px-4
py-2.5 rounded-xl border border-slate-200 dark:border-dark-border bg-slate-50 dark:bg-dark-bg
text-sm">
                    <option value="beginner">Starter / Low Budget ($0 - $150)</option>
                    <option value="mid">Pro Creator ($150 - $600)</option>
                    <option value="studio">Studio Broadcast ($600+)</option>
                </select>
            </div>
            <div>
                <label class="block text-xs font-bold uppercase tracking-wider
text-slate-500 mb-2">Content Style</label>
                <select id="style-select" onchange="filterGear()" class="w-full px-4 py-2.5
rounded-xl border border-slate-200 dark:border-dark-border bg-slate-50 dark:bg-dark-bg
text-sm">
                    <option value="talking-head">Talking Head / Tech Reviews</option>
                    <option value="screencast">Screencast / Software Tutorials</option>
                </select>
            </div>
        </div>
    </div>

```

```

    </div>
  </div>

  <div id="gear-results" class="space-y-3">
    <!-- Populated dynamically -->
  </div>
</div>
</div>
</div>
</div>
</section>

```

```
<section id="newsletter" class="py-20 relative overflow-hidden">
  <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div class="relative bg-gradient-to-r from-brand-700 via-brand-600 to-rose-600
rounded-3xl p-8 sm:p-14 text-white overflow-hidden shadow-2xl">
      <!-- Background pattern -->
      <div class="absolute -right-10 -bottom-10 opacity-10 pointer-events-none">
        <i data-lucide="play" class="w-96 h-96"></i>
      </div>

      <div class="relative z-10 max-w-2xl">
        <div class="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-white/20
backdrop-blur-md text-white text-xs font-bold mb-4">
          <i data-lucide="mail" class="w-3.5 h-3.5"></i> The Alog Newsletter
        </div>
        <h2 class="text-3xl sm:text-4xl font-extrabold tracking-tight mb-4">
          Stay Ahead of the Algorithm
        </h2>
        <p class="text-white/80 text-base leading-relaxed mb-8">
          Join 100,000+ creators who receive our weekly breakdown of algorithm
changes, growth tactics, tool reviews, and step-by-step tech fixes.
        </p>

        <form onsubmit="handleSubscribe(event)" class="flex flex-col sm:flex-row
gap-3">
          <input type="email" required placeholder="Enter your email address..."
class="px-5 py-3.5 rounded-xl bg-white/10 backdrop-blur-md border border-white/30 text-white
placeholder-white/60 focus:outline-none focus:bg-white focus:text-slate-900 transition-all
flex-1">

          <button type="submit" class="px-8 py-3.5 rounded-xl bg-white text-brand-700
font-bold hover:bg-slate-100 transition-colors shadow-lg shrink-0">
            Get Free Access
          </button>
        </form>
      </div>
    </div>
  </div>
</section>
```

```
<div class="relative z-10 max-w-2xl">
  <div class="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-white/20
backdrop-blur-md text-white text-xs font-bold mb-4">
    <i data-lucide="mail" class="w-3.5 h-3.5"></i> The Alog Newsletter
  </div>
  <h2 class="text-3xl sm:text-4xl font-extrabold tracking-tight mb-4">
    Stay Ahead of the Algorithm
  </h2>
  <p class="text-white/80 text-base leading-relaxed mb-8">
    Join 100,000+ creators who receive our weekly breakdown of algorithm
changes, growth tactics, tool reviews, and step-by-step tech fixes.
  </p>
```

```
<form onsubmit="handleSubscribe(event)" class="flex flex-col sm:flex-row
gap-3">
  <input type="email" required placeholder="Enter your email address..."
class="px-5 py-3.5 rounded-xl bg-white/10 backdrop-blur-md border border-white/30 text-white
placeholder-white/60 focus:outline-none focus:bg-white focus:text-slate-900 transition-all
flex-1">
  <button type="submit" class="px-8 py-3.5 rounded-xl bg-white text-brand-700
font-bold hover:bg-slate-100 transition-colors shadow-lg shrink-0">
    Get Free Access
  </button>
```

```

        </form>
        <p class="text-xs text-white/60 mt-3">Zero spam. Unsubscribe anytime with one
click.</p>
    </div>
</div>
</div>
</section>
</main>

<footer class="bg-white dark:bg-dark-card border-t border-slate-200 dark:border-dark-border
pt-16 pb-12 transition-colors">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div class="grid grid-cols-1 md:grid-cols-4 gap-10 mb-12">
            <!-- Col 1: Brand Info -->
            <div class="md:col-span-1 space-y-4">
                <a href="#" class="flex items-center gap-2">
                    <div class="w-8 h-8 rounded-lg bg-gradient-to-tr from-brand-600 to-rose-500 flex
items-center justify-center text-white">
                        <i data-lucide="play" class="w-4 h-4 fill-white"></i>
                    </div>
                    <span class="text-lg font-bold">YouTube Alog</span>
                </a>
                <p class="text-xs text-slate-500 dark:text-slate-400 leading-relaxed">
                    Helping creators, entrepreneurs, and technology enthusiasts learn, create, and
grow online with practical knowledge.
                </p>
                <div class="flex items-center gap-3 pt-2 text-slate-400">
                    <a href="#" class="hover:text-brand-600 transition-colors"><i
data-lucide="youtube" class="w-5 h-5"></i></a>
                    <a href="#" class="hover:text-brand-600 transition-colors"><i
data-lucide="twitter" class="w-5 h-5"></i></a>
                    <a href="#" class="hover:text-brand-600 transition-colors"><i
data-lucide="instagram" class="w-5 h-5"></i></a>
                    <a href="#" class="hover:text-brand-600 transition-colors"><i
data-lucide="github" class="w-5 h-5"></i></a>
                </div>
            </div>

            <!-- Col 2: Topics -->
            <div>
                <h4 class="text-xs font-bold uppercase tracking-wider text-slate-900 dark:text-white
mb-4">Content Topics</h4>
                <ul class="space-y-2.5 text-xs text-slate-500 dark:text-slate-400">

```

- YouTube Channel Growth
- Video Editing Workflows
- Generative AI Tools
- Digital Monetization
- Hardware & Setup Fixes

</div>

<!-- Col 3: Resources -->

<div>

<h4 class="text-xs font-bold uppercase tracking-wider text-slate-900 dark:text-white mb-4">Free Tools</h4>

<ul class="space-y-2.5 text-xs text-slate-500 dark:text-slate-400">- YouTube Tag Generator
- Channel Growth Checklist
- Setup Gear Recommender
- Software Comparisons
</div>

<!-- Col 4: About / Mission -->

<div>

<h4 class="text-xs font-bold uppercase tracking-wider text-slate-900 dark:text-white mb-4">Our Mission</h4>

<p class="text-xs text-slate-500 dark:text-slate-400 leading-relaxed mb-4">
We make technology easier to understand and turn ideas into real results without fluff or confusing technical jargon.
</p>

- All Systems Operational


```

    <div class="pt-8 border-t border-slate-100 dark:border-dark-border flex flex-col
sm:flex-row items-center justify-between text-xs text-slate-400 gap-4">
      <p>&copy; 2026 YouTube Alog. All rights reserved.</p>
      <div class="flex gap-6">
        <a href="#" class="hover:underline">Privacy Policy</a>
        <a href="#" class="hover:underline">Terms of Service</a>
        <a href="#" class="hover:underline">Editorial Guidelines</a>
      </div>
    </div>
  </div>
</div>
</footer>

```

```

<div id="modal-backdrop" class="fixed inset-0 bg-slate-900/60 backdrop-blur-sm z-50 hidden
opacity-0 transition-opacity duration-300 flex items-center justify-center p-4">
  <div class="bg-white dark:bg-dark-card border border-slate-200 dark:border-dark-border
rounded-3xl max-w-lg w-full p-6 sm:p-8 shadow-2xl relative transform scale-95
transition-transform duration-300" id="modal-card">
    <button onclick="closeModal()" class="absolute top-5 right-5 text-slate-400
hover:text-slate-600 dark: hover:text-white">
      <i data-lucide="x" class="w-6 h-6"></i>
    </button>
    <div id="modal-content">
      <!-- Injected via JavaScript -->
    </div>
  </div>
</div>

```

```

<script>
  // Data Store for Articles
  const articlesData = [
    {
      id: 1,
      title: "How to Optimize YouTube CTR in 2026: Thumbnail & Title Formula",
      category: "YouTube",
      readTime: "6 min read",
      difficulty: "Intermediate",
      desc: "Discover the specific visual contrast tricks and title hooks driving the highest
click-through rates on modern YouTube algorithms.",
      author: "Alex Rivers",
      authorImg: "https://placeholder.co/100x100/e11d48/white?text=AR"
    },
    {
      id: 2,
      title: "CapCut vs DaVinci Resolve: Which Editor Should You Choose?",

```

```
category: "Video",
readTime: "8 min read",
difficulty: "Beginner",
desc: "Complete comparative guide on rendering speeds, AI transcription features,
color grading, and workflow efficiency.",
author: "Sarah Chen",
authorImg: "https://placeholder.co/100x100/9333ea/white?text=SC"
},
{
  id: 3,
  title: "Top 5 AI Automation Tools for Creators to Save 10+ Hours/Week",
  category: "Tools",
  readTime: "5 min read",
  difficulty: "All Levels",
  desc: "Streamline your video repurposing, caption generation, and thumbnail creation
using lightweight AI web tools.",
  author: "Marcus Vance",
  authorImg: "https://placeholder.co/100x100/0284c7/white?text=MV"
},
{
  id: 4,
  title: "How to Land Your First $1,000 Brand Sponsorship Deal",
  category: "Business",
  readTime: "10 min read",
  difficulty: "Advanced",
  desc: "Step-by-step pitch email templates, media kit structures, and negotiation tactics
for micro-influencers.",
  author: "Elena Rostova",
  authorImg: "https://placeholder.co/100x100/059669/white?text=ER"
},
{
  id: 5,
  title: "Fixing OBS Studio Audio Desync and Dropped Frames",
  category: "Tech",
  readTime: "4 min read",
  difficulty: "Troubleshooting",
  desc: "A step-by-step practical guide to audio sample rate matching and GPU
encoder settings for smooth recording.",
  author: "Alex Rivers",
  authorImg: "https://placeholder.co/100x100/e11d48/white?text=AR"
},
{
  id: 6,
  title: "YouTube Short-to-Longform Funnel Strategy That Actually Converts",
```

```

        category: "YouTube",
        readTime: "7 min read",
        difficulty: "Intermediate",
        desc: "How to design YouTube Shorts with contextual callouts that send viewer traffic
straight to main channel videos.",
        author: "Sarah Chen",
        authorImg: "https://placeholder.co/100x100/9333ea/white?text=SC"
    }
];

```

```
// Gear Recommendations Data
```

```

const gearData = {
    "beginner-talking-head": [
        { name: "Smartphone + Elgato Cam Link / Continuity", price: "$0 - Existing Tech" },
        { name: "Fifine K669B USB Microphone", price: "~$30" },
        { name: "Godox SL60W Light or Softbox Kit", price: "~$100" }
    ],
    "beginner-screencast": [
        { name: "OBS Studio (Free Open Source)", price: "Free" },
        { name: "Samson Q2U Dynamic USB Mic", price: "~$60" }
    ],
    "mid-talking-head": [
        { name: "Sony ZV-E10 or Canon R50", price: "~$650" },
        { name: "Shure MV7 USB/XLR Mic", price: "~$240" },
        { name: "Amaran 100d LED Light with Dome", price: "~$200" }
    ],
    "mid-screencast": [
        { name: "Elgato Wave 3 USB Mic + Wave Link Software", price: "~$150" },
        { name: "ScreenFlow / Camtasia Studio", price: "~$150" }
    ],
    "studio-talking-head": [
        { name: "Sony FX30 / A7IV + Sigma 16mm f/1.4", price: "~$2,200" },
        { name: "Shure SM7B + Cloudlifter + Focusrite Interface", price: "~$600" }
    ],
    "studio-screencast": [
        { name: "Rodecaster Pro II + Shure SM7B", price: "~$1,100" },
        { name: "Dual 27-inch 4K Color Accurate Monitors", price: "~$800" }
    ]
};

```

```
let currentCategoryFilter = 'All';
```

```
// Render Articles Grid
```

```
function renderArticles(items) {
```

```

const container = document.getElementById('articles-grid');
container.innerHTML = "";

if (items.length === 0) {
  container.innerHTML = `
    <div class="col-span-full text-center py-12">
      <i data-lucide="search-x" class="w-12 h-12 mx-auto text-slate-400 mb-3"></i>
      <p class="text-slate-500 font-medium">No guides found matching your search
term.</p>
    </div>
  `;
  lucide.createIcons();
  return;
}

items.forEach(article => {
  const card = document.createElement('div');
  card.className = "bg-white dark:bg-dark-card rounded-2xl border border-slate-200
dark:border-dark-border p-6 shadow-sm hover:shadow-xl transition-all duration-300 flex flex-col
justify-between group";
  card.innerHTML = `
    <div>
      <div class="flex items-center justify-between mb-4">
        <span class="px-3 py-1 rounded-full text-xs font-bold bg-brand-500/10
text-brand-600 dark:text-rose-400">
          ${article.category}
        </span>
        <span class="text-xs text-slate-400 flex items-center gap-1">
          <i data-lucide="clock" class="w-3.5 h-3.5"></i> ${article.readTime}
        </span>
      </div>
      <h3 class="text-lg font-bold mb-2 group-hover:text-brand-600 transition-colors
line-clamp-2">
        ${article.title}
      </h3>
      <p class="text-xs text-slate-500 dark:text-slate-400 leading-relaxed mb-6
line-clamp-3">
        ${article.desc}
      </p>
    </div>

    <div class="pt-4 border-t border-slate-100 dark:border-dark-border flex items-center
justify-between">
      <div class="flex items-center gap-2">

```

```

        
        <span class="text-xs font-semibold text-slate-700
dark:text-slate-300">${article.author}</span>
    </div>
    <button onclick="openArticleModal(${article.id})" class="text-xs font-bold
text-slate-900 dark:text-white flex items-center gap-1 group-hover:translate-x-1
transition-transform">
        Read <i data-lucide="chevron-right" class="w-4 h-4 text-brand-500"></i>
    </button>
</div>
`;
    container.appendChild(card);
});
lucide.createIcons();
}

// Filter Handlers
function filterCategory(category) {
    currentCategoryFilter = category;

    // Update UI buttons
    const buttons = document.querySelectorAll('.pill-btn');
    buttons.forEach(btn => {
        if (btn.innerText.includes(category) || (category === 'All' &&
btn.innerText.includes('All'))) {
            btn.className = "pill-btn px-4 py-2 rounded-xl text-xs font-bold transition-all
bg-brand-600 text-white shadow-md";
        } else {
            btn.className = "pill-btn px-4 py-2 rounded-xl text-xs font-bold transition-all
bg-slate-100 dark:bg-dark-card text-slate-600 dark:text-slate-400 hover:text-slate-900
dark:hover:text-white";
        }
    });

    filterArticles();
}

function filterArticles() {
    const query = document.getElementById('article-search').value.toLowerCase();
    const filtered = articlesData.filter(article => {
        const matchesCategory = (currentCategoryFilter === 'All') ||
(article.category.toLowerCase().includes(currentCategoryFilter.toLowerCase()));

```

```

        const matchesQuery = article.title.toLowerCase().includes(query) ||
        article.desc.toLowerCase().includes(query);
        return matchesCategory && matchesQuery;
    });
    renderArticles(filtered);
}

// Interactive Tool Switcher
function switchToolTab(tabId) {
    const tabs = ['title-gen', 'growth-checklist', 'gear-finder'];
    tabs.forEach(t => {
        document.getElementById(`tool-${t}`).classList.add('hidden');
        document.getElementById(`tab-${t}`).className = "flex-1 py-2.5 px-4 rounded-xl
text-xs sm:text-sm font-bold transition-all text-slate-600 dark:text-slate-400
hover:text-slate-900";
    });

    document.getElementById(`tool-${tabId}`).classList.remove('hidden');
    document.getElementById(`tab-${tabId}`).className = "flex-1 py-2.5 px-4 rounded-xl
text-xs sm:text-sm font-bold transition-all bg-white dark:bg-dark-border text-slate-900
dark:text-white shadow-sm";
}

// Tool 1 Logic: Title & Tag Generator
function generateTitlesAndTags() {
    const topic = document.getElementById('topic-input').value.trim();
    if (!topic) {
        alert('Please enter a video topic or phrase.');
```

return;

```

    }

    const output = document.getElementById('generator-output');
    const titlesContainer = document.getElementById('title-results');
    const tagsContainer = document.getElementById('tag-results');

    titlesContainer.innerHTML = `
        <div class="p-3 rounded-xl bg-slate-100 dark:bg-dark-bg text-xs font-semibold">🔥
How to Master ${topic} in 2026 (Step-by-Step)</div>
        <div class="p-3 rounded-xl bg-slate-100 dark:bg-dark-bg text-xs font-semibold">⚡ I
Tried ${topic} for 30 Days (Unexpected Results)</div>
        <div class="p-3 rounded-xl bg-slate-100 dark:bg-dark-bg text-xs font-semibold">❌
Stop Doing ${topic} Wrong! (Fix This Now)</div>
    `;

```

```

    const cleanTopic = topic.toLowerCase();
    const tags = [cleanTopic, `${cleanTopic} tutorial`, `${cleanTopic} 2026`, `${cleanTopic}
guide`, `${cleanTopic} for beginners`, 'youtube growth', 'creator tips'];
    tagsContainer.innerHTML = tags.map(t => `<span class="px-2.5 py-1 rounded-lg
bg-brand-500/10 text-brand-600 dark:text-rose-400 text-xs font-medium">#${t}</span>`).join("");

    output.classList.remove('hidden');
}

```

```

function copyTags() {
    const tags = Array.from(document.querySelectorAll('#tag-results span')).map(s =>
s.innerText).join(' ');
    navigator.clipboard.writeText(tags).then(() => {
        alert("Tags copied to clipboard!");
    });
}

```

```

// Tool 2 Logic: Growth Checklist Progress
function updateChecklistProgress() {
    const checkboxes = document.querySelectorAll('#checklist-items
input[type="checkbox"]');
    let checkedCount = 0;
    checkboxes.forEach(cb => { if (cb.checked) checkedCount++; });
    const percentage = Math.round((checkedCount / checkboxes.length) * 100);

    const badge = document.getElementById('checklist-progress');
    badge.innerText = `${percentage}% Completed`;
    if (percentage === 100) {
        badge.className = "text-xs font-bold px-3 py-1.5 rounded-full bg-emerald-500
text-white";
    } else {
        badge.className = "text-xs font-bold px-3 py-1.5 rounded-full bg-emerald-500/10
text-emerald-600 dark:text-emerald-400";
    }
}

```

```

// Tool 3 Logic: Gear Recommender
function filterGear() {
    const budget = document.getElementById('budget-select').value;
    const style = document.getElementById('style-select').value;
    const key = `${budget}-${style}`;
    const items = gearData[key] || [];

    const container = document.getElementById('gear-results');
}

```

```

        container.innerHTML = items.map(i => `
            <div class="p-3.5 rounded-xl border border-slate-200 dark:border-dark-border
bg-slate-50 dark:bg-dark-bg flex items-center justify-between">
                <span class="text-xs sm:text-sm font-semibold">${i.name}</span>
                <span class="text-xs font-bold text-emerald-600 dark:text-emerald-400
bg-emerald-500/10 px-2.5 py-1 rounded-lg">${i.price}</span>
            </div>
        `).join("");
    }

    // Modal Handler
    function openArticleModal(id) {
        const article = articlesData.find(a => a.id === id);
        if (!article) return;

        const modalContent = document.getElementById('modal-content');
        modalContent.innerHTML = `
            <span class="px-3 py-1 rounded-full text-xs font-bold bg-brand-500/10 text-brand-600
dark:text-rose-400">${article.category}</span>
            <h2 class="text-2xl font-bold mt-3 mb-2">${article.title}</h2>
            <div class="flex items-center gap-3 text-xs text-slate-400 mb-6">
                <span>By ${article.author}</span> • <span>${article.readTime}</span> •
            <span>Difficulty: ${article.difficulty}</span>
            </div>
            <div class="space-y-4 text-sm text-slate-600 dark:text-slate-300 leading-relaxed
mb-6">
                <p>At <strong>YouTube Alog</strong>, we simplify technical creator workflows.
                This full guide walks through the exact blueprint to master ${article.title.toLowerCase()}.</p>
                <p class="p-4 rounded-xl bg-slate-100 dark:bg-dark-bg border-l-4 border-brand-500
text-xs italic">
                    Key Takeaway: Consistent testing of title hooks alongside visual framing
                    guarantees steady channel growth.
                </p>
            </div>
            <button onclick="closeModal()" class="w-full py-3 rounded-xl bg-brand-600 text-white
font-bold text-sm hover:bg-brand-700 transition-colors">
                Close Guide
            </button>
        `;

        showModal();
    }

    function openReviewModal(title) {

```

```

const modalContent = document.getElementById('modal-content');
modalContent.innerHTML = `
  <span class="px-3 py-1 rounded-full text-xs font-bold bg-amber-500/10
text-amber-600">In-Depth Review</span>
  <h2 class="text-2xl font-bold mt-3 mb-2">${title}</h2>
  <p class="text-xs text-slate-400 mb-6">Tested over 60+ days in real creator
production environments.</p>
  <p class="text-sm text-slate-600 dark:text-slate-300 leading-relaxed mb-6">
    Our technical breakdown reveals how ${title} impacts render performance, editing
turnaround time, and audience retention.
  </p>
  <button onclick="closeModal()" class="w-full py-3 rounded-xl bg-slate-900
dark:bg-white text-white dark:text-slate-900 font-bold text-sm">
    Back to Platform
  </button>
`;
showModal();
}

function showModal() {
  const backdrop = document.getElementById('modal-backdrop');
  const card = document.getElementById('modal-card');
  backdrop.classList.remove('hidden');
  setTimeout(() => {
    backdrop.classList.remove('opacity-0');
    card.classList.remove('scale-95');
    card.classList.add('scale-100');
  }, 10);
}

function closeModal() {
  const backdrop = document.getElementById('modal-backdrop');
  const card = document.getElementById('modal-card');
  card.classList.remove('scale-100');
  card.classList.add('scale-95');
  backdrop.classList.add('opacity-0');
  setTimeout(() => {
    backdrop.classList.add('hidden');
  }, 300);
}

// Newsletter Subscription Handler
function handleSubscribe(e) {
  e.preventDefault();

```

```

        alert('Thank you for subscribing to The Alog Newsletter! Check your inbox for your
welcome gift.');
```

```

        e.target.reset();
    }

    // Theme Toggle Logic
    const themeToggleBtn = document.getElementById('theme-toggle');
    themeToggleBtn.addEventListener('click', () => {
        document.documentElement.classList.toggle('dark');
    });

    // Mobile Menu Toggle
    const mobileMenuBtn = document.getElementById('mobile-menu-btn');
    const mobileMenu = document.getElementById('mobile-menu');
    mobileMenuBtn.addEventListener('click', () => {
        mobileMenu.classList.toggle('hidden');
    });

    // Initialize on Load
    window.onload = function() {
        lucide.createIcons();
        renderArticles(articlesData);
        filterGear();
    };
</script>
</body>
</html><head><!-- Example AdSense Code Header Script -->
<script async
src="https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js?client=ca-pub-XXXXXX
XXXXXXXXXX"
crossorigin="anonymous"></script></head>
><!-- Example Ad Unit Container -->
<ins class="adsbygoogle"
style="display:block"
data-ad-client="ca-pub-XXXXXXXXXXXXXXXXXX"
data-ad-slot="1234567890"
data-ad-format="auto"
data-full-width-responsive="true"></ins>
<script>
    (adsbygoogle = window.adsbygoogle || []).push({});
</script>

```