P02 / PROPOSED TECHNICAL DESIGN / PRE-APPOINTMENT RESEARCH

PSS Acceptance 360
Solution Architecture & Integration Blueprint

Bank-scoped operational evidence, reconciliation, exceptions and controlled connectivity — a design hypothesis for verification

Prepared from the perspective of Research, Product & Business Development Division

19 October 2026 | Version 1.0 | Confidential personal / prospective management research

DOCUMENT CONTROL	RECORDED POSITION
Identifier	PSS-A360-P02-001; baseline candidate, not implemented architecture
Standing	Proposed architecture for discussion; not production PSS design, certified integration or deployment approval
Primary design dependency	P01 requirements v1.0; S01 strategic case; S02 alternatives; S03 capability assessment; V03/V04 bank and merchant protocols; V05 product performance pre-access framework
Primary architecture choice	Start with read/event ingestion, bank-scoped evidence and reconciliation; do not add payment initiation into the first candidate release
Source cutoff / scope	19 October 2026; public sources and existing project drafts only; no bank credentials, live PSS contracts or internal interface specifications
Required reviewers	PSS Technology, Payments Operations, CISO/Risk, Legal/Compliance, CFO, sponsoring bank architecture and operations (none completed)
Decision requested later	Approval to perform controlled proof-of-concept after technical, legal, commercial and data access review—not permission for live payment operation

Architecture decision in one page

Recommendation: Engineer the earliest candidate as a tenant-isolated operational service that consumes authorised payment events and bank ledger evidence, presents faithful transaction states, reconciles differences, and routes cases to their responsible bank. Integrate existing PSS systems only where S03/V05 prove availability and rights.

Do not build first: a new national rail, settlement engine, shadow account ledger, credit decision platform, duplicate 3-D Secure server, open-ended agent network or unrestricted payment-initiation hub.

The first P02 design is a benchmark for decisions and tests; all components, interfaces, vendors, costs, service levels and jurisdiction-specific controls are provisional until verified by PSS and its authorised banks.

1. Architecture principles and non-negotiable boundaries

DESIGN PRINCIPLE	IMPLEMENTATION RULE	VERIFY WITH
Bank is the contracting tenant	Every merchant, event, search, report, case and billing unit is scoped to a bank-controlled tenant and licensed roles.	Bank service contract / tenant entitlement matrix
Source-backed truth	A transport acknowledgement, card authorisation, clearing item, bank posting and settlement confirmation are different evidence types.	Bank and scheme message/status contracts
No money decisions	PSS proposes operational workflow only; source authority decides KYC, payment finality, bank posting and customer remedy.	Regulatory counsel + signed RACI
No semantic optimistic success	Unknown stays unknown until competent source evidence resolves it; never infer settlement from authorisation.	Negative-path simulation
Safe replay	Replays are read/ingest-only for MVP. Retries never issue a new payment order.	Fault and duplicate tests
Read-only integration first	Avoid new permission for funds movement; new write interfaces require separate design, law, testing and gate.	Role/permission-specific certification
Data minimisation and lawful use	No full account/card credential logging. Explicit data map, purpose, retention, segregation and approved hosting.	Legal/CISO data inventory and DPIA
Procure after reuse test	Prefer certified/current PSS integration if economically justified. Otherwise compare partner/hosted alternatives.	S03 evidence / P04 assessment / CFO cost study

2. Architecture scope: now, conditional, later

DESIGN DOMAIN	FIRST CANDIDATE (P0)	CONDITIONAL (P1)	DEFER / EXCLUDE
Operate	Transaction evidence, bank view, reconciliation, exception case ownership, audit.	Bank support/notification integration, advanced reconciliations.	Bank-owned settlement ledger, automated write-offs.
Connect	Synthetic + one authorised bank source adapter, versioned read/event interface.	PSS switch/POS, gateway, EthQR or wallets where rights verified.	General-purpose initiation router.
Accept	Observe existing acceptance flows as evidence.	PSS Pay / approved SoftPOS and authorised QR channels after proof.	Uncertified devices or direct scheme participation assumptions.
Grow	Only non-sensitive aggregated operational KPIs needed for feasibility.	Contracted merchant reporting with lawful basis.	Credit scoring, lending decisions, profiling from unlicensed data.
Agent	No new operator build.	Research authorised shared-agent interface only.	New PSS cash-in/cash-out network.

3. Trust context — where the new service would sit




Figure 1. Architecture context. Arrows denote a proposed evidence/data contract, not an approved PSS integration. No new payment or settlement instruction is implied.

4. Logical component architecture




Figure 2. Core design is decoupled and read/event-first; exact hosting, database, network topology and vendor are undecided.

4.1 Component responsibilities and persistence

COMPONENT	RESPONSIBILITY / CONTROL	P01 MAPPING
A. Bank ingress/API gateway	Mutually authenticated inbound transport; bank service account identification; rate limit; signed payload checks where contract requires.	FR-016, FR-017, FR-022; NFR-01
B. Source adapter framework	Bank-specific schema/status mapping and conformance pack; protects legacy core from direct coupling; reject unknown version.	FR-016–020, FR-024, FR-035
C. Event ingestion + quarantine	Validate source identity, dedupe, assign correlation and evidence refs; malformed/contradictory messages quarantined, not discarded.	FR-002, FR-004, FR-005, FR-018
D. Operational evidence journal	Append-only observations and raw-source checksum/locator; immutable evidence history distinct from financial ledger.	FR-011, FR-037, NFR-03
E. State projection engine	Derive a documented operational view from authorised evidence; store version of state mapping; indeterminate by default.	FR-003, FR-008, FR-032, FR-039
F. Reconciliation service	Match events against bank/clearing/settlement evidence within agreed cut-offs; open unmatched or late items.	FR-006, FR-007, FR-034
G. Case/workflow service	Evidence-linked issue, owner, SLA, dual-control overrides, bank/scheme handoff; no unilateral remedy.	FR-007, FR-013, FR-033, FR-036
H. Bank-facing portal/API	Tenant-scoped activity, reports, evidence search, masked merchant status; accessible unknown-state copy.	FR-009, FR-010, FR-012, FR-014
I. Observability and metering	Pipeline lag, delivery, health, reconciliation balances; independently reproducible contract charges.	FR-019, FR-040; NFR-06, NFR-14

5. Data and message contract — canonical observation envelope

The following is a proposed *operational evidence contract*, not an assertion that PSS or EthSwitch currently expose these fields. Bank adapters map the original message, preserve source identifiers, and record field-level provenance.

FIELD GROUP	MINIMUM FIELDS	CONTROL RULE
Routing and identity	tenant_id, source_actor, source_system, adapter_version, interface_contract_id	Authenticate source; bank tenant never inferred solely from merchant text.
Event identity	event_id, original_message_id, idempotency_key, correlation_id, original_transaction_ref	Composite uniqueness per bank/source/event; repeated payloads audited.
Event provenance	event_type, source_event_time, ingest_time, source_timezone, evidence_reference, raw_payload_digest	Do not overwrite originals. Clock skew and replay labelled.
Merchant/account keys	bank_merchant_ref, acceptance_channel, account_reference_token, merchant_account_class	Tokenise personal identifiers; no bank KYC decision by PSS.
Payment characteristics	amount_minor_unit, currency_code, country, instrument_class, source_transaction_ref	Precision/currency per agreed bank contract; no unsafe float accounting.
Outcome assertions	raw_source_status, mapped_outcome, state_map_version, assertion_authority, source_confidence	Only named competent source can assert finality.
Settlement and reversal	settlement_ref, settlement_time, settlement_actor, original_event_link, reversal_ref	No settlement assertion from authorisation or matching alone.
Security and lifecycle	data_classification, retention_schedule, purpose_ref, ingest_receipt, hash_validation	Minimised payload + defined disposal and legal holds.

5.1 Contracts are versioned and traceable

- Schema registry per bank/source; published mapping table for mandatory/optional fields, enum conversion, effective date and rollback path.
- Raw event evidence is logically immutable; business projection is independently recomputable from versioned rules; corrections are new events.
- Avoid canonical “balance” or inferred funds position: operational matched amount is not a bank ledger balance.
- Prefer ISO 20022 message mapping where the specific counterparty interface actually uses ISO 20022; ISO 20022 BAH is a standards reference, not evidence of an existing PSS endpoint [SRC-06].

6. Status logic: four separate dimensions

DIMENSION	ILLUSTRATIVE VALUES	SAFE RULE
Processing outcome	Received; processing; source-confirmed success; source-confirmed decline; unknown.	Success requires trusted source evidence under a specific interface contract.
Reversal / return	None observed; requested; confirmed; disputed; unknown.	Never erase prior success; link a compensating authoritative event.
Reconciliation	Not due; matched; unmatched; investigating; resolved.	Matched means compared evidence aligns, not that funds are finally settled.
Settlement evidence	None; pending; bank/scheme confirmed; returned; contested.	Only authorised posting/settlement evidence updates this dimension.
Case workflow	Open; assigned; escalated; resolved; closed.	Independent approval for financial adjustment / write-off in relevant bank process.

Invariant: A source-authorised transaction may be un-reconciled, un-settled, reversed later, or contested. The product must show each dimension independently rather than combine them into one reassuring “paid” badge.

7. Critical end-to-end workflows

7.1 Status ingestion and uncertain outcome

1. A competent source sends a signed/authenticated status event under an approved bank-scoped contract.
2. Ingress validates identity, schema, source entitlement, timestamp bounds, bank/merchant relationship and payload class.
3. Dedupe engine checks the scoped message key. Exact repeats are acknowledged without adding a second logical event; conflicting repeat is quarantined.
4. Append evidence and digest; project a source-backed status through versioned rules. Ambiguous or timeout cases remain INDETERMINATE.
5. Bank portal shows outcome, source and escalation guidance. Merchant messages, if configured, follow source-verified status and consent rules.
6. When a later correction, reversal or bank record arrives, append it and re-project the history without rewriting the original observation.

7.2 Reconciliation and settlement proof

7. Load permitted bank posting / settlement evidence, clearing/report files and PSS/channel events with source and report periods.
8. Normalize external IDs, currency, value date, amount minor units, merchant linkage, fees and cut-off; retain original source reference.
9. Match using ordered deterministic rules with tolerance set by authorised bank finance. Do not auto-adjust amounts.
10. Open exceptions for missing/late/partial/duplicate/refunded events, ownership and ageing; maintain suspense under bank finance responsibility.
11. Record bank-approved resolutions and reconciled exceptions with two-person control; separately retain whether formal settlement evidence was obtained.

7.3 Adapter failure / recovery

12. Mark feed unhealthy; suspend stale confirmation claims and disclose data age to bank users.
13. Persist durable inbound messages and checkpoints where permitted; queue only safe evidence retrieval and status refresh.
14. After recovery, reconcile source high-water mark and backfill with idempotency. No replay route may create new payment initiation.
15. Run mismatch/duplicate/drift report; reopen reconciliation where late authoritative corrections change the state.

7.4 Merchant case, reversal and dispute

16. Merchant contacts bank-supported channel and supplies limited authorised reference.
17. PSS bank-scoped lookup returns masked evidence; do not accept naked PAN, PIN or full bank credentials in support fields.
18. Case assigned to legal owner (bank, acquirer, payment scheme or PSS operator) under agreed RACI; due times recorded.
19. Reversal/refund decisions and consumer remedy flow through the competent licensed actor; PSS records outcome and evidence for audit.

8. Idempotency, ordering, reliability and integrity

FAILURE MODE	REQUIRED BEHAVIOUR	TEST EVIDENCE
Delivery retry	Use stable scoped business-message key; one logical event despite repeated delivery; retain receipt attempts.	Synthetic duplicate and retry injection.
Conflict with same external ID	Treat payload mismatch as conflict; no overwrite or silent winner selection.	Two distinct payloads with shared message ID.
Out-of-order correction	Append and replay projection using source sequence/event time with clock-skew rules; authoritative contradiction is visible.	Late reversal and corrected authorisation.
Unknown result due to timeout	No optimistic settlement or merchant success. Controlled status lookup; explicit escalation.	Simulated switch/bank timeout.
Split / partial settlement	One-to-many bank reconciliation only through contract-defined settlement mapping and rounding rule.	Multi-batch source file / separate fee records.
Fee / FX mismatch	Store contract-approved fee basis and currency; separate comparison differences from funds position.	Currency, amount precision and value-date dataset.
Adapter outage	Tenant-specific isolation, replay checkpoint and recovery audit.	Chaos/fault-injection tests.

FAILURE MODE	REQUIRED BEHAVIOUR	TEST EVIDENCE
Reconciliation override	Approval authority + dual control + versioned reason; source evidence retained.	Attempted single-user write-off.

9. Interface landscape and authority matrix

P01 REF	PARTICIPANT / INTERFACE	DESIGN PATTERN	MANDATORY GO-LIVE EVIDENCE
INT-01	Sponsoring bank merchant registry	Bank-authorised read-only merchant reference / entitlement API or controlled extract.	Bank KYC responsibility, lawful data set and entitlement model.
INT-02	Bank settlement/account ledger	Signed report/API with bank posting and settlement evidence; direct ledger writes excluded.	Bank finance interface spec, cut-off/return rules, reconciliation owner.
INT-03	Existing PSS switch/POS	Events/files into adapter, only if product teams confirm rights and valid operational status.	PSS source catalogue, internal contracts and accuracy tests.
INT-04	PSS Pay / SoftPOS	Observe eligible payment status and terminal attestation evidence; no assumption of card app API.	Device/app, scheme/acquirer and PCI solution scope.
INT-05	PSS payment gateway	Read authorised gateway status, reversals, costs and merchant links.	Original licence terms, data rights, verified endpoint.
INT-06	EthQR / EthSwitch	Use approved member/participant path, not a fictional direct scheme endpoint.	Scheme rules, contracting/participant permission, certified payload.
INT-07	Wallet/account route	Opt-in partner-approved status feed, if commercially relevant.	Licensed provider contract, legal basis and economics.
INT-08	Bank case desk / CRM	Secure case handoff via idempotent ticket mapping, owner and status synchronisation.	Consent/contract, duplicate handling, escalation SLA.
INT-09	Merchant notification	Template with source-backed states; sender and costs agreed.	Channel permissions, consent and privacy controls.
INT-10	Identity / access providers	Federate bank access only after tenant and user assurance validated.	IAM approval, entitlement and deprovisioning test.
INT-11	PSS Secure / 3DS	Explicitly separate, not part of first MVP integration.	CNP-only use case, certification and contract if later desired.
INT-12	PSS Finance billing	Read approved metering records; bank invoice and finance corrections outside status resolver.	Contract, billable-unit definitions, finance sign-off.

10. Security, privacy and independent duty mapping

CONTROL	PROPOSED BLUEPRINT BASELINE	REVIEW / PROOF
Tenant isolation	Tenant ID enforced at storage, API, search, caches, export, alert and backup restore boundaries.	Bank A -> B negative penetration tests / query proofs.
Authentication / identity	MFA, service credentials, mutually authenticated interconnect where warranted; automatic offboarding.	Identity owner, CISO assurance and rotation test.
Data protection	Role/legal basis matrix; classified event fields; purpose limitation, storage/transfer and deletion review.	Proclamation 1321/2024 legal opinion + DPIA.
Card data and device	No PAN/PIN in general operations service; exact SoftPOS PCI listing and brands validated independently.	PCI/scheme documents, approved certified product scope.
Change control	Versioned status mappings, integration permissions, dual approval, rollback, bank change notices.	CI release evidence + privileged action logs.
Crypto / secrets	Encryption in transit/storage, tenant-sensitive key boundaries, HSM/KMS choice by CISO.	Key custody, rotation, logging and recovery tests.
Continuity	Recovery objective and backup location set by bank contracts; incident management and replay reconciliation.	Tabletop + documented RTO/RPO and high-water mark.
Fraud/misstatement	Only source-backed status; visible uncertainty and provenance; no “paid” on timeout.	Fraud scenario walkthrough and merchant copy approval.
Outsourcing and locality	Assess hosting residency, processor contracts, supplier access and audit rights.	Legal and outsourcing risk approval; no cloud chosen.

11. Hosting, tenancy and deployment alternatives

OPTION	BENEFIT	TRADE-OFF / ADOPTION CONDITION
T1 PSS-hosted, logically isolated multi-bank evidence service	Reuse shared infrastructure with centralised expertise and potentially repeatable lower-cost bank onboarding.	Requires legal/controller roles, bank data sharing, strong isolation and actual infrastructure/contract permissions.
T2 Bank-resident data with PSS orchestration metadata	Limits central PII and may meet bank-specific hosting or data-control requirements.	Increases connector/operation cost; source data quality and cross-bank operational visibility remain limited.
T3 Bank-specific segregated environment	Clearer bank segregation and independent lifecycle; simpler bank procurement in some cases.	Higher fixed cost, operational duplication and version drift; needs pricing support.
T4 Third-party hosted/managed component	Faster pilot using independently qualified vendor technology.	Vendor security, residency, data rights, bank consent, termination and IP risks.

Architectural preference for feasibility: Start with a vendor-neutral logical design; compare T1 with T2 and T4 using actual PSS evidence, bank requirements and CFO cost models. Do not select AWS, IBM, on-premises or any other platform by inference.

12. Non-functional engineering hypotheses — targets are NOT approved SLAs

DOMAIN	PROPOSED TEST / TARGET DEFINITION	TARGET STATUS
Latency	Measure p95 event-ingest-to-query, portal response and status staleness at defined event/tenant mix.	Threshold and load profile TBD with bank.
Reconciliation lag	Measure due item to matched / exception across bank cut-off windows and end-of-day files.	T+0/T+1 not assumed; bank rules TBD.
Availability	Bank-scoped function SLI, excluding agreed maintenance; synthetic outage and recovery tests.	Target/credit terms TBD.
Recovery	RTO / RPO, replay time, backlog replay bounds and non-destructive state rebuild.	Set by bank risk appetite.
Integrity	Zero false-source “settled” labels in negative-path acceptance set; balance exceptions explainable.	Must pass synthetic test; measured score TBD.
Security	100% rejection of unauthorised cross-tenant requests in test scenarios; documented red-team coverage.	Mandated test; production assurances pending.
Privacy	Data map, lawful basis, retention, deletion, transfer and supplier terms approved.	Legal/CISO approval mandatory.
Metering	Finance recomputes billing units from approved source/exclusion rules.	CFO control threshold pending.

13. Architecture decision records: pending material choices

ADR	DECISION NOT YET MADE	EVIDENCE / DECIDER
ADR-01	First bank / economically validated service segment.	V03 bank buyer + sponsor / RPB&D / CFO.
ADR-02	Existing PSS event source and legal integration rights.	S03 and V05 Technology / Legal.
ADR-03	Source of truth for processed, reversed and settled dimensions.	Bank Ops / scheme source definitions.
ADR-04	T1 vs T2 vs T3 vs T4 hosting and tenant boundaries.	CISO / Legal / CIO / CFO.
ADR-05	Permitted bank identity provider, key scope and access policies.	Bank IAM / PSS CISO.
ADR-06	Status mapping, cutoff and reconciliation adjustment policy.	Bank Finance / PSS Ops.
ADR-07	EthQR/SoftPOS integration legal and technical eligibility.	Scheme/contracting / Legal / Product.
ADR-08	Support case authority, escalation and incident communications.	Bank risk/support + PSS Operations.
ADR-09	Retention, hosting/transfer, and audit export boundaries.	Legal / DPO / CISO.
ADR-10	SLOs, cost-to-serve and commercial metering scheme.	Bank buyer / CFO / Operations.
ADR-11	API schema / events versus scheduled extracts.	Bank integration architecture / Tech.
ADR-12	Software supply: build/partner, maintenance and IP/ownership.	P04 / Procurement / CFO.
ADR-13	Minimum eligible merchant account classes and privacy.	Bank compliance / Product.
ADR-14	Whether direct payment initiation is ever needed.	Separate regulatory/business investment decision.

14. Architecture verification and proof-of-concept plan

This is a proposed synthetic-first verification sequence, not executed technical testing. No production records or credentials are required to prepare the fixtures; any real-data stage requires appointment and written approval.

STEP	TEST / DEMONSTRATION	PASS EVIDENCE / GATE
P0-A	Draw PSS source inventory, diagram with ownership, interfaces and source rights.	Source-system screenshots/doc references signed by Technology and Legal.
P0-B	Run synthetic source bank adapter and canonical event ingestion.	Versioned mapping, validated schema, replay, evidence hashes.
P0-C	Demonstrate 4 orthogonal statuses and a timeout/late reversal.	No false success or settlement in negative set (P01 AT-01, 04, 18).
P0-D	Simulate reconciliation: amount, date, currency, fees, split/partial and missing record.	Reconciliation coverage + explainable exception queue.
P0-E	Attempt cross-bank tenant extraction by UI, export and direct API.	Denied, logged and independently reviewed (P01 AT-03, 17).
P0-F	Demonstrate adapter outage recovery, duplicate delivery and conflict handling.	Replay idempotence and no new payment instruction (AT-02, 08, 14).
P0-G	Evidence-linked case control, bank handoff and finance meter reconciliation.	Dual control, case ownership, invoicing reproduction.
P0-H	Compare T1–T4 costs with rights, resilience and ongoing operations.	Architecture options matrix + CFO verified TCO, not product enthusiasm.
P1 only	With authorised bank, exercise real-source read/event integration and legal/certification controls.	Independent readiness decision; pilot requires separate ExCo gate.

15. Traceability to P01 and other work products

CROSSWALK	THIS DESIGN RESPONSE	OWNER OF EXTERNAL EVIDENCE
P01 FR-001–015, 032–034, 036–040	Bank scoped merchant evidence, semantic states, cases, reconciliation, audit, metering.	S03/V05 PSS Tech and PSS Ops; V03 bank finance.
P01 FR-016–024, 035, 038	Versioned source adapters, contract test, retries/replays, tenant/route entitlement and synthetic harness.	PSS Technology, partner bank and Legal.
P01 FR-025–029	Conditional SoftPOS/QR acceptance evidence; NOT an initial payment route.	Acquirer/scheme/PCI and Legal.
P01 FR-030–031	Exclude Grow credit and personal scoring from MVP.	Later commercial/legal approval.
P01 NFR-01–014	Security, privacy, resilience, audit, data handling and pricing controls.	CISO, Legal, Ops, Finance and bank.
P01 AT-01–024	Test scenarios need executable synthetic fixtures and source truth assertions.	Independent QA and bank sign-off.
S02 / S01	Operated/connected service remains a conditional option alongside Pay-led/partner/no-build.	CFO / ExCo after study.
V03 / V04 / V05	Buyer jobs and actual system data must validate which components to implement.	Bank interviews, fieldwork, internal audit.

16. Handover: what can be done before joining PSS

NOW — PUBLIC / SYNTHETIC	AFTER APPOINTMENT AND AUTHORISATION
Refine P02 diagrams and state contracts; prepare synthetic “unknown”, reversal and cross-tenant security fixtures.	Inspect genuine PSS network/topology, bank and card/scheme contracts and data-flow details.
Write canonical schema candidates, sample API/error cases and scope/options scoring.	Arrange secure non-production technical test environment and named bank team.
Develop issue/decision log and sample ISO mapping references without claiming an existing ISO implementation.	Run operational probes, performance profiling, privacy assessment and independent assurance.
Continue P03 operating model and P04 build-buy-partner comparison as research drafts.	Request ExCo authority for approved pilot readiness only after legal, security and cost gates.

Annex A. Evidence source register and restrictions

REF	PRIMARY / AUTHORITATIVE REFERENCE	WHAT IT ESTABLISHES / LIMIT
SRC-01	PSS project draft P01 — Product Requirements & Service Catalogue, 19 Oct 2026; controlled working document.	Normative proposed requirements and test IDs; not a deployed system.
SRC-02	S01, S02, S03 and V03–V05 programme drafts prepared 18–19 Oct 2026.	Strategic, capability and validation context; mostly unexecuted research.
SRC-03	National Bank of Ethiopia — public payment-system-operator register: https://nbe.gov.et/payment-instrument-issuers-system-operators/	Documents existing switch licence PSO/001/2013. It is not substitute for reported later grant documents.
SRC-04	National Bank of Ethiopia — National Digital Payments Strategy (2026–2030) DRAFT: https://nbe.gov.et/ndps/	Policy direction only; no assumption of active tariff, scheme entitlement or fund.
SRC-05	PCI SSC MPoC: https://www.pcisecuritystandards.org/standards/mobile-payments-on-cots-mpoc/ and PCI MPoC listing.	Applicable security assurance framework for relevant phone-based acceptance, not evidence PSS Pay is listed.
SRC-06	EMVCo QR specifications: https://www.emvco.com/emv-technologies/qr-codes/	QR format guidance; providers control downstream messaging and scheme participation.
SRC-07	Ministry of Justice — Personal Data Protection Proclamation 1321/2024: https://justice.gov.et/en/law/personal-data-protection-proclamation/	Law is in force; counsel to determine roles, retention, location and operating requirements.
SRC-08	ISO 20022 — Business Application Header: https://www.iso20022.org/catalogue-messages/additional-content-messages/business-application-header-bah	Standards guidance on message headers, not a live interface profile.

Annex B. Initial management sign-off record

REVIEW FUNCTION	QUESTION FOR SIGN-OFF	STATUS
PSS Technology / Architecture	What actually exists, who owns the APIs, and can this logical blueprint be reused?	Not reviewed
PSS Operations / Bank sponsor	Are state semantics, exception ownership and bank settlement proof operationally correct?	Not reviewed
CISO / Risk	Can tenant segregation, operational evidence protection and recovery be assured?	Not reviewed
Legal / Compliance / DPO	Which licences, scheme contracts, personal data controls and outsourcing terms apply?	Not reviewed
CFO / Commercial	Are hosting and integration economics inferior/superior to PSS Pay-led or partner route?	Not reviewed
Executive Committee	Authorise a bounded non-production technical feasibility programme, not live operations.	Not requested

Final architecture disposition: Provisional design suitable for evidence gathering and synthetic technical rehearsal only. The go-live design cannot be frozen without direct PSS verification, bank contracting, certification and independent operational review.