1.

$$\begin{pmatrix}
1 & 0 & 0 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{pmatrix}$$

2.
$$L = \begin{bmatrix} 1 & 0 & 0 & 0 \\ -4 & 1 & 0 & 0 \\ \frac{1}{2} & -\frac{23}{24} & 1 & 0 \\ 1 & -\frac{1}{4} & -\frac{27}{65} & 1 \end{bmatrix}, U = \begin{bmatrix} -2 & -5 & 7 & -10 \\ 0 & -12 & 20 & -47 \\ 0 & 0 & \frac{65}{3} & -\frac{865}{24} \\ 0 & 0 & 0 & -\frac{1947}{1947} \end{bmatrix}$$

3.

$$\begin{pmatrix} 4 & 1 & 0 \\ -7 & 16 & 0 \\ 9 & 15 & -2 \end{pmatrix}$$

4.

$$\begin{pmatrix}
1 & 2 & 3 & 4 & 5 & 6 \\
1 & 2 & 3 & 4 & 6 & 5
\end{pmatrix}$$

5.

$$\sigma = (1, 2, 3, 7, 4, 6)(5, 9, 8), ord = 6, \sigma^{-739} = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ & & & & & & \\ 6 & 1 & 2 & 7 & 8 & 4 & 3 & 9 & 5 \end{pmatrix} = (1, 6, 4, 7, 3, 2)(5, 8, 9)$$

- 6. Id;(1, 2, 7, 6, 5, 4, 3);(1, 3, 4, 5, 6, 7, 2);(1, 4, 6, 2, 3, 5, 7); (1, 5, 2, 4, 7, 3, 6);(1, 6, 3, 7, 4, 2, 5);(1, 7, 5, 3, 2, 6, 4);
- 7. $\frac{5(-10)^n}{7} + \frac{2 \cdot 4^n}{7}$
- 8. $-1+3*x+4*x^2+-4*x^3+-1*x^4$
- 9. При $\lambda = -2$
- 10. Определитель: $522-19\lambda$, при $\lambda=[522/19]$ ранг равен 3, иначе 4