

Clip Builder vs. Peace Grappler System

Overview

Gap analysis — what the app already supports, what the document asks for that is missing, and what the app does beyond the document

Reviewed against *Peace Grappler — Full-Service Automation Software, System Overview Draft v1* (September 4, 2026) · Clip Builder 1.43 · Every claim below was verified in the app's source code.

26

document items fully supported

6

partially supported

22

missing

20

extras beyond the document

In one paragraph. The fight-action editor, the branding setup, the person-centered screen layouts, the data bank, the Instagram Reel path, and the Instagram half of the intelligence layer are built and in daily use. The document's largest asks that do not exist yet are the long-form podcast editor (multi-camera, Zoom feed, chaptering, dead-air cuts), everything TikTok and YouTube (output, metrics, publishing), selectable output sizes (the app renders 1080×1920 only), translated captions, and the retention-based hook and cut analysis. Auto-posting, spreadsheet output, and the Windsor / HypeAuditor / OpusClip connections are also absent.

1. Already supported

Fight action editing — document §2

Document asks for	What Clip Builder does	Status
Automatic fight and action edits following parameters we define up front	A fight-scoring pass logs strikes, significant strikes, ground strikes, knockdowns, hurt moments, takedowns, submission attempts, dominant positions, and reversals per fighter with MMA-judging weights, drawn as per-fighter action and "who's winning" graphs. The Wizard plans from those scored scenes.	Supported

Document asks for	What Clip Builder does	Status
The same rules produce the same style of edit every time	Rules live in the profile: a taste rubric with exemplar frames, per-type rubrics, format presets (finish, submission, exchange, technique, recap, compilation, interview), duration presets, people filters, allowed transitions, approved layouts, framing camera, branding toggles, audio and text modes. All persist per profile.	Supported

Standard setup for every video — document §3

Document asks for	What Clip Builder does	Status
Overlays and branding elements	Overlay template system: compositions of text and image items with position, timing, and animation; an Overlay Wizard that extracts a design from a reference frame.	Supported
Logo	Profile logo burned in as a watermark on every render; intro and outro cards or clips stitched on.	Supported
Titles	Per-clip text overlays planned by the Wizard and editable in the Builder timeline.	Supported
Fonts	Font library with automatic registration; captions and overlays resolve fonts from it.	Supported
Captions	On-device transcription with word timestamps; captions burned in with a per-profile style (font, color, background, position).	Supported
Split screen (top and bottom), diagonal, full screen	Shipped layouts: 50/50 top-bottom, thirds, 50/50 diagonal, full screen, plus any polygon layout drawn by hand. Layouts are a timeline row in the Builder and the Wizard may use approved ones.	Supported
Keep the target person centered	A framing pass per scene (static rect or moving camera path), a tracking camera with outfit-based identity, per-area tracking inside split layouts, and user framing hints as hard picks.	Supported

Data bank — document §4

Document asks for	What Clip Builder does	Status
A permanent database so AI does not forget	Per-profile SQLite database holding videos, scenes, transcripts, people, fight events, research, renders, lessons, Instagram data. Learned Lessons, benchmarks, and the taste rubric persist across every run.	Supported
Recognizes and names fighters	Stable person identities across videos, user-drawn markers as ground truth, ignore markers for refs and staff, a People screen with merge, reassign, avatar picking, and review.	Supported
Names videos by subject	File Name Wizard builds descriptive filenames from people, type, fight outcome, research, scene stories, and transcript, reviewed before renaming.	Supported
Names fights and events	Fight research identifies the fight, event, and date, then crawls Reddit and Google News for fan reaction, distilled into a story with hook and overlay lines.	Supported
Flags what we should show now; brings up old material we forgot	"Ask the Library" natural-language scene search, a Content Gaps report of analyzed-but-never-used footage, lessons and benchmarks that surface hot subjects.	Supported

Podcast, short form — document §5

Document asks for	What Clip Builder does	Status
Instagram video reel	Publishes a Library video as a Reel through the Graph API with resumable upload, an AI-prefilled editable caption, feed visibility toggle, and permalink.	Supported
Any length in seconds	Duration presets plus a custom seconds field (3 to 180), and durations parsed from free-text instructions.	Supported
Build a clip around a subject or fighter	Source people filter restricts scenes to tagged people; framing tags narrow to who is actually in frame.	Supported
Suggest the most viral moments and which athletes are in them	Soundbite finder ranks the most quotable transcript moments with suggested overlay lines; the AI Curator picks keepers against the taste rubric; every scene carries its people.	Supported
Suggest when to post	Best posting slots by weekday and hour computed from the connected account's own reach, shown in the publish sheet and fed into planning.	Supported

Document asks for	What Clip Builder does	Status
Unify content by suggesting past material on the same fighter	Gap report, library search, and lessons reference owned footage by person and subject.	Supported

Intelligence layer, Instagram side — document §7

Document asks for	What Clip Builder does	Status
Pull metrics from Instagram	Views, reach, likes, comments, shares, saves, average watch time per media; account snapshots, daily account insights, demographics, comments, commenter rankings. A Reports tab with Overview, Posts, Commenters, and Audience.	Supported
Success of each individual clip	Per-reel score and tier against 90-day benchmarks with "what worked" and "what to fix"; published reels receive an audience score and percentile.	Supported
Time viewed	Average watch time is collected and used by the benchmarks and quality gate.	Supported
Feed every lesson back into the edits	Performance Lessons correlate insights with length, hook type, cut cadence, people, caption style, hashtags, and posting time, then enter the planner's context. Benchmarks steer duration, cadence, and hashtags. The Reel Critic forecasts engagement and is calibrated by real results.	Supported
Answer when to post and what time and day	Best slots per weekday and hour, local time.	Supported

System connections — document §8

Document asks for	What Clip Builder does	Status
API connections to outside tools	Instagram Graph API for insights and publishing, public-web fallback with yt-dlp downloads, folder watching of the input folder, tokens in the Keychain.	Supported

2. Partially supported

Document asks for	What exists and what is missing	Status
Scene change timing: every 2 s, 3 s, or a mix	Cut cadence is planned as cuts per minute and taken from a reference reel or the account's benchmarks, and cuts can snap to music beats. There is no direct "every N seconds" control and no pace curve.	Partial
Cuts and suggested cuts we can accept	Accept-or-reject review exists for curator picks, renames, person merges, overlay extraction, and trim suggestions. There is no timeline-level list of proposed cuts with per-cut accept and reject.	Partial
Lower thirds	Achievable as a hand-placed overlay template item. Not a named, automatic feature.	Partial
Analysis of hooks	Hook type, text, and length are captured from analyzed reels, the house style records typical hook types, and the critic scores a hook dimension. Missing: retention past the first seconds, hook length versus drop-off, cross-platform comparison, and an explicit "use this hook" suggestion.	Partial
Post automatically after we say OK	Manual publish with a review step exists. No queue, no scheduling, no automatic posting.	Partial
Tell us when, how, what, and where to post	When: yes. What: partly, via the gap report, lessons, and hot subjects. Where: no, Instagram is the only destination.	Partial

3. Missing

Standard setup — document §3

Document asks for	Current state	Status
Output quality: 4K, 1080, and other sizes	Rendering is hardcoded to 1080×1920 at 30 fps, vertical 9:16 only. No 16:9, 1:1, 4K, or quality selector. Layouts, overlays, framing, and captions all assume that canvas.	Missing

Document asks for	Current state	Status
Translation language	The database has a translation flag but nothing produces a translated caption track. The profile's "caption languages" setting is for multi-language Instagram post text, not subtitles.	Missing

Data bank — document §4

Document asks for	Current state	Status
References B-roll and uses it to suggest edits; "use a photo here, and here are the photos you already have"	Images exist as an asset library. Nothing marks footage as B-roll or suggests a specific photo at a specific point in an edit.	Missing
Names photos by subject	Only videos are named by subject.	Missing

Podcast, short form — document §5

Document asks for	Current state	Status
Instagram carousel, feed post, story	Only reels are created and published. Carousel, feed, and story appear solely as read-only categories in the reports.	Missing
TikTok in its own correct format	No TikTok output, publishing, or metrics.	Missing
Separates the topics	No topic segmentation of a podcast.	Missing

Podcast, long form — document §6

Document asks for	Current state	Status
Three camera feeds for the host plus the Zoom feed	No multi-camera ingest and no multicam sync. The closest tool is the Builder's six-track manual timeline.	Missing
Titles for the topics of each part	No chaptering.	Missing
Suggests cuts for dead air and garbage parts, with accept, reject, or edit	No silence or dead-air detection.	Missing
Long YouTube video	No YouTube output or publishing.	Missing

Intelligence layer — document §7

Document asks for	Current state	Status
Metrics from TikTok and YouTube	Instagram only.	Missing
Which screen type performs best: full, split, diagonal	Reports break results down by feed, reel, and carousel, not by edit layout. Layout is not recorded on published reels.	Missing
Which athletes give the best return by followers, views, watch time, shares	Comment-magnet subjects are computed from caption names. No per-athlete return metric.	Missing
Where in the clip people stop watching; which change caused the drop	No per-second retention data is fetched, so no drop-off analysis.	Missing
Image-change frequency versus retention; 2 s vs 3 s vs mix; what we cut to	Scene-cut detection exists only to ground reference-reel templates. Nothing correlates cut timing or cut targets with results.	Missing
Feed the winning timing and screen type back into the standard setup	Lessons feed back length, hook type, cadence, and people. Screen type is not part of the loop.	Missing
Updates a spreadsheet with the results	No CSV, XLSX, or Google Sheets output. Only a JSON "Wizard Brain" export and resource zips.	Missing

System connections — document §8

Document asks for	Current state	Status
Windsor	No integration.	Missing
HypeAuditor	No integration.	Missing
OpusClip	No integration.	Missing
"Here is the best clip for TikTok"; "post the YouTube video at this time"	Recommendations exist only for Instagram.	Missing

4. Beyond the document

Capabilities Clip Builder has that the System Overview does not mention.

Capability	What it does	
Reel Critic with a critique loop	Judges the rendered pixels against the profile's taste, forecasts engagement against the account's own reels, and re-plans and re-renders up to three versions when it recommends a retry.	Extra
Deterministic quality gate	Factual, framing, and source checks that do not rely on a model judging its own work.	Extra
A/B comparison sheet	Side-by-side pick between run variations, stored as preference pairs that train future generations.	Extra
Structured review sheet	Overall verdict, per-dimension thumbs (hook, pacing, music, scenes), per-clip verdicts and reason chips, all read back as training signal.	Extra
Reference-reel templating	Analyze any public reel (download, probe, cut detection, frame sampling) into a template, then run the Wizard from it or pre-fill a Builder timeline.	Extra
Full pipeline button	People detection, transcription, analysis, fight scoring, research, curation, framing, generation, critique, cover frames, and renames run in the background with a status bar, Stop, and Resume.	Extra
Cover frame picker	Multimodal ranking of thumbnail candidates, run automatically over each Wizard batch.	Extra
Duplicate footage scan	Groups the same footage imported twice at different resolutions, crops, or lengths, with a keep recommendation.	Extra
Transition catalog and Effects browser	Around 30 crossfades plus recipe transitions (knife slash, zoom punch, whip) and flash cuts; a browser renders a live sample of each through the real pipeline and restricts which ones the AI may use.	Extra
Music library with beat snapping	Beat detection on the chosen track; cuts snap to onsets; original, mix, or music-only audio modes.	Extra
Soundbites as notes	Quotable moments saved as timestamped notes on the video for later use.	Extra

Capability	What it does	
Person markers and ignore markers	Hand-drawn ground truth for identities and for people to exclude (referees, staff).	Extra
Scene stacks	Group related scenes for the Builder and Wizard.	Extra
AI provider routing	Five provider CLIs, eighteen named tasks each routed to a provider and model, a pre-flight dispatch plan, and automatic failover.	Extra
Provenance badges	Every AI-produced artifact records which provider and model made it and shows a badge in the UI.	Extra
Multiple brand profiles	Each profile has its own database, assets, folders, and rules.	Extra
Resource bundles and Wizard Brain export	Asset libraries, profiles, preferences, lessons, rubric, and house style exported and imported as portable files.	Extra
Profile starter	A brand interview generates a founding taste rubric, house style, and starter video types.	Extra
Historic report import	Backfills months of Instagram history from the existing report archive so benchmarks work from day one.	Extra
In-app updater and guided installer	Signed, notarized package; installer sets up ffmpeg, yt-dlp, and AI CLIs; the app checks GitHub releases and updates itself.	Extra

5. Where the effort is

Ranked by size of the gap, largest first.

- **Long-form podcast editor.** Multi-camera ingest and sync, Zoom feed, chaptering, dead-air detection, and a horizontal YouTube render. Nothing exists today; this is a new product surface.
- **Multi-platform output and metrics.** TikTok and YouTube publishing and insights, plus carousel, feed, and story creation for Instagram. The Instagram provider architecture is a template for the others.
- **Output sizes.** Parameterizing the 1080×1920 canvas through layouts, overlays, framing, captions, and both renderers. Mechanical but touches many files.
- **Retention-based analysis.** Hook retention, drop-off points, cut timing versus retention, screen-type performance, and athlete return. Depends on per-second retention data the platforms expose only partially.

- **Automation and integrations.** Scheduling and auto-post with approval, spreadsheet output, and the Windsor, HypeAuditor, and OpusClip connections.
- **Small items.** Translated captions, an explicit "every N seconds" cadence control, lower thirds as a template, B-roll tagging with photo suggestions, topic separation.