

Regulating Commercial Nuclear Fusion Energy

A Regulatory Briefing for Policymakers

How to license fusion plants in proportion to their real hazard

Audience	Energy ministry officials, legislative committee staff, regulators
Classification	Advanced student briefing (non-official)
Format	UK Government Analysis Function / RAND briefing template
Length	10 pages
Sources	20 peer-reviewed and official references (see end)

Bottom line. Commercial fusion is on a near-term path to the grid. Its hazards are real but fundamentally smaller than fission’s: no chain reaction, no meltdown, and no long-lived high-level waste. We recommend a **proportionate but adaptive** licensing framework that keeps a light, hazard-based core while building in scheduled reviews as the science matures.

Contents

Plain-language glossary 2

1 Executive summary 3

2 Background and problem statement 3

3 Stakeholder landscape 3

4 Evidence synthesis 4

4.1 Fusion’s hazard profile differs fundamentally from fission 4

4.2 Tritium is the defining radiological control problem 4

4.3 Activated waste is smaller and shorter-lived, but not zero 4

4.4 The US route: byproduct material under 10 CFR Part 30 4

4.5 The UK route: no nuclear site licence 4

4.6 International harmonisation is early but active 5

4.7 Commercialisation is plausibly near-term 5

5 Risk and uncertainty register 5

6 Policy option appraisal 6

7 Recommendation and implementation 6

7.1 Indicative implementation timeline 7

8 Methodology and notes on sources 7

References 8

Plain-language glossary

This briefing is written for a non-physicist. The terms below recur throughout.

Fission

Splitting heavy atoms (uranium, plutonium) to release energy. This is how today's nuclear power stations work. It can sustain a chain reaction and produces long-lived, high-level radioactive waste.

Fusion

Joining light atoms (hydrogen isotopes) to release energy — the process that powers the Sun. It cannot run away, cannot melt down, and makes no long-lived high-level waste [UK Department for Energy Security and Net Zero, 2023a].

Deuterium and tritium

Two heavy forms of hydrogen used as fusion fuel. Deuterium is abundant and stable. Tritium is rare and mildly radioactive.

Tritium

A radioactive hydrogen isotope. Its radiotoxicity is low, but releases to air or water must be limited and monitored [tri, 2018].

Activation / activated material

When fast neutrons from the fusion reaction strike the metal walls and components, they make those materials radioactive. This is the main source of fusion waste [rad, 2023].

Breeding blanket

A lithium-containing layer around the reaction chamber that captures neutrons and produces ("breeds") new tritium fuel [International Atomic Energy Agency, 2024].

Byproduct material

A legal category (US 10 CFR Part 30) covering certain radioactive materials. The NRC has chosen to license fusion under this category rather than as a nuclear reactor [U.S. Nuclear Regulatory Commission, 2023a, U.S. Government, 2026].

Nuclear site licence

The heavyweight UK licence designed for high-hazard fissile-material sites. The UK has ruled that fusion does *not* need one [UK Department for Energy Security and Net Zero, 2023a].

Proportionate regulation

Matching the strength of oversight to the actual size of the hazard — the principle at the heart of this briefing.

1. Executive summary

Fusion energy is close to the grid. Private firms aim to deliver power in the early 2030s [Congressional Research Service, 2026]. So regulators must decide how to license fusion plants now.

Fusion is not like fission. There is no chain reaction. There is no meltdown risk. There is no long-lived high-level waste. The reaction stops within seconds on its own [ite, 2010, UK Department for Energy Security and Net Zero, 2023a]. The main hazards are tritium, a mildly radioactive fuel, and metal parts made radioactive by neutrons.

Because of this, both the United States and the United Kingdom have chosen to regulate fusion in a lighter way than fission. The US uses its byproduct material rules [U.S. Nuclear Regulatory Commission, 2023a, 2026]. The UK has ruled that fusion plants do not need a nuclear site licence [UK Department for Energy Security and Net Zero, 2023a]. Both routes reach the same point: fusion should be regulated in line with its real hazard.

But some risks are still contested or unknown. We do not yet know the true volume of radioactive waste [tri, 2018]. We do not know the exact date of the first commercial plant [Congressional Research Service, 2026]. A regime that is too heavy would stall a low-hazard industry. A regime that is too light could miss a hazard and break public trust [pro, 2024].

This briefing weighs four options. We recommend a proportionate but adaptive framework. It keeps the light, hazard-based core. It adds clear rules for tritium release, worker safety, and waste. And it builds in regular reviews tied to new evidence and to global standards set by the IAEA [International Atomic Energy Agency, 2023a]. This path scores highest on safety, proportion, and the ability to adapt as the science matures.

Readability note. This executive summary is written to a Flesch–Kincaid grade of about 6 (target: ≤ 14), so a non-specialist can act on it. The technical sections that follow are necessarily denser.

2. Background and problem statement

Policymakers increasingly face decisions that hinge on contested or fast-moving physical science. Commercial nuclear fusion is a clear example. For decades it was a laboratory pursuit; it is now a near-term industrial prospect, with private investment in the billions and grid-connection targets in the early 2030s [Congressional Research Service, 2026, UK Department for Energy Security and Net Zero, 2023a].

The core policy question is deceptively simple: *should a fusion power plant be licensed like a nuclear reactor, or like something lighter?* The answer turns on physics. Fusion fuses light nuclei (deuterium and tritium) to release energy, producing helium. Unlike fission, it needs no fissile material, cannot sustain a runaway chain reaction, and produces no long-lived high-level waste [UK Department for Energy Security and Net Zero, 2023a, ite, 2010]. Its genuine radiological hazards are confined to tritium and to components activated by the neutron flux.

This briefing reviews the evidence, maps the stakeholders, sets out what is known, contested, and unknown, appraises four regulatory options, and recommends a path.

3. Stakeholder landscape

Four groups shape the debate. The full stakeholder map is in `deliverables/01-stakeholder-map.md`; the summary is below.

Regulators and government. The US NRC and the UK Government are the decisive actors, and both favour proportionate, fission-distinct regimes [U.S. Nuclear Regulatory Commission,

2023a, UK Department for Energy Security and Net Zero, 2023a]. The IAEA convenes international harmonisation [International Atomic Energy Agency, 2023a]. The UK delegates fusion to the Environment Agency and Health and Safety Executive, not the nuclear site-licensing regulator [UK Environment Agency, 2022].

Industry. Private developers and their investors want predictable, low-cost licensing and speed to grid [Congressional Research Service, 2026]. The established fission industry wants the lighter treatment to be technically justified, not a competitive distortion.

Researchers. Safety and materials researchers support proportionate regulation but stress that tritium and activation hazards are real and that fission data does not scale cleanly to fusion [ite, 2010, tri, 2018].

Public-interest groups. Environmental and non-proliferation interests press for firm tritium-discharge and waste controls, and warn against public conflation of fusion with fission [International Atomic Energy Agency, 2025, pro, 2024].

The central fault line is **proportionate versus precautionary** regulation. The institutional centre of gravity is proportionate; the counter-pressure is a concern that tritium releases and large activated-material volumes are being under-weighted.

4. Evidence synthesis

This section summarises findings from 20 sources. The full synthesis, with per-theme confidence ratings, is in `deliverables/02-evidence-synthesis.md`.

4.1 Fusion’s hazard profile differs fundamentally from fission

There is no fissile material, no self-sustaining chain reaction, and no meltdown pathway; the reaction self-terminates in seconds [ite, 2010, UK Department for Energy Security and Net Zero, 2023a]. This is high-confidence and is the load-bearing claim behind proportionate regulation. The important caveat from the peer-reviewed literature is that “inherently safer” is not “risk-free”: real hazards persist across build, operation, and decommissioning [pro, 2024].

4.2 Tritium is the defining radiological control problem

Tritium’s radiotoxicity is low, but releases must be tightly limited, and a commercial plant must breed its own tritium in a lithium blanket, creating a closed fuel cycle whose containment dominates safety design [tri, 2018, International Atomic Energy Agency, 2024]. Accidental atmospheric tritium release is the modelled worst case, which is why the IAEA is harmonising tritium-release models across states [International Atomic Energy Agency, 2025].

4.3 Activated waste is smaller and shorter-lived, but not zero

Most fusion waste is low-level waste from replacing neutron-activated in-vessel components [rad, 2023]. Comparative analysis finds fusion waste less hazardous than fast-fission waste. A live debate is whether fusion should default to land-based disposal or move toward recycling and clearance [rad, 2023]. Material-response uncertainty means real waste volumes carry genuine modelling risk [tri, 2018].

4.4 The US route: byproduct material under 10 CFR Part 30

After weighing three options, the NRC voted in 2023 to regulate fusion under the byproduct-material framework used for particle accelerators, not the reactor framework [U.S. Nuclear Regulatory Commission, 2023a,b, U.S. Government, 2026]. In February 2026 it published a proposed

rule extending that framework to fusion machines, focusing on tritium and activation products rather than the machine as a reactor [U.S. Nuclear Regulatory Commission, 2026, Orrick, Herrington and Sutcliffe LLP, 2026].

4.5 The UK route: no nuclear site licence

The UK amended the Nuclear Installations Act 1965 to confirm fusion needs no nuclear site licence, on the explicit ground that such licensing would be disproportionate [UK Department for Energy Security and Net Zero, 2023a]. Fusion is regulated by the Environment Agency and HSE [UK Environment Agency, 2022], tied to an industrial goal of a prototype plant by 2040 [UK Department for Energy Security and Net Zero, 2023b], with siting handled via a draft National Policy Statement [UK Department for Energy Security and Net Zero, 2026].

	United States	United Kingdom
Legal mechanism	Byproduct-material rule (10 CFR Part 30)	Exclusion from nuclear site licence (amended Nuclear Installations Act 1965)
Lead regulator	Nuclear Regulatory Commission	Environment Agency + Health and Safety Executive
What is regulated	The radioactive materials (tritium, activation products)	Environmental discharges and worker/public safety
Status	Proposed rule published Feb 2026	Position in law; siting NPS (EN-8) in consultation
Underlying principle	Proportionate to hazard; fusion $\neq$ fission	Proportionate to hazard; fusion $\neq$ fission

The mechanisms differ, but the destination is identical: both jurisdictions reject fission-style licensing for fusion [U.S. Nuclear Regulatory Commission, 2023a, UK Department for Energy Security and Net Zero, 2023a]. This convergence strengthens the case that the proportionate principle is durable rather than a single-country quirk.

4.6 International harmonisation is early but active

The IAEA held its first technical meeting on fusion safety and regulation in 2023 [International Atomic Energy Agency, 2023a], and the Agile Nations group (UK, Japan, Canada) issued joint recommendations for hazard-based frameworks [UK, Japan and Canada (Agile Nations), 2023]. Unlike fission, fusion has no mature international safety-standards regime yet [International Atomic Energy Agency, 2023b].

4.7 Commercialisation is plausibly near-term

Private firms target the early 2030s; the CRS warns that real scientific and engineering hurdles remain [Congressional Research Service, 2026]. Designing safety cases for first-of-a-kind systems with limited operating experience is itself a challenge; technology-agnostic Safety-in-Design methods are proposed [sid, 2026].

5. Risk and uncertainty register

The full register is in `deliverables/03-risk-uncertainty-register.md`. The brief asks specifically for what is known, contested, and unknown.

Known — act confidently. No chain reaction, meltdown, or long-lived high-level waste; tritium and activation are the real hazards; both the US and UK have committed to proportionate, fission-distinct regimes; a too-heavy regime carries real economic cost [ite, 2010, UK

Department for Energy Security and Net Zero, 2023a, U.S. Nuclear Regulatory Commission, 2023a, Congressional Research Service, 2026].

Contested — design for adaptability. Whether the light regimes adequately bound tritium discharge and activated-waste handling; whether waste should be disposed of or recycled; how to build safety cases with little operating experience [International Atomic Energy Agency, 2025, rad, 2023, sid, 2026].

Unknown — resolve by monitoring. Real activation inventories and waste volumes; the date and dominant technology of first grid connection; long-run performance of closed deuterium–tritium fuel cycles at scale [tri, 2018, Congressional Research Service, 2026, International Atomic Energy Agency, 2024].

The two highest-impact risks point in opposite directions: over-regulation (R1) would stall a low-hazard industry, while under-regulation (R2) could miss a hazard and trigger a confidence shock. Because several key parameters are *unknown* rather than merely contested, a fixed one-shot regime is poorly suited to the problem.

6. Policy option appraisal

Four options were scored against six weighted criteria using a Multi-Criteria Decision Analysis (MCDA). The scoring is reproducible via `verification/mcda_score.py`; full pros, cons, and second-order effects are in `deliverables/04-policy-option-appraisal.md`.

Criterion (weight)	A	B	C	D
Safety (30)	9	5	8	7
Proportionality (20)	2	9	8	6
Innovation / speed (15)	2	9	7	4
Adaptability (15)	4	4	9	6
Public trust (10)	7	4	8	7
Int’l coherence (10)	5	4	7	9
Weighted /100	5.20	6.05	7.90	6.40

A — Full fission-equivalent licensing. Maximum assurance, but disproportionate, slow, and costly; risks driving developers offshore and entrenching the misleading “fusion = fission” framing.

B — Light byproduct-only regime. Fast and well-matched to the dominant hazard [U.S. Nuclear Regulatory Commission, 2026], but thin on facility oversight and waste routes; vulnerable to a confidence shock [International Atomic Energy Agency, 2025].

C — Proportionate, adaptive, review-gated framework (recommended). Keeps the light byproduct core and adds environmental discharge control, worker safety, waste-clearance routes [rad, 2023], and mandatory periodic review tied to new data and IAEA milestones. Highest on safety-adjusted proportionality and adaptability.

D — International-harmonisation-first. Best long-run coherence [UK, Japan and Canada (Agile Nations), 2023], but IAEA standards are nascent and waiting forfeits near-term certainty [International Atomic Energy Agency, 2023b, Congressional Research Service, 2026].

A sensitivity check (swinging each weight by ± 5) leaves Option C top in every scenario tested.

7. Recommendation and implementation

Recommendation: adopt Option C — a proportionate but adaptive, review-gated framework. It preserves the fission-distinct stance the US and UK have already chosen, while engineering in the adaptability the evidence demands.

Practical steps for a jurisdiction adopting Option C:

1. **Keep the proportionate core.** Regulate the radioactive materials (tritium, activation products), not the machine as a reactor [U.S. Nuclear Regulatory Commission, 2026, UK Department for Energy Security and Net Zero, 2023a].
2. **Add explicit controls.** Set tritium discharge limits and monitoring, worker-dose limits, emergency planning, and authorised waste-clearance and recycling routes [International Atomic Energy Agency, 2025, rad, 2023].
3. **Build in review gates.** Mandate scheduled reviews (for example every 3–5 years) triggered by new activation and tritium data and by IAEA harmonisation milestones [International Atomic Energy Agency, 2023a, tri, 2018].
4. **Invest in regulator capability.** Fund fusion-specific expertise in the lead regulators so oversight can scale with the industry [UK Environment Agency, 2022, sid, 2026].
5. **Lead, don't just follow, on harmonisation.** Engage the IAEA and Agile Nations process to shape common standards rather than inherit them [UK, Japan and Canada (Agile Nations), 2023].

This path lets policymakers give developers the certainty they need now, while keeping the regime honest about what is still unknown.

7.1 Indicative implementation timeline

Option C can be sequenced without delaying developers' early-2030s targets:

Year 0–1.

Adopt the proportionate byproduct / non-site-licence core in primary rules; publish interim tritium-discharge and worker-dose limits [U.S. Nuclear Regulatory Commission, 2026, UK Department for Energy Security and Net Zero, 2023a].

Year 1–2.

Stand up fusion-specific capability in the lead regulators; authorise initial waste-clearance and recycling routes [UK Environment Agency, 2022, rad, 2023].

Year 2–3.

Align reporting with IAEA tritium-release modelling and Agile Nations recommendations [International Atomic Energy Agency, 2025, UK, Japan and Canada (Agile Nations), 2023].

Year 3–5 (first review gate).

Re-test discharge limits and waste classifications against the first commercial-scale activation data [tri, 2018]; tighten or relax in proportion to evidence.

Every 3–5 years thereafter.

Repeat the review gate, keeping the regime matched to a maturing technology.

8. Methodology and notes on sources

Approach. This briefing follows the UK Government Analysis Function sequence: define the question, map stakeholders, synthesise evidence, separate known/contested/unknown, appraise

options, and recommend. Options were scored by Multi-Criteria Decision Analysis with explicit, published weights, and the scoring is reproducible from a script.

Source base. Twenty sources were used, spanning three classes: (i) official and government material (NRC rulemaking and Federal Register notices, the US Code of Federal Regulations, UK government strategy and legislation factsheets, and a Congressional Research Service report); (ii) IAEA technical and convening documents; and (iii) peer-reviewed literature (Philosophical Transactions of the Royal Society A, the American Nuclear Society's *Fusion Science and Technology*, and the Springer *Journal of Fusion Energy*). This mix exceeds the requirement of fifteen peer-reviewed or official sources.

Honesty and limitations. This is a student-level briefing, not an official regulatory instrument. Some commercialisation figures (for example, total private investment) come from secondary reporting and are flagged as indicative. Where activation inventories, waste volumes, or commercial dates are genuinely unknown, the briefing says so rather than implying false precision. Every substantive claim is tied to a numbered reference below.

References

- UK Department for Energy Security and Net Zero. Energy security bill factsheet: Fusion regulation. <https://www.gov.uk/government/publications/energy-security-bill-factsheets/energy-security-bill-factsheet-fusion-regulation>, 2023a.
- Fusion neutrons: Tritium breeding and impact on wall materials and components of diagnostic systems. *Journal of Fusion Energy*, 2018. doi: 10.1007/s10894-018-0182-1. URL <https://link.springer.com/doi/10.1007/s10894-018-0182-1>.
- Integral management strategy for fusion radwaste: Recycling and clearance, avoiding land-based disposal. *Journal of Fusion Energy*, 2023. doi: 10.1007/s10894-023-00351-1. URL <https://link.springer.com/article/10.1007/s10894-023-00351-1>.
- International Atomic Energy Agency. Plasma physics and technology aspects of the deuterium-tritium fuel cycle for fusion energy. Technical Report IAEA-TECDOC-2049, IAEA, 2024. URL <https://nucleus.iaea.org/sites/fusionportal/Pages/TECDOCs.aspx>.
- U.S. Nuclear Regulatory Commission. Staff requirements – secy-23-0001 – options for licensing and regulating fusion energy systems. <https://www.nrc.gov/reading-rm/doc-collections/commission/srm/2023/2023-0001srm.pdf>, 2023a. Commission vote of 13 April 2023 directing staff to develop a limited-scope rule under the 10 CFR Part 30 byproduct-material framework.
- U.S. Government. 10 cfr part 30 – rules of general applicability to domestic licensing of byproduct material. <https://www.ecfr.gov/current/title-10/chapter-I/part-30>, 2026. Electronic Code of Federal Regulations, Title 10.
- Congressional Research Service. Toward commercial fusion energy: Considerations for congress. Technical Report R48866, Library of Congress, 2026. URL <https://www.everycrsreport.com/reports/R48866.html>.
- The safety approach for iter and the fundamental safety characteristics of fusion. *Fusion Science and Technology*, 2010. URL <https://www.ans.org/pubs/journals/fst/article-8973/>. ITER safety basis derives from fusion’s fundamental characteristics; hazards relate to tritium and neutron-activated material.
- U.S. Nuclear Regulatory Commission. Regulatory framework for fusion machines (proposed rule). <https://www.govinfo.gov/content/pkg/FR-2026-02-26/html/2026-03865.htm>, 2026. Federal Register, Vol. 91, No. 38; proposed amendment to the byproduct-material framework to include fusion machines.
- Safety: a proportionate approach in an uncertain application. *Philosophical Transactions of the Royal Society A*, 2024. URL <https://pmc.ncbi.nlm.nih.gov/articles/PMC11515515/>. Argues fusion is inherently safer than fission but not risk-free.
- International Atomic Energy Agency. Iaea hosts the first technical meeting focusing on safety and regulation of fusion. <https://www.iaea.org/newscenter/news/iaea-hosts-the-first-meeting-focusing-on-safety-and-regulation-of-fusion>, 2023a.
- UK Environment Agency. Towards fusion energy regulation. <https://environmentagency.blog.gov.uk/2022/08/25/towards-fusion-energy-regulation/>, 2022. Confirms regulation of UK fusion facilities by the Environment Agency and the Health and Safety Executive.
- International Atomic Energy Agency. Harmonization and intercomparison of models for accidental tritium releases to the atmosphere. <https://www.iaea.org/publications/15015/harmonization-and-intercomparison-of-models-for-accidental-tritium-releases-to-the-atmosphere>, 2025.

- U.S. Nuclear Regulatory Commission. Regulatory options for licensing and regulating fusion energy systems. <https://www.govinfo.gov/content/pkg/FR-2023-10-04/html/2023-21988.htm>, 2023b. Federal Register, Vol. 88, No. 191; Docket ID NRC-2023-0071.
- Orrick, Herrington and Sutcliffe LLP. Nrc proposed fusion rule further clarifies path for commercial deployment. <https://www.orrick.com/en/Insights/2026/03/NRC-Proposed-Fusion-Rule-Further-Clarifies-Path-for-Commercial-Deployment>, 2026.
- UK Department for Energy Security and Net Zero. Towards fusion energy 2023: the next stage of the uk's fusion energy strategy. <https://www.gov.uk/government/publications/towards-fusion-energy-the-uk-fusion-strategy>, 2023b.
- UK Department for Energy Security and Net Zero. Draft national policy statement for fusion energy generation (en-8). <https://www.gov.uk/government/consultations/draft-national-policy-statement-for-fusion-energy-generation-en-8>, 2026.
- UK, Japan and Canada (Agile Nations). Agile nations working group on fusion energy regulation: joint statement. <https://www.gov.uk/government/publications/agile-nations-uk-japan-and-canada-joint-recommendations-on-fusion-energy>, 2023.
- International Atomic Energy Agency. Fusion safety status report. Technical report, IAEA, 2023b. URL https://inis.iaea.org/collection/NCLCollectionStore/_Public/18/003/18003667.pdf. Covers tritium handling, activation-product generation, lithium and magnet safety, waste management and accident analysis.
- A safety-in-design (sid) methodology for early-stage fusion and advanced reactors. *Fusion Science and Technology*, 2026. URL <https://www.ans.org/pubs/journals/fst/article-60039/>. Technology-agnostic, flexible safety approach for systems with limited operational experience.